

## DAFTAR PUSTAKA

- Abdul Alam, N. A., Karim, R., & Muhammad, K. (2018). Effect of sago and tapioca starches on the physicochemical and textural properties of expanded rice product coloured with red beetroot (*Beta vulgaris*) powder. *International Food Research Journal*, 25(1), 21–27.
- Ačkar, Đ., Jozinović, A., Babić, J., Miličević, B., Balentić, P. J., & Šubarić, D. (2018). *Resolving the problem of poor expansion in corn extrudates enriched with food industry by-products*. 47(November 2017), 517–524. <https://doi.org/10.1016/j.ifset.2018.05.004>
- Ajita, T., & Jha, S. K. (2017). Extrusion cooking technology: Principal mechanism and effect on direct expanded snacks - An overview. *International Journal of Food Studies*, 6(1), 113–128. <https://doi.org/10.7455/ijfs/6.1.2017.a10>
- Alam, M. S., Kaur, J., Khaira, H., & Gupta, K. (2016). *Extrusion and Extruded Products : Changes in Quality Attributes as Affected by Extrusion Process Parameters : A Review Extrusion and Extruded Products : Changes in Quality Attributes as Affected by Extrusion Process Parameters : A Review*. 8398. <https://doi.org/10.1080/10408398.2013.779568>
- Altaf, U., Hussain, S. Z., Qadri, T., Iftikhar, F., Naseer, B., & Rather, A. H. (2021). Investigation on mild extrusion cooking for development of snacks using rice and chickpea flour blends. *Journal of Food Science and Technology*, 58(3), 1143–1155. <https://doi.org/10.1007/s13197-020-04628-7>
- Altan, A., & Maskan, M. (2012). *Development of Extruded Foods by Utilizing Food Industry By-Products*. Advances in Food Extrusion Technology. CRC Press.
- Altan, A., & Yağci, S. (2023). Physicochemical characteristics and structural changes of fermented faba bean extrudates prepared by twin-screw extrusion. *Food Chemistry*, 411(January). <https://doi.org/10.1016/j.foodchem.2023.135502>
- Ambarwati, K., Syamsir, E., & Yasni, S. (2022). Karakteristik Mi Berbasis Ubi Jalar dengan Substitusi Pati Sagu atau Pati Ubi Banggai. *Jurnal Teknologi Dan Industri Pangan*, 33(1), 11–20. <https://doi.org/10.6066/jtip.2022.33.1.11>
- Ansharullah, A., Wahyuni, S., Tamrin, ., & Natsir, M. (2020). Response Surface Method in Evaluating the Extrusion Effects on Molecular Degradation and Physical Properties of Sago Starch. *Journal of Scientific Research and Reports*, 26(8), 1–10. <https://doi.org/10.9734/jsrr/2020/v26i830292>
- Anton, A. A., Fulcher, R. G., & Arntfield, S. D. (2009). Physical and nutritional impact of fortification of corn starch-based extruded snacks with common bean ( *Phaseolus vulgaris* L .) flour : Effects of bean addition and extrusion cooking. *Food Chemistry*, 113(4), 989–996. <https://doi.org/10.1016/j.foodchem.2008.08.050>
- Aristyarini, R., Yasni, S., & Syamsir, E. (2022). Peningkatan Serat Pangan Larut Dari Ampas Tahu Dan Sifat Fungsionalnya Dengan Perlakuan Fisik: Tinjauan Literatur. *Jurnal Teknologi Industri Pertanian*, 32(1), 84–95. <https://doi.org/10.24961/j.tek.ind.pert.2022.32.1.84>

- ASABE. (2006). *Method of Determining and Expressing Fineness of Feed Materials by Sieving*. ASABE.
- Asfi, W. M., Harun, N., & Zalfiatri, Y. (2017). Pemanfaatan tepung kacang merah dan pati sagu pada pembuatan crackers. *JOM Faperta UR*, 14(01), 3510–3515.
- Atmaka, W., & Amanto, B. S. (2010). KAJIAN KARAKTERISTIK FISIKOKIMIA TEPUNG INSTAN BEBERAPA VARIETAS JAGUNG (*Zea mays* L.). *Jurnal Teknologi Hasil Pertanian*, 3(1), 13. <https://doi.org/10.20961/jthp.v0i0.13614>
- Boluk, I., Kumcuoglu, S., & Tavman, S. (2023). Development , Characterization and Sensory Evaluation of an Extruded Snack Using Fig Molasses By-Product and Corn Semolina. *Foods*, 12(1029), 1–22.
- BSN. (2015). SNI 2886:2015 Makanan Ringan Ekstrudat. *Standart Nasional Indonesia*, 2886, 1–41.
- Budi, F. S., Hariyadi, P., Budijanto, & Syah, D. (2013). Teknologi Proses Ekstrusi untuk Membuat Beras Analog (Extrusion Process Technology of Analog Rice). *Jurnal Pangan*, 22(3), 253–274.
- Budijanto, S., & Yuliyanti. (2012). Study of Preparation Sorghum Flour and Application for Analogues Rice Production Slamet. *Jurnal Teknologi Pertanian* Vol., 13(3), 177–186. <https://jtp.ub.ac.id/index.php/jtp/article/download/372/735>
- Budiman, Wulandari, Z., & Suryati, T. (2009). Suplementasi Tepung Putih Telur untuk Memperbaiki Nilai Nutrisi Snack Ekstrusi Berbahan Grits Jagung. *Media Peternakan*, 32(3), 179–184.
- Chakraborty, S. K., Singh, D. S., & Kumbhar, B. K. (2014). Influence of extrusion conditions on the colour of millet-legume extrudates using digital imagery. *Irish Journal of Agricultural and Food Research*, 53(1), 65–74.
- Darwanto. (2023). PENGARUH SUBSTITUSI TEPUNG BIJI KARET ( *Hevea brasiliensis*) TERHADAP SIFAT FISIKOKIMIA DAN ORGANOLEPTIK TORTILLA CHIPS. UNIVERSITAS JAMBI.
- Daud, A., Suriati, S., & Nuzulyanti, N. (2020). Kajian Penerapan Faktor yang Mempengaruhi Akurasi Penentuan Kadar Air Metode Thermogravimetri. *Lutjanus*, 24(2), 11–16. <https://doi.org/10.51978/jlpp.v24i2.79>
- Devrajan, N., Prakash, P., & Jindal, N. (2018). Effect of extrusion cooking on colour ( $L^*$ ,  $a^*$ ,  $b^*$ ) of germinated buckwheat-corn based snacks. *International Journal of Current Microbiology and Applied Sciences*, 7, 3413–3424. <https://doi.org/http://www.ijcmas.com>
- Dewandari, K. T., Mulyawanti, I., & Iriani, E. S. (2023). Strategi Peningkatan Pemanfaatan Tepung Sagu Terstandar Pada Industri Mi. *Warta BSIP Perkebunan*, 1(3), 8–15. <https://epublikasi.pertanian.go.id/berkala/wartabun/article/view/3459>
- Direktorat Jenderal Perkebunan Kementerian Pertanian. (2023). *Statistik Perkebunan Unggulan Nasional*. Kementerian Pertanian Republik Indonesia.
- Ehara, H., Toyoda, Y., & Johnson, D. V. (2018). Sago palm: multiple contributions to food security and sustainable livelihoods. In *Sago Palm: Multiple Contributions to Food Security and Sustainable Livelihoods*. [https://doi.org/10.1007/978-981-10-5269-9\\_17](https://doi.org/10.1007/978-981-10-5269-9_17)

- Fathuroya, V., Muchlisyyah, J., & Yuwono, S. S. (2017). *Fisika Dasar untuk Ilmu Pangan*. Universitas Brawijaya Press.
- Gat, Y., & Ananthanarayan, L. (2015). Effect of extrusion process parameters and pregelatinized rice flour on physicochemical properties of ready-to-eat expanded snacks. *Journal of Food Science and Technology*, 52(5), 2634–2645. <https://doi.org/10.1007/s13197-014-1378-7>
- Guzmán-ortiz, F. A., Hernández-sánchez, H., Yee-madeira, H., Martín-martínez, E. S., Robles-ramírez, M. C., Rojas-lópez, M., Berrios, J. D. J., & Mora-escobedo, R. (2015). *Physico-chemical, nutritional and infrared spectroscopy evaluation of an optimized soybean / corn flour extrudate*. 52(July), 4066–4077. <https://doi.org/10.1007/s13197-014-1485-5>
- Hakim, A. R., Handoyo, W. T., Novianto, T. D., & Prasetyo, A. W. (2019). Effects of Twin-Screw Extruders Condition to Physical Properties of Floating Fish Feed. *Jurnal Perikanan Universitas Gadjah Mada*, 21(2), 79. <https://doi.org/10.22146/jfs.44821>
- Harahap, S. E., Purwanto, Y. A., Budijanto, S., & Maharijaya, A. (2018). Karakterisasi Kerenyahan dan Kekerasan Beberapa Genotipe Kentang (*Solanum tuberosum* L.) Hasil Pemuliaan. *Jurnal Pangan*, 26(3), 1–7.
- Heldman, S. &. (2009). Introduction to Food engineering (4th edition). In *Journal of Chemical Information and Modeling* (Vol. 53, Issue 9).
- Igual, M., García-Segovia, P., & Martínez-Monzó, J. (2020). Effect of Acheta domesticus (house cricket) addition on protein content, colour, texture, and extrusion parameters of extruded products. *Journal of Food Engineering*, 282(March). <https://doi.org/10.1016/j.jfoodeng.2020.110032>
- Irawan, D., & Bisono, R. M. (2018). Rancang bangun prototype mesin ekstrusi polimer single screw. *Seminar Nasional Multidisiplin 2018, September*, 13–19.
- Islamiyah, S. S. (2009). *SIFAT FISIK DAN SENSORI SNACK EKSTRUSI DENGAN PENAMBAHAN TEPUNG DAGING-TULANG LEHER AYAM PEDAGING (TDTLA)*. INSTITUT PERTANIAN BOGOR.
- Jain, R., Goomer, S., & Singh, S. N. (2022). Mung-Oat snack of high protein content by twin screw extrusion using response surface methodology. *Applied Food Research*, 2(1), 100099. <https://doi.org/10.1016/j.afres.2022.100099>
- Kantrong, H., Charunuch, C., & Limsangouan, N. (2018). Influence of process parameters on physical properties and specific mechanical energy of healthy mushroom-rice snacks and optimization of extrusion process parameters using response surface methodology. *Journal of Food Science and Technology*, 55(9), 3462–3472. <https://doi.org/10.1007/s13197-018-3271-2>
- Khanna, N., Singh, M., & Jain, P. (2019). Chemical Science Review and Letters Effect of Extrusion Cooking on Textural Properties of Extrudates-A Review. *Chem Sci Rev Lett*, 8(30), 276–279.
- Kusumanto, R. D., Tompunu, A. N., & Pambudi, S. (2011). Klasifikasi Warna Menggunakan Pengolahan Model Warna HSV Abstrak. *Jurnal Ilmiah Teknik Elektro*, 2(2), 83–87.
- Lalujan, L. E., Djarkasi, G. S. S., Tuju, T. J. N., Rawung, D., Sumual, M. F., Ilmu, P., Pangan, T., Teknologi, J., Fakultas Pertanian, P., Sam, U., & Manado, R.

- (2017). Komposisi Kimia Dan Gizi Jagung Lokal Varietas “Manado Kuning” Sebagai Bahan Pangan Pengganti Beras. *Jurnal Teknologi Pertanian*, 8(1), 47–54. <https://ejournal.unsrat.ac.id/v3/index.php/teta/article/view/16351>
- Lomelaars, H. C. . (1968). *Pengantar Ilmu Warna*.
- Mani, R., & Bhattacharya, M. (1998). Properties of injection moulded starch/synthetic polymer blends - III. Effect of amylopectin to amylose ratio in starch. *European Polymer Journal*, 34(10), 1467–1475. [https://doi.org/10.1016/S0014-3057\(97\)00273-5](https://doi.org/10.1016/S0014-3057(97)00273-5)
- Maurya, A. K., & Said, P. (2014). *Extrusion Processing on Physical and Chemical Properties of Protein Rich Products-An Overview Extrusion Processing on Physical and Chemical Properties of Protein Rich Products-An Overview. September*.
- Minweyelet, M., Solomon, W. K., & Bultosa, G. (2021). Effects of extrusion operating conditions and blend proportion on the physico-chemical and sensory properties of teff-rice blend extruded products. *Food Research*, 5(2), 173–183. [https://doi.org/10.26656/fr.2017.5\(2\).467](https://doi.org/10.26656/fr.2017.5(2).467)
- Mumtazah, S., Romadhon, R., & Suharto, S. (2021). Pengaruh Konsentrasi Dan Kombinasi Jenis Tepung Sebagai Bahan Pengisi Terhadap Mutu Petis Dari Air Rebusan Rajungan. *Jurnal Ilmu Dan Teknologi Perikanan*, 3(2), 105–112. <https://doi.org/10.14710/jitpi.2021.13147>
- Nasir, S. Q., & Harijono. (2018). Pengembangan Snack Ekstrusi Berbasis Jagung, Kecambah Kacang Tunggak Dan Kecambah Kacang Kecipir Dengan Linear Programming. *Jurnal Pangan Dan Agroindustri*, 6(2), 74–85. <https://doi.org/10.21776/ub.jpa.2018.006.02.8>
- Nayak, B., Berrios, J. D. J., Powers, J. R., & Tang, J. (2011). Effect of Extrusion on the Antioxidant Capacity and Color Attributes of Expanded Extrudates Prepared from Purple Potato and Yellow Pea Flour Mixes. *Journal of Food Science*, 76(6), 874–883. <https://doi.org/10.1111/j.1750-3841.2011.02279.x>
- Neder-Suárez, D., Quintero-Ramos, A., Meléndez-Pizarro, C. O., de Jesús Zazueta-Morales, J., Paraguay-Delgado, F., & Ruiz-Gutiérrez, M. G. (2021). Evaluation of the physicochemical properties of third-generation snacks made from blue corn, black beans, and sweet chard produced by extrusion. *Lwt*, 146(September 2020). <https://doi.org/10.1016/j.lwt.2021.111414>
- Nor, N. M., Carr, A., Hardacre, A., & Brennan, C. S. (2013). The development of expanded snack product made from pumpkin flour-corn grits: Effect of extrusion conditions and formulations on physical characteristics and microstructure. *Foods*, 2(2), 160–169. <https://doi.org/10.3390/foods2020160>
- Noviasari, S., Kusnandar, F., Setiyono, A., & Budijanto, S. (2017). Karakteristik Fisik, Kimia, dan Sensori Beras Analog Berbasis Bahan Pangan Non Beras. *Jurnal Pangan*, 26(1), 1–12.
- Nurilmala, M., Suptijah, P., Subagja, Y., & Hidayat, T. (2014). Utilization and Fortification of Patin Fish on Extrusion Snack. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 17(2), 175–185. <https://doi.org/10.17844/jphpi.v17i2.8721>
- Nursaripah, S. A. (2016). *Pertumbuhan dan hasil tanaman jagung ( Zea mays L .) toleran herbisida akibat pemberian berbagai dosis herbisida kalium glifosat*



- Growth and yield of herbicide tolerant corn (Zea Mays L.) due to application of various dosages of potassium glyphosate herb. 15(2), 86–91.*
- Oktavia, D. A. (2007). Kajian Sni 01-2886-2000 Makanan Ringan Ekstrudat. *Jurnal Standardisasi*, 9(1), 1. <https://doi.org/10.31153/js.v9i1.8>
- Pakpahan, N., & Nelinda. (2019). Studi Karakteristik Kerupuk: Pengaruh Komposisi dan Proses Pengolahan. *Teknologi Pengolahan Pertanian*, 1(1), 28–38.
- Pandey, S., Kumar, A., & Rao, P. S. (2021). Optimization, modeling, and characterization study for the physicochemical properties of raw banana and defatted soy composite extrudates. *Food Chemistry*, 339(August 2020), 127865. <https://doi.org/10.1016/j.foodchem.2020.127865>
- Pathak, N., & Kochhar, A. (2018). Extrusion Technology: Solution to Develop Quality Snacks for Malnourished Generation. *International Journal of Current Microbiology and Applied Sciences*, 7(1), 1293–1307. <https://doi.org/10.20546/ijcmas.2018.701.158>
- Patil, R. T., De Berrios, J. J., Tang, J., Pan, J., & Swanson, B. (2005). Physical characteristics of food extrudates - a review. In A. S. of A. and B. Engineers (Ed.), 2005 *ASAE Annual Meeting* (p. 1). <https://doi.org/https://doi.org/10.13031/2013.19680>
- Pelembé, L. A. M., Erasmus, C., & Taylor, J. R. N. (2002). Development of a protein-rich composite sorghum - Cowpea instant porridge by extrusion cooking process. *Lwt*, 35(2), 120–127. <https://doi.org/https://doi.org/10.1006/fstl.2001.0812>
- Pratama, R. C., Mulia Jaya, F., & Sari, L. P. (2022). PENGARUH PENAMBAHAN SARI BUNGA TELANG (*Clitoria ternatea* Linn) DENGAN KONSENTRASI YANG BERBEDA TERHADAP MUTU KERUPUK IKAN PATIN The Effect Of Additional Concentration Of Telang Flower (*Clitoria ternatea* Linn) With Different Concentrations On The Quality O. *Jurnal Ilmu-Ilmu Perikanan Dan Budidaya Perairan*, 17(1), 28–38. <https://jurnal.univpgri-palembang.ac.id/index.php/ikan>
- Pudjihastuti, I., Supriyo, E., & Devara, H. R. (2021). Pengaruh Rasio Bahan Baku Tepung Komposit (Ubi Kayu, Jagung Dan Kedelai Hitam) Pada Kualitas Pembuatan Beras Analog. *Gema Teknologi*, 21(2), 61–66. <https://doi.org/10.14710/gt.v21i2.32923>
- Rachma Oktavianasari, R., Damat, D., & Manshur, H. A. (2023). Kajian Karakteristik Fisikokimia dan Organoleptik Beras Analog Berbahan Dasar Tepung Gembili (*Dioscorea aculeata*. L), Tepung Jagung (*Zea mays*, L) dan Pati Sagu (*Metroxylon* sp). *Food Technology and Halal Science Journal*, 5(2), 125–136. <https://doi.org/10.22219/fths.v5i2.21911>
- Rahardjo, E. M. W. B. (2019). *Physico-Chemical and Sensory Characteristics of Dried Noodles With Substitution of Composite Flour (Sago and Banana “Kepok” Flour)* [UNIKA SOEGIJAPRANATA SEMARANG]. <http://repository.unika.ac.id/id/eprint/19794>
- Ramírez-Rivera, E. J., Hernández-Santos, B., Juárez-Barrientos, J. M., Torruco-Uco, J. G., Ramírez-Figueroa, E., & Rodríguez-Miranda, J. (2021). Effects of formulation and process conditions on chemical composition, color

- parameters, and acceptability of extruded insect-rich snack. *Journal of Food Processing and Preservation*, 45(5).  
<https://doi.org/https://doi.org/10.1111/jfpp.15499>
- Rao, H. G. R., & Thejaswini, M. L. (2015). *Extrusion Technology : A Novel Method of Food Processing*. 2(4), 358–369.
- Rouf Shah, T., Prasad, K., & Kumar, P. (2016). Maize—A potential source of human nutrition and health: A review. *Cogent Food and Agriculture*, 2(1).  
<https://doi.org/10.1080/23311932.2016.1166995>
- Rulaningtyas, R., B. Suksmono, A., L. R. Mengko, T., & Putri Saptawati, G. A. (2015). Segmentasi Citra Berwarna dengan Menggunakan Metode Clustering Berbasis Patch untuk Identifikasi Mycobacterium Tuberculosis. *Jurnal Biosains Pascasarjana*, 17(1), 19.  
<https://doi.org/10.20473/jbp.v17i1.2015.19-25>
- Sahar, D. P., & Afifudin, M. T. (2020). *Pendampingan Pengolahan Sagu Tumang Menjadi Tepung Sagu pada Home Industry Sagoe, Desa Haya, Kabupaten Maluku Tengah*. 4(2), 278–284.
- Sahu, C., Patel, S., & Tripathi, A. K. (2022). Effect of extrusion parameters on physical and functional quality of soy protein enriched maize based extruded snack. *Applied Food Research*, 2(1), 100072.  
<https://doi.org/10.1016/j.afres.2022.100072>
- Salahudin, F., & Syamsixman. (2010). Pengaruh Bahan Pengisi Terhadap Mutu Snack Food Ekstrudat Dari Padatan Kedelai Industri Tahu. *Biopropal Industri*, 1(2), 18–23.
- Saldanha do Carmo, C., Varela, P., Poudroux, C., Dessev, T., Myhrer, K., Rieder, A., Zobel, H., Sahlstrøm, S., & Knutsen, S. H. (2019). The impact of extrusion parameters on physicochemical, nutritional and sensorial properties of expanded snacks from pea and oat fractions. *Lwt*, 112(January), 108252.  
<https://doi.org/10.1016/j.lwt.2019.108252>
- Schulze, D. (2007). *Powders and Bulk Solids: Behavior, Characterization, Storage and Flow*. Springer-Verlag.
- Seth, D., Badwaik, L. S., & Ganapathy, V. (2015). Effect of feed composition, moisture content and extrusion temperature on extrudate characteristics of yam-corn-rice based snack food. *Journal of Food Science and Technology*, 52(3), 1830–1838. <https://doi.org/10.1007/s13197-013-1181-x>
- Sharifi, S., Majzoobi, M., & Farahnaky, A. (2021). Effects of particle size and moisture content of maize grits on physical properties of expanded snacks. *Journal of Texture Studies*, 52(1), 110–123. <https://doi.org/10.1111/jtxs.12565>
- Shevkani, K., Kaur, A., Singh, G., Singh, B., & Singh, N. (2014). Composition, Rheological and Extrusion Behaviour of Fractions Produced by Three Successive Reduction Dry Milling of Corn. *Food and Bioprocess Technology*, 7(5), 1414–1423. <https://doi.org/10.1007/s11947-013-1194-5>
- Silva, E. M. M. da, Ascheri, J. L. R., Carvalho, C. W. P. de, Takeiti, C. Y., & Berrios, J. de J. (2014). Physical characteristics of extrudates from corn flour and dehulled carioca bean flour blend. *Lwt*, 58(2), 620–626.  
<https://doi.org/10.1016/j.lwt.2014.03.031>
- Sinaga, A. S. (2019). SEGMENTASI RUANG WARNA  $L^*a^*b$ . *J. Mantik Penusa*,

3(1), 43–46.

- Susanti, S., Arifan, F., Murni, M., & Silviana, A. (2020). Karakteristik Kimia dan Mikrobiologi Makanan Ringan Khas Pemalang Ogel-ogel. *Jurnal Aplikasi Teknologi Pangan*, 9(2), 44–49. <https://doi.org/10.17728/jatp.3296>
- Syifa Qolbiyah Nasir\*, H., & Jurusan. (2018). PENGEMBANGAN SNACK EKSTRUSI BERBASIS JAGUNG , KECAMBAH KACANG TUNGGAK DAN KECAMBAH KACANG KECIPIR DENGAN LINEAR Extruded Snack Development Based on Corn , Sprouted Black Eyed-Pea and Sprouted Winged Bean with Linear Programming. *Jurnal Pangan Dan Agroindustri Vol.6*, 6(2), 74–85.
- Tarigans, D. D. (2001). Sagu memantapkan swasembada pangan. *Warta Penelitian Dan Pengembangan Pertanian*, 23(5), 1–3.
- Tongdang, T., Meenun, M., & Chainui, J. (2008). Effect of sago starch addition and steaming time on making cassava cracker (Keropok). *Starch-Stärke*, 60(10), 568–576.
- Utami, D., & Widyaningsih, T. D. (2015). Pengembangan snack ekstrudat berbasis ubi jalar oranye tersubstitusi tempe kacang tunggak sebagai sumber protein. *Jurnal Pangan Dan Agroindustri Vol.*, 3(2), 620–630.
- Utari, K. S. T., Dewi, E. N., & Romadhon. (2016). Physicochemical Characteristics of Extruded Fish-Snack Tilapia (*Oreochromis niloticus*) with Grit of Large-leafed Mangrove (*Bruguiera gymnorhiza*) Addition. *J. Peng. & Biotek. Hasil Pi.*, 5(4), 33–42.
- Witczak, T., Stępień, A., Gumul, D., Witczak, M., Fiutak, G., & Zięba, T. (2021). The influence of the extrusion process on the nutritional composition, physical properties and storage stability of black chokeberry pomaces. *Food Chemistry*, 334(July 2020), 127548. <https://doi.org/10.1016/j.foodchem.2020.127548>
- Yousf, N., Nazir, F., Salim, R., Ahsan, H., & Sirwal, A. (2017). Water solubility index and water absorption index of extruded product from rice and carrot blend. *Journal of Pharmacognosy and Phytochemistry*, 6(6), 2165–2168.
- Yusuf, M., Halilu, M., & Filli, K. (2018). Influence of Extrusion Variables on Proximate Composition Some Nutrient and Antinutrient Contents of Dakuwa Extrudates Produced from Blends of Sorghum (*Sorghum bicolor* L) Groundnut (*Arachis hypogea* L) and Tigernut (*Cyperus esculentus*). *Current Journal of Applied Science and Technology*, 26(4), 1–20. <https://doi.org/10.9734/cjast/2018/40037>
- Zambrano, Y., Contardo, I., & Bouchon, P. (2022). *Effect of Extrusion Temperature and Feed Moisture Content on the Microstructural Properties of Rice-Flour Pellets and Their Impact on the Expanded Product*.
- Zhu, L., Shukri, R., Mesa-stonestreet, N. J. De, & Alavi, S. (2010). Mechanical and microstructural properties of soy protein – high amylose corn starch extrudates in relation to physiochemical changes of starch during extrusion. *Journal of Food Engineering*, 100(2), 232–238. <https://doi.org/10.1016/j.jfoodeng.2010.04.004>