



DAFTAR PUSTAKA

- Abbas, M.I., Alahmadi, A.H., Elsafi, M., Alqahtani, S.A., Yasmin, S., Sayyed, M.I., Gouda, M.M., and El-Khatib, A.M., 2022, Effect of kaolin clay and ZnO-nanoparticles on the radiation shielding properties of epoxy resin composites, *Polymers (Basel)*., 14, 1–12.
- Abidin, Z., Alkrytania, D., and Indrajati, I.N., 2017, Analisis bahan apron sintetis dengan filler timbal (II) oksida sesuai sni untuk proteksi radiasi sinar-X, *J. Forum Nukl.*, 9, 38–43.
- Ahmed, U., 2008, Analysis of some clay samples from yauri (kebbi state), goronyo , munwadata and atokonyo (sokoto state), nigeria, *Niger. J. Basic Appl. Sci. vol . 16 No. 2*, 16, 175–178.
- Akhadi, 2000, Analisis dampak radiasi sinar-X pada mencit melalui pemetaan dosis radiasi di laboratorium fisika medik, *J. MIPA*, 38, 25–30.
- Alatas, Z., 2014, Efek pewarisan akibat radiasi pengion, *Bul. Al.*, 8, 65–74.
- Anshul, A., Amritphale, S.S., Chandra, N., Ramakrishnan, N., Shrivastava, A., and Verma, U.S.P., 2009, Chemically formulated ceramic gamma ray irradiation shielding materials utilising red mud, *Adv. Appl. Ceram.*, 108, 429–437.
- Apriyani, M. and Sedyadi, E., 2016, Sintesis dan karakterisasi plastik biodegradable dari pati onggok singkong dan ekstrak lidah buaya (aloe vera) dengan plasticizer gliserol, *J. Sains Dasar*, 4, 145–152.
- Azman, N.Z.N., Siddiqui, S.A., Hart, R., and Low, I.M., 2013, Microstructural design of lead oxide-epoxy composites for radiation shielding purposes, *J. Appl. Polym. Sci.*, 128, 3213–3219.
- Baamer, M.A., Alshahri, S., Basfar, A.A., Alsuhybani, M., and Alrwais, A., 2024, Novel polymer composites for lead-free shielding applications, *Polymers (Basel)*., 16, 1–21.
- Bauli, C.R., Lima, G.F., de Souza, A.G., Ferreira, R.R., and Rosa, D.S., 2021, Eco-friendly carboxymethyl cellulose hydrogels filled with nanocellulose or nanoclays for agriculture applications as soil conditioning and nutrient carrier and their impact on cucumber growing, *Colloids Surfaces A Physicochem. Eng. Asp.*, 623, 126771.
- Behera, L., Mohanta, M., and Thirugnanam, A., 2022, Intensification of yam-starch based biodegradable bioplastic film with bentonite for food packaging application, *Environ. Technol. Innov.*, 25, 102180.
- Chaffa, T.Y., Meshesha, B.T., Mohammed, S.A., and Jabasingh, S.A., 2022, Production, characterization, and optimization of starch-based biodegradable bioplastic from waste potato (*Solanum tuberosum*) peel with



- the reinforcement of false banana (*Ensete ventricosum*) fiber, *Biomass Convers. Biorefinery*, 1–13.
- Cucinotta, F.A., Kim, M.H.Y., and Ren, L., 2006, Evaluating shielding effectiveness for reducing space radiation cancer risks, *Radiat. Meas.*, 41, 1173–1185.
- Cyriac, V., Ismayil, Noor, I.M., Mishra, K., Chavan, C., Bhajantri, R.F., and Masti, S.P., 2022, Ionic conductivity enhancement of PVA: carboxymethyl cellulose poly-blend electrolyte films through the doping of NaI salt, *Cellulose*, 29, 3271–3291.
- Dewi, R., Krisman, and Fauziana, K., 2014, Karakterisasi mikrostruktur material feroelektrik Ba_{0.8}Sr_{0.2}TiO₃ (BST) dengan variasi suhu annealing, XVIII, 70–72.
- Erwina, D., Heryanto, H., and Tahir, D., 2023, Composite cellulose/Fe₃O₄/Cu for effective X-ray radiation shielding, *Radiat. Phys. Chem.*, 210, 111053.
- Fakhrurreza, M. and Astari, F.M., 2019, Anti radiation building design: local sand type analysis to get concrete X-Radiation resistant X-Ray, *J. Imejing Diagnostik*, 5, 25.
- Gatea, H.A., Alkhafaji, M.A., and Abbas, H., 2023, Fabricate and characterization of SrTiO₃-based MIM capacitors, *Int. J. Thin Film Sci. Technol.*, 12, 163–169.
- Ghanbarzadeh, B., Almasi, H., and Entezami, A.A., 2011, Improving the barrier and mechanical properties of corn starch-based edible films: effect of citric acid and carboxymethyl cellulose, *Ind. Crops Prod.*, 33, 229–235.
- Handayani, H., 2014, Pengaruh berbagai jenis penggumpal padat terhadap mutu koagulum dan vulkanisat karet alam, *J. Penelit. Karet*, 32, 74–80.
- He, D., Wang, Chao, Zhao, R., Lu, X., Yang, M., Qiu, J., Wang, K., and Wang, Ce, 2022, BiOX (X = Cl, Br, I)/WO₃/polyacrylonitrile nanofibrous membranes for diagnostic X-ray shielding and visible-light photocatalysis, *ACS Appl. Nano Mater.*, 5, 4157–4169.
- Himawan, N.A., Purwita, T.D., and Suparno, S., 2020, Komposisi optimal komposit serat rami dan resin epoxy sebagai alternatif bahan perisai anti-radiasi sinar-X, *J. Pendidik. Fis. dan Keilmuan*, 6, 85–92.
- Hu, H., Wang, Q., Qin, J., Wu, Y., Zhang, T., Xie, Z., Jiang, X., Zhang, G., Xu, H., Zheng, X., Zhang, J., Liu, W., Li, Z., Zhang, B., Li, L., Song, Z., Ouyang, X., Zhu, J., Zhao, Y., et al., 2008, Study on composite material for shielding mixed neutron and γ -rays, *IEEE Trans. Nucl. Sci.*, 55, 2376–2384.
- Isman, M., S., I.D., Sukosrono, and K, E., 2001, Mempelajari karakteristik keramik dari mineral lokal kaolin, dolomit, pasir ilmenit, *Pros. Pertem. dan Present. Ilm. Penelit. Dasar Ilmu Pengetah. dan Teknol. Nukl.*, 1, 1–5.



- Jusli, N., Zelviani, S., Rani, S.R.A., Hernawati, H., Asriani, A., Muhammad, S.Y., and Isradati, D.F., 2023, Composite of hemp fiber and lead acetate epoxy resin as an alternative X-ray radiation shielding material, *Konstan - J. Fis. Dan Pendidik. Fis.*, 8, 26–32.
- Kartini, I., Iskandar, Kukuh, H., Chotimah, Kunarti, Eko, S., and Rochmadi, 2019, Effect of zeolite addition on the properties of bioplastic composites of carboxymethyl cellulose-urea, *Mater. Sci. Forum*, 948 MSF, 175–180.
- Kozlovskiy, A.L. and Zdorovets, M. V., 2020, Study of hydrogenation processes in radiation-resistant nitride ceramics, *J. Mater. Sci. Mater. Electron.*, 31, 11227–11237.
- Kusumah, A.M., Christian, W., Natania, K., Siregar, T.M., and Cornelia, M., 2023, Pembuatan kemasan biokomposit berbasis PVA (Polyvinyl Alcohol) dan limbah kulit kopi, *J. Teknotan*, 17, 235.
- Li, Z., Zhou, W., Zhang, X., Gao, Y., and Guo, S., 2021, High-efficiency, flexibility and lead-free X-ray shielding multilayered polymer composites: layered structure design and shielding mechanism, *Sci. Rep.*, 11, 1–13.
- Litasova, S., Hidayanto, E., and Azam, D.M., 2018, Pengaruh ketebalan dan kombinasi jenis filter terhadap nilai entrance skin exposure (ESE) menggunakan faktor eksposi pemeriksaan kepala, *Youngster Phys. J.*, 07, 67–75.
- Liu, J.H., Zhang, Q.P., Sun, N., Zhao, Y., Shi, R., Zhou, Y.L., and Zheng, J., 2018, Elevated gamma-rays shielding property in lead-free bismuth tungstate by nanofabricating structures, *J. Phys. Chem. Solids*, 112, 185–189.
- Marashdeh, M.W., Sallam, F.H., Abd El-Aziz, A.M., Elkhatib, M.I., Alanazi, S. f., Aljaafreh, M.J., Al-Hmoud, M., and Mahmoud, K.A., 2024, The influence of Ni ion addition on the microstructure and gamma ray shielding ability of ferromagnetic CuFe₂O₄ ceramic material, *Nucl. Eng. Technol.*, 56, 2740–2747.
- Murugan, M., Kokate, V.K., Athawale, A.A., Bapat, M.S., and Alhousami, M.H.M., 2008, Nanoparticles of barium and strontium titanates/epoxy resin as microwave absorbers, *Proc. Int. Conf. Electromagn. Interf. Compat.*, 457–462.
- Nada, D.H., 2023, Pembuatan komposit bioplastik karboksimetil selulosa/asam sitrat/lempung/N, P, K/perovskit MTiO₃ (M= Sr, Ba) sebagai model pupuk lepas-lambat yang bersifat antibakteri, *Tesis*, Kimia, FMIPA, Universitas Gadjah Mada, Yogyakarta.
- Nambiar, S. and Yeow, J.T., 2012, Polymer-composite materials for radiation protection, *ACS Appl. Mater. Interfaces*, 4, 5717–5726.
- Oliver, N., Ramli, R.M., and Noor Azman, N.Z., 2022, An empirical study on the X-ray attenuation capability of n-WO₃/n-Bi₂O₃/PVA with added starch, *Nucl. Eng. Technol.*, 54, 3459–3469.



- Osman, K.I., 2011, Synthesis and characterization of BaTiO₃ ferroelectric material, *Dissertation*, Metallurgical engineering, Faculty of Engineering, Cairo University, Giza.
- Pettignano, A., Charlot, A., and Fleury, E., 2019, Carboxyl-functionalized derivatives of carboxymethyl cellulose: towards advanced biomedical applications, *Polym. Rev.*, 59, 510–560.
- Pratiwi, A.D., Indriyani, and Yunawati, I., 2021, Penerapan proteksi radiasi di instalasi radiologi rumah sakit, *Higeia J. Public Heal. Res. Dev.*, 5, 409–420.
- Putri, A.D., 2023, Review: pemanfaatan polimer alami dalam pembuatan plastik biodegradable, *J. Al'ilmī*, 12, 2023.
- Rafid, A.Z., Ardhyananta, H., and Pratiwi, V.M., 2021, Tinjauan pengaruh penambahan jenis filler terhadap sifat mekanik dan biodegradasi pada bioplastik pati singkong, *J. Tek. ITS*, 10, 49–54.
- Rashidzadeh, A. and Olad, A., 2014, Slow-released NPK fertilizer encapsulated by NaAlg-g-poly(AA-co-AAm)/MMT superabsorbent nanocomposite, *Carbohydr. Polym.*, 114, 269–278.
- Saberi, M.R., Hosseini Ranjbar, A., Noori, H., and Saheb, V., 2023, Bi-PMMA composite materials and their shielding capability for low energy gamma rays, *Radiat. Phys. Chem.*, 212, 111201.
- Sayyed, M.I., Akman, F., Kumar, A., and Kaçal, M.R., 2018, Evaluation of radioprotection properties of some selected ceramic samples, *Results Phys.*, 11, 1100–1104.
- Septiyanti, I., Khalif, M.A., and Anwar, E.D., 2020, Analisis dosis paparan radiasi pada general X-Ray II di instalasi radiologi rumah sakit muhammadiyah semarang, *J. Imejing Diagnostik*, 6, 96–102.
- Sethi, S., Thakur, S., Sharma, D., Singh, G., Sharma, N., Kaith, B.S., and Khullar, S., 2022, Malic acid cross-linked chitosan based hydrogel for highly effective removal of chromium (VI) ions from aqueous environment, *React. Funct. Polym.*, 177, 1–19.
- Shao, H., Zhang, Y., Pan, H., Jiang, Y., Qi, J., Xiao, H., Zhang, S., Lin, T., Tu, L., and Xie, J., 2022, Preparation of flexible and UV-blocking films from lignin-containing cellulose incorporated with tea polyphenol/citric acid, *Int. J. Biol. Macromol.*, 207, 917–926.
- Shi, R., Zhang, Z., Liu, Q., Han, Y., Zhang, L., Chen, D., and Tian, W., 2007, Characterization of citric acid/glycerol co-plasticized thermoplastic starch prepared by melt blending, *Carbohydr. Polym.*, 69, 748–755.
- Sholekhawati, S. and Sedyadi, E., 2020, Effect of addition bali orange peel pectins on the mechanical properties of garut starch bioplastic, *Gontor AGROTECH Sci. J.*, 6, 369.



- Sunardi, S., Susanti, Y., and Mustikasari, K., 2020, Sintesis dan karakterisasi bioplastik dari pati ubi nagara dengan kaolin sebagai penguat, *J. Ris. Ind. Has. Hutan*, 11, 65.
- Syahria, Setiawati, E., and Firdausi, K.S., 2012, Pembuatan kurva isodosis paparan radiasi di ruang pemeriksaan instalasi radiologi rsud kabupaten kolaka - sulawesi tenggara, *UNDIP. Semarang*, 15, 123–132.
- Tabassum, N., Rafique, U., Qayyum, M., Mohammed, A.A.A., Asif, S., and Bokhari, A., 2024, Kaolin–polyvinyl alcohol–potato starch composite films for environmentally friendly packaging: optimization and characterization, *J. Compos. Sci.*, 8, 1–21.
- Tasnim, A., Sahadath, M.H., and Islam Khan, M.N., 2021, Development of high-density radiation shielding materials containing BaSO₄ and investigation of the gamma-ray attenuation properties, *Radiat. Phys. Chem.*, 189, 109772.
- Tishkevich, D.I., Grabchikov, S.S., Lastovskii, S.B., Trukhanov, S. V., Zubov, T.I., Vasin, D.S., Trukhanov, A. V., Kozlovskiy, A.L., and Zdorovets, M.M., 2018, Effect of the synthesis conditions and microstructure for highly effective electron shields production based on Bi coatings, *ACS Appl. Energy Mater.*, 1, 1695–1702.
- Xu, Y.C., Zhang, Q.P., Liu, J.H., Wu, Y., Liu, L.P., Xu, D.G., and Zhou, Y.L., 2018, PbWO₄ nanofibers for shielding gamma radiation: crystal growth, morphology and performance evaluation, *CrystEngComm*, 20, 6197–6206.
- Zych, Wajler, A., and Kwapiszewska, A., 2016, Sintering behaviour of fine barium titanate (BaTiO₃) powders consolidated with the pressure filtration method, *J. Ceram. Sci. Technol.*, 7, 277–287.