

DAFTAR PUSTAKA

- Ab Wahab, S.Z., Abdul Kadir, A., Nik Hussain, N.H., Omar, J., Yunus, R., Baie, S., Mohd Noor, N., Hassan, I.I., Wan Mahmood, W.H., Abd Razak, A., Wan Yusoff, W.Z., 2015. The Effect of *Channa striatus* (haruan) extract on pain and wound healing of post-lower segment caesarean section women. *Evid.-Based Complement. Altern. Med. ECAM* 2015: 849647. doi:10.1155/2015/849647
- Abbara, A., Chitty, S., Roe, J.K., Ghani, R., Collin, S.M., Ritchie, A., Kon, O.M., Dzvova, J., Davidson, H., Edwards, T.E., Hateley, C., Routledge, M., Buckley, J., Davidson, R.N., John, L., 2017. Drug-induced liver injury from antituberculous treatment: a retrospective study from a large TB centre in the UK. *BMC Infect. Dis.* 17: 231. doi:10.1186/s12879-017-2330-z
- Abdulgani, N., Trisnawati, I., Hidayati, D., Arifiyanto, A., 2014. Snakehead (*Channa striata*) extracts treatment towards hyperglycemic mice (*Mus musculus*) blood glucose levels and pancreatic histology structure. *J. Appl. Environ. Biol. Sci.* 45: 1–6.
- Abulfathi, A.A., Decloedt, E.H., Svensson, E.M., Diacon, A.H., Donald, P., Reuter, H., 2019. Clinical pharmacokinetics and pharmacodynamics of rifampicin in human tuberculosis. *Clin. Pharmacokinet.* 58: 1103–1129. doi:10.1007/s40262-019-00764-2
- Acocella, G., 1978. Clinical pharmacokinetics of rifampicin. *Clin. Pharmacokinet.* 3. doi:10.2165/00003088-197803020-00002
- Adnyana, I.K., Sigit, J.I., 2012. Effect of administration of cork fish (*Channa striata*) concentrate to bloods profile of balb/c mouse thrombocytopenia model. *J. Med. Planta* 2.
- Aggarwal, A.N., 2019. Quality of life with tuberculosis. *J. Clin. Tuberc. Mycobact. Dis.* 17: 100121. doi:10.1016/j.jctube.2019.100121
- Agrawal, S., Dhiman, R.K., Limdi, J.K., 2016. Evaluation of abnormal liver function tests. *Postgrad. Med. J.* 92: 223–234. doi:10.1136/postgradmedj-2015-133715
- Akil, M., Bicer, M., Menevse, E., Baltaci, A.K., Mogulkoc, R., 2011. Selenium supplementation prevents lipid peroxidation caused by arduous exercise in rat brain tissue. *Bratisl. Lek. Listy* 112: 314–317.
- Akinpelu, O.O., Aken'Ova, Y.A., Arinola, O.G., 2012. Levels of immunoglobulin classes are not associated with severity of HIV infection in Nigerian patients. *World J. AIDS* 2: 232–236. doi:10.4236/wja.2012.23030

- Alffenaar, J.-W.C., de Steenwinkel, J.E.M., Diacon, A.H., Simonsson, U.S.H., Srivastava, S., Wicha, S.G., 2022. Pharmacokinetics and pharmacodynamics of anti-tuberculosis drugs: An evaluation of in vitro, in vivo methodologies and human studies. *Front. Pharmacol.* 13: 1063453. doi:10.3389/fphar.2022.1063453
- Ali Khan, M.S., Mat Jais, A.M., Hussain, J., Siddiqua, F., Gopala Reddy, A., Shivakumar, P., Madhuri, D., 2014. Gastroprotective effect of freeze dried stripped snakehead fish (*Channa striata* Bloch.) aqueous extract against aspirin induced ulcerogenesis in pylorus ligated rats. *ISRN Pharmacol.* 2014: 327606. doi:10.1155/2014/327606
- Anam, M.S., Mexitalia, M., Sidhartani, M., Subagio, H.W., 2022. Pengaruh ekstrak ikan gabus terhadap luaran pasien tuberkulosis anak: kajian terhadap indeks massa tubuh, kadar albumin, leptin, TNF- α , dan IFN- γ pada dua bulan pengobatan fase intensif (doctoral). Universitas Diponegoro.
- Andes, D., Craig, W.A., 2002. Animal model pharmacokinetics and pharmacodynamics: a critical review. *Int. J. Antimicrob. Agents* 19: 261–268. doi:10.1016/S0924-8579(02)00022-5
- Andriyani, A., Nugraha, J., Indrawati, R., Budhy, T.I., 2023. The effect of giving snakehead fish supplementation therapy (*Striated channa*) on body weight in tuberculosis patients at the sidotopo health center in surabaya. *J. Biosains Pascasarj.* 25: 123–127. doi:10.20473/jbp.v25i2.2023.123-127
- Anggraini, D., Nampira, Y., Kisworo, D., 2016. Pengaruh aplikasi metoda standar internal pada penentuan unsur Cr dan Ni dalam Zirkaloy 2 dengan metoda spektrometri emisi. *Urania J. Ilm. Daur Bahan Bakar Nukl.* 15. doi:10.17146/urania.2009.15.2.2592
- Arifin, M., Hadju, V., Astuti, N., Wahyuni, S., 2014. Supplements effect of virgin coconut oil and albumin capsules (Catfish protein) on TB patients receiving multi drugs therapy-DOTS strategic in BBKPM Makassar, Indonesia 4.
- Awodele, O., Momoh, A.A., Awolola, N.A., Kale, O.E., Okunowo, W.O., 2016. The combined fixed-dose antituberculous drugs alter some reproductive functions with oxidative stress involvement in wistar rats. *Toxicol. Rep.* 3: 620–627. doi:10.1016/j.toxrep.2016.06.007
- Baie, S.H., Sheikh, K.A., 2000. The wound healing properties of *Channa striatus*-cetrimide cream-- tensile strength measurement. *J. Ethnopharmacol.* 71: 93–100. doi:10.1016/s0378-8741(99)00184-1
- Bekker, A., Schaaf, H.S., Draper, H.R., van der Laan, L., Murray, S., Wiesner, L., Donald, P.R., McIlleron, H.M., Hesselning, A.C., 2016. Pharmacokinetics of

rifampin, isoniazid, pyrazinamide, and ethambutol in infants dosed according to revised WHO-Recommended Treatment Guidelines. *Antimicrob. Agents Chemother.* 60: 2171–2179. doi:10.1128/AAC.02600-15

Bisaso, K.R., Owen, J.S., Ojara, F.W., Namuwenge, P.M., Mugisha, A., Mbuagbaw, L., Luboobi, L.S., Mukonzo, J.K., 2014. Characterizing plasma albumin concentration changes in TB/HIV patients on anti retroviral and anti - tuberculosis therapy. *Silico Pharmacol.* 2: 3. doi:10.1186/s40203-014-0003-9

Brennan, P.J., Young, D.B., Robertson, B.D., 2008. *Handbook of Anti-Tuberculosis Agents*.

Cheng, L., Wong, H., 2020. Food effects on oral drug absorption: Application of physiologically-based pharmacokinetic modeling as a predictive tool. *Pharmaceutics* 12: 672. doi:10.3390/pharmaceutics12070672

Chirehwa, M.T., McIlleron, H., Rustomjee, R., Mthiyane, T., Onyebujoh, P., Smith, P., Denti, P., 2017. Pharmacokinetics of pyrazinamide and optimal dosing regimens for drug-sensitive and -resistant Tuberculosis. *Antimicrob. Agents Chemother.* 61: e00490-17. doi:10.1128/AAC.00490-17

Choi, J.H., Ko, C.M., 2017. Food and drug interactions. *J. Lifestyle Med.* 7: 1–9. doi:10.15280/jlm.2017.7.1.1

Covey, T.R., Lee, E.D., Henion, J.D., 1986. High-speed liquid chromatography/tandem mass spectrometry for the determination of drugs in biological samples. *Anal. Chem.* 58: 2453–2460. doi:10.1021/ac00125a022

Daher, A., Pitta, L., Santos, T., Barreira, D., Pinto, D., 2015. Using a single tablet daily to treat latent tuberculosis infection in Brazil: bioequivalence of two different isoniazid formulations (300 mg and 100 mg) demonstrated by a sensitive and rapid high-performance liquid chromatography-tandem mass spectrometry method in a randomised, crossover study. *Mem. Inst. Oswaldo Cruz* 110: 543–550. doi:10.1590/0074-02760140458

Dartois, V.A., Rubin, E.J., 2022. Anti-tuberculosis treatment strategies and drug development: challenges and priorities. *Nat. Rev. Microbiol.* 20: 685–701. doi:10.1038/s41579-022-00731-y

Deng, J., Zhu, X., Chen, Z., Fan, C.H., Kwan, H.S., Wong, C.H., Shek, K.Y., Zuo, Z., Lam, T.N., 2017. A Review of Food–Drug Interactions on Oral Drug Absorption. *Drugs* 77: 1833–1855. doi:10.1007/s40265-017-0832-z

- Denti, P., Jeremiah, K., Chigutsa, E., Faurholt-Jepsen, D., PrayGod, G., Range, N., Castel, S., Wiesner, L., Hagen, C.M., Christiansen, M., Chagalucha, J., McIlleron, H., Friis, H., Andersen, A.B., 2015. Pharmacokinetics of isoniazid, pyrazinamide, and ethambutol in newly diagnosed pulmonary TB Patients in Tanzania. *PLoS ONE* 10: e0141002. doi:10.1371/journal.pone.0141002
- Dewi, M.K., 2014. Pengaruh pemberian ekstrak ikan gabus terhadap kenaikan kadar albumin dalam darah dan berat badan pasien rawat jalan tuberkulosis paru di rumah sakit paru Jember.
- Diasys, 2019a. ALAT (GPT) FS.
- Diasys, 2019b. ASAT (GOT) FS.
- Diskan, 2020. Ikan gabus, potensi dan peluang budidayanya untuk dikembangkan di Kutai Barat – Dinas Perikanan Kabupaten Kutai Barat.
- Dwi Tama, T., Adisasmita, A., Burhan, E., 2016. Indeks massa tubuh dan waktu terjadinya konversi sputum pada pasien Tuberkulosis paru BTA Positif di RSUP Persahabatan Tahun 2012. *J. Epidemiol. Kesehat. Indones.* 1. doi:10.7454/epidkes.v1i1.1309
- Editors, L., 2019. The Importance of Tuning and Calibration in Liquid Chromatography–Mass Spectrometry (LC–MS). *LCGC North America* 08-01-2019 37: 550–550.
- EMA, 2015. *Guideline on bioanalytical method validation. An Agency of European Union.*
- Estes, L., 1998. Review of pharmacokinetics and pharmacodynamics of antimicrobial agents. *Mayo Clin. Proc.* 73: 1114–1122. doi:10.4065/73.11.1114
- Fage, D., Brilleman, R., Deprez, G., Payen, M.-C., Cotton, F., 2022. Development, validation and clinical use of a LC-MS/MS method for the simultaneous determination of the nine main antituberculosis drugs in human plasma. *J. Pharm. Biomed. Anal.* 215: 114776. doi:10.1016/j.jpba.2022.114776
- Fan, J., de Lannoy, I.A.M., 2014. Pharmacokinetics. *Biochem. Pharmacol.*, Special Issue: Pharmacology in 21st Century Biomedical Research 87: 93–120. doi:10.1016/j.bcp.2013.09.007
- Farhanisa, 2016. Kejadian efek samping obat anti tuberkulosis (OAT) kategori 1 pada pasien TB paru di unit pengobatan penyakit paru-paru (UP4) Provinsi Kalimantan Barat. *J. Mhs. Farm. Fak. Kedokt. UNTAN* 3.

- FDA, 2018. *Bioanalytical method validation guidance for industry*, USA.
- FDA, U., 2022. M10 *Bioanalytical method validation and study sample analysis*, USA.
- Febriyenti, null, Noor, A.M., Bai, S.B., 2010. Mechanical properties and water vapour permeability of film from Haruan (*Channa striatus*) and fusidic acid spray for wound dressing and wound healing. *Pak. J. Pharm. Sci.* 23: 155–159.
- Febriyenti, F., Noor, A., Saringat, H., 2008. Formulation of aerosol concentrates containing haruan (*Channa striatus*) for wound dressing. *Malays. J. Pharm. Sci.* 6: 43–58.
- Firlianty, Suprayitno, Hardoko, Nursyam, H., 2014. Protein profile and amino acid profile of Vacuum drying and freeze-drying of family channidae collected from central Kalimantan, Indonesia. *Int. J. Biosci. IJB* 5: 75–83. doi:10.12692/ijb/5.8.75-83
- Fitmawati, Titrawani, Safitri, W., 2018. Struktur histologi hati tikus putih (*Rattus norvegicus* berkenhout 1769) dengan pemberian ramuan tradisional masyarakat Melayu Lingga, Kepulauan Riau. *EKOTONIA J. Penelit. Biol. Bot. Zool. Dan Mikrobiol.* 3: 11–19. doi:10.33019/EKOTONIA.V3I1.753
- Gao, S., Wang, Z., Xie, X., You, C., Yang, Y., Xi, Y., Chen, W., 2018. Rapid and sensitive method for simultaneous determination of first-line anti-tuberculosis drugs in human plasma by HPLC-MS/MS: Application to therapeutic drug monitoring. *Tuberculosis* 109: 28–34. doi:10.1016/j.tube.2017.11.012
- Garcia-Martinez, R., Caraceni, P., Bernardi, M., Gines, P., Arroyo, V., Jalan, R., 2013. Albumin: pathophysiologic basis of its role in the treatment of cirrhosis and its complications. *Hepatol. Baltim. Md* 58: 1836–1846. doi:10.1002/hep.26338
- Gaspar, V.P., Ibrahim, S., Zahedi, R.P., Borchers, C.H., 2021. Utility, promise, and limitations of liquid chromatography-mass spectrometry-based therapeutic drug monitoring in precision medicine. *J. Mass Spectrom.* 56: e4788. doi:10.1002/jms.4788
- Gowda, S., Desai, P.B., Hull, V.V., Math, A.A.K., Vernekar, S.N., Kulkarni, S.S., 2009. A review on laboratory liver function tests. *Pan Afr. Med. J.* 3: 17.
- Grogan, S., Preuss, C.V., 2024. *Pharmacokinetics*, in: StatPearls. StatPearls Publishing, Treasure Island (FL).

- Gu, H., Liu, G., Wang, J., Aubry, A.-F., Arnold, M.E., 2014. Selecting the correct weighting factors for linear and quadratic calibration curves with least-squares regression algorithm in bioanalytical LC-MS/MS assays and impacts of using incorrect weighting factors on curve stability, data quality, and assay performance. *Anal. Chem.* 86: 8959–8966. doi:10.1021/ac5018265
- Gulliford, M., 2012. Cholestatic jaundice caused by ethambutol. *LiverTox Clin. Res. Inf. Drug-Induc. Liver Inj.*
- Hall, P., Cash, J., 2012. What is the real function of the Liver ‘Function’ tests? *Ulster Med. J.* 81: 30–36.
- Han, F., Li, W., Jin, Y., Wang, F., Yuan, B., Xu, H., 2021. Rapid and sensitive LC-MS/MS method for simultaneous determination of three first-line oral antituberculosis drug in plasma. *J. Chromatogr. Sci.* 59: 432–438. doi:10.1093/chromsci/bmaa130
- Haniffa, M.A.K., Sheela, P.A.J., Kavitha, K., Jais, A.M.M., 2014. Salutary value of haruan, the striped snakehead *Channa striatus* – a review. *Asian Pac. J. Trop. Biomed.* 4: S8–S15. doi:10.12980/APJTB.4.2014C1015
- Harahap, Y.H., 2019. *Liquid chromatography-tandem mass spectrometry (LC-MS/MS)*. PT ISFI Penerbitan.
- Hasan, I., Indra, T.A., 2008. Peran albumin dalam penatalaksanaan sirosis hati (Irsan Hasan, Tities Anggraeni Indra). *Maj. Med.* 21.
- Hee, K.H., Seo, J.J., Lee, L.S., 2015. Development and validation of liquid chromatography tandem mass spectrometry method for simultaneous quantification of first line tuberculosis drugs and metabolites in human plasma and its application in clinical study. *J. Pharm. Biomed. Anal.* 102: 253–260. doi:10.1016/j.jpba.2014.09.019
- Hossain, M.K., Latifa, G.A., Rahman, N.M., 2008. Observations on induced breeding of snakehead murrel, *Channa striatus* (BLOCH, 1793). *Int J Sustain Crop Prod* 3: 65–68.
- Hung, T.M., Jayanti, R.P., Lee, H.Y., Kim, H.-J., Mok, J., Jang, T.W., Oh, J.Y., Kim, J.S., Ko, Y., Min, J., Hoa, P.Q., Ahn, S., Long, N.P., Cho, Y.-S., Shin, J.-G., 2023. Recommendation of pharmacokinetics/pharmacodynamics target of ethambutol to suppress tuberculosis resistance: A population pharmacokinetics study on a large prospective cohort. *Int. J. Antimicrob. Agents* 62: 106840. doi:10.1016/j.ijantimicag.2023.106840

- Hussain, Z., Zhu, J., Ma, X., 2021. Metabolism and hepatotoxicity of pyrazinamide, an antituberculosis drug. *Drug Metab. Dispos.* 49: 679–682. doi:10.1124/dmd.121.000389
- Ibrahim, M., Garcia-Contreras, L., 2016. Preclinical pharmacokinetics of antitubercular drugs, in: *Drug delivery systems for tuberculosis prevention and Treatment*. John Wiley & Sons, Ltd, pp. 131–155. doi:10.1002/9781118943182.ch7
- ICH, 2023. ICH Q2(R2) *Guideline on validation of analytical procedures*.
- ICH, 2022. ICH guideline M10 on bioanalytical method validation and study sample analysis.
- Insani, A., Samsuri, Berata, K., 2015. Gambaran histopatologi hati tikus putih yang diberikan deksametason dan vitamin E | Indonesia Medicus Veterinus. *Indones. Med. Veterinus* 4.
- Kaçar, S., Şahintürk, V., Can, B., Musmul, A., 2018. L-Cysteine partially protects against acrylamide-induced testicular toxicity. *Balk. Med. J.* 35: 311–319. doi:10.4274/balkanmedj.2017.0830
- Kadian, N., Raju, K.S.R., Rashid, M., Malik, M.Y., Taneja, I., Wahajuddin, M., 2016. Comparative assessment of bioanalytical method validation guidelines for pharmaceutical industry. *J. Pharm. Biomed. Anal.* 126: 83–97. doi:10.1016/j.jpba.2016.03.052
- Kafeenah, H.I.S., Osman, R., Bakar, N.K.A., 2019. Effect of mobile phase pH on the electrospray ionization efficiency and qualitative analysis of pharmaceuticals in ESI + LC-MS / MS. *Jourrnal Chromatogr. Sci.* 57: 847–854. doi:10.1093/chromsci/bmz061
- Kemenkes, 2017. *Data dan informasi*; Profil Kesehatan Indonesia.
- Kemenkes, D.P. dan P.P., 2023. *Laporan Tahunan Program TBC 2022*. Kementerian Kesehatan RI.
- Kim, E.S., Kwon, B.S., Park, J.S., Chung, Seo, S.H., Park, K.U., Song, J., Yoon, S., Lee, J.H., 2021. Relationship among genetic polymorphism of SLCO1B1, rifampicin exposure and clinical outcomes in patients with active pulmonary tuberculosis. *Br. J. Clin. Pharmacol.* 87. doi:10.1111/bcp.14758
- Kivrane, A., Grinberga, S., Sevostjanovs, E., Igumnova, V., Pole, I., Viksna, A., Bandere, D., Krams, A., Cirule, A., Pugovics, O., Ranka, R., 2021. LC-MS/MS method for simultaneous quantification of the first-line anti-tuberculosis drugs and six primary metabolites in patient plasma:

Implications for therapeutic drug monitoring. *J. Chromatogr. B Analyt. Technol. Biomed. Life. Sci.* 1185: 122986. doi:10.1016/j.jchromb.2021.122986

Klein, D.J., Boukouvala, S., McDonagh, E.M., Shuldiner, S.R., Laurieri, N., Thorn, C.F., Altman, R.B., Klein, T.E., 2016. *PharmGKB Summary: Isoniazid Pathway, Pharmacokinetics (PK)*. *Pharmacogenet. Genomics* 26: 436–444. doi:10.1097/FPC.0000000000000232

Kostiainen, R., Kauppila, T.J., 2009. Effect of eluent on the ionization process in liquid chromatography–mass spectrometry. *J. Chromatogr. A*, Editors' Choice III 1216: 685–699. doi:10.1016/j.chroma.2008.08.095

Koziolek, M., Alcaro, S., Augustijns, P., Basit, A.W., Grimm, M., Hens, B., Hoad, C.L., Jedamzik, P., Madla, C.M., Maliepaard, M., Marciani, L., Maruca, A., Parrott, N., Pávek, P., Porter, C.J.H., Reppas, C., van Riet-Nales, D., Rubbens, J., Stelova, M., Trevaskis, N.L., Valentová, K., Vertzoni, M., Čepo, D.V., Corsetti, M., 2019. The mechanisms of pharmacokinetic food-drug interactions – A perspective from the UNGAP group. *Eur. J. Pharm. Sci.* 134: 31–59. doi:10.1016/j.ejps.2019.04.003

Kruve, A., Kaupmees, K., 2017. Adduct formation in ESI/MS by mobile phase additives. *J. Am. Soc. Mass Spectrom.* 28: 887–894. doi:10.1007/s13361-017-1626-y

Kumar, L.M.S., Azeemuddin, M.M., Routhu, K.C., Priya, K., Babu, U.V., Pai, S.R., 2023. A validated LC-MS/MS method for simultaneous quantification of antitubercular drugs in rat plasma and its application for a pharmacokinetic interaction study with Immusante®. *J. Appl. Pharm. Sci.* 13: 151–158. doi:10.7324/JAPS.2023.118956

Laila, L., Febriyenti, F., Salhimi, S.M., Baie, S., 2011. Wound healing effect of Haruan (*Channa striatus*) spray. *Int. Wound J.* 8: 484–491. doi:10.1111/j.1742-481X.2011.00820.x

Lei, Q., Wang, Hao, Zhao, Y., Dang, L., Zhu, C., Lv, X., Wang, Hui, Zhou, J., 2019. Determinants of serum concentration of first-line anti-tuberculosis drugs from China. *Medicine (Baltimore)* 98: e17523. doi:10.1097/MD.00000000000017523

Lenaerts, A.J., DeGroote, M.A., Orme, I.M., 2008. Preclinical testing of new drugs for tuberculosis: current challenges. *Trends Microbiol.* 16: 48–54. doi:10.1016/j.tim.2007.12.002

- Li, W., Jian, W., Fu, Y., 2019. Basic sample preparation techniques in LC-MS Bioanalysis, in: *Sample Preparation in LC-MS Bioanalysis*. John Wiley & Sons, Ltd, pp. 1–30. doi:10.1002/9781119274315.ch1
- Lian, Y., Zhao, Jing, Wang, Y.-M., Zhao, Jun, Peng, S.-Q., 2017. Metallothionein protects against isoniazid-induced liver injury through the inhibition of CYP2E1-dependent oxidative and nitrosative impairment in mice. *Food Chem. Toxicol. Int. J. Publ. Br. Ind. Biol. Res. Assoc.* 102: 32–38. doi:10.1016/j.fct.2017.01.016
- Lian, Y., Zhao, Jing, Xu, P., Wang, Y., Zhao, Jun, Jia, L., Fu, Z., Jing, L., Liu, G., Peng, S., 2013. Protective effects of metallothionein on isoniazid and rifampicin-induced hepatotoxicity in mice. *PloS One* 8: e72058. doi:10.1371/journal.pone.0072058
- Lin, H.-C., Yu, M.-C., Liu, H.-J., Bai, K.-J., 2014. Impact of food intake on the pharmacokinetics of first-line antituberculosis drugs in Taiwanese tuberculosis patients. *J. Formos. Med. Assoc. Taiwan Yi Zhi* 113: 291–297. doi:10.1016/j.jfma.2014.01.015
- Luyen, L.T., Hung, T.M., Huyen, L.T., Tuan, L.A., Huong, D.T.L., Duc, H.V., Tung, B.T., 2018. Simultaneous determination of pyrazinamide, rifampicin, ethambutol, isoniazid and acetyl isoniazid in human plasma by LC-MS/MS method. *J. Appl. Pharm. Sci.* 8,: 061–073. doi:10.7324/JAPS.2018.8910
- Lyons, M.A., Reisfeld, B., Yang, R.S.H., Lenaerts, A.J., 2013. A physiologically based pharmacokinetic model of rifampin in mice. *Antimicrob. Agents Chemother.* 57: 1763. doi:10.1128/AAC.01567-12
- Magis-Escurra, C., Later-Nijland, H.M.J., Alffenaar, J.W.C., Broeders, J., Burger, D.M., Van Crevel, R., Boeree, M.J., Donders, A.R.T., Van Altena, R., Van Der Werf, T.S., Aarnoutse, R.E., 2014. Population pharmacokinetics and limited sampling strategy for first-line tuberculosis drugs and moxifloxacin. *Int. J. Antimicrob. Agents* 44: 229–234. doi:10.1016/j.ijantimicag.2014.04.019
- Ma’rufi, I., Ali, K., Sedemen, I.A., Purwanto, P., Khoiri, A., 2019. *Channa striata* (Ikan Gabus) extract and the acceleration of tuberculosis treatment: A true experimental study. *Interdiscip. Perspect. Infect. Dis.* 2019: 8013959. doi:10.1155/2019/8013959
- Mat Jais, A.M., Dambisya, Y.M., Lee, T.L., 1997. Antinociceptive activity of *Channa striatus* (haruan) extracts in mice. *J. Ethnopharmacol.* 57: 125–130. doi:10.1016/s0378-8741(97)00057-3

- McIlleron, H., Wash, P., Burger, A., Norman, J., Folb, P.I., Smith, P., 2006. Determinants of rifampin, isoniazid, pyrazinamide, and ethambutol pharmacokinetics in a Cohort of tuberculosis patients. *Antimicrob. Agents Chemother.* 50: 1170–1177. doi:10.1128/AAC.50.4.1170-1177.2006
- Metanat, M., Mood, B.S., Salehi, M., Rakhshani, M., Metanat, S., 2015. Risk factors and pattern of changes in liver enzymes among the patients with anti-tuberculosis drug-induced hepatitis. *Int. J. Infect.* 2. doi:10.17795/iji-25753
- Metushi, I.G., Nakagawa, T., Uetrecht, J., 2012. Direct oxidation and covalent binding of isoniazid to rodent liver and human hepatic microsomes: humans are more like mice than rats. *Chem. Res. Toxicol.* 25: 2567–2576. doi:10.1021/tx300341r
- MHLW, 2013. *Guideline on bioanalytical method validation in pharmaceutical development.*
- Moein, M.M., El Beqqali, A., Abdel-Rehim, M., 2017. Bioanalytical method development and validation: Critical concepts and strategies. *J. Chromatogr. B, Extraction and Sample Preparation Techniques in Bioanalysis* 1043: 3–11. doi:10.1016/j.jchromb.2016.09.028
- Molla, Y., Wubetu, M., Dessie, B., 2021. Anti-Tuberculosis Drug Induced Hepatotoxicity and Associated Factors among Tuberculosis Patients at Selected Hospitals, Ethiopia. *Hepatic Med. Evid. Res.* 13: 1–8. doi:10.2147/HMER.S290542
- Mustafa, A., Widodo, M., Kristianto, Y., 2012. Albumin and Zinc content of snakehead fish (*Channa striata*) extract and its role in health. *Int J Sci Technol* 1.
- Natarajan, A., Beena, P.M., Devnikar, A.V., Mali, S., 2020. A systemic review on tuberculosis. *Indian J. Tuberc.* 67: 295–311. doi:10.1016/j.ijtb.2020.02.005
- Nickerson, M., 1956. Receptor occupancy and tissue response. *Nature* 178: 697–698. doi:10.1038/178697b0
- Nurilmala, M., Safithri, M., Pradita, F.T., Pertiwi, R.M., 2020. Profil protein ikan gabus (*Channa striata*), toman (*Channa micropeltes*), dan betutu (*Oxyeleotris marmorata*): *J. Pengolah. Has. Perikan. Indones.* 23: 548–557. doi:10.17844/jphpi.v23i3.33924
- Ockenga, J., Fuhse, K., Chatterjee, S., Malykh, R., Rippin, H., Pirlich, M., Yedilbayev, A., Wickramasinghe, K., Barazzoni, R., 2023. Tuberculosis and malnutrition: The European perspective. *Clin. Nutr.* 42: 486–492. doi:10.1016/j.clnu.2023.01.016

- Olawumi, H.O., Olatunji, P.O., 2006. The value of serum albumin in pretreatment assessment and monitoring of therapy in HIV/AIDS patients. *HIV Med.* 7: 351–355. doi:10.1111/j.1468-1293.2006.00391.x
- Ötles, S., Senturk, A., 2014. Food and drug interactions: a general review. *Acta Sci. Pol. Technol. Aliment.* 13: 89–102.
- Padda, I.S., Muralidhara Reddy, K., 2024. *Antitubercular medications*, in: StatPearls. StatPearls Publishing, Treasure Island (FL).
- Peloquin, C.A., Davies, G.R., 2021. The treatment of tuberculosis. *Clin. Pharmacol. Ther.* 110: 1455–1466. doi:10.1002/cpt.2261
- Peloquin, C.A., Namdar, R., Singleton, M.D., Nix, D.E., 1999. Pharmacokinetics of rifampin under fasting conditions, with food, and with antacids. *Chest* 115: 12–18. doi:10.1378/chest.115.1.12
- Phenomenex, S., 2024. Synergi HPLC columns [WWW Document]. URL <https://www.phenomenex.com/products/synergi-hplc-column> (accessed 5.30.24).
- Pitt, J.J., 2009. Principles and applications of liquid chromatography-mass spectrometry in clinical biochemistry. *Clin. Biochem. Rev.* 30: 19–34.
- Pradana, D.A., Hayati, F., Sukma, D., 2013. Pengaruh pra-perlakuan madu terhadap farmakokinetika eliminasi rifampisin pada tikus wistar jantan. *J. Ilm. Farm.* 10: 18–27. doi:10.20885/jif.vol10.iss1.art3
- Prahl, J.B., Lundqvist, M., Bahl, J.M.C., Johansen, I.S., Andersen, Å.B., Frimodt-Møller, N., Cohen, A.S., 2016. Simultaneous quantification of isoniazid, rifampicin, ethambutol and pyrazinamide by liquid chromatography/tandem mass spectrometry. *APMIS Acta Pathol. Microbiol. Immunol. Scand.* 124: 1004–1015. doi:10.1111/apm.12590
- Prasetiawan, E. (Eka), Sabri, E. (Emita), Ilyas, S. (Syafuruddin), 2012. Gambaran histologis hepar mencit (*Mus musculus* L.) strain DDW setelah pemberian ekstrak n-heksan buah andaliman (*Zanthoxylum acanthopodium* Dc.) selama masa Pra implantasi dan pasca implantasi. *Saintia Biol.* 1: 40–45.
- Pratima, N.A., Gadikar, R., 2018. Liquid chromatography-mass spectrometry and Its applications: A brief review. *Arch. Org. Inorg. Chem. Sci.* 1. doi:10.32474/AOICS.2018.01.000103
- Prescott, J.D., Drake, V.J., Stevens, J.F., 2018. Medications and micronutrients: identifying clinically relevant interactions and addressing nutritional needs.

J. Pharm. Technol. JPT Off. Publ. Assoc. Pharm. Tech. 34: 216–230.
doi:10.1177/8755122518780742

- Pršo, K., Žideková, N., Porvazník, I., Solovič, I., Mokry, J., Kertys, M., 2023. A high-throughput LC–MS/MS method for simultaneous determination of isoniazid, ethambutol and pyrazinamide in human plasma. *Rapid Commun. Mass Spectrom.* 37: e9425. doi:10.1002/rcm.9425
- Ramappa, V., Aithal, G.P., 2013. Hepatotoxicity related to anti-tuberculosis drugs: Mechanisms and management. *J. Clin. Exp. Hepatol.* 3: 37–49. doi:10.1016/j.jceh.2012.12.001
- Rosida, A., 2016. Pemeriksaan laboratorium penyakit hati. *Berk. Kedokt.* 12: 123–131. doi:10.20527/jbk.v12i1.364
- Saktiawati, A.M.I., Sturkenboom, M.G.G., Stienstra, Y., Subronto, Y.W., Sumardi, Kosterink, J.G.W., van der Werf, T.S., Alffenaar, J.-W.C., 2016. Impact of food on the pharmacokinetics of first-line anti-TB drugs in treatment-naïve TB patients: a randomized cross-over trial. *J. Antimicrob. Chemother.* 71: 703–710. doi:10.1093/jac/dkv394
- Santoso, A.H., 2009. Uji potensi ekstrak ikan gabus (*Channa striata*) sebagai hepatoprotector pada tikus yang diinduksi dengan parasetamol.
- Sazali, M.F., Rahim, S.S.S.A., Mohammad, A.H., Kadir, F., Payus, A.O., Avoi, R., Jeffree, M.S., Omar, A., Ibrahim, M.Y., Atil, A., Tuah, N.M., Dapari, R., Lansing, M.G., Rahim, A.A.A., Azhar, Z.I., 2023. Improving tuberculosis medication adherence: The potential of integrating digital technology and health belief model. *Tuberc. Respir. Dis.* 86: 82–93. doi:10.4046/trd.2022.0148
- Shargel, L., Yu, A.B.C., 2015. *Applied biopharmaceutics & pharmacokinetics*, Seventh Edition.
- Sharma, S., Sharma, V., Taneja, S., Bhatia, A., Anand, A., Banerjee, D., Patil, A.N., 2023. Pharmacokinetic assessment of pyrazinamide and pyrazinoic acid in carbon tetrachloride-induced liver injury model in Wistar rats. *J. Pharm. Bioallied Sci.* 15: 146–151. doi:10.4103/jpbs.jpbs_333_23
- Sheikh, K., Saringat, H., Khan, G.M., 2005. Haruan (*Channa striatus*) incorporated palm-oil creams : formulation and stability studies. *Pak. J. Pharm. Sci.* 18: 1–5.
- Shih, T.-Y., Ho, S.-C., Hsiong, C.-H., Huang, T.-Y., Hu, O.Y.-P., 2013. Selected pharmaceutical excipient prevent isoniazid and rifampicin induced

hepatotoxicity. *Curr. Drug Metab.* 14: 720–728.
doi:10.2174/1389200211314060008

Sileshi, T., Tadesse, E., Makonnen, E., Aklillu, E., 2021. The impact of first-line anti-tubercular drugs' pharmacokinetics on treatment outcome: A systematic review. *Clin. Pharmacol. Adv. Appl.* 13: 1–12. doi:10.2147/CPAA.S289714

Song, J.H., Yoon, S.-Y., Park, T.Y., Heo, E.Y., Kim, D.K., Chung, H.S., Lee, J.-K., 2019. The clinical impact of drug-induced hepatotoxicity on anti-tuberculosis therapy: a case control study. *Respir. Res.* 20: 283. doi:10.1186/s12931-019-1256-y

Souih, A., Mohai, M.P., Martin, J.W., Krueve, A., 2023. Mobile phase and column chemistry selection for high sensitivity non-targeted LC/ESI/HRMS screening of water. *Anal. Chim. Acta* 1274: 341573. doi:10.1016/j.aca.2023.341573

Stolte, M., Meining, A., 2001. The updated Sydney system: Classification and grading of gastritis as the basis of diagnosis and treatment. *Can. J. Gastroenterol.* doi:10.1155/2001/367832

Su, Q., Kuang, W., Hao, W., Liang, J., Wu, L., Tang, C., Wang, Y., Liu, T., 2021. Antituberculosis drugs (rifampicin and isoniazid) induce liver injury by regulating NLRP3 inflammasomes. *Mediators Inflamm.* 2021: 8086253. doi:10.1155/2021/8086253

Suckow, M.A., Hankenson, F.C., Wilson, R.P., Foley, P.L., 2019. *The laboratory rat.*

Suhendi, A., Puspa, F.E., Pawarti, H., 2020a. Aktivitas antioksidan ekstrak ikan gabus (*Channa striata*) pada tikus yang diinduksi dengan rifampisin-isoniazid. *J. Kesehat.* 13: 69–77. doi:10.23917/jk.v13i1.11103

Suhendi, A., Rohman, A., Nurrochmad, A., Wahyono, D., 2020b. Effect of snakehead fish (*Channa striata*) extracts on liver function in rats which receiving anti-tuberculosis. *Int. J. Pharm. Res.* 12. doi:10.31838/ijpr/2020.SP1.147

Suhendi, A., Wahyuni, A.S., Kurniati, Y.P., Pradana, A.G., 2022. Hepatoprotective activity of snakehead fish (*Channa striata*) extract on Wistar rats induced by rifampicin-isoniazid. Presented at the InnoSTRE 2022, Sarawak, Malaysia, pp. 117–118.

Sundell, J., Wijk, M., Bienvenu, E., Äbelö, A., Hoffmann, K.-J., Ashton, M., 2021. Factors affecting the pharmacokinetics of pyrazinamide and its metabolites

in patients coinfectd with HIV and implications for individualized dosing. *Antimicrob. Agents Chemother.* 65: e00046-21. doi:10.1128/AAC.00046-21

Suresh, A.B., Rosani, A., Patel, P., Wadhwa, R., 2023. *Rifampin*, in: StatPearls [Internet]. StatPearls Publishing.

Suri Agung, A., 2016. Pengaruh ekstrak albumin ikan gabus (*Channa striata*) terhadap berat badan pasien tuberkulosis paru pengobatan fase intensif.

Syahridal, S., Kartini, K., Haris, H., 2022. Faktor yang berhubungan dengan drop out pengobatan pada penderita tuberkulosis (TB) paru di Puskesmas Bontonompo II Kabupaten Gowa. *J. Promot. Prev.* 5: 59–65. doi:10.47650/jpp.v5i1.472

Temova Rakuša, Ž., Roškar, R., Klančar Andrejč, A., Trdan Lušin, T., Faganeli, N., Grabnar, I., Mrhar, A., Kristl, A., Trontelj, J., 2019. Fast and simple LC-MS/MS method for rifampicin quantification in human plasma. *Int. J. Anal. Chem.* 2019: 4848236. doi:10.1155/2019/4848236

Thakkar, S., Chen, M., Fang, H., Liu, Z., Roberts, R., Tong, W., 2018. The liver toxicity knowledge base (LKTb) and drug-induced liver injury (DILI) classification for assessment of human liver injury. *Expert Rev. Gastroenterol. Hepatol.* 12: 31–38. doi:10.1080/17474124.2018.1383154

Tjay, T.H., Rahardja, K., 2015. Obat-obat penting, 7th ed. Elex Media Komputindo.

Tostmann, A., Boeree, M.J., Aarnoutse, R.E., de Lange, W.C.M., van der Ven, A.J.A.M., Dekhuijzen, R., 2008. Antituberculosis drug-induced hepatotoxicity: concise up-to-date review. *J. Gastroenterol. Hepatol.* 23: 192–202. doi:10.1111/j.1440-1746.2007.05207.x

Tungadi, R., 2019. Potensi ikan gabus (*Ophiocephalus striatus*) dalam mempercepat penyembuhan luka. *Jambura Fish Process. J.* 1: 46–57. doi:10.37905/jfpj.v1i1.4505

Tungadi, R., Farmasi, J., Olahraga, F., Kesehatan, D., 2019. Potensi ikan gabus (*Ophiocephalus striatus*) dalam mempercepat penyembuhan luka. *Jambura Fish Process. J.* 1: 46–57. doi:10.37905/JFPJ.V1I1.4505

Umam, K., Ramdhani, Y., Zulfikar, Z., 2017. Efek kadar albumin terhadap perbaikan klinis pasien TB di Instalasi Pelayanan Tuberculosis Terpadu (PTT) RSUDZA. *J. Ilm. Mhs. Kedokt. Biomedis* 2.

Varkey, J.A., Vahab, A.A., 2016. Evaluation of hepatoprotective activity of the commerson's anchovy (*Stolephorus commersonii*). *Indian J. Pharmacol.* 48: 69–73. doi:10.4103/0253-7613.174557

- Venkateswarlu, V., 2015. *Biopharmaceutics and pharmacokinetics*. PharmaMed Press.
- Verbeeck, R.K., Günther, G., Kibuule, D., Hunter, C., Rennie, T.W., 2016. Optimizing treatment outcome of first-line anti-tuberculosis drugs: the role of therapeutic drug monitoring. *Eur. J. Clin. Pharmacol.* 72: 905–916. doi:10.1007/s00228-016-2083-4
- Wahyono, D., 2016. *Farmakokinetika klinik*, 2nd ed. Gadjah Mada University Press.
- Wang, E.H., Combe, P.C., Schug, K.A., 2016. Multiple reaction monitoring for direct quantitation of intact proteins using a triple quadrupole mass spectrometer. *J. Am. Soc. Mass Spectrom.* 27: 886–896. doi:10.1007/s13361-016-1368-2
- Wang, S., Shangguan, Y., Ding, C., Li, P., Ji, Z., Shao, J., Fang, H., Yang, M., Shi, P., Wu, J., Ren, J., Yang, S., Yuan, J., Shi, Y., Li, J., Li, L., Xu, K., 2018. Risk factors for acute liver failure among inpatients with anti-tuberculosis drug-induced liver injury. *J. Int. Med. Res.* 48: 0300060518811512. doi:10.1177/0300060518811512
- Wejse, C., Gustafson, P., Nielsen, J., Gomes, V.F., Aaby, P., Andersen, P.L., Sodemann, M., 2008. TBscore: Signs and symptoms from tuberculosis patients in a low-resource setting have predictive value and may be used to assess clinical course. *Scand. J. Infect. Dis.* 40: 111–120. doi:10.1080/00365540701558698
- Williams, R., 2011. Sherlock's disease of the liver and biliary systems. *Clin. Med.* 11: 506. doi:10.7861/clinmedicine.11-5-506
- Won, C.S., Oberlies, N.H., Paine, M.F., 2012. Mechanisms underlying food–drug interactions: Inhibition of intestinal metabolism and transport. *Pharmacol. Ther.* 136: 186–201. doi:10.1016/j.pharmthera.2012.08.001
- World Health Organization, 2022. *WHO operational handbook on tuberculosis: module 4: treatment*. World Health Organization, Geneva.
- World Health Organization, 2020. *WHO operational handbook on tuberculosis: module 1: prevention: tuberculosis preventive treatment*. World Health Organization, Geneva.
- Yamada, Y., Sugiura, M., Higo, K., Ozeki, T., Takayanagi, R., Okuyama, K., Yamamoto, K., Satoh, H., Sawada, Y., Iga, T., 2004. Receptor occupancy theory-based analysis of antiemetic effects and standard doses of 5-HT3

receptor antagonists in cancer patients. *Cancer Chemother. Pharmacol.* 54: 185–190. doi:10.1007/s00280-004-0798-x

Yani, M.S., Singh, G., 2015. Efek hepatoprotektif N-asetilsistein dalam mencegah *drug-induced liver injury* akibat obat antituberkulosis: Laporan Kasus Berbasis Bukti. *Indones. J. CHEST 2*.

Younossian, A.B., Rochat, T., Ketterer, J.-P., Wacker, J., Janssens, J.-P., 2005. High hepatotoxicity of pyrazinamide and ethambutol for treatment of latent tuberculosis. *Eur. Respir. J.* 26: 462–464. doi:10.1183/09031936.05.00006205

Yu, Yue-cheng, Mao, Y., Chen, C., Chen, Jin-jun, Chen, Jun, Cong, W., Ding, Y., Duan, Z., Fu, Q., Guo, X., Hu, P., Hu, X., Jia, J., Lai, R., Li, D., Liu, Y., Lu, L., Ma, S., Ma, X., Nan, Y., Ren, H., Shen, T., Wang, H., Wang, J., Wang, T., Wang, X., Wei, L., Xie, Q., Xie, W., Yang, C., Yang, D., Yu, Yan-yan, Zeng, M., Zhang, L., Zhao, X., Zhuang, H., 2017. CSH guidelines for the diagnosis and treatment of drug-induced liver injury. *Hepatol. Int.* 11: 221–241. doi:10.1007/s12072-017-9793-2

Zakaria, Z.A., Kumar, G.H., Mat Jais, A.M., Sulaiman, M.R., Somchit, M.N., 2008. Antinociceptive, antiinflammatory and antipyretic properties of *Channa striatus* fillet aqueous and lipid-based extracts in rats. *Methods Find. Exp. Clin. Pharmacol.* 30: 355–362. doi:10.1358/mf.2008.30.5.1186084

Zakaria, Z.A., Mat Jais, A.M., Goh, Y.M., Sulaiman, M.R., Somchit, M.N., 2007. Amino acid and fatty acid composition of an aqueous extract of *Channa striatus* (Haruan) that exhibits antinociceptive activity. *Clin. Exp. Pharmacol. Physiol.* 34: 198–204. doi:10.1111/j.1440-1681.2007.04572.x

Zhao, H., Wang, Y., Zhang, T., Wang, Q., Xie, W., 2020. Drug-induced liver injury from anti-tuberculosis treatment: A retrospective Cohort study. *Med. Sci. Monit. Int. Med. J. Exp. Clin. Res.* 26: e920350-1-e920350-8. doi:10.12659/MSM.920350

Zheng, Y., Xu, N., Hu, X., Zhang, Q., Liu, Y., Zhao, Q., 2020. Development and application of a LC-MS/MS method for simultaneous quantification of four first-line antituberculosis drugs in human Serum. *J. Anal. Methods Chem.* 2020: 8838219. doi:10.1155/2020/8838219