

DAFTAR PUSTAKA

- [1] “Pemerintah Terus Mendorong Percepatan Transisi Energi di Dalam Negeri Guna Mencapai Target Net Zero Emission pada 2060,” *Kementerian Koordinator Bidang Perekonomian Republik Indonesia*, 7 Maret 2023. [Daring]. Tersedia pada: <https://www.ekon.go.id/publikasi/detail/4996/pemerintah-terus-mendorong-percepatan-transisi-energi-di-dalam-negeri-guna-mencapai-target-net-zero-emission-pada-2060>
- [2] H. Limanseto, “Tingkatkan Mandatori Biodiesel B35 Bagi Energi Ramah Lingkungan, Menko Airlangga Wujudkan Komitmen Transisi Energi yang Adil dan Merata,” *Kementerian Koordinator Bidang Perekonomian Republik Indonesia*, 31 Januari 2023. [Daring]. Tersedia pada: <https://ekon.go.id/publikasi/detail/4885/tingkatkan-mandatori-biodiesel-b35-bagi-energi-ramah-lingkungan-menko-airlangga-wujudkan-komitmen-transisi-energi-yang-adil-dan-merata>
- [3] A. A. Adenuga, O. O. Idowu, dan J. A. O. Oyekunle, “Synthesis of quality biodiesel from *Calophyllum inophyllum* kernels through reactive extraction method: Optimization of process parameters and characterization of the products,” *Renewable Energy*, vol. 145, no. 1, hlm. 2530–2537, 2020, doi: 10.1016/j.renene.2019.08.035.
- [4] W. Roschat, T. Siritanon, B. Yoosuk, T. Sudyodsuk, dan V. Promarak, “Rubber seed oil as potential non-edible feedstock for biodiesel production using heterogeneous catalyst in Thailand,” *Renewable Energy*, vol. 101, no. 1, hlm. 937–944, 2017, doi: 10.1016/j.renene.2016.09.057.
- [5] Emilda, “Tumbuhan Nyamplung (*Calophyllum inophyllum* Linn) dan Bioaktifitasnya,” *SIMBIOSA*, vol. 8, no. 2, hlm. 136–147, 2019, doi: 10.33373/sim-bio.v8i2.2000.
- [6] N. Nurhidayanti, “The Effect of Use Microwave Irradiation in Produce Biodiesel Nyamplung Oil (*Calophyllum inophyllum* Linn) Using KOH



- Catalyst,” *J. Phys.: Conf. Ser.*, vol. 1845, no. 1, hlm. 1–11, 2021, doi: 10.1088/1742-6596/1845/1/012064.
- [7] L. Syifalia dan A. K. Amarullah, “Pemurnian Senyawa Trigliserida dari Minyak Nyamplung (*Calophyllum inophyllum*) dengan Proses Continuous Countercurrent Extraction,” Skripsi, Departemen Teknik Kimia, Institut Teknologi Sepuluh November, Surabaya, 2017.
- [8] A. E. Atabani, A. S. Silitonga, T. M. I. Mahlia, H. H. Masjuki, dan I. A. Badruddin, “*Calophyllum inophyllum* L. as a potential feedstock for bio-diesel production,” vol. 84, no. 6, hlm. 1–8, 2011.
- [9] P. Chetpattananondh, “Assessment of water degumming and acid degumming of mixed algal oil,” *Journal of environmental chemical engineering*, Okt 2017, Diakses: 21 Maret 2024. [Daring]. Tersedia pada: https://www.academia.edu/107502886/Assessment_of_water_degumming_and_acid_degumming_of_mixed_algal_oil
- [10] W. Wulandari, M. Darsin, dan R. Koentjoro Wibowo, “Study on Characteristics of *Calophyllum inophyllum* Oil as a New Alternative Cutting Fluid,” dipresentasikan pada AIP Conference Proceedings, 2020. doi: 10.1063/5.0015792.
- [11] A. Budiman, R. D. Kusumaningtyas, Y. S. Pradana, dan N. A. Lestari, *Biodiesel: Bahan Baku, Proses, dan Teknologi*, Cetakan Kedua. Yogyakarta: Gadjah Mada University Press, 2017.
- [12] “Badan Standardisasi Nasional, SNI 7182:2015.” BSN, 2015.
- [13] V. Sathya Selvabala, D. K. Selvaraj, J. Kalimuthu, P. M. Periyaraman, dan S. Subramanian, “Two-step biodiesel production from *Calophyllum inophyllum* oil: Optimization of modified B-zeolite catalyzed pre-treatment,” *Bioresource Technology*, vol. 102, no. 2, hlm. 1066–1072, 2011.
- [14] N. Prabaningrum, Mondjo, G. D. Pratama, Y. H. Fauziyah, dan G. P. Hardini, “Two-Step Transesterification of *Calophyllum inophyllum* Oil: Optimization and Reaction Kinetics,” *ARPN Journal of Engineering and Applied Sciences*, vol. 11, no. 6, hlm. 4045–4052, 2016.



- [15] C. J. Syam, “Optimasi Esterifikasi In Situ Biji Nyamplung (*Calophyllum inophyllum*) menggunakan Metanol dan n-Heksana dengan Katalis Asam Sulfat,” Skripsi, Departemen Teknik Nuklir dan Teknik Fisika, Universitas Gadjah Mada, Yogyakarta, 2024.
- [16] N. A. Mufidah, A. D. Cahyani, N. Prabaningrum, dan Kusnanto, “Acid Value Reduction of *Calophyllum inophyllum* Oil by Oilseeds In situ Esterification Using Sulfuric Acid Catalyzed Methanol and Isopropyl Alcohol Mixture,” *IOP Conf. Series: Earth and Environmental Science*, vol. 927, no. 1, hlm. 1–10, 2021, doi: 10.1088/1755-1315/927/1/012010.
- [17] R. Sudradjat, Sahirman, A. Suryani, dan D. Setiawan, “Transesterification Process in Biodiesel Manufacture Using Esterified Nyamplung Oil (*Calophyllum inophyllum* L.) as Raw Material,” *JURNAL Penelitian Hasil Hutan*, vol. 28, no. 2, hlm. 184–198, 2010.
- [18] J. Milano, H. C. Ong, H. H. Masjuki, A. S. Silitonga, W. Chen, F. Kusumo, S. Dharma, dan A. H. Sebayang, “Optimization of biodiesel production by microwave irradiation-assisted transesterification for waste cooking oil-*Calophyllum inophyllum* oil via response surface methodology,” *Energy Conversion and Management*, vol. 158, no. 1, hlm. 400–415, 2018, doi: 10.1016/j.enconman.2017.12.027.
- [19] R. Naveenkumar dan G. Baskar, “Optimization and techno-economic analysis of biodiesel production from *Calophyllum inophyllum* oil using heterogeneous nanocatalyst,” *Bioresource Technology*, vol. 315, no. 1, hlm. 123852, 2020, doi: 10.1016/j.biortech.2020.123852.
- [20] A. Arumugam dan P. Sankaranarayanan, “Biodiesel production and parameter optimization: An approach to utilize residual ash from sugarcane leaf, a novel heterogeneous catalyst, from *Calophyllum inophyllum* oil,” *Renewable Energy*, vol. 153, no. 1, hlm. 1272–1282, 2020, doi: 10.1016/j.renene.2020.02.101.
- [21] H. C. Ong, H. H. Masjuki, T. M. I. Mahlia, A. S. Silitonga, W. T. Chong, dan K. Y. Leong, “Optimization of biodiesel production and engine performance from high free fatty acid *Calophyllum inophyllum* oil in CI diesel engine,”



- Energy Conversion and Management*, vol. 81, no. 1, hlm. 30–40, 2014, doi: 10.1016/j.enconman.2014.01.065.
- [22] G. P. Hardini, “Optimasi Proses Konversi Minyak Nyamplung (*Calophyllum inophyllum*) menjadi Biodiesel dengan Response Surface Methodology (RSM),” Skripsi, Departemen Teknik Nuklir dan Teknik Fisika, Universitas Gadjah Mada, Yogyakarta, 2015.
- [23] E. Sarwono, N. Erzha, dan B. N. Widarti, “Pengolahan Biodiesel dari Biji Nyamplung (*Calophyllum inophyllum*) Menggunakan Katalis KOH,” *Prosiding Seminar Nasional Teknologi*, vol. 1, no. 1, hlm. 34–40, 2017.
- [24] S. S. Wirawan, M. D. Solikhah, H. Setiapraja, dan A. Sugiyono, “Biodiesel implementation in Indonesia: Experiences and future perspectives,” *Renewable and Sustainable Energy Reviews*, vol. 189, no. 1, hlm. 1–17, 2024, doi: 10.1016/j.rser.2023.113911.
- [25] S. Arita, M. B. Dara, dan J. Irawan, “Pembuatan Metil Ester Asam Lemak dari CPO Off Grade dengan Metode Eesterifikasi-Transesterifikasi,” *Jurnal Teknik Kimia Universitas Sriwijaya*, vol. 15, no. 2, hlm. 34–43, 2008.
- [26] Y. Zalfiatri, F. Restuhadi, dan R. Zulhardi, “Karakteristik Biodiesel dari Minyak Jelantah Menggunakan Katalis Abu Gosok dengan Variasi Penambahan Metanol,” *Chempublish Journal*, vol. 4, no. 1, hlm. 1–8, 2019, doi: <https://doi.org/10.22437/chp.v3i1.5774>.
- [27] “Table 2 ASTM D6751 and EN 14214 standards for biodiesel fuels and ASTM,” ResearchGate. Diakses: 9 Juni 2024. [Daring]. Tersedia pada: https://www.researchgate.net/figure/ASTM-D6751-and-EN-14214-standards-for-biodiesel-fuels-and-ASTM-D-975-for-petroleum-diesel_tbl1_320820164
- [28] “Specification for Biodiesel (B100) - ASTM D6751.” 2007. [Daring]. Tersedia pada: <https://www.glycerintraders.com/ASTM%206751%20spec.pdf>
- [29] A. Widiyanto dan M. Siarudin, “Minyak Lemak, Salah Satu Potensi Hasil Hutan Bukan Kayu yang Perlu Dikembangkan,” *Forest Product (ForPro)*, vol. II, no. 1, hlm. 8–17, 2013.



- [30] A. E. Atabani, T. M. I. Mahlia, H. H. Masjuki, I. A. Badruddin, H. W. Yussof, W. T. Chong, dan K. T. Lee, “A comparative evaluation of physical and chemical properties of biodiesel synthesized from edible and non-edible oils and study on the effect of biodiesel blending,” *Energy*, vol. 58, no. 1, hlm. 296–304, 2013, doi: 10.1016/j.energy.2013.05.040.
- [31] K. J. Harrington dan C. D’Arcy-Evans, “A comparison of conventional and *in situ* methods of transesterification of seed oil from a series of sunflower cultivars,” *Journal of the American Oil Chemists Society*, vol. 62, no. 1, hlm. 1009–1013, 1985.
- [32] F. A. Jalil, “Optimasi In-Situ Esterifikasi Biji Karet Menggunakan Campuran Metanol dan n-Heksana dengan Katalis Asam Sulfat,” Skripsi, Departemen Teknik Nuklir dan Teknik Fisika, Universitas Gadjah Mada, Yogyakarta, 2019.
- [33] P. O. Bali, “1,2-dimetil-1,1,2,2-tetrafenildisilana Sulfonat Mengkatalisis Reaksi Esterifikasi Asam Stearat dengan Metanol dan 2-propanol,” Skripsi, Departemen Kimia, Universitas Sumatera Utara, Medan, 2014.
- [34] F. R. Muhammad, S. Jatranti, L. Qadariyah, dan M. Mahfud, “Pembuatan Biodiesel Dari Minyak Nyamplung Menggunakan Pemanasan Gelombang Mikro,” *JTITS*, vol. 3, no. 2, hlm. 154–159, 2014, doi: 10.12962/j23373539.v3i2.6552.
- [35] A. P. Mayalibit, Z. L. Sarungallo, dan S. N. Paiki, “Pengaruh Proses *Degumming* Menggunakan Asam Sitrat Terhadap Kualitas Minyak Buah Merah (*Pandanus conoideus Lamk*),” *agritechnology*, vol. 2, no. 1, hlm. 23, 2020, doi: 10.51310/agritechnology.v2i1.25.
- [36] A. A. Syahidi, “Optimasi Bilangan Asam Biodiesel dari Minyak Biji Nyamplung (*Calophyllum inophyllum*) dengan In Situ Esterifikasi Menggunakan Pelarut Metanol dan Katalis Asam Sulfat,” Skripsi, Departemen Teknik Nuklir dan Teknik Fisika, Universitas Gadjah Mada, Yogyakarta, 2024.



- [37] “Material Safety Data Sheet: Sulfuric acid MSDS.” Science Lab.com. [Daring]. Tersedia pada: <https://kimia.unimudasorong.ac.id/app/upload/file/msds-sulfuric-acid.pdf>
- [38] H. C. Ong, H. H. Masjuki, T. M. I. Mahlia, A. S. Silitonga, W. T. Chong, dan T. Yusaf, “Engine performance and emissions using *Jatropha curcas*, *Ceiba pentandra* and *Calophyllum inophyllum* biodiesel in a CI diesel engine,” *Energy*, vol. 69, no. 1, hlm. 427–445, 2014, doi: 10.1016/j.energy.2014.03.035.
- [39] H. Wang, H. Tang, S. O. Salley, dan K. Y. S. Ng, “Total Acid Number Determination of Biodiesel and Biodiesel Blends,” *JAACS, Journal of the American Oil Chemists’ Society*, vol. 85, no. 11, hlm. 1083–1086, 2008, doi: 10.1007/s11746-008-1289-8.
- [40] K. A. M. Said dan M. A. M. Amin, “Overview on the Response Surface Methodology (RSM) in Extraction Processes,” *Journal of Applied Science & Process Engineering*, vol. 2, no. 1, hlm. 8–17, 2015.
- [41] G. W. Oehlert, *A First Course in Design and Analysis of Experiments*. Minnesota: University of Minnesota, 2010.
- [42] R. E. Walpole, R. H. Myers, Sh. L. Myers, dan K. Ye, *Probability & Statistics for Engineers & Scientists*, Ninth Edition. Boston: Pearson Education, 2007.
- [43] *Acid Value Testing Method: AOCS Cd 3d-63*. New York: American Oil Chemist Society, 2003.
- [44] M. Spiegel, J. Schiller, dan R. A. Srinivasa, *Probabilitas dan Statistik*, Edisi Kedua. Jakarta: Penerbit Erlangga, 2004.
- [45] A. D. Cahyani, “Esterifikasi In Situ Biji Nyamplung (*Calophyllum inophyllum*) Menggunakan Campuran Metanol dan n-Heksana dengan Katalis Asam Sulfat,” Skripsi, Departemen Teknik Nuklir dan Teknik Fisika, Universitas Gadjah Mada, Yogyakarta, 2022.
- [46] S. Hendayana, *Kimia Pemisahan: Metode Kromatografi dan Elektroforesis Modern*. Bandung: Remaja Rosdakarya, 2006.
- [47] M. H. Mosarof, M. A. Kalam, H. H. Masjuki, A. Alabdulkarem, A. M. Ashraful, A. Arslan, H. K. Rashedul, dan I. M. Monirul, “Optimization of



performance, emission, friction and wear characteristics of palm and *Calophyllum inophyllum* biodiesel blends,” *Energy Conversion and Management*, vol. 118, no. 1, hlm. 119–134, 2016, doi: 10.1016/j.enconman.2016.03.081.

