



## DAFTAR PUSTAKA

- Aceto, M. (2016). *The Use of ICP-MS in Food Traceability*. Italy: Università degli Studi del Piemonte Orientale.
- Al-Hakkani, M.F. (2019). Guideline of Inductively Coupled Plasma Mass Spectrometry “ICP–MS”: Fundamentals, Practices, Determination of The Limits, Quality Control, and Method Validation Parameters. *Review Paper*. SN Applied Sciences.
- Anke, M., Groppel, B., Müller, M., Scholz, E., Kramer, K. (1995). The Iodine Supply of Humans Depending on Site, Food Offer and Water Supply. *Fresenius' J. Anal. Chem.* 352: 97–101.
- AOAC Official Methods of Analysis. (2016). *Appendix F: Guidelines for Standard Method Performance Requirements*.
- AOAC Official Methods of Analysis. (2023). *Appendix K: Guidelines for Dietary Supplements and Botanicals*. Official Methods of Analysis of AOAC International.
- AOAC. (2012). Official Methods of Analysis of AOAC International (19th ed.). Maryland, MD: AOAC International Press.
- Armbruster, D.A. and Pry, T. (2008). Limit of Blank, Limit of Detection and Limit of Quantitation. *Clin Biochem Rev.* (29): 49-52.
- Badan POM. (2020). *Peraturan Badan Pengawas Obat Dan Makanan Nomor 28 Tahun 2020 Tentang Pedoman Cara Produksi Pangan Olahan yang Baik untuk Makanan Pendamping Air Susu Ibu*.
- Badan Standardisasi Nasional. (2011). *Biskuit*. SNI 2973:2011. Jakarta: Badan Standardisasi Nasional.
- Bertinato, J. (2021). *Iodine nutrition: Disorders, monitoring and policies*. Advances in Food and Nutrition Research. 96(10): 365–415.
- Brägger, P., Blasco, I.N., Negretti de Brägger, V.E. and Raab, A. (2000). *Metal ions in Biology and Medicine*. France: John Libbex Eurotext. Montrouge. pp.751–754.
- British Standard. (2007). *Foodstuffs—Determination of Trace Elements—Determination of Iodine by ICP-MS (Inductively Coupled Plasma Mass Spectrometry)*. EN 15111.
- Cooper, G. (2008). *Basic Lessons in Laboratory Quality Control*. QC Workbook. Bio-Rad Laboratories. Inc. Quality Systems Division.
- DeBenoit, B., Andersson, M., Egli, I., Takkouche, B., Allen, H. (2004). *Iodine Status Worldwide, WHO Global Database on Iodine Deficiency*. Geneva: World Health Organization.
- Deresa, E.M., Befkadu, D.M., Hamda, M.G. (2023). Investigation of The Effects of Heat and Light on Iodine Content of Packaged and Open Salt Brands Collected from Jimma Town. *Heliyon*. 9(10): 20412.
- Diogo, L.R.N., Alessandra, S.H., Moraes, F.E.M., Foster, M.M. (2019). Feasibility of Microwave-Induced Combustion Combined with Inductively Coupled Plasma Mass Spectrometry for Bromine and Iodine Determination in Human Nail. *Rapid Communications in Mass Spectrometry*. 8675



- Dold, S., Baumgartner, J., Zeder, C., Krzystek, A., Osei, J., Haldimann, M., Zimmermann, M.B., and Andersson, M. (2016). Optimization of A New Mass Spectrometry Method for Measurement of Breast Milk Iodine Concentrations and an Assessment of the Effect of Analytic Method and Timing of Within Feed Sample Collection on Breast Milk Iodine Concentrations. *Thyroid*. 26: 287-295.
- Duarte, F. A., Oliveira, P. V., & Nogueira, A. R. A. (2014). *Microwave-Assisted Extraction*. Microwave-Assisted Sample Preparation for Trace Element Analysis (Chapter 8). 231–251.
- Fernández-Sánchez, L. M., Bermejo-Barrera, P., Fraga-Bermudez, J. M., Szpunar, J., & Lobinski, R. (2007). Determination of Iodine in Human Milk and Infant Formulas. *Journal of Trace Elements in Medicine and Biology*. 21, 10–13.
- Flores, E.M.M., Mello, P.A., Krzyzaniak, S.R., Cauduro, V.H., and Picoloto, R.S. (2020). Challenges and trends for halogen determination by inductively coupled plasma mass spectrometry: A review. *Rapid Commun Mass Spectrom*. 34(S3): e8727.
- Hanrahan, G., Casey, H., and Worsfold, P. J. (2005). *Water Analysis/Freshwater*. Encyclopedia of Analytical Science (2<sup>nd</sup> ed.). Elsevier. pp. 262–268.
- Hetzell, B.S. (2005). Towards the global elimination of brain damage due to iodine deficiency—the role of the International Council for Control of Iodine Deficiency Disorders. *International Journal of Epidemiology*. 34: 762–764.
- Horwitz, W. and Albert, R. (2006). The Horwitz Ratio (HorRat): A Useful Index of Method Performance with Respect to Precision. *J. of AOAC International*. 89(4): 1095-1109.
- Hou, X. and Ding, W. (2009). *Isotopes of Iodine in Thyroid Tissue and Urine: Source, Application, Level and Determination*. In V. Preedy, G. Burrow, & R. Watson (Eds.), Comprehensive Handbook of Iodine (1<sup>st</sup> ed., Vol. Chapter 46, pp. 437-449). Academic Press.
- Houston, R. (2005). *Iodine: Physiology, Dietary Sources and Requirements*. Encylcopedia of human nutrition. Oxford: Elsevier. pp. 66-73.
- Judprasong, K., Jongjaithet, N., and Chavasit, V. (2015). Comparison of Methods for Iodine Analysis in Foods. *Food Chem*. 193:12–17.
- Klerks, M., Román, S., and Sánchez-Sile, L. (2023). Baby, Children, and Adult Biscuits. Differences in Nutritional Quality and Naturalness. *Food Sci Nutr*. 1–11.
- Konieczka, P. (2012). *Validation and Regulatory Issues for Sample Preparation*. Comprehensive Sampling and Sample Preparation. 699–711.
- Landon, G., Bouvier-Capely, C., Legrand, A., Sontag, T., Finance, G., Saint-Hilaire, M., Rebière, F., Millot, X., Renaud-Salis, V., and Agarande, M. (2017). Validation and Comparison of Two Calibration Methods for the Measurement of Stable Iodine in the Urinary Matrix by ICP-MS: Standard Addition vs. External Calibration. *American Journal of Analytical Chemistry*. 8: 245-263.



- Magnusson, B. and Örnemark, U. (eds.). (2014). *Eurachem Guide: The Fitness for Purpose of Analytical Methods – A Laboratory Guide to Method Validation and Related Topics.* (2<sup>nd</sup> ed.).
- Matusiewicz, H. (2014). *Systems for Microwave-Assisted Wet Digestion.* Microwave-Assisted Sample Preparation for Trace Element Analysis (Chapter 3). 77–98.
- May, T.W. and Wiedmeyer, R.H. (1998). *A table of polyatomic interferences in ICP-MS.* Atomic Spectroscopy. 19: 150–155.
- Mello, P.A., Barin, J.S., Duarte, F.A., Buzzi, C.A., Diehl, L.O., Muller, E.I., and Flores, E.M.M. (2013). Analytical methods for the determination of halogens in bioanalytical sciences: a review. *Anal Bioanal Chem.* 405: 7615–7642.
- Mudau, M., Ramashia, S.E., Mashau, M.E., Silungwe, H. (2021). Physicochemical Characteristics of Bread Partially Substituted with Finger Millet (*Eleusine corocana*) Flour. *Braz. J. Food Tech.* 24: 1–14.
- NATA. (2018). *General Accreditation Guidance—Validation and Verification of Quantitative and Qualitative Test Methods.* Australia: National Association of Testing Authorities.
- Olesik, J.W. (2014). *Inductively Coupled Plasma Mass Spectrometers.* Treatise on Geochemistry 2<sup>nd</sup> ed. USA: The Ohio State University Press.
- Oliveira, A.A., Trevizan, L.C., Nobrega, J.A. (2010). Review: Iodine Determination by Inductively Coupled Plasma Spectrometry. *Appl Spectrosc Rev.* 45:447–473.
- Pacquette, L.H., Levenson, A.M., and Thompson, J.J. (2012). Determination of Total Iodine in Infant Formula and Nutritional Products by Inductively Coupled Plasma/Mass Spectrometry: Single-Laboratory Validation. *Journal of AOAC International.* 95 (1): 169–176.
- Peraturan Menteri Kesehatan Nomor 28 Tahun 2019. *Angka Kecukupan Gizi yang Dianjurkan untuk Masyarakat Indonesia.*
- Peraturan Menteri Kesehatan Republik Indonesia Nomor 28 Tahun 2019. *Angka Kecukupan Gizi yang Dianjurkan untuk Masyarakat Indonesia.*
- Picoloto RS, Doneda M, Flores ELM, Mesko MF, Flores EMM, Mello PA. (2015). Simultaneous Determination of Bromine and Iodine in Milk Powder for Adult and Infant Nutrition by Plasma Based Techniques After Digestion Using Microwave-Induced Combustion. *Spectrochim Acta B.* 107:86–92
- Romarís-Hortas V, Moreda-Piñeiro A, and Bermejo-Barrera P. (2009). Microwave Assisted Extraction of Iodine and Bromine from Edible Seaweed for Inductively Coupled Plasma-Mass Spectrometry Determination. *Talanta.* 79(3):947–52.
- Saeed, S. M. G., Ali, S. A., Faheem, K., Ali, R., & Giuffr'e, A. M. (2022). The Impact of Innovative Plant Sources (*Cordia myxa* L. Fruit (Assyrian Plum) and *Phoenix dactylifera* L. Biowaste (Date Pit)) on The Physicochemical, Microstructural, Nutritional, and Sensorial Properties of Gluten-Free Biscuits. *Foods.* 11(15): 2346.
- Salehi, F. (2019b). Recent Applications of Powdered Fruits and Vegetables as Novel Ingredients in Biscuits: A review. *Nutrire.* 45(1).



- Shan, Y., Ma, W., Liu, X., Wang, X., Xia, X., Yu, L., Wei, X., And Jiang, Y. (2015). Comparison of Determination Methods of Trace Iodine in Infant Formula Powder. *Science and Technology of Food Industry*. 281-285.
- Shelor, C.P., and Dasgupta, P.K. (2011). Review of Analytical Methods for The Quantification of Iodine in Complex Matrices. *Anal Chim Acta*. 702:16–36.
- Skoog, D.A., West, D.M., Holler, F.J., and Crouch, S.R. (2004). *Fundamentals of Analytical Chemistry*. USA: Brooks/Cole-Thomson Learning
- Todorov, T.I. and Gray, P.J. (2016). Analysis of iodine in food samples by inductively coupled plasma-mass spectrometry. *Food Additives & Contaminants: Part A*. 1-9.
- Vance, K.A., Makhmudov, A., Shakirova, G., Roenfanz, H., Jones, R.L., and Caldwell, K.L. (2018). Determination of Iodine Content in Dairy Products by Inductively Coupled Plasma Mass Spectrometry. *Atomic Spectroscopy*. 39(3): 95-99.
- WHO. (2007). *Assessment of Iodine Deficiency Disorders and Monitoring Their Elimination: A Guide for Programme Managers*. 3<sup>rd</sup> ed. World Health Organization.
- WHO. (2007). *Guidelines on Food Fortification with Micronutrients*. World Health Organization.
- Wilschefski, S.C. and Baxter, M.R. (2019). Inductively Coupled Plasma Mass Spectrometry: Introduction to Analytical Aspects. *Clin Biochem Rev*. 40(3): 115-133.
- Zheng, Y., Zhiqiang, E., Zhang, X., Li, Y., Feng, H., Liu, Y., Liu, Y., Yang, H., and Lu, Y. (2023). Profile Analysis of Iodine in Powdered Infant Formula and Infant Complementary Foods by Inductively Coupled Plasma Mass Spectrometry. *Research Journal of Food and Nutrition*. 6(1): 17-24.