

REFERENSI

- Segal, D. (2010). *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV-TR)*. 10.1002/9780470479216.corpsy0271
- Shaleha, Rinanda & Praghlapati, Andria. (2021). REDUKSI STIGMA TERHADAP ORANG DENGAN GANGGUAN MENTAL. JURNAL PENGABDIAN KEPADA MASYARAKAT. 3. 1-6.
- Perez Arribas, I., Goodwin, G. M., Geddes, J. R., Lyons, T., & Saunders, K. (2018). A signature-based machine learning model for distinguishing bipolar disorder and borderline personality disorder. *Translational psychiatry*, 8(1), 274. <https://doi.org/10.1038/s41398-018-0334-0>
- Salem, H., Ruiz, A., Hernandez, S., Wahid, K., Cao, F., Karnes, B., Beasley, S., Sanches, M., Ashtari, E., & Pigott, T. (2019). Borderline Personality Features in Inpatients with Bipolar Disorder: Impact on Course and Machine Learning Model Use to Predict Rapid Readmission. *Journal of psychiatric practice*, 25(4), 279–289. <https://doi.org/10.1097/PRA.0000000000000392>
- Surya (2020). AUTISM SPECTRUM DISORDER USING KNN ALGORITHM.
- Pathak, D.B., Deshmukh, P.P., Raut, P., & Dhatrak, P. (2021). Classification of Anxiety Disorder and Depression Disorder from EEG using SVM.
- Kaur, A., & Sharma, D. (2021). Design of Decision Support System for Diagnosis of Psychological Disorder.
- Getzfeld, Andrew. (2006). Essentials of Abnormal Psychology.

- Coles, Edward. (2002). Review of Abnormal psychology .. Canadian Psychology/Psychologie canadienne. 43. 122. 10.1037/h0088082.
- Devita, R., Herwanto, H., & Wibawa, A. (2018). Perbandingan Kinerja Metode Naive Bayes dan K-Nearest Neighbor untuk Klasifikasi Artikel Berbahasa Indonesia. Jurnal Teknologi Informasi dan Ilmu Komputer, 5(4), 427-434. doi:<http://dx.doi.org/10.25126/jtiik.201854773>
- Shouman, Mai & Turner, Timothy & Stocker, Rob. (2012). Applying k-Nearest Neighbour in Diagnosing Heart Disease Patients. International Journal of Information and Education Technology. 2. 220-223. 10.7763/IJiet.2012.V2.114.
- Triyanna Widiyaningtyas, Ilham Ari Elbaith Zaeni, and Nadiratin Jamilah. 2020. Diagnosis of fever symptoms using naive bayes algorithm. In Proceedings of the 5th International Conference on Sustainable Information Engineering and Technology (SIET '20). Association for Computing Machinery, New York, NY, USA, 23–28. <https://doi.org/10.1145/3427423.3427426>
- Nanda, Yoga & Sari, Bety. (2020). NAIVE BAYES ALGORITHM IMPLEMENTATION TO DETECT HUMAN PERSONALITY DISORDERS. Jurnal Techno Nusa Mandiri. 17. 9-16. 10.33480/techno.v17i1.1239.
- Byeon, Haewon. (2019). Developing a random forest classifier for predicting the depression and managing the health of caregivers supporting patients with Alzheimer's Disease. Technology and Health Care. 27. 1-14. 10.3233/THC-191738.
- Zhou, Z., Luo, D., Yang, B. and Liu, Z., 2022. Machine Learning-Based Prediction Models for Depression Symptoms Among Chinese Healthcare Workers During the Early COVID-19 Outbreak in 2020: A Cross-Sectional Study.



UNIVERSITAS
GADJAH MADA

Prediksi Gangguan Kepribadian Menggunakan K-Nearest Neighbor, Naive Bayes, dan Random Forest

Rayhan Akmal Mongilong, Dr. Mardhani Riasetiawan, SE Ak, M.T.

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Ayano, G., Demelash, S., yohannes, Z. et al. Misdiagnosis, detection rate, and associated factors of severe psychiatric disorders in specialized psychiatry centers in Ethiopia. *Ann Gen Psychiatry* 20, 10 (2021). <https://doi.org/10.1186/s12991-021-00333-7>

Zhou, Yihan. Study for Iris Classification Based on Multiple Machine Learning Models. (2022). *Highlights in Science, Engineering and Technology*, 23, 342-349. <https://doi.org/10.54097/hset.v23i.3620>

Syafira, D & Suwilo, S & Sihombing, Pardomuan. (2020). Analysis of Attribute Reduction Effectiveness on The Naive Bayes Classifier Method. *Journal of Physics: Conference Series*. 1566. 012060. 10.1088/1742-6596/1566/1/012060.