



## DAFTAR PUSTAKA

- Abbasi, A., Chen, H., & Salem, A. (2008). Sentiment analysis in multiple languages: Feature selection for opinion classification in web forums. *ACM Transactions on Information Systems (TOIS)*, 26(3), 1–34.
- Abdulkadir, S. J., Alhussian, H., Nazmi, M., & Elsheikh, A. A. (2018). Long short term memory recurrent network for standard and poor's 500 index modelling. *Int. J. Eng. Technol.*, 7(4.15), 25–29.
- Apelgren, P., Amoroso, M., Säljö, K., Montelius, M., Lindahl, A., Stridh Orrhult, L., Gatenholm, P., Kölby, L., Arulkumar, S., Parthiban, S., Goswami, A., Varma, R. S., Naushad, M., Gawande, M. B., Lipskas, J., Deep, K., Yao, W., Grogan, S. P., Dorthé, E. W., ... Salvatore, D. A. (2019). Deep learning-based BCI for gait decoding from EEG with LSTM recurrent neural network. *Materials Today: Proceedings*, 27(xxxx), 0–31. <https://doi.org/10.1016/j.jare.2020.01.010> <https://doi.org/10.1016/j.nano.2021.102426> <https://doi.org/10.1080/03008207.2019.1617280> <https://dx.doi.org/10.1038/s41598-019-38972-2> <https://doi.org/10.1016/j.matpr.2019.12.188> <https://doi.org/10.1016/j.ijmat.2016.06.006>
- Barata, M. L., & Coelho, P. S. (2021). Music streaming services: understanding the drivers of customer purchase and intention to recommend. *Heliyon*, 7(8), e07783. <https://doi.org/10.1016/j.heliyon.2021.e07783>
- Benamara, F., Cesarano, C., Picariello, A., Recupero, D. R., & Subrahmanian, V. S. (2007). Sentiment analysis: Adjectives and adverbs are better than adjectives alone. *ICWSM*, 7, 203–206.
- Bre, F., Gimenez, J. M., & Fachinotti, V. D. (2018). Prediction of wind pressure coefficients on building surfaces using artificial neural networks. *Energy and Buildings*, 158, 1429–1441.



Brilliant, M., Nurhasanah, I. A., & ... (2021). Perbandingan Metode Deep Learning Recurrent Neural Networks, Arima Dan Holt-Winters Exponential Smoothing Dalam Prediksi .... *SEAT: Journal Of Software* ..., 1(1).

<http://journal.institidla.ac.id/index.php/seat/article/view/18%0A><http://journal.institidla.ac.id/index.php/seat/article/download/18/29>

Brown, I., & Mues, C. (2012). An experimental comparison of classification algorithms for imbalanced credit scoring data sets. *Expert Systems with Applications*, 39(3), 3446–3453.

Cahyadi, R., Damayanti, A., & Aryadani, D. (2020). Recurrent neural network (rnn) dengan long short term memory (lstm) untuk analisis sentimen data instagram. *J. Inform. Dan Komput*, 5(1), 1–9.

Chen, S., Yoo, S., & Fang, Y. (2020). Quantum Long Short-Term Memory. *ICASSP 2022 - 2022 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, 8622-8626.  
<https://doi.org/10.1109/icassp43922.2022.9747369>.

Cho, K., Roh, J., Kim, Y., & Cho, S. (2019). A Performance Comparison of Loss Functions. *2019 International Conference on Information and Communication Technology Convergence (ICTC)*, 1146-1151.  
<https://doi.org/10.1109/ictc46691.2019.8939902>.

Coffey, A. (2016). The impact that music streaming services such as Spotify, Tidal and Apple Music have had on consumers, artists and the music industry itself. *Interactive Digital Media. University of Dublin*, 195–202.

Dave, K., Lawrence, S., & Pennock, D. M. (2003). Mining the peanut gallery: Opinion extraction and semantic classification of product reviews. *Proceedings of the 12th International Conference on World Wide Web*, 519–528.

Ding, B., Qian, H., & Zhou, J. (2018). Activation functions and their characteristics in deep neural networks. *2018 Chinese Control And Decision Conference (CCDC)*, 1836-1841. <https://doi.org/10.1109/CCDC.2018.8407425>.



- Duchi, J., Hazan, E., & Singer, Y. (2011). Adaptive subgradient methods for online learning and stochastic optimization. *Journal of Machine Learning Research*, 12(7).
- Edara, D. C., Vanukuri, L. P., Sistla, V., & Kolli, V. K. K. (2019). Sentiment analysis and text categorization of cancer medical records with LSTM. *Journal of Ambient Intelligence and Humanized Computing*. <https://doi.org/10.1007/s12652-019-01399-8>
- El-Din, D. M. (2016). Enhancement bag-of-words model for solving the challenges of sentiment analysis. *International Journal of Advanced Computer Science and Applications*, 7(1).
- Eler, D., Grosa, D., Pola, I., García, R., Correia, R., & Teixeira, J. (2018). Analysis of Document Pre-Processing Effects in Text and Opinion Mining. *Inf.*, 9, 100. <https://doi.org/10.3390/info9040100>.
- Feldman, R. (2013). Techniques and applications for sentiment analysis. *Communications of the ACM*, 56(4), 82–89.
- Fernández, A., García, S., Galar, M., Prati, R. C., Krawczyk, B., & Herrera, F. (2018). *Learning from imbalanced data sets*. Springer.
- Gowri, J., Suriya, M., & yeswanth.S, A. (2020). TEXT MINING MODEL: A REVIEW. *Journal of emerging technologies and innovative research*.
- Golik, P., Doetsch, P., & Ney, H. (2013). *Cross-entropy vs. squared error training: a theoretical and experimental comparison*.
- Gondhi, N. K., Chaahat, Sharma, E., Alharbi, A. H., Verma, R., & Shah, M. A. (2022). Efficient Long Short-Term Memory-Based Sentiment Analysis of E-Commerce Reviews. *Computational Intelligence and Neuroscience*, 2022, 1–9. <https://doi.org/10.1155/2022/3464524>
- Graves, A. (2013). Generating sequences with recurrent neural networks. *ArXiv Preprint ArXiv:1308.0850*.
- Haibo He, & Garcia, E. A. (2009). Learning from Imbalanced Data. *IEEE*



*Transactions on Knowledge and Data Engineering*, 21(9), 1263–1284.

<https://doi.org/10.1109/TKDE.2008.239>

Hassani, H., Beneki, C., Unger, S., Mazinani, M., & Yeganegi, M. (2020). Text Mining in Big Data Analytics. *Big Data Cogn. Comput.*, 4, 1. <https://doi.org/10.3390/bdcc4010001>.

Hewamalage, H., Bergmeir, C., & Bandara, K. (2021). Recurrent Neural Networks for Time Series Forecasting: Current status and future directions. *International Journal of Forecasting*, 37(1), 388–427. <https://doi.org/10.1016/j.ijforecast.2020.06.008>

Hochreiter, S., & Schmidhuber, J. (1997). Long short-term memory. *Neural Computation*, 9(8), 1735–1780.

Houdt, G., Mosquera, C., & Nápoles, G. (2020). A review on the long short-term memory model. *Artificial Intelligence Review*, 1-27. <https://doi.org/10.1007/s10462-020-09838-1>

Hracs, B. J., & Webster, J. (2021). From selling songs to engineering experiences: exploring the competitive strategies of music streaming platforms. *Journal of Cultural Economy*, 14(2), 240–257. <https://doi.org/10.1080/17530350.2020.1819374>

Hua, Y., Zhao, Z., Li, R., Chen, X., Liu, Z., & Zhang, H. (2019). Deep Learning with Long Short-Term Memory for Time Series Prediction. *IEEE Communications Magazine*, 57(6), 114–119. <https://doi.org/10.1109/MCOM.2019.1800155>

Indrawati, A. (2021). Penerapan Teknik Kombinasi Oversampling Dan Undersampling Untuk Mengatasi Permasalahan Imbalanced Dataset. *JIKO (Jurnal Informatika Dan Komputer)*, 4(1), 38–43.

Ioffe, S., & Szegedy, C. (2015). Batch normalization: Accelerating deep network training by reducing internal covariate shift. *International Conference on Machine Learning*, 448–456.



- Ivanedra, K., & Mustikasari, M. (2019). Implementasi Metode Recurrent Neural Network Pada Text Summarization Dengan Teknik Abstraktif The Implementation Of Text Summarization With Abstractive Techniques Using Recurrent Neural Network Method. *Jurnal Teknologi Informasi Dan Ilmu Komputer*, 6(4), 377–382. <https://doi.org/10.25126/jtiik.201961067>
- Jagtap, V. S., & Pawar, K. (2013). Analysis of different approaches to sentence-level sentiment classification. *International Journal of Scientific Engineering and Technology*, 2(3), 164–170.
- Josi, A., & Abdillah, L. A. (2014). Penerapan teknik web scraping pada mesin pencari artikel ilmiah. *ArXiv Preprint ArXiv:1410.5777*.
- Keras Documentation. (n.d.). *Embedding layer*.
- Kingma, D. P., & Ba, J. (2015). Adam: A method for stochastic optimization. *Proceedings of the 3rd International Conference on Learning Representations (ICLR)*.
- Kumar, P., Bhatnagar, R., Gaur, K., & Bhatnagar, A. (2021). Classification of Imbalanced Data:Review of Methods and Applications. *IOP Conference Series: Materials Science and Engineering*, 1099(1), 012077. <https://doi.org/10.1088/1757-899X/1099/1/012077>
- Kvedaraite, I. (2021). *Sentiment Analysis of YouTube Public Videos based on their Comments*. Linnaeus University.
- LeCun, Y., Bengio, Y., & Hinton, G. (2015). Deep Learning. *Nature*, 521, 436-444. <https://doi.org/10.1038/nature14539>.
- Le, T.-T.-H., Kim, J., & Kim, H. (2016). Analyzing effective of activation functions on recurrent neural networks for intrusion detection. *Journal of Multimedia Information System*, 3(3), 91–96.
- Lee, J. H., Cho, H., & Kim, Y.-S. (2016). Users' music information needs and behaviors: Design implications for music information retrieval systems. *Journal of the Association for Information Science and Technology*, 67(6),



1301–1330. <https://doi.org/10.1002/asi.23471>

Lee, S.-K., Hong, S.-J., & Yang, S.-I. (2018). Oversampling for imbalanced data classification using adversarial network. *2018 International Conference on Information and Communication Technology Convergence (ICTC)*, 1255–1257.

Lin, C., & He, Y. (2009). Joint sentiment/topic model for sentiment analysis. *Proceedings of the 18th ACM Conference on Information and Knowledge Management*, 375–384.

Liu, M., Yao, D., Liu, Z., Guo, J., & Chen, J. (2023). An Improved Adam Optimization Algorithm Combining Adaptive Coefficients and Composite Gradients Based on Randomized Block Coordinate Descent. *Computational Intelligence and Neuroscience*, 2023. <https://doi.org/10.1155/2023/4765891>.

Liu, B. (2010). Sentiment analysis and subjectivity. In *Handbook of natural language processing* (Vol. 2, Issue 2010, pp. 627–666). Oxfordshire.

Liu, B. (2020). *Sentiment analysis: Mining opinions, sentiments, and emotions*. Cambridge university press.

Liu, B., & Zhang, L. (2012). A survey of opinion mining and sentiment analysis. In *Mining text data* (pp. 415–463). Springer.

Moghar, A., & Hamiche, M. (2020). Stock Market Prediction Using LSTM Recurrent Neural Network. *Procedia Computer Science*, 170, 1168–1173. <https://doi.org/10.1016/j.procs.2020.03.049>

Mulligan, Ma. (2022). *Music subscriber market shares 2022*.

Nayak, A., & Kanive, A. (2016). Survey on Pre-Processing Techniques for Text Mining. *International Journal of Engineering and Computer Science*. <https://doi.org/10.18535/IJECS/V5I6.25>.

Parhi, R., & Nowak, R. (2019). The Role of Neural Network Activation Functions. *IEEE Signal Processing Letters*, 27, 1779-1783. <https://doi.org/10.1109/LSP.2020.3027517>.



- Parmezan, A. R. S., Souza, V. M. A., & Batista, G. E. (2019). Evaluation of statistical and machine learning models for time series prediction: Identifying the state-of-the-art and the best conditions for the use of each model. *Information Sciences*, 484, 302–337.
- Pascanu, R., Mikolov, T., & Bengio, Y. (2013). On the difficulty of training recurrent neural networks. *International Conference on Machine Learning*, 1310–1318.
- Prabowo, R., & Thelwall, M. (2009). Sentiment analysis: A combined approach. *Journal of Informetrics*, 3(2), 143–157.
- Prabowo, Y. D. (2022). Deteksi Ujaran Kebencian pada Komentar Instagram dalam Bahasa Indonesia Menggunakan Metode Recurrent Neural Network. *KALBISIANA Jurnal Sains, Bisnis Dan Teknologi*, 8(1), 461–468. <http://ojs.kalbis.ac.id/index.php/kalbisiana/article/view/289>
- Ren, X., Gu, H., & Wei, W. (2021). Tree-RNN: Tree structural recurrent neural network for network traffic classification. *Expert Systems with Applications*, 167(November 2020), 114363. <https://doi.org/10.1016/j.eswa.2020.114363>
- Ruder, S. (2016). An overview of gradient descent optimization algorithms. *ArXiv Preprint ArXiv:1609.04747*.
- Rysbek, D. (2019). *Sentiment analysis with recurrent neural networks on turkish reviews domain*. Middle East Technical University.
- Schuld, M., Sinayskiy, I., & Petruccione, F. (2014). Simulating a perceptron on a quantum computer. *ArXiv*, abs/1412.3635. <https://doi.org/10.1016/j.physleta.2014.11.061>.
- Sen, S., Sugiarto, D., & Rochman, A. (2020). Komparasi metode multilayer perceptron (MLP) dan long short term memory (LSTM) dalam peramalan harga beras. *Ultimatics: Jurnal Teknik Informatika*, 12(1), 35–41.
- Serrano-Guerrero, J., Olivas, J. A., Romero, F. P., & Herrera-Viedma, E. (2015). Sentiment analysis: A review and comparative analysis of web services.



*Information Sciences*, 311, 18–38. <https://doi.org/10.1016/j.ins.2015.03.040>

Sherstinsky, A. (2020). Fundamentals of Recurrent Neural Network (RNN) and Long Short-Term Memory (LSTM) network. *Physica D: Nonlinear Phenomena*, 404, 132306. <https://doi.org/10.1016/j.physd.2019.132306>

Siddiqui, T., Amer, A., & Khan, N. (2019). Criminal Activity Detection in Social Network by Text Mining: Comprehensive Analysis. *2019 4th International Conference on Information Systems and Computer Networks (ISCON)*, 224-229. <https://doi.org/10.1109/ISCON47742.2019.9036157>.

Silva, I., Spatti, D., Flauzino, R., Liboni, L., & Alves, S. (2017). The Perceptron Network. , 29-40. [https://doi.org/10.1007/978-3-319-43162-8\\_3](https://doi.org/10.1007/978-3-319-43162-8_3).

Simon, J. P. (2019). New players in the music industry: lifeboats or killer whales? The role of streaming platforms. *Digital Policy, Regulation and Governance*, 21(6), 525–549.

Song, X., Liu, Y., Xue, L., Wang, J., Zhang, J., Wang, J., Jiang, L., & Cheng, Z. (2020). Time-series well performance prediction based on Long Short-Term Memory (LSTM) neural network model. *Journal of Petroleum Science and Engineering*, 186, 106682. <https://doi.org/10.1016/j.petrol.2019.106682>

Srivastava, N., Hinton, G., Krizhevsky, A., Sutskever, I., & Salakhutdinov, R. (2014). Dropout: a simple way to prevent neural networks from overfitting. *The Journal of Machine Learning Research*, 15(1), 1929–1958.

Staudemeyer, R. C., & Morris, E. R. (2019). *Understanding LSTM -- a tutorial into Long Short-Term Memory Recurrent Neural Networks.* 1–42. <http://arxiv.org/abs/1909.09586>

Sutskever, I., Martens, J., & Hinton, G. (2011). Generating text with recurrent neural networks. *Proceedings of the 28th International Conference on Machine Learning, ICML 2011*, 1017–1024.

Taboada, M., Brooke, J., Tofiloski, M., Voll, K., & Stede, M. (2011). Lexicon-based methods for sentiment analysis. *Computational Linguistics*, 37(2), 267–



307.

- Tang, S., Yuan, S., & Zhu, Y. (2020). Data Preprocessing Techniques in Convolutional Neural Network Based on Fault Diagnosis towards Rotating Machinery. *IEEE Access*, 8, 149487–149496. <https://doi.org/10.1109/ACCESS.2020.3012182>
- Vyas, M., & Bhanderi, S. (2014). A Survey on Pre-processing Techniques for Text Mining. *Data mining and knowledge engineering*, 6.
- Williams, R. J., & Zipser, D. (1995). Gradient-based learning algorithms for recurrent. *Backpropagation: Theory, Architectures, and Applications*, 433, 17.
- Wilson, T., Wiebe, J., & Hoffmann, P. (2005). Recognizing contextual polarity in phrase-level sentiment analysis. *Proceedings of Human Language Technology Conference and Conference on Empirical Methods in Natural Language Processing*, 347–354.
- Winanto, E. A., Kurniabudi, K., Sharipuddin, S., Wijaya, I. S., & Sandra, D. (2022). Deteksi Serangan pada Jaringan Kompleks IoT menggunakan Recurrent Neural Network. *JURIKOM (Jurnal Riset Komputer)*, 9(6), 1996. <https://doi.org/10.30865/jurikom.v9i6.5298>
- Yenter, A., & Verma, A. (2017). Deep CNN-LSTM with combined kernels from multiple branches for IMDb review sentiment analysis. *2017 IEEE 8th Annual Ubiquitous Computing, Electronics and Mobile Communication Conference (UEMCON)*, 540–546. <https://doi.org/10.1109/UEMCON.2017.8249013>
- Ying, X. (2019). An Overview of Overfitting and its Solutions. *Journal of Physics: Conference Series*, 1168. <https://doi.org/10.1088/1742-6596/1168/2/022022>.
- Zhang, L., & Liu, B. (2011). Identifying noun product features that imply opinions. *Proceedings of the 49th Annual Meeting of the Association for Computational Linguistics: Human Language Technologies*, 575–580.
- Zhao, H., Gallo, O., Frosio, I., & Kautz, J. (2017). Loss Functions for Image Restoration With Neural Networks. *IEEE Transactions on Computational*



UNIVERSITAS  
GADJAH MADA

**ANALISIS SENTIMEN MENGGUNAKAN RECURRENT NEURAL NETWORK (RNN) DENGAN LONG SHORT-TERM MEMORY (LSTM)**

**PADA DATA TAK SEIMBANG (Studi Kasus : Ulasan Aplikasi Spotify di Google Playstore)**

Vira Permata Sari, Dr. Abdurakhman, S.Si, M.Si

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

*Imaging*, 3, 47-57. <https://doi.org/10.1109/TCI.2016.2644865>.

Zuraiyah, T. A., Utami, D. K., & Herlambang, D. (2019). Implementasi Chatbot Pada Pendaftaran Mahasiswa Baru Menggunakan Recurrent Neural Network. *Jurnal Ilmiah Teknologi Dan Rekayasa*, 24(2), 91–101. <https://doi.org/10.35760/tr.2019.v24i2.2388>