

## DAFTAR PUSTAKA

- Armstrong, N.A. & Haines Nut, R.F., (1973), Dissolution Rate and Surface Area Compacted Powder System, J. - Pharm. Pharmacol., 25, 147 P.
- Cartensen, J.T., (1973), Theory of Pharmaceutical System, Vol.II, Academic Press, New York, 223 - 224.
- De Smet, P., (1985), A New Way to Monitor the Wet Granulation Process, Chimicaoggi-marzo, 63 - 64.
- Departemen Kesehatan R.I. (1979), Farmakope Indonesia, Ed.III, Jakarta, 6 - 8.
- Fonner, D.E., Banker, G.S. & Swarbrick, J., (1966), Micromeritics of Granular Pharmaceutical Solids I, J. Pharm. Sci., 55, 181 - 186.
- Fonner, D.E., Anderson, N.R. & Banker, G.S., (1981), Granulation and Tablet Characteristics, in Pharmaceutical Dosage Forms: Tablets, Vol.2, Marcell Dekker, Inc., New York, 185 - 261.
- Fudholi, A., (1987), Laktosa Monohidrat dalam Sistem Granulasi Basah, Lactose-Symposium, Jakarta, 1 - 20.
- Gothmann, W.H., (1980), Electronics: A Contemporary Approach, Prentice-Hall, Inc., Englewood Cliffs, N.J., 35 - 37, 52 - 59.
- Gunsel, W.C. & Kanig, J.L., (1976), Tablet, in The Theory and Practice of Industrial Pharmacy, 2<sup>nd</sup> Ed., Lea & Febiger, Philadelphia, 321 - 357.





- Guyot, J.C., (1978), Criteres Technologiques de Choix des Excipients de Compression Directe, Sci. Techn. Pharm., 7, 10, 551 - 559.
- Jarosz, P.J. & Parrot, E.L., (1983), Comparison of Granule Strength and Tablet Tensile Strength, J. Pharm. Sci., 72, 530 - 534.
- Jones, T.M., (1976), Influence des Proprietes Physiques des Excipients sur les Caracteristiques des Formes Orales Solides, Sci. Techn. Pharm., 5, 10, 545 - 555.
- Kwan, K.C., Swart, F.O. & Mattocks, A.M., (1957), Factors Affecting Tablet Disintegration, J. Amer. Pharm. Assoc., 46, 236 - 239.
- Lantz, R.J. & Schwartz, J.B., (1981), Mixing, in Pharmaceutical Dosage Forms: Tablets, Vol.2, Marcell Dekker Inc., New York, 1 - 28.
- Leuenberger, H., (1986), Monitoring Mass Transfer Processes to Control Moist Agglomeration, Pharm. Techn., Vol.X, No.3, 56 - 73.
- Lindberg, N.O., Leander, L. & Wenngren, L., (1974), Studies on Granulation in A Change Can Mixer, Acta Pharm. Suec., 11, 603 - 620.
- Lindberg, N.O., (1977), Studies on Granulation in A Small Planetary Mixer, Acta Pharm. Suec., 14, 197 - 204.
- Lindberg, N.O., (1984), Granulation of Lactose in A Domestic-Type Mixer, Drug Dev. Pharm., 10, (1), 45 - 56.
- Lowenthal, W., (1972), Disintegration of Tablets, J. Pharm. Sci., 61, 1695 - 1709.





UNIVERSITAS  
GADJAH MADA

Tahapan Penambahan Bahan Pengikat Pada Pembentukan Fase Massa Granul dan Pengaruhnya  
Pada Sifat  
Fisik Tablet

Miming Ariwaty Ali, Dr. Achmad Fudholi, Apt.; Drs. Lulut Sugijanto, Apt.

Universitas Gadjah Mada, 1989 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Martin, A.N., Swarbrick, J. & Cammarata, A., (1983),  
Physical Pharmacy, 3<sup>rd</sup> Ed., Lea & Febiger, Phila -  
delphia, 308 - 311, 517 - 520.
- Miller, R.H., (1971), Tablets and Pills, in Dispensing  
of Medication, 7<sup>th</sup> Ed., Mack Publishing Comp., USA,  
772 - 782.
- Nelson, E., (1955), Measurement of the Repose Angle of  
a Tablet Granulation, J. Amer. Pharm. Assoc., 44,  
435 - 437.
- Neumann, B.S., (1967), The Flow Properties of Powders,  
in Advances in Pharmaceutical Sciences, Vol.2,  
Academic Press, London, 194 - 207.
- Opakunle, W.O. & Spring, M.S., (1976), The Granulation  
of Binary Mixtures, J. Pharm. Pharmacol., 28, 508 -  
511.
- Opakunle, W.O. & Spring, M.S., (1976), The Granulation  
of Binary Mixtures: The Effects of the Composition  
of the Granulating Solution and the Initial Particle  
Size of One Component on Granule Properties, J. Pharm.  
Pharmacol., 28, 806 - 809.
- Parrot, E.L., (1971), Pharmaceutical Technology Funda -  
mental Pharmaceutics, 3<sup>rd</sup> Ed., Burgess Publishing  
Company, Minneapolis, 73 - 76.
- Parrot, E.L., (1981), Compression, in Pharmaceutical  
Dosage Forms: Tablets, Vol.2, Marcell Dekker, Inc.,  
New York, 157 - 182.
- Rawlins, E.A., (1977), Bentley's Text Book of Pharmaceutics,  
8<sup>th</sup> Ed., Balliere Tindall, London, 269 - 283.





Sandell, E.A., (1982), Pharmaceutics, 2<sup>nd</sup> Ed., Swedish

Pharmaceutics Press, Stockholm, 26 - 32, 168 - 170

182 - 195.

Sheth, B.B., Bandelin, F.J. & Shangraw, R.F., (1980),

Compressed Tablets, in Pharmaceutical Dosage Forms:

Tablets, Vol.1, Marcell Dekker, Inc., New York, 109 -

127.

Shotton, E., Hersey, J.A. & Wray, P.E., (1976), Compac -

tion and Compression, in The Theory and Practice

of Industrial Pharmacy, 2<sup>nd</sup> Ed., Lea & Febiger,

Philadelphia, 296 - 319.

Stamm, A. & Paris, L., (1985), Influence of Technological

Factors on the Optimal Granulation Liquid Requirement

Measured by Power Consumption, Drug Dev. Ind. Pharm.,

11, 333 - 360.

Terashita, K., Yasumoto, M., Miyanami, K., (1985),

Determination of the End-Point in Agitation Granula -

tion and Powder Coating, Yakugaku Zasshi, 105, (12),

1166 - 1172.

Terashita, K., Yasumoto, M., Miyanami, K. & Oh'ike, A.,

(1986), Process and End-Point of Granulation in

Agitating Granulator, Yakugaku Zasshi, 106, (10),

930 - 938.

Terashita, K., Oh'ike, A., Kato, M. & Miyanami, K., (1987),

Granulation Process and End-Point in High Speed Mixer

Granulator, Yakugaku Zasshi, 107, (5), 377 - 383.





**Wagner, J.G., (1971), Biopharmaceutics and Relevant**

**Pharmacokinetics, 1<sup>st</sup> Ed., Drug Intelligence Publi -  
cation, Hamilton, Illinois, 98 - 117.**

**Whindholz, W., (1981), The Merck Index an Encyclopedia  
of Chemicals, Drugs and Biologicals, 10<sup>th</sup> Ed.,  
Merck & Co. Inc., Rahwaj, USA, 625.**