

#### DAFTAR PUSTAKA

1. Alam, A. S., and Parrot, E. L., 1971, "Effect of Dissolution Media on Disintegration and Dissolution of Hydrochlorotiazide Tablets" J. Pharm. Sci., 60, 795 - 797.
2. Anonim, 1979, Farmakope Indonesia, edisi III, Departemen Kesehatan RI, Jakarta, 510.
3. Auterhoff, H., and Kovar, K. A., 1987, Identifikasi Obat terjemahan, ITB, Bandung, 32, 33, 173.
4. Benet, L. Z., 1973, Biopharmaceutics as a Basis for the Design of Drug Products, Medical Chemistry, Drug Design, volume III, Academic Press, New York, 1 - 32.
5. Broun, R. T., and Parrot, E. L., 1972, "Influence of Viscosity and Solubilization on Dissolution Rates", J. Pharm. Sci., 61, 175 - 178.
6. Buckton, G., and Newton, J. M., 1986, "Liquid Penetration as a Method of Assessing the Wettability and Surface Energi of the Pharmaceutical Powders", J. Pharm. Pharmacol, 38, 329 - 334.
7. Chiou, W. L., and Niazi, S., 1971, "Phase Diagram and Dissolution Rate Studies on Sulfathiazol-Urea Solid Dispersions", J. Pharm. Sci., 60, 1333 - 1337.
8. Chiou, W. L., and Riegelman, S., 1971, "Pharmaceutical Application of Solid Dispersion Systems" J. Pharm. Sci., 60, 1281 - 1302.
9. Clark, E. G. C., 1978, Isolation and Identification of Drug, volume II, The Pharmaceutical Society of Great Britain, 1089.

10. Fudholi, A., 1982, "Kontrol Kecepatan Pelarutan in Vitro Permasalahan dan Alat", Maj. Medica, 8, 572 - 574.
11. Ghanem, A., Meshali, M., and Ibraheem, Y., 1980, "Dissolution Rates of Sulfamethoxazole Utilizing Sugar Glass Diepersions", J. Pharm. Pharmacol, 32, 675 - 677.
12. Goldberg, A. H., Gibaldi, M., and Kanig, L. J., 1965, "Increasing Dissolution Rates and Gastrointestinal Absorption of Grug Via Solid Solutions and Eutectic Mixtures I", J. Pharm. Sci., 54, 1145 - 1148.
13. Hagan, S. M., 1962, Clatrate Inclusion Compounds, Reinhold Publishing Corporation, 75 - 76.
14. Haleblian, J. K., 1975, "Characterization of Habits and Crystalline Modification of Solid and the in Pharmaceutical Application", J. Pharm. Sci., 64, 1269 - 1288.
15. Hickey, A. J., and Byron, P. R., 1986, "Preparation, Characterization and Controlled Release from Coprecipitat of Fluorescein and Magnesium Hydroxide", J. Pharm. Sci., 75, 756 - 759.
16. Leeson, L. J., and Carstensen, J. T., 1974, Dissolution Technology, The Industrial Pharmaceutical Technology Section, Washington, D. C., 1 - 29.
17. Lieberman, H. A., and Lachman, L., 1980, Pharmaceutical Dosage Form : Tablets, Volume I, Marcel Dekker Inc, New York and Basel, 14 - 16.
18. Martin, A. N., Swarbrick, J., and Camarata, A., 1983, Physical Pharmacy, third ed., Lea and Febiger, Philadelphia, 465.

19. Monkhouse, D. C., and Lach, J.L., 1972, "Drug Excipient Interactions", Canadian Journal of Pharm. Sci. , volume 7, 29 - 45.
20. Parrot, E. L., 1971, Pharmaceutical Fundamental Pharmaceutics, 3<sup>rd</sup> ed., Burgess Publishing Company, Minneapolis, 158 - 169.
21. Ritchel, W. A., 1976, Hand Book of Basic Pharmacokinetic, 1<sup>st</sup> ed., Drug Intelligence Publication Inc., Hamilton, 62 - 75.
22. Rosenstein, S., and Lamy, P. P., 1969, "Same Aspects of Polymorphism", Am. J. of Hosp. Pharmacy., 26, 598 - 599.
23. Shak, R. S., and Needham, T. E., 1979, "Correlation of Urinary Excretion with in Vitro Dissolution Using Several Dissolution Methods of Hydrochlorothiazide Formulation", J. Pharm. Sci., 68, 1486 - 1490.
24. Shargel, L., and Yu, A. B. C., 1985, Applied Biopharmaceutics and Pharmacokinetics, 2<sup>nd</sup> ed., Appleton Century Crofts , Norwalk, Connecticut, 67 - 68.
25. Simonelli, A. P., Mehta, S. C., and Higuchi, W. I., 1969, Dissolution Rates of High Energy PVP-Sulfathiazole Coprecipitates, J. Pharm. Sci., 58, 538 - 548.
26. Stoll, R. G., Bates, T. R., and Swarbrick, J., 1973, "In Vitro Dissolution and in Vivo Absorption of Nitrofurantoin from Deoxycholic Acid Coprecipitates", J. Pharm. Sci., 62, 65 - 68.
27. Stupak, E. I., and Bates, T.R., 1972, "Enhanced Absorption and Dissolution of Reserpine from Reserpine-Polyvinylpyrrolidone Coprecipitates", J. Pharm. Sci. 61, 400-403.

28. Stupak, E. I., and Bates. T. R., 1973, "Enhanced Absorption of Digitoxin from Orally Administered Digitoxin-Polyvinylpyrrolidone Copresipitates", J. Pharm. Sci., 62, 1806 - 1809.
29. Swarbrick, J., 1970, Current Concepts in the Pharmaceutical Science : Biopharmaceutics, Lea and Febiger, Philadelphia, 268 - 270.
30. Tan dan Kirana, 1978, Obat-obat Penting Khasiat dan Penggunaanya, Edisi 3, tanpa penerbit, 214.
31. Thuladhar, M. V., Charles, J. E., and Sumeer, M. P., 1983, "The Effect of Polymorphism, Partical Size and Compression Pressure on the Dissolution Rates of Phenyl Butazones Tablets", J. Pharm. Pharmacol., 35, 269-274.
32. Wagner J. G., 1971, Biopharmaceutics and Relevan Pharmacokinetics, 1<sup>st</sup> ed., Drug Intelligence Publication, Hamilton Illinois, 98 - 117.
33. Wagner, J. G., "Interpretation of Percent Dissolved time Plots Derived from in Vitro Testing of Conventional tablets and Capsule", J. Pharm. Sci., 58, 1253 - 1257.
34. Wood, J. H., Syarto, J. E., and Letterman, H., 1965, "Improved Holder for Intrinsic Dissolution Rate Studies", J. Pharm. Sci., 54, 1068.
35. Wuster, D. E., and Taylor, P. W., 1965, "Dissolution Rates", J. Pharm. Sci., 54, 169 - 174.
36. Yuwono, T., 1987, "Pengaruh Kofein terhadap Kelarutan dan Ketersediaan Hayati o-Etoksibenzamida pada tikus Jantan, Disertasi, Institut Teknologi Bandung, Bandung, 70 - 72.