

DAFTAR PUSTAKA

- Abachi S, Khademi F, Fatemi H, & Malekzadeh F. (2013). Study of antimicrobial activity of selected Iranian plant extracts on vancomycin resistant *Staphylococcus epidermidis*. *IOSR Journal of Dental and Medical Sciences (IOSR-JDMS) e-ISSN*, 4(1), 59–63. www.iosrjournals.org
- Abdulhafiz, F., Mohammed, A., Reduan, M. F. H., Kari, Z. A., Wei, L. S., & Goh, K. W. (2022). Plant cell culture technologies: a promising alternatives to produce high-value secondary metabolites. *Arabian Journal of Chemistry*, 15(11). <https://doi.org/10.1016/j.arabjc.2022.104161>
- Adamczak, A., Ożarowski, M., & Karpiński, T. M. (2020). Antibacterial activity of some flavonoids and organic acids widely distributed in plants. *Journal of Clinical Medicine*, 9(1). <https://doi.org/10.3390/jcm9010109>
- Ahmed, M., Khan, K. ur R., Ahmad, S., Aati, H. Y., Sherif, A. E., Ashkan, M. F., Alrahimi, J., Abdullah Motwali, E., Imran Tousif, M., Abbas Khan, M., Hussain, M., Umair, M., Ghallou, B. A., & Korma, S. A. (2022). Phytochemical, antioxidant, enzyme inhibitory, thrombolytic, antibacterial, antiviral and in silico studies of *Acacia jacquemontii* leaves. *Arabian Journal of Chemistry*, 15(12). <https://doi.org/10.1016/j.arabjc.2022.104345>
- Al-Qahtani, W. H., Dinakarkumar, Y., Arokiyaraj, S., Saravanakumar, V., Rajabathar, J. R., Arjun, K., Gayathri, P. K., & Nelson Appaturi, J. (2022). Phyto-chemical and biological activity of *Myristica fragrans*, an ayurvedic medicinal plant in Southern India and its ingredient analysis: Phyto-chemical and biological activity of *Myristica fragrans*. *Saudi Journal of Biological Sciences*, 29(5), 3815–3821. <https://doi.org/10.1016/j.sjbs.2022.02.043>
- Ali, J., Camilleri, P., Brown, M. B., Hutt, A. J., & Kirton, S. B. (2012). Revisiting the general solubility equation: in silico prediction of aqueous solubility incorporating the effect of topographical polar surface area. *Journal of Chemical Information and Modeling*, 52(2), 420–428. <https://doi.org/10.1021/ci200387c>
- Alqahtani, F. Y., Aleanizy, F. S., Mahmoud, A. Z., Farshori, N. N., Alfaraj, R., Al-

- sheddi, E. S., & Alsarra, I. A. (2019). Chemical composition and antimicrobial, antioxidant, and anti-inflammatory activities of *Lepidium sativum* seed oil. *Saudi Journal of Biological Sciences*, 26(5), 1089–1092. <https://doi.org/10.1016/j.sjbs.2018.05.007>
- An, J., Zhang, H., Zhang, J., Zhao, Y., & Yuan, X. (2009). Preparation and antibacterial activity of electrospun chitosan/ poly(ethylene oxide) membranes containing silver nanoparticles. *Colloid and Polymer Science*, 287(12), 1425–1434. <https://doi.org/10.1007/s00396-009-2108-y>
- Anggita, D., Nuraisyah, S., & Wiriansya, E. P. (2022). Mekanisme kerja antibiotik. In *UMI Medical Journal* (Vol. 7). <https://jurnal.fk.umi.ac.id/index.php/umimedicaljournal/article/view/149/121>
- Asfaw, D. M., Nigussie Mekonnen, K., & Gebrekidan Asgedom, A. (2022). Chemical composition and biological activities of the essential oil extracted from the stem of *olea europaea* sub spp. *Africana* (Mill). *Natural Products Chemistry & Research*, 1–9. <https://doi.org/10.37533/npcr.10.1.1-9>
- Auliya, Sofia, N., Bintari, Yoni, R., & Risandiansyah, R. (2023). Studi in silico aktivitas antibakteri senyawa aktif *Gracilaria verrucosa* dalam menghambat Peptide Deformylase pada bakteri *Escherichia coli* dan *Staphylococcus aureus*. *Jurnal Kedokteran Komunitas*, 11(2), 1–12. <https://pubchem.ncbi.nlm.nih.gov/>
- Azwanida, A. (2015). A review on the extraction methods use in medicinal plants, principle, strength and limitation. *Medicinal & Aromatic Plants*, 04(03). <https://doi.org/10.4172/2167-0412.1000196>
- Baker, C. J., Mock, N. M., & Averyanov, A. A. (2019). Redox- and bio-activity of apocynin (acetovanillone) in tobacco, a plant phenolic that alleviates symptoms of autoimmune diseases in animals. *Physiological and Molecular Plant Pathology*, 106, 145–156. <https://doi.org/10.1016/j.pmpp.2019.01.005>
- Barnett, R. (2016). Typhoid fever. In *Lancet (London, England)* (Vol. 388, Issue 10059, p. 2467). [https://doi.org/10.1016/S0140-6736\(16\)32178-X](https://doi.org/10.1016/S0140-6736(16)32178-X)
- Blount, J. W., Masoud, S., Sumner, L. W., Huhman, D., & Dixon, R. A. (2002). Over-expression of cinnamate 4-hydroxylase leads to increased accumulation

- of acetosyringone in elicited tobacco cell-suspension cultures. *Planta*, 214(6), 902–910. <https://doi.org/10.1007/s00425-001-0701-5>
- Bourgaud, F., Gravot, A., Milesi, S., & Gontier, E. (2001). Production of plant secondary metabolites: a historical perspective. *Plant Science*, 161, 839–851. www.elsevier.com/locate/plantsci
- Brenk, R., Schipani, A., James, D., Krasowski, A., Gilbert, I. H., Frearson, J., & Wyatt, P. G. (2008). Lessons learnt from assembling screening libraries for drug discovery for neglected diseases. *ChemMedChem*, 3(3), 435–444. <https://doi.org/10.1002/cmdc.200700139>
- Bruna, F., Fernández, K., Urrejola, F., Touma, J., Navarro, M., Sepúlveda, B., Larrazabal-Fuentes, M., Paredes, A., Neira, I., Ferrando, M., Osorio, M., Yañez, O., & Bravo, J. (2022). The essential oil from *Drimys winteri* possess activity: antioxidant, theoretical chemistry reactivity, antimicrobial, antiproliferative and chemical composition. *Frontiers in Natural Products*, 1. <https://doi.org/10.3389/fntpr.2022.958425>
- Campbell, J. W., & Jr, John E, C. (2001). Bacterial fatty acid biosynthesis: targets for antibacterial drug discovery. *Microbiol*, 55, 305–332. www.annualreviews.org
- Cepeda, Gino, N., Lisangan, Meike, M., Silamba, I., & Sartika, E. (2016). Aktivitas anti bakteri ekstrak etil asetat kulit kayu akway (*Drimys piperita* Hook. f.) dalam kaldu daging sapi selama penyimpanan. *Jurnal Teknologi Industri Pertanian*, 26(1), 41–48.
- Cepeda, Gino, N., Santoso, Bimo, B., Lisangan, Meike, M., & Silamba, I. (2011). Komposisi kimia minyak atsiri daun akway. *Makara Sains*, 15(1), 63–66.
- Cepeda, G. N., Lisangan, M. M., Silamba, I., Nilawati, N., & Syartika, E. (2020). Evaluasi Karakteristik Antibakteri Ekstrak Heksan Kulit Batang *Drimys piperita* Hook f. terhadap Pertumbuhan Bakteri Patogenik dalam Medium Padat. *Warta IHP/Journal of Agro-Based Industry*, 37(2), 144–151.
- Chan, W. K., Tan, L. T. H., Chan, K. G., Lee, L. H., & Goh, B. H. (2016). Nerolidol: A sesquiterpene alcohol with multi-faceted pharmacological and biological activities. In *Molecules* (Vol. 21, Issue 5). MDPI AG.

<https://doi.org/10.3390/molecules21050529>

- Chandrasekaran, M., Kannathasan, K., & Venkatesalu, V. (2008). Antimicrobial activity of fatty acid methyl esters of some members of chenopodiaceae. In *Z. Naturforsch* (Vol. 63). <http://www.znaturforsch.com>
- Chouhan, S., Sharma, K., & Guleria, S. (2017). Antimicrobial activity of some essential oils—present status and future perspectives. *Medicines*, 4(3), 58. <https://doi.org/10.3390/medicines4030058>
- Conrado, A., Silveira, O., Yunes, R., & Malheiros, A. (2012). Antibacterial activity and toxicity of *Drimys brasiliensis*. *Latin American Journal of Pharmacy*, 31(7), 935–940. <https://www.researchgate.net/publication/234129902>
- Daina, A., Michielin, O., & Zoete, V. (2014). ILOGP: a simple, robust, and efficient description of n-octanol/water partition coefficient for drug design using the GB/SA approach. *Journal of Chemical Information and Modeling*, 54(12), 3284–3301. <https://doi.org/10.1021/ci500467k>
- Daina, A., Michielin, O., & Zoete, V. (2017). SwissADME: a free web tool to evaluate pharmacokinetics, drug-likeness and medicinal chemistry friendliness of small molecules. In *Scientific Reports* (Vol. 7). Nature Publishing Group. <https://doi.org/10.1038/srep42717>
- Dalli, M., Azizi, S. E., Benouda, H., Azghar, A., Tahri, M., Bouammali, B., Maleb, A., & Gseyra, N. (2021). Molecular composition and antibacterial effect of five essential oils extracted from *Nigella sativa* L. Seeds against Multidrug-Resistant Bacteria: A Comparative Study. *Evidence-Based Complementary and Alternative Medicine*, 2021. <https://doi.org/10.1155/2021/6643765>
- Daud, Nur, S., Arni, D. P., Idris, Sri, A., & Saehu, S. M. (2023). Uji aktivitas antibakteri ekstrak Batang Meistera chinensis terhadap *Escherichia coli* ATCC 35218. *Warta Farmasi*, 12(1), 8–18.
- Delaney, J. S. (2004). ESOL: estimating aqueous solubility directly from molecular structure. *Journal of Chemical Information and Computer Sciences*, 44(3), 1000–1005. <https://doi.org/10.1021/ci034243x>
- Derwich, E., Benziane, Z., & Boukir, A. (2010). Chemical composition and in vitro antibacterial activity of the essential oil of *Cedrus atlantica*. *International*

- Journal of Agriculture and Biology*, 12, 381–385. <http://www.fspublishers.org>
- Dewatisari, W. F., Rumiyan, L., & Rakhmawati, I. (2018). Rendemen dan skrining fitokimia pada ekstrak daun *Sansevieria* sp. *Jurnal Penelitian Pertanian Terapan*, 17(3), 197. <https://doi.org/10.25181/jppt.v17i3.336>
- Diep, T. T., Yoo, M. J. Y., Pook, C., Sadooghy-Saraby, S., Gite, A., & Rush, E. (2021). Volatile components and preliminary antibacterial activity of tamarillo (*Solanum betaceum* cav.). *Foods*, 10(9). <https://doi.org/10.3390/foods10092212>
- Dilika, F., Bremner, P. D., & Meyer, J. J. M. (2000). Antibacterial activity of linoleic and oleic acids isolated from *Helichrysum pedunculatum*: a plant used during circumcision rites. In *Fitoterapia* (Vol. 71).
- Dubey, D., Patnaik, R., Ghosh, G., & Padhy, R. N. (2014). In Vitro antibacterial activity, Gas Chromatography-Mass Spectrometry analysis of woodfordia fruticosa Kurz. leaf extract and host toxicity testing with In Vitro cultured Lymphocytes from human umbilical cord blood. *Osong Public Health and Research Perspectives*, 5(5), 298–312. <https://doi.org/10.1016/j.phrp.2014.08.001>
- Egan, W. J., Merz, K. M., & Baldwin, J. J. (2000). Prediction of drug absorption using multivariate statistics. *Journal of Medicinal Chemistry*, 43(21), 3867–3877. <https://doi.org/10.1021/jm000292e>
- El Atki, Y., Aouam, I., El Kamari, F., Taroq, A., Nayme, K., Timinouni, M., Lyoussi, B., & Abdellaoui, A. (2019). Antibacterial activity of cinnamon essential oils and their synergistic potential with antibiotics. *Journal of Advanced Pharmaceutical Technology and Research*, 10(2), 63–67. https://doi.org/10.4103/japtr.JAPTR_366_18
- Elgayyar, M., Draughon, F. A., Golden, D. A., & Mount, J. R. (2001). Antimicrobial activity of essential oils from plants against selected pathogenic and saprophytic microorganisms. *Journal of Food Protection*, 64(7), 1019–1024.
- Fatunmibi, O. O., Njoku, I. Saint, Asekun, O. T., & Ogah, J. O. (2023). Chemical composition, antioxidant and antimicrobial activity of the essential oil from

- the rhizome of *Curcuma longa* L. *Journal of Pharmacy and Allied Medicine*, 1(1), 27–33. <https://doi.org/10.58985/jpam.2023.v01i01.04>
- Figueiredo, A. C., Barroso, José, G., Pedro, Luis, G., & Scheffer, Johannes, J. C. (2008). Factors affecting secondary metabolite production in plants: volatile components and essential oils. *Flavour and Fragrance Journal*, 23(4), 213–226. <https://doi.org/10.1002/ffj.1875>
- Fitriana, Yolla, Arinda, N., Fatimah, Vita, Arfiana, N., & Fitri, Ardhista, S. (2019). Aktivitas anti bakteri daun sirih: uji ekstrak KHM (Kadar Hambat Minimum) dan KBM (Kadar Bakterisidal Minimum). *SAINTEKS*, 16(2), 101–108.
- Fitriani, R., Rosyidah, K., & Rohman, T. (2020). Uji aktivitas antioksidan dan analisis gas chromatography-mass spectrometry (GC-MS) fraksi etil asetat daun purun tikus (*Eleocharis dulcis*). *Chimica et Natura Acta*, 8(3), 104. <https://doi.org/10.24198/cna.v8.n3.32204>
- Fouad H Kamel, & Sanaria F Jarjes. (2016). *Essentials of bacteriology and immunology*. <https://www.researchgate.net/publication/290911856>
- George, S., Nair, S. A., Venkataraman, R., & Baby, S. (2015). Chemical composition, antibacterial and anticancer activities of volatile oil of *Melicope denhamii* leaves. *Natural Product Research*, 29(20), 1959–1962. <https://doi.org/10.1080/14786419.2015.1013471>
- Ghose, A. K., Viswanadhan, V. N., & Wendoloski, J. J. (1999). A knowledge-based approach in designing combinatorial or medicinal chemistry libraries for drug discovery. 1. a qualitative and quantitative characterization of known drug databases. *Journal of Combinatorial Chemistry*, 1(1), 55–68. <https://doi.org/10.1021/cc9800071>
- Hajšlová, J., & ajka, T. (2007). *Gas chromatography-mass spectrometry (GC-MS)*.
- Hanwar, D., Suhendi, A., Trisharyanti, I., Santoso, B., Safitri, M., & Haryoto, H. (2015). Analisis profil metabolit sekunder ekstrak lempuyang emprit dengan kromatografi gas-spektroskopi massa. <https://www.researchgate.net/publication/281456198>
- Haryoto, H., Jayanti, Y. D., Saputro, H. P. W., & Kosworo, K. (2018). Aktivitas antibakteri dan bioautografi ekstrak etanol, fraksi non polar, semipolar serta

- polar daun sirsak (*Annona muricata* L.) terhadap *Klebsiella pneumoniae* dan *Staphylococcus epidermidis*. *Jurnal Sains Dan Kesehatan*, 1(9), 497–504. <https://doi.org/10.25026/jsk.v1i9.60>
- Heath, R. J., & Rock, C. O. (2004). Fatty acid biosynthesis as a target for novel antibacterials. *Curr Opin Investig Drugs*, 5(2), 146–153. <https://www.researchgate.net/publication/8658265>
- Herlina, T., & Parubak, Apriani, S. (2019). Flavonoid dari kulit batang akway (*Drymis beccariana*, Gibbs) dan aktivitas sitotoksik terhadap sel kanker payudara T47D. *Jurnal Penelitian Hasil Hutan*, 37(2), 59–66. <https://doi.org/10.20886/jphh.2019.37.2.59-66>
- Hermanto, F., & Faramayuda, F. (2017). Pengaruh pemberian ekstrak air kayu akway (*Drimys piperita* Hook. f.) pada pertumbuhan *Plasmodium falciparum* penyebab malaria. *Kartika-Jurnal Ilmiah Farmasi*, 5(1), 24–26. <http://www.ncbi.nlm.nih.gov/pubmed/7818>
- Hildasari, N., & Hayati, A. (2021). Potensi keanekaragaman flora sebagai tumbuhan obat di Wana Wiyata Widya Karya, Sanggar Indonesia Hijau, Kabupaten Pasuruan. *Sciscitatio*, 2(2), 74–81.
- Hung-Wen (Ben), L., & Lew. (2010). *In comprehensive natural products ii chemistry and biology*. <http://www.elsevier.com/locate/permissionusematerial>
- Hutasoit, H., Santjojo, D. J. D. H., Sumitro, S. B., & Widjanarko, S. B. (2021). Complex Compound with Transitional Metal of Akway Bark (*Drimys piperita* Hook F.) as Low Molecular Weight Scavenging Antioxidant: A Computational Study. *Journal of Tropical Life Science*, 11(3), 267–273. <https://doi.org/10.11594/JTLS.11.03.02>
- Ivanova, E. P., Nguyen, S. H., Guo, Y., Baulin, V. A., Webb, H. K., Truong, V. K., Wandiyanto, J. V., Garvey, C. J., Mahon, P. J., Mainwaring, D. E., & Crawford, R. J. (2017). Bactericidal activity of self-assembled palmitic and stearic fatty acid crystals on highly ordered pyrolytic graphite. *Acta Biomaterialia*, 59, 148–157. <https://doi.org/10.1016/j.actbio.2017.07.004>
- Jawetz, Melnick, & Adelberg. (2007). *Mikrobiologi kedokteran* (23rd ed.). Buku kedokteran EGC.

https://www.academia.edu/36494075/Jawetz_Melnick_and_Adelberg_Mikrobiologi_Kedokteran

- Jiménez-Fernández, M., Juárez-Trujillo, N., Mendoza-López, M. R., Monribot-Villanueva, J. L., & Guerrero-Analco, J. A. (2023). Nutraceutical potential, and antioxidant and antibacterial properties of *Quararibea funebris* flowers. *Food Chemistry*, *411*. <https://doi.org/10.1016/j.foodchem.2023.135529>
- Karundeng, Edward, Debari, B., Hanizar, E., & Sari, Dri, Nur, R. (2022). Potensi ekstrak daun *rhizophora mucronata* sebagai antibakteri pada *Staphylococcus aureus*. *Jurnal Biosapphire*, *1*(1), 10–18. <https://jurnal.ikipjember.ac.id/index.php/BIOSAPPHIRE>
- Kaur, M., Singh, A., & Kumar, B. (2014). Comparative antidiarrheal and antiulcer effect of the aqueous and ethanolic stem bark extracts of *Tinospora cordifolia* in rats. *Journal of Advanced Pharmaceutical Technology and Research*, *5*(3), 122–128. <https://doi.org/10.4103/2231-4040.137417>
- Krastanov, A. (2010). Metabolomics - the state of art. *Biotechnology and Biotechnological Equipment*, *24*(1), 1537–1543. <https://doi.org/10.2478/V10133-010-0001-y>
- Kristanti, Alfinda, N., Aminah, Nanik, S., Tanjung, M., & Kurniadi, B. (2008). *Buku ajar fitokimia* (N. Kristanti, Alfinda, S. Aminah, Nanik, M. Tanjung, & B. Kurniadi (eds.); Pertama). Airlangga University Press.
- Kusmiyati, & Agustini, Ni, Wayan, S. (2007). Uji aktivitas senyawa antibakteri dari mikroalga *Porphyridium cruentum* antibacterial activity assay from *Porphyridium cruentum* microalgae. *Biodiversitas*, *8*(1), 48–53.
- Larayetan, R., Ololade, Z. S., Ogunmola, O. O., & Ladokun, A. (2019). Phytochemical constituents, antioxidant, cytotoxicity, antimicrobial, antitrypanosomal, and antimalarial potentials of the crude extracts of *Callistemon citrinus*. *Evidence-Based Complementary and Alternative Medicine*, *2019*. <https://doi.org/10.1155/2019/5410923>
- Lin, L., Zhu, D., Zou, L., Yang, B., & Zhao, M. (2013). Antibacterial activity-guided purification and identification of a novel C-20 oxygenated ent-kaurane from *Rabdosia serra* (MAXIM.) HARA. *Food Chemistry*, *139*(1–4), 902–909.

<https://doi.org/10.1016/j.foodchem.2013.01.001>

- Lipinski, C. A., Lombardo, F., Dominy, B. W., & Feeney, P. J. (2001). Experimental and computational approaches to estimate solubility and permeability in drug discovery and development q settings. In *Advanced Drug Delivery Reviews* (Vol. 46). www.elsevier.com/locate/drugdeliv
- Lisec, J., Schauer, N., Kopka, J., Willmitzer, L., & Fernie, A. R. (2006). Gas chromatography mass spectrometry-based metabolite profiling in plants. *Nature Protocols*, *1*(1), 387–396. <https://doi.org/10.1038/nprot.2006.59>
- Liu, X., Cai, J., Chen, H., Zhong, Q., Hou, Y., Chen, W., & Chen, W. (2020). Antibacterial activity and mechanism of linalool against *Pseudomonas aeruginosa*. *Microbial Pathogenesis*, *141*. <https://doi.org/10.1016/j.micpath.2020.103980>
- Luque de Castro, M. D., & Priego-Capote, F. (2010). Soxhlet extraction: past and present panacea. *Journal of Chromatography A*, *1217*(16), 2383–2389. <https://doi.org/10.1016/j.chroma.2009.11.027>
- Luz, M., Klau, C., Indriarini, D., & Listyawati Nurina, R. (2021). Uji aktivitas ekstrak etanol daun kemangi (*OCIMUM SANCTUM* L.) terhadap pertumbuhan bakteri *escherichia* secara in - vitro. In *Uji Aktivitas Ekstrak Etanol Cendana Medical Journal* (Vol. 21, Issue 1).
- Mahdiyah, U. (2017). Pencarian rongga berpotensi binding site pada protein dengan menggunakan Support Vector Machine (SVM). *J. Math. and Its Appl*, *14*(2), 89–101. <https://media.neliti.com/media/publications/280043-pencarian-rongga-berpotensi-binding-site-edefb63d.pdf>
- Mahmiah, Gimana, Aminah, Nanik, S., & Tanjung, M. (2016). Antioxidant activity of methanol extracts from the stem bark of mangrove plant *Rhizophora mucronata*. *Proceeding ICMHS*, 47–50. <https://jurnal.unej.ac.id/index.php/prosiding/article/view/3888/3047>
- Mahmudah Fitria, A., Kusumastuti, Y., Tri Bayu Murti Petrus, H., & Asih Purwestri, Y. (2022). *Antibacterial Effectiveness of Synthesized Copper Nanoparticles by Ultrasonication Assisted Method*.
- Mailuhu, M., Runtuwene, M. R. J., & Koleangan, H. S. J. (2017). Skrining fitokimia

- dan aktivitas antioksidan ekstrak metanol kulit batang soyogik (*Saurauia bracteosa* DC). *Chem. Prog.*, 10(1).
<https://doi.org/10.35799/cp.10.1.2017.27737>
- Mambrasar, Herlina, E. D., Cepeda, Gino, N., & Lisangan, Meike, M. (2019). Penapisan fitokimia dan kapasitas antibakteri minyak eteris daun akway (*Drimys piperita* Hook f.). *Agritechnology*, 2(2).
<https://doi.org/10.51310/agritechnology.v2i2.44>
- Marina, E., Manurung, H., & Nugroho, R. A. (2015). Uji fitokimia dan antibakteri ekstrak etanol daun balangla (*Litsea cubeba* (Lour.) Pers.) terhadap bakteri *staphylococcus aureus* dan *escherichia coli*. In *Prosiding Seminar Sains dan Teknologi FMIPA Unmul* (Vol. 1, Issue 1).
- Martin, Y. C. (2005). A bioavailability score. *Journal of Medicinal Chemistry*, 48(9), 3164–3170. <https://doi.org/10.1021/jm0492002>
- Martins, C. D. M., Nascimento, E. A. D., De Moraes, S. A. L., De Oliveira, A., Chang, R., Cunha, L. C. S., Martins, M. M., Martins, C. H. G., Moraes, T. D. S., Rodrigues, P. V., Silva, C. V. D., & De Aquino, F. J. T. (2015). Chemical constituents and evaluation of antimicrobial and cytotoxic activities of *Kielmeyera coriacea* Mart. and *Zucc.* essential oils. *Evidence-Based Complementary and Alternative Medicine*, 2015. <https://doi.org/10.1155/2015/842047>
- Matsue, M., Mori, Y., Nagase, S., Sugiyama, Y., Hirano, R., Ogai, K., Ogura, K., Kurihara, S., & Okamoto, S. (2019). Measuring the antimicrobial activity of lauric acid against various bacteria in human gut microbiota using a new method. *Cell Transplantation*, 28(12), 1528–1541. <https://doi.org/10.1177/0963689719881366>
- Mcconkey, B. J., Sobolev, V., & Edelman, M. (2002). The performance of current methods in ligand-protein docking. In *Current Science* (Vol. 83, Issue 7).
- Mohammed, S. A., Panda, R. C., Madhan, B., & Demessie, B. A. (2017). Extraction of bio-active compounds from Ethiopian plant material *Rumex abyssinicus* (mekmeko) root—a study on kinetics, optimization, antioxidant and antibacterial activity. *Journal of the Taiwan Institute of Chemical Engineers*,

75, 228–239. <https://doi.org/10.1016/j.jtice.2017.03.004>

Moo, C. L., Yang, S. K., Osman, M. A., Yuswan, M. H., Loh, J. Y., Lim, W. M., Lim, S. H. E., & Lai, K. S. (2020). Antibacterial activity and mode of action of β -caryophyllene on *Bacillus cereus*. *Polish Journal of Microbiology*, *69*(1), 49–54. <https://doi.org/10.33073/pjm-2020-007>

Moustaid, W., Saffaj, T., Annemer, S., Assouguem, A., Ullah, R., Ali, E. A., Ercisli, S., Marc, R. A., & Farah, A. (2023). Simultaneous hydrodistillation of healthy *cedrus atlantica manetti* and infected by *trametes pini* and *ungulina officinalis*: effect on antibacterial activity utilizing a mixture-design method. *ACS Omega*, *8*(35), 31899–31913. <https://doi.org/10.1021/acsomega.3c03555>

Muchtaridi, M., Dermawan, D., & Yusuf, M. (2018). Molecular docking, 3D structure-based pharmacophore modeling, and ADME prediction of alpha mangostin and its derivatives against estrogen receptor alpha. *Journal of Young Pharmacists*, *10*(3), 252–259. <https://doi.org/10.5530/jyp.2018.10.58>

Muegge, I., Heald, S. L., & Brittelli, D. (2001). Simple selection criteria for drug-like chemical matter. *Journal of Medicinal Chemistry*, *44*(12), 1841–1846. <https://doi.org/10.1021/jm015507e>

Mujawah, A. A. H., Abdallah, E. M., Alshoumar, S. A., Alfarraj, M. I., Alajel, S. M. I., Alharbi, A. L., Alsalman, S. A., & Alhumaydhi, F. A. (2022). *GC-MS and in vitro antibacterial potential of Cinnamomum camphora essential oil against some clinical antibiotic-resistant bacterial isolates*.

Munoz-concha, D., Vogel, H., & Razmilic, I. (2004). *Variation of chemical compounds in leaves of Drimys spp.*

Nagegowda, D. A. (2010). Plant volatile terpenoid metabolism: biosynthetic genes, transcriptional regulation and subcellular compartmentation. In *FEBS Letters* (Vol. 584, Issue 14, pp. 2965–2973). <https://doi.org/10.1016/j.febslet.2010.05.045>

Navarro, M., Urrejola, F., Espinoza, M., Silva, S., González, S., Utreras, D., Fernandez, K., & Bravo, J. (2024). Biological activity of the essential oil of *Drimys winteri*. *Frontiers in Chemistry*, *12*. <https://doi.org/10.3389/fchem.2024.1321300>

- Naviglio, D., Scarano, P., Ciaravolo, M., & Gallo, M. (2019). Rapid solid-liquid dynamic extraction (RSLDE): a powerful and greener alternative to the latest solid-liquid extraction techniques. In *Foods* (Vol. 8, Issue 7). MDPI Multidisciplinary Digital Publishing Institute. <https://doi.org/10.3390/foods8070245>
- Nor, I., Rahmita, S., Nashihah, S., Syarkawi, J. G., Bakti, H., & Selatan, K. (2022). POTENSI ANTIBAKTERI EKSTRAK ETANOL DAUN BELUNTAS (*Pluchea indica* L.) TERHADAP BAKTERI *Staphylococcus epidermidis* ANTIBACTERIAL POTENTIAL OF BELUNTAS LEAF (*Pluchea indica* L.) ETHANOL EXTRACT AGAINST *Staphylococcus epidermidis* BACTERIA. In *Medical Sains : Jurnal Ilmiah Kefarmasian* (Vol. 7, Issue 4).
- Noviyanti. (2016). Pengaruh kepolaran pelarut terhadap aktivitas antioksidan ekstrak etanol daun jambu brazil batu (*Psidium guineense* L.) dengan metode DPPH. *Jurnal Farmako Bahari*, 7(1), 29–35.
- Nowacka, M., Kowalewska, A., & Kręgiel, D. (2020). Farnesol-containing macromolecular systems for antibiofilm strategies. In *Surfaces* (Vol. 3, Issue 2, pp. 197–210). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/surfaces3020015>
- Nugroho, L. H. (2018). *Struktur dan produk jaringan sekretori tumbuhan* (Kedua). Gadjah Mada University Press.
- Nurhayati, L. S., Yahdiyani, N., & Hidayatulloh, A. (2020). Perbandingan pengujian aktivitas antibakteri starter yogurt dengan metode difusi sumuran dan metode difusi cakram. *Jurnal Teknologi Hasil Peternakan*, 1(2), 41–46. <https://doi.org/10.24198/jthp.v1i2.27537>
- Orlo, E., Russo, C., Nugnes, R., Lavorgna, M., & Isidori, M. (2021). Natural methoxyphenol compounds: Antimicrobial activity against foodborne pathogens and food spoilage bacteria, and role in antioxidant processes. *Foods*, 10(8). <https://doi.org/10.3390/foods10081807>
- Paisey, Elda, K. (2008). *Kajian morfologi dan kimia kayu akway (*Drymis* sp) sebagai afrodisiak endemik Papua*. Institut Pertanian Bogor.
- Pammi, M., Liang, R., Hicks, J. M., Barrish, J., & Versalovic, J. (2011). Farnesol

- decreases biofilms of staphylococcus epidermidis and exhibits synergy with nafcillin and vancomycin. *Pediatric Research*, 70(6), 578–583. <https://doi.org/10.1203/PDR.0b013e318232a984>
- Parubak, Apriani, S. (2013). Senyawa flavonoid yang bersifat antibakteri dari akway (*Drimys beccariana*.Gibbs). *Chem. Prog*, 6(1).
- Parubak, A. S. (2013). Senyawa flavonoid yang bersifat antibakteri dari akway (*Drimys beccariana*.Gibbs). In *Chem. Prog* (Vol. 6, Issue 1).
- Parwata, I, Made, Oka, A. (2016). *Diktat / bahan ajar kimia organik bahan alam flavonoid*. Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Udayana Denpasar. https://simdos.unud.ac.id/uploads/file_pendidikan_1_dir/c0c585d54a388056ea08899533164330.pdf
- Peredo-Lovillo, A., Romero-Luna, H. E., & Jiménez-Fernández, M. (2020). Health promoting microbial metabolites produced by gut microbiota after prebiotics metabolism. In *Food Research International* (Vol. 136). Elsevier Ltd. <https://doi.org/10.1016/j.foodres.2020.109473>
- Peretti, P., Rodrigues, E. T., de Souza Junior, B. M., Bezerra, R. M., Guitián Fernández, E., Sousa, F. F. O. de, & Pinheiro, M. T. (2021). Spilanthol content of *Acmella oleracea* subtypes and their bactericide and antibiofilm activities against *Streptococcus mutans*. *South African Journal of Botany*, 143, 17–24. <https://doi.org/10.1016/j.sajb.2021.08.001>
- Pérez-López, A., Cirio, A. T., Rivas-Galindo, V. M., Aranda, R. S., & De Torres, N. W. (2011). Activity against streptococcus pneumoniae of the essential oil and δ -cadinene isolated from schinus molle fruit. *Journal of Essential Oil Research*, 23(5), 25–28. <https://doi.org/10.1080/10412905.2011.9700477>
- Pires, D. E. V, Blundell, T. L., & Ascher, D. B. (2015). *pkCSM: predicting small-molecule pharmacokinetic properties using graph-based signatures*. <https://biosig.lab.uq.edu.au/pkcsm/theory>
- Potts, R, O., & Guy, R, H. (1992). *Pharmacocinetics-skin permeability*. 9.
- Prakash, A., Vadivel, V., Rubini, D., & Nithyanand, P. (2019). Antibacterial and antibiofilm activities of linalool nanoemulsions against *Salmonella*

- Typhimurium. *Food Bioscience*, 28, 57–65.
<https://doi.org/10.1016/j.fbio.2019.01.018>
- Radji, M., Sumiati, A., Rachmayani, R., & Elya, B. (2011). Isolation of fungal endophytes from *Garcinia mangostana* and their antibacterial activity. *African Journal of Biotechnology*, 10(1), 103–107.
<https://doi.org/10.5897/AJB10.1531>
- Rahmadeni, Y., Febria, F. A., & Bakhtiar, A. (2019). Potensi pakih sipasan (*Blechnum orientale*) sebagai antibakteri terhadap *Staphylococcus aureus* dan Methicillin Resistant *Staphylococcus aureus*. *Journal of Biological Sciences*, 6(2), 224–229. <https://doi.org/10.24843/metamorfosa.v06.i02.p12>
- Rahmi, M., & Putri, Dwi, H. (2020). The antimicrobial activity of DMSO as a natural extract solvent aktivitas antimikroba DMSO sebagai pelarut ekstrak alami. *Serambi Biologi*, 5(2), 56–58.
- Ramakrishna, A., & Ravishankar, Gokare, A. (2011). Influence of abiotic stress signals on secondary metabolites in plants. *Plant Signaling and Behavior*, 6(11), 1720–1731. <https://doi.org/10.4161/psb.6.11.17613>
- Retnaningsih, A., Primadiamanti, A., & Febrianti, A. (2019). Inhibitory test of purple leaf ethanol extract (*Graptophyllum pictum* (L.) GRIFF) on *Staphylococcus epidermidis* bacteria and *Propionibacterium acnes* bacteria causes of acne with discussion methods. *Jurnal Analisis Farmasi*, 4(1), 1–9.
- Ridzuan, P., Hairul Aini, H., Norazian, M. H., Shah, A., & Aminah, K. S. (2013). Send orders for reprints to reprints@benthamscience.net the open conference proceedings antibacterial and antifungal properties of *Persicaria odorata* leaf against pathogenic bacteria and fungi. In *Journal* (Issue 4).
- Rozalia, M. (2013a). *Aktivitas antibakteri dan bioautografi ekstrak etanol kulit kayu akway (Drymis piperita Hook. f.) terhadap Staphylococcus epidermidis dan Salmonella thypi.*
- Rozalia, M. (2013b). *Aktivitas antibakteri dan bioautografi ekstrak etanol kulit kayu akway (Drymis piperita Hook. f.) terhadap Staphylococcus epidermidis dan Salmonella thypi.*
- Santos, T. G., Dognini, J., Begnini, I. M., Rebelo, R. A., Verdi, M., De Gaspar, A.

- L., & Dalmarco, E. M. (2013). Chemical characterization of essential oils from *Drimys angustifolia* miers (Winteraceae) and antibacterial activity of their major compounds. *Journal of the Brazilian Chemical Society*, 24(1), 164–170. <https://doi.org/10.1590/S0103-50532013000100020>
- Santos, T. G., Dognini, J., Begnini, I. M., Rebelo, R. A., Verdi, M., De Gasper, A. L., Dalmarco, E. M., Roberto, H., & Klein, M. (2013). Chemical characterization of essential oils from *Drimys angustifolia* Miers (Winteraceae) and antibacterial activity of their major compounds. In *Article J. Braz. Chem. Soc* (Vol. 24, Issue 1).
- Santoso, B. B., Padua Hernandez, H., Bernadeth Rodriguez, E., Dalmacio, I. F., & Oh, O. (2018). Two antimicrobial compounds drimane sesquiterpene polygodial and 11-hydroxydrim-8-en-7-one from the stem bark of *Drimys arfakensis* Gibbs. (Winteraceae) Compound 1. In / *Malaysian Journal of Fundamental and Applied Sciences Special Issue on Chromatography and Other Analytical Techniques*.
- Santoso, B. B., Santi, D., Langsa, M. H., & Moge, R. (2009). Lactaran sesquiterpen velleral dari kulit batang tumbuhan *Drymis beccariana* Gibbs. (Winteraceae) yang bersifat sitotoksik dan antimikroba. *Natural*, 8(1), 52–57.
- Saputri, K. E., Nurul, F., Kusumaningtyas, E., Priyatama, D., & Santoso, B. (2016). *Docking molekular potensi anti diabetes melitus tipe 2 turunan zerumbon sebagai inhibitor aldosa reduktase dengan autodock-vina*. www.pdb.org
- Sari, D. R., Husodo, S. B., & Mutakim. (2022). Fitokimia dan bioaktivitas tumbuhan akway dari distrik Anggi kabupaten Pegunungan Arfak. *Jurnal Kehutanan Papuaasia*, 8(1), 102–113.
- Sari, D. R., Husodo, Susilo, B., & Mutakim. (2022). Fitokimia dan bioaktivitas tumbuhan akway dari distrik Anggi kabupaten Pegunungan Arfak. *Kehutanan Papuaasia*, 8(1), 102–113.
- Sari, R., Apridamayanti, P., & Pratiwi, L. (2022). Efektivitas SNEDDS kombinasi fraksi etil asetat daun cengkodok (*Melasthoma malabathricum*)-antibiotik terhadap bakteri hasil isolat dari pasien ulkus diabetik. *Pharmaceutical Journal of Indonesia*, 7(2), 105–114.

- Sarkar, A., Debnath, S., Das Chowdhury, B., Ghosh, R., & Debnath, B. (2024). Identification of phytoconstituents from *Dicliptera paniculata* and study of antibacterial activity guided by molecular docking. *In Silico Pharmacology*, *12*(1). <https://doi.org/10.1007/s40203-024-00196-2>
- Sarwar, A., & Latif, Z. (2015). GC-MS characterisation and antibacterial activity evaluation of *Nigella sativa* oil against diverse strains of *Salmonella*. *Natural Product Research*, *29*(5), 447–451. <https://doi.org/10.1080/14786419.2014.947493>
- Seanego, C. T., & Ndip, R. N. (2012). Identification and antibacterial evaluation of bioactive compounds from *Garcinia kola* (Heckel) seeds. *Molecules*, *17*(6), 6569–6584. <https://doi.org/10.3390/molecules17066569>
- Seong Wei, L., & Wee, W. (2013). *Chemical composition and antimicrobial activity of Cymbopogon nardus citronella essential oil against systemic bacteria of aquatic animals*. <http://ijm.tums.ac.ir>
- Septiani, Dewi, Eko, N., & Wijayanti, I. (2017). Aktivitas antibakteri ekstrak lamun (*Cymodocea rotundata*) terhadap bakteri *Staphylococcus aureus* dan *Escherichia coli*. Available Online at *Indonesian Journal of Fisheries Science and Technology (IJFST) Saintek Perikanan*, *13*(1), 1–6. <https://ejournal.undip.ac.id/index.php/saintek/article/view/16818>
- Shareef, H. K., Muhammed, H. J., Hussein, H. M., & Hameed, I. H. (2016). Antibacterial effect of ginger (*zingiber officinale*) roscoe and bioactive chemical analysis using gas chromatography mass spectrum. *Oriental Journal of Chemistry*, *32*(2), 817–837. <https://doi.org/10.13005/ojc/320207>
- Sharma, D., Shree, B., Kumar, S., Kumar, V., Sharma, S., & Sharma, S. (2022). Stress induced production of plant secondary metabolites in vegetables: functional approach for designing next generation super foods. In *Plant Physiology and Biochemistry* (Vol. 192, pp. 252–272). Elsevier Masson s.r.l. <https://doi.org/10.1016/j.plaphy.2022.09.034>
- Shen, Y., Jia, L.-N., Honma, N., Hosono, T., Ariga, T., & Seki, T. (2011). Beneficial effects of cinnamon on the metabolic syndrome, inflammation, and pain, and mechanisms underlying these effects-a review. In *Journal of*

Traditional and Complementary Medicine (Vol. 1, Issue 1).

- Simanjuntak, H. A., Simanjuntak, H., Maimunah, S., Rahmiati, R., & Situmorang, T. S. (2022). Diameter zona hambat antibiotik amoxicillin dan tetracycline terhadap *escherichia coli*. *Herbal Medicine Journal*, 5(2), 55–59. <https://doi.org/10.58996/hmj.v5i2.52>
- Singh, N. B., Devi, M. L., Biona, T., Sharma, N., Das, S., Chakravorty, J., Mukherjee, P. K., & Rajashekar, Y. (2023). Phytochemical composition and antimicrobial activity of essential oil from the leaves of *Artemisia vulgaris* L. *Molecules*, 28(5). <https://doi.org/10.3390/molecules28052279>
- Singh, S., Patel, S. V., Kumar, S., Sardar, V., & Patel, V. (2023). *Soil Microorganism and their Role*. <https://www.researchgate.net/publication/367670466>
- Siregar, Rahmad, S., Hadiguna, Rika, A., Kamil, I., Nazir, N., & Nofialdi. (2020). Permintaan dan penawaran tanaman obat tradisional di Provinsi Sumatera Utara. *Tumbuhan Obat Indonesia*, 13(1), 50–59.
- Skočibušić, M., Bezić, N., & Dunkić, V. (2006). Phytochemical composition and antimicrobial activities of the essential oils from *Satureja subspicata* Vis. growing in Croatia. *Food Chemistry*, 96(1), 20–28. <https://doi.org/10.1016/j.foodchem.2005.01.051>
- Soleha, T. U. (2015). *Uji kepekaan terhadap antibiotik*. <https://docobook.com/uji-kepekaan-terhadap-antibiotik-susceptibility-test-of-anti.html>
- Solekha, Vina, O, R., & Moeljono, S. (2018). Studi persebaran tumbuhan akway (*Drimys* sp.) di Papua. *Kehutanan Papuasiasia*, 4(1), 1–8.
- Suliasih, B. A., & Mun'im, A. (2022). Review : potensi dan masalah dalam pengembangan kemandirian bahan baku obat tradisional di Indonesia. *Chemistry and Materials*, 1(1), 28–33.
- Syakir, M., Bermawie, N., Agusta, H., & Paisey E, N. (2011). Karakterisasi sifat morfologi dan penyebaran kayu akway di Papua Barat. *Littri*, 17(4), 169–173.
- Syed, R. U., Moni, S. S., Alfaisal, R. H., Alrashidi, R. H., Alrashidi, N. F., Wadeed, K. M., Alshammary, F. N., Habib, A. M., Alharbi, F. M., ur Rehman, Z., Shamsher Alam, M., Basode, V. K., & Abdulhaq, A. A. (2022). Spectral

- characterization of the bioactive principles and antibacterial properties of cold methanolic extract of *Olea europaea* from the Hail region of Saudi Arabia. *Arabian Journal of Chemistry*, 15(8).
<https://doi.org/10.1016/j.arabjc.2022.104006>
- Teague, S. J., Davis, A. M., Leeson, P. D., & Oprea, T. (1999). The Design of Leadlike Combinatorial Libraries. In *J. A. Marshall in Comprehensive Organic Synthesis* (Vol. 38, Issue 24).
- Teng, Y. N., Lin, K. I., Lin, Y. C., Thang, T. D., Lan, Y. H., & Hung, C. C. (2021). A novel flavonoid from *Fissistigma cupreonitens*, 5-hydroxy-7,8-dimethoxyflavanone, competitively inhibited the efflux function of human P-glycoprotein and reversed cancer multi-drug resistance. *Phytomedicine*, 85. <https://doi.org/10.1016/j.phymed.2021.153528>
- Todar, K. (2020). Salmonella and salmonellosis (page 3). In *text book of bacteriology* (p. 3). www.textbookofbacteriology.net
- Veber, D. F., Johnson, S. R., Cheng, H. Y., Smith, B. R., Ward, K. W., & Kopple, K. D. (2002). Molecular properties that influence the oral bioavailability of drug candidates. *Journal of Medicinal Chemistry*, 45(12), 2615–2623. <https://doi.org/10.1021/jm020017n>
- Wang, S.-X., Zhang, F.-J., Feng, Q.-P., & Li, Y.-L. (n.d.). *Synthesis, Characterization, and Antibacterial Activity of Transition Metal Complexes With 5Hydroxy-7,4'-Dimethoxyflavone*.
- Wang, S.-X., Zhang, F.-J., Feng, Q.-P., & Li, Y.-L. (1992a). *Synthesis, characterization, and antibacterial activity of transition metal complexes with 5Hydroxy-7,4'-dimethoxyflavone*.
- Wang, S.-X., Zhang, F.-J., Feng, Q.-P., & Li, Y.-L. (1992b). *Synthesis, characterization, and antibacterial activity of transition metal complexes with 5Hydroxy-7,4'-Dimethoxyflavone*.
- Weli, A. M., Al-Omar, W. I., Al-Sabahi, J. N., Gilani, S. A., Alam, T., Philip, A., Hossain, M. A., & Al Touby, S. S. (2021). Biomarker profiling of essential oil and its antibacterial and cytotoxic activities of *Cleome austroarabica*.

Advances in Biomarker Sciences and Technology, 3, 1–7.

<https://doi.org/10.1016/j.abst.2020.12.001>

Wieser, M., & Busse, H.-J. (2000). Rapid identification of *Staphylococcus epidermidis*. *International Journal of Systematic and Evolutionary Microbiology*, 50, 1087–1093.

Xuedong Zhou, & Yuqing Li. (2015). Supragingival microbes. In *Atlas of Oral Microbiology* (pp. 41–65). Elsevier. <https://doi.org/10.1016/b978-0-12-802234-4.00003-3>

Yuniati, N. I., Islamiyati, D., Aini, N., Khasanah, H., & Husen, F. (2023). Perbandingan senyawa kuersetin dan kaempferol pada reseptor COX-2 sebagai agen antikanker kolorektal secara in-silico. *Jurnal Kesehatan Dan Science*, XIX(1), 98–107.

Zhang, Y., Feng, R., Li, L., Zhou, X., Li, Z., Jia, R., Song, X., Zou, Y., Yin, L., He, C., Liang, X., Zhou, W., Wei, Q., Du, Y., Yan, K., Wu, Z., & Yin, Z. (2018). The antibacterial mechanism of Terpinen-4-ol against *Streptococcus agalactiae*. *Current Microbiology*, 75(9), 1214–1220. <https://doi.org/10.1007/s00284-018-1512-2>

Zhang, Y. M., White, S. W., & Rock, C. O. (2006). Inhibiting bacterial fatty acid synthesis. *Journal of Biological Chemistry*, 281(26), 17541–17544. <https://doi.org/10.1074/jbc.R600004200>

Zheng, C. J., Sohn, M. J., Lee, S., Hong, Y. S., Kwak, J. H., & Kim, W. G. (2007). Cephalochromin, a FabI-directed antibacterial of microbial origin. *Biochemical and Biophysical Research Communications*, 362(4), 1107–1112. <https://doi.org/10.1016/j.bbrc.2007.08.144>

Zhou, C., Li, C., Siva, S., Cui, H., & Lin, L. (2021). Chemical composition, antibacterial activity and study of the interaction mechanisms of the main compounds present in the *Alpinia galanga* rhizomes essential oil. *Industrial Crops and Products*, 165. <https://doi.org/10.1016/j.indcrop.2021.113441>