

## DAFTAR PUSTAKA

- Aaltonen, Miamari, Chao Peng, Benjamin P. Wilson, and Mari Lundström. 2017. "Leaching of Metals from Spent Lithium-Ion Batteries." *Recycling* 2(4). doi: 10.3390/recycling2040020.
- Antal, M.J., Grønli, M. (2003). "The Art, Science, and Technology of Charcoal Production." *Industrial & Engineering Chemistry Research*, 42(8), 1619-1640.
- Banza, A., Gock, E., & Kongolo, K. (2002). Base metals recovery from copper smelter slag by oxidising leaching and solvent extraction. *Hydrometallurgy*, 67, 63-69. [https://doi.org/10.1016/S0304-386X\(02\)00138-X](https://doi.org/10.1016/S0304-386X(02)00138-X).
- Bernardes, A.M., Espinosa, D.C.R., Tenório, J.A.S., 2004. Recycling of batteries: a review of current processes and technologies. *J. Power Sources* 130, 291–298. <https://doi.org/10.1016/j.jpowsour.2003.12.026>
- Cao, N., Zhang, Y., Chen, L., Chu, W., Huang, Y., Jia, Y., Wang, M., 2021. An innovative approach to recover anode from spent lithium-ion battery. *J. Power Sources* 483, 229163. <https://doi.org/10.1016/j.jpowsour.2020.229163>
- Cerrillo-Gonzalez, M.M., Villen-Guzman, M., Vereda-Alonso, C., Rodriguez-Maroto, J.M., Paz-Garcia, J.M., 2022. Acid leaching of LiCoO<sub>2</sub> enhanced by reducing agent. Model formulation and validation. *Chemosphere* 287, 132020. <https://doi.org/10.1016/j.chemosphere.2021.132020>
- Chan Li, Li, Jennifer B. Dunn, Xiao Xiao Zhang, Linda Gaines, Ren Jie Chen, Feng Wu, and Khalil Amine. 2015. "Recovery of Metals from Spent Lithium-Ion Batteries with Organic Acids as Leaching Reagents and Environmental Assessment." *Journal of Power Sources* 233:180–89. doi: 10.1016/j.jpowsour.2012.12.089.
- Chen, X., Tan, Z., Wu, Y., Zhang, Q., Pan, D., 2020. Eco-friendly H<sub>2</sub>O<sub>2</sub> leaching for noble-metals Re and W selective recovery from waste thermoelectric materials. *Therm. Sci. Eng. Prog.* 19, 100563. <https://doi.org/10.1016/j.tsep.2020.100563>
- Choi, Jong Won, Jisu Kim, Sung Kon Kim, and Yeoung Sang Yun. 2021. "Simple, Green Organic Acid-Based Hydrometallurgy for Waste-to-Energy Storage Devices: Recovery of NiMnCoC<sub>2</sub>O<sub>4</sub> as an Electrode Material for Pseudocapacitor from Spent LiNiMnCoO<sub>2</sub> Batteries." *Journal of Hazardous Materials* 424(PB):127481. doi: 10.1016/j.jhazmat.2021.127481.
- Chidambaram ayaseelan, C., Abdul Rahuman, A., Ramkumar, R., Perumal, P., Rajakumar, G., Vishnu Kirthi, A., Santhoshkumar, T., Marimuthu, S., 2014.



- Effect of sub-acute exposure to nickel nanoparticles on oxidative stress and histopathological changes in Mozambique tilapia, *Oreochromis mossambicus*. *Ecotoxicology and Environmental Safety* 107, 220–228.
- Esmaeili, M., Rastegar, S.O., Beigzadeh, R., Gu, T., 2020. Ultrasound-assisted leaching of spent lithium ion batteries by natural organic acids and H<sub>2</sub>O<sub>2</sub>. *Chemosphere* 254, 126670. <https://doi.org/10.1016/j.chemosphere.2020.126670>
- E. Gerold, R. Lerchhammer, and H. Antrekowitsch, “Recovery of Cobalt, Nickel, and Lithium from Spent Lithium-Ion Batteries with Gluconic Acid Leaching Process: Kinetics Study,” *Batteries*, vol. 10, no. 4, p. 120, Apr. 2024, doi: 10.3390/batteries10040120.
- F. Syarifuddin., “Effect Of Acid Leaching On Upgrading The Graphite Concentrate From West Kalimantan (Indonesia),” Presented At The 2nd Padjadjaran International Physics Symposium 2015 (Pips-2015): Materials Functionalization And Energy Conservations, Jatinangor, Indonesia, 2016, P. 050022. Doi: 10.1063/1.4941905
- Fran, R. L. 2022. “Raman Spectroscopy.” *Analytica Chimica Acta* 517(1–2):207–14. doi: 10.1016/j.aca.2004.04.036.
- Gao, Y., Wang, C., Zhang, J., Jing, Q., Ma, B., Chen, Y., Zhang, W., 2020. Graphite Recycling from the Spent Lithium-Ion Batteries by Sulfuric Acid Curing–Leaching Combined with High-Temperature Calcination. *ACS Sustain. Chem. Eng.* 8, 9447–9455. <https://doi.org/10.1021/acssuschemeng.0c02321>
- Gao, Y., Zhang, J., Jin, H., Liang, G., Ma, L., Chen, Y., Wang, C., 2022. Regenerating spent graphite from scrapped lithium-ion battery by high-temperature treatment. *Carbon* 189, 493–502. <https://doi.org/10.1016/j.carbon.2021.12.053>
- Georgi-Maschler, T., Friedrich, B., Weyhe, R., Heegn, H., Rutz, M., 2012. Development of a recycling process for Li-ion batteries. *J. Power Sources* 207, 173–182. <https://doi.org/10.1016/j.jpowsour.2012.01.152>
- Golmohammadzadeh, R., Faraji, F., Rashchi, F., 2018. Recovery of lithium and cobalt from spent lithium ion batteries (LIBs) using organic acids as leaching reagents: A review. *Resour. Conserv. Recycl.* 136, 418–435. <https://doi.org/10.1016/j.resconrec.2018.04.024>
- Han, J., Cho, K., Lee, K., & Kim, H. (1998). Porous graphite matrix for chemical heat pumps. *Carbon*, 36, 1801-1810. [https://doi.org/10.1016/S0008-6223\(98\)00150-X](https://doi.org/10.1016/S0008-6223(98)00150-X).
- Han, X., Lu, L., Zheng, Y., Feng, X., Li, Z., Li, J., & Ouyang, M. (2019). A review on

- the key issues of the lithium ion battery degradation among the whole life cycle. eTransportation. <https://doi.org/10.1016/j.etrans.2019.100005>.
- Heng Chauhan, A.P.S., Chawla, K., 2016. Comparative studies on Graphite and Carbon Black powders, and their dispersions. *Journal of Molecular Liquids* 221, 292–297. <https://doi.org/10.1016/j.molliq.2016.05.043>
- Jaist., Zhaoyi Yu. 2021. “Improvement of Leaching Efficiency of Cathode Material of Spent LiNixCoyMnzO2 Lithium-Ion Battery by the in-Situ Thermal Reduction.” *Physicochemical Problems of Mineral Processing* 57(2):70–82. doi: 10.37190/ppmp/132762.
- Jin Chen, Li Li, Yang Ren, Xiao Xiao Zhang, Ren , Feng Wu, and Khalil Amine. 2014. “Ascorbic-Acid-Assisted Recovery of Cobalt and Lithium from Spent Li-Ion Batteries.” *Journal of Power Sources* 218:21–27. doi: 10.1016/j.jpowsour.2012.06.068.
- Johansyah, Doni. 2012. Studi Pengaruh Proses Reduksi Pemanggangan Dan Waktu Pelindian Amonium Bikarbonat Terhadap Perolehan Nikel Dari Bijih
- Jovanic West, E. S., W. R. Todd, H. S. Mason, and J. T. Van Bruggen. 2021. “Selective Recovery of Lithium from Spent Lithium-Ion Batteries by Coupling Advanced Oxidation Processes and Chemical Leaching Processes.” *ACS Sustainable Chemistry and Engineering* 8(13):5165–74. doi: 10.1021/acssuschemeng.9b07515.
- Kumar, P., No-Lee, H., Kumar, R., 2014. Synthesis of phase pure iron oxide polymorphs thin films and their enhanced magnetic properties. *J Mater Sci: Mater Electron* 25, 4553–4561. <https://doi.org/10.1007/s10854-014-2203-9>
- Kosenko, A., Pushnitsa, K., Pavlovskii, A.A., Novikov, & P., Popovich, A.A., 2023. The Review of Existing Strategies of End-of-Life Graphite Anode Processing Using 3Rs Approach: Recovery, Recycle, Reuse.
- Lai, Y., Zhu, Xianqing, Li, J., Gou, Q., Li, M., Xia, A., Huang, Y., Zhu, Xun, Liao, Q., 2023. Recovery and regeneration of anode graphite from spent lithium-ion batteries through deep eutectic solvent treatment: Structural characteristics, electrochemical performance and regeneration mechanism. *Chemical Engineering Journal* 457, 141196.
- Lai Zhang, Zhi Sun. 2022. “Comprehensive Evaluation on Effective Leaching of Critical Metals from Spent Lithium-Ion Batteries.” *Waste Management* 75(2018):477–85. doi: 10.1016/j.wasman.2018.02.023.



- Levenspiel, O., 1999. Chemical reaction engineering, 3rd ed. ed. Wiley, New York.
- Leysens, K., Adriaens, A., Dowsett, M.G., Schotte, B., Oloff, I., Pantos, E., Bell, A.M.T., Thompson, S.P., 2005. Simultaneous in situ time resolved SR-XRD and corrosion potential analyses to monitor the corrosion on copper. *Electrochemistry Communications* 7, 1265–1270. <https://doi.org/10.1016/j.elecom.2005.09.006>
- Li, H., Peng, J., Liu, P., Li, W., Wu, Z., Chang, B., Wang, X., 2023. Re-utilization of waste graphite anode materials from spent lithium-ion batteries. *J. Electroanal. Chem.* 932, 117247. <https://doi.org/10.1016/j.jelechem.2023.117247>
- Liang, Y., Tao, Z., & Chen, J. (2012). Organic Electrode Materials for Rechargeable Lithium Batteries. *Advanced Energy Materials*, 2(7), 742–769. doi:10.1002/aenm.201100795
- Lin, Leqi. 2020. “Recovery of Valuable Metals from Spent Lithium-Ion Batteries Using Organic Acids: Assesment of Technoeconomic Feasibility.” New Jersey Institute of Technology.
- Liu, Y., Tao, X., Wang, Y., Jiang, C., Ma, C., Sheng, O., Lu, G., & Lou, X. (2022). Self-assembled monolayers direct a LiF-rich interphase toward long-life lithium metal batteries. *Science*, 375, 739 - 745. <https://doi.org/10.1126/science.abn1818>.
- Lua, A.C., Yang, T. (2004). "Effect of activation temperature on the textural and chemical properties of potassium hydroxide activated carbon prepared from pistachio-nut shell, 274(2), 594-601.
- Longo, A., Sciortino, L., Giannici, F., Martorana, A., 2014. Crossing the boundary between face-centred cubic and hexagonal close packed: the structure of nanosized cobalt is unraveled by a model accounting for shape, size distribution and stacking faults, allowing simulation of XRD, XANES and EXAFS. *J Appl Crystallogr* 47, 1562–1568. <https://doi.org/10.1107/S1600576714015970>
- Ma, X., Chen, M., Chen, B., Meng, Z., Wang, Y., 2019. High-Performance Graphite Recovered from Spent Lithium-Ion Batteries. *ACS Sustain. Chem. Eng.* 7, 19732–19738. <https://doi.org/10.1021/acssuschemeng.9b05003>
- Meng, L., & Park, S. (2010). Effect of heat treatment on CO<sub>2</sub> adsorption of KOH-activated graphite nanofibers.. *Journal of colloid and interface science*, 352 2, 498-503 . <https://doi.org/10.1016/j.jcis.2010.08.048>.
- Miao, Yu, Patrick Hynan, Annette Von Jouanne, and Alexandre Yokochi. 2019. “Current Li-Ion Battery Technologies in Electric Vehicles and Opportunities for Advancements.” *Energies* 12(6):1–20. doi: 10.3390/en12061074.



- Modrzyński, C., Weidlich, C., & Bloh, J. (2022). Investigasi Kinetik dari Pencucian Logam dengan Bantuan Elektrokimia untuk Daur Ulang Fotovoltaik. *Jurnal Masyarakat Elektrokimia*. <https://doi.org/10.1149/1945-7111/ac8021>.
- Nashukha, Hikamanita Lisan, Hermin Sulistyarti, and Akhmad Sabarudin. 2014. “Uji Linearitas, Selektivitas, Dan Validitas Metode Analisis Merkuri(II) Secara Spektrofotometri Berdasarkan Penurunan Absorbansi Kompleks Besi(III) Tiosianat.” *Kimia Student Journal* 2(2):492–98.
- Nayl, A. A., R. A. Elkhashab, Sayed M. Badawy, and M. A. El-Khateeb. 2017. “Acid Leaching of Mixed Spent Li-Ion Batteries.” *Arabian Journal of Chemistry* 10:S3632–39. doi: 10.1016/j.arabjc.2014.04.001.
- Niu, Yin, Daobin Mu, Borong Wu, Rui Wang, Zhikun Zhao, and Feng Wu. 2022. “Recent Progresses on Nickel-Rich Layered Oxide Positive Electrode Materials Used in Lithium-Ion Batteries for Electric Vehicles.” *Applied Energy* 195:586–99. doi: 10.1016/j.apenergy.2017.03.074.
- Nestor Julien, Christian M., and Alain Mauger. 2012. “In Situ Raman Analyses of Electrode Materials for Li-Ion Batteries.” *AIMS Materials Science* 5(4):650–98. doi: 10.3934/matricsci.2018.4.650.
- Panda, A., Mishra, B., Mishra, D., & Singh, R. (2010). Effect of sulphuric acid treatment on the physico-chemical characteristics of kaolin clay. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 363, 98-104. <https://doi.org/10.1016/j.colsurfa.2010.04.022>.
- Pastor-Fernández, C., Yu, T., Widanage, W., & Marco, J. (2019). Critical review of non-invasive diagnosis techniques for quantification of degradation modes in lithium-ion batteries. *Renewable and Sustainable Energy Reviews*. <https://doi.org/10.1016/j.rser.2019.03.060>.
- Pawan Kumar., No-Lee, H., Kumar, R., 2014. Synthesis of phase pure iron oxide polymorphs thin films and their enhanced magnetic properties. *J Mater Sci: Mater Electron* 25, 4553–4561. <https://doi.org/10.1007/s10854-014-2203-9>
- Pecina, T., Franco, T., Castillo, P., Orrantia, E., 2008. Leaching of a zinc concentrate in H<sub>2</sub>SO<sub>4</sub> solutions containing H<sub>2</sub>O<sub>2</sub> and complexing agents. *Miner. Eng.* 21, 23–30. <https://doi.org/10.1016/j.mineng.2007.07.006>
- Pillot, C., 2017. Lithium ion battery raw material Supply & demand 2016-2025.
- Pinna, Eliana G., D. Sebastián Drajlín, Norman Toro, and Mario H. Rodríguez. 2020. “Kinetic Modeling of the Leaching of LiCoO<sub>2</sub> with Phosphoric Acid.” *Journal of*



Materials Research and Technology 9(6):14017–28. doi:  
10.1016/j.jmrt.2020.09.109.

Prihutami, P., N.D.2020. Recovery Elemen Tanah Jarang Dari Limbah Abu Terbang Batu Bara: Pemungutan Serium Dan Itrium Menggunakan Asam Sitrat.

Schuring, Danny. 2002. Diffusion in Zeolites: Towards a Microscopic Understanding. Vol. Dr. rer. n.

Setiawan, H., Petrus, H.T.B.M., Perdana, I., 2019a. Reaction kinetics modeling for lithium and cobalt recovery from spent lithium-ion batteries using acetic acid. *Int. J. Miner. Metall. Mater.* 26, 98–107. <https://doi.org/10.1007/s12613-019-1713-0>

Setiawan, H., Petrus, H.T.B.M., Perdana, I., 2019b. Reaction kinetics modeling for lithium and cobalt recovery from spent lithium-ion batteries using acetic acid. *Int. J. Miner. Metall. Mater.* 26, 98–107. <https://doi.org/10.1007/s12613-019-1713-0>

Sevilla, M., Fuertes, A.B. (2009). "The production of carbon materials by hydrothermal carbonization of cellulose." *\*Carbon\**, 47(9), 2281-2289.

Srinivasakannan, C., & Bakar, M. (2004). Production of activated carbon from rubber wood sawdust. *Biomass & Bioenergy*, 27, 89-96. <https://doi.org/10.1016/j.biombioe.2003.11.002>.

Teng, H., Ho, J., & Hsu, Y. (1997). Preparation of activated carbons from bituminous coals with CO<sub>2</sub> activation—Influence of coal oxidation. *Carbon*, 35, 275-283. [https://doi.org/10.1016/S0008-6223\(96\)00137-6](https://doi.org/10.1016/S0008-6223(96)00137-6).

Tian, R., Jia, J., Zhai, M., Wei, Y., Feng, X., Li, R., Zhang, J., Gao, Y., 2024. Design advanced lithium metal anode materials in high energy density lithium batteries. *Heliyon* 10, e27181. <https://doi.org/10.1016/j.heliyon.2024.e27181>

Wagner, M.R., Albering, J.H., Moeller, K.-C., Besenhard, J.O., Winter, M., 2005. XRD evidence for the electrochemical formation of Li<sup>+</sup>(PC)<sub>y</sub>Cn<sup>-</sup> in PC-based electrolytes. *Electrochemistry Communications* 7, 947–952. <https://doi.org/10.1016/j.elecom.2005.06.009>

Walters, J., Rigden, J., Newport, R., Parker, S., & Howells, W. (1995). The effect of temperature on the structure of amorphous hydrogenated carbon. *Physica Scripta*, 1995, 142 - 145. <https://doi.org/10.1088/0031-8949/1995/T57/025>.

Wang, J.-R., Yang, D.-H., Xu, Y.-J., Hou, X.-L., Ang, E.H., Wang, D.-Z., Zhang, L., Zhu, Z.-D., Feng, X.-Y., Song, X.-H., Xiang, H.-F., 2023. Recent developments and the future of the recycling of spent graphite for energy storage applications. *New Carbon Materials* 38, 787–803. [https://doi.org/10.1016/S1872-5805\(23\)60777-2](https://doi.org/10.1016/S1872-5805(23)60777-2)



- Wicaksono, Muhammad Fajar. 2020. “Studi Presipitasi Litium Karbonat ( $\text{Li}_2\text{CO}_3$ ) Dari Litium Terlindi Larutan Asam Asetat.” Universitas Gadjah Mada.
- Woo, D.J., Hooper, J.P., Osswald, S., Bottolfsen, B.A., Brewer, L.N., 2014. Low temperature synthesis of carbon nanotube-reinforced aluminum metal composite powders using cryogenic milling. *J. Mater. Res.* 29, 2644–2656. <https://doi.org/10.1557/jmr.2014.300>
- Xu, W., Wang, J., Ding, F., Chen, X., Nasybulin, E., Zhang, Y., Zhang, J.-G., 2014. Lithium metal anodes for rechargeable batteries. *Energy Env. Sci* 7, 513–537. <https://doi.org/10.1039/C3EE40795K>
- Yang, K., Zhao, Z., Xin, X., Tian, Z., Peng, K., Lai, Y., 2019. Graphitic carbon materials extracted from spent carbon cathode of aluminium reduction cell as anodes for lithium ion batteries: Converting the hazardous wastes into value-added materials. *J. Taiwan Inst. Chem. Eng.* 104, 201–209. <https://doi.org/10.1016/j.jtice.2019.09.012>
- Yang, Y., Song, S., Lei, S., Sun, W., Hou, H., Jiang, F., Ji, X., Zhao, W., Hu, Y., 2019. A process for combination of recycling lithium and regenerating graphite from spent lithium-ion battery. *Waste Manag.* 85, 529–537. <https://doi.org/10.1016/j.wasman.2019.01.008>
- Yao, X.-Y., Pecht, M.G., 2019. Tab Design and Failures in Cylindrical Li-ion Batteries. *IEEE Access* 7, 24082–24095. <https://doi.org/10.1109/ACCESS.2019.2899793>
- Yi, X., Qi, G., Liu, X., Depcik, C., Liu, L., 2024. Challenges and strategies toward anode materials with different lithium storage mechanisms for rechargeable lithium batteries. *Journal of Energy Storage* 95, 112480. <https://doi.org/10.1016/j.est.2024.112480>
- Yu, H., Dai, H., Zhu, Y., Hu, H., Zhao, R., Wu, B., Chen, D., 2021. Mechanistic insights into the lattice reconfiguration of the anode graphite recycled from spent high-power lithium-ion batteries. *J. Power Sources* 481, 229159. <https://doi.org/10.1016/j.jpowsour.2020.229159>
- Yuliusman. 2016. “Pengambilan Kembali Logam Litium Dan Cobalt Dari Baterai Li-Ion Dengan Metode Leaching Asam Sitrat.” *Prosiding Seminar Nasional Teknik Kimia “Kejuangan”* (August):1–6.
- Yuwen, C., Liu, B., Zhang, H., Tian, S., Zhang, L., Guo, S., Zhou, B., 2022. Efficient recovery and regeneration of waste graphite through microwave stripping from



- spent batteries anode for high-performance lithium-ion batteries. *J. Clean. Prod.* 333, 130197. <https://doi.org/10.1016/j.jclepro.2021.130197>
- Zhang, C., He, R., Zhang, J., Hu, Y., Wang, Z., & Jin, X. (2018). Amorphous Carbon-Derived Nanosheet-Bricked Porous Graphite as High-Performance Cathode for Aluminum-Ion Batteries.. *ACS applied materials & interfaces*, 10 31, 26510-26516 . <https://doi.org/10.1021/acsami.8b07590>.
- Zhang, Zheming, Wenzhi He, Guangming Li, Jing Xia, Huikang Hu, Juwen Huang, and Shengbo Zhang. 2023. "Recovery of Lithium Cobalt Oxide Material from The Cathode of Spent Lithium-Ion Batteries." *ECS Electrochemistry Letters* 3(6):2014–17. doi: 10.1149/2.006406eel.
- Zhao, Y., Wang, H., Li, X., Yuan, X., Jiang, L., & Chen, X. (2021). Recovery of CuO/C catalyst from spent anode material in battery to activate peroxymonosulfate for refractory organic contaminants degradation. *Journal of Hazardous Materials*, 420, 126552. doi:10.1016/j.jhazmat.2021.126552
- Zhu, S., He, W., Li, G., Zhou, X., Zhang, X., Huang, J., 2012. Recovery of Co and Li from spent lithium-ion batteries by combination method of acid leaching and chemical precipitation. *Trans. Nonferrous Met. Soc. China* 22, 2274–2281. [https://doi.org/10.1016/S1003-6326\(11\)61460-X](https://doi.org/10.1016/S1003-6326(11)61460-X)
- Zhu, X., Xiao, J., Mao, Q., Zhang, Z., You, Z., Tang, L., Zhong, Q., 2022. A promising regeneration of waste carbon residue from spent Lithium-ion batteries via low-temperature fluorination roasting and water leaching. *Chem. Eng. J.* 430, 132703. <https://doi.org/10.1016/j.cej.2021.132703>
- Zribi, Z., Ktari, H.H., Herbst, F., Optasanu, V., Njah, N., 2019. EBSD, XRD and SRS characterization of a casting Al-7wt%Si alloy processed by equal channel angular extrusion: Dislocation density evaluation. *Materials Characterization* 153, 190–198. <https://doi.org/10.1016/j.matchar.2019.04.044>