

DAFTAR PUSTAKA

- Ahmed, A. F., Sukasem, C., Sabbah, M. A., Musa, N. F., Mohamed Noor, D. A., & Daud, N. A. (2021). Genetic Determinants in HLA and Cytochrome P450 Genes in the Risk of Aromatic Antiepileptic-Induced Severe Cutaneous Adverse Reactions. *Journal of personalized medicine*, 11(5), 383. doi:10.3390/jpm11050383
- Alomar, M. J. (2013). Factors affecting the development of adverse drug reactions (Review article). *Saudi Pharmaceutical Journal*, 22(2), 83-96. doi:10.1016/j.jsps.2013.02.003
- Amin, M. A. (2017). Klasifikasi Kelompok Umur Manusia Berdasarkan Analisis Dimensi Fraktal Box Counting Dari Citra Wajah Dengan Deteksi Tepi Canny. *MATHunnesa (Jurnal Ilmiah Matematika)*, 2(6).
- Bellón, T. (2019). Mechanisms of Severe Cutaneous Adverse Reactions: Recent Advances. *Drug Safety*. doi:10.1007/s40264-019-00825-2
- Calle, A. M., Aguirre, N., Ardila, J. C., & Villa, R. C. (2023). DRESS syndrome: A literature review and treatment algorithm. *World Allergy Organization Journal*, 16(3). doi:10.1016/j.waojou.2022.100673
- Chen, Y.-C., Chang, C.-Y., Cho, Y.-T., Chiu, H.-C., & Chu, C.-Y. (2013). Long-term sequelae of drug reaction with eosinophilia and systemic symptoms: A retrospective cohort study from Taiwan. *Journal of the American Academy of Dermatology*, 68(3), 459-465. doi:10.1016/j.jaad.2012.08.009
- Chen, Y.-C., Chang, Y.-T. C.-Y., & Chu, C.-Y. (2013). Drug reaction with eosinophilia and systemic symptoms: A drug-induced hypersensitivity syndrome ith variable clinical features. *Dermatologica Sinica*, 31(4), 197-204. doi:10.1016/j.dsi.2013.09.006
- Cho, Y.-T., Yang, C.-W., & Chu, C.-Y. (2017). Drug Reaction with Eosinophilia and Systemic Symptoms (DRESS): An Interplay among Drugs, Viruses, and Immune SYstem. *International Journal of Molecular Sciences*, 18(6), 1243. doi:10.3390%2Fijms18061243
- Coombs, R., & Gell, P. (1968). Classification of allergic reactions responsible for drug hypersensitivity reactions. *Clinical aspecs of ommunology*, 575-596.
- Danan, G., & Teschke, R. (2016). RUCAM in Drug and Herb Induced Liver Injury: The Update. *International Journal of Molecular Sciences*, 17(1), 14. doi:10.3390/ijms17010014
- David Brandariz, A. S., & Anton-Vazquez, V. (2017). Drug reaction with eosinophilia and systemic symptoms related to antiretroviral treatment in human immunodeficiency virus patients. *Indian Journal of Sexually Transmitted Diseases and AIDS*, 38(2), 163-170. doi:10.4103/ijstd.IJSTD_70_17

- De Martinis, M., Sirufo, M. M., & Ginaldi, L. (2017). Allergy and Aging: An Old/New Emerging Health Issue. *Aging and Disease*, 8(2), 162-. doi:10.14336/AD.2016.0831
- De, A., Rajagopalan, M., Sarda, A., Das, S., & Biswas, P. (2018). Drug Reaction with Eosinophilia and Systemic Symptoms: An Update and Review of Recent Literature. *Indian Journal of Dermatology*, 63(1), 30-40. doi:10.4103/ijd.IJD_582_17
- Galvani, R. S., Prof. Dr. Med. dr. Retno Danarti, S., & dr. Sri Awalia Febriana, M. S. (2021). Parameter Temuan Laboratorium sebagai Penentu Perjalanan Penyakit Drug Reactions with Eosinophilia and Systemic Symptoms (DRESS).
- Gomes, E. R., Brockow, K., Kuyucu, S., Saretta, F., Mori, F., Blanca-Lopez, N., . . . Terreehorst, I. (2016). Drug hypersensitivity in children: report from the pediatric task force of the EAACI Drug Allergy Interest Group. *Allergy*, 71(2), 149-161. doi:10.1111/all.12774
- Goutham, S., & Rajendran, N. (2019). Patterns of Cutaneous Drugs Reactions: A Review. *SBV Journal of Basic, Clinical and Applied Health Science*, 2(4), 134-137.
- Hoosen, K., Mosam, A., Dlova, N. C., & Grayson, W. (2019). An Update on Adverse Cutaneous Drug Reactions in HIV/AIDS. *Dermatopathology*, 6(2), 111-125. doi:10.1159/000496389
- James, W. D., Berger, T. G., & Elston, D. M. (2006). *Andrews' Disease of the skin: Clinical Dermatology* (10th ed.). Philadelphia: Saunders Elsevier.
- Kardaun, S., Sekula, P., Valeyrie-Allanore, L., Liss, Y., Chu, C., Creamer, D., . . . Roujeau, J. (2013). Drug reaction with eosinophilia and systemic symptoms (DRESS): an original multisystem adverse drug reaction. Results from the prospective RegiSCAR study. *British Journal of Dermatology*, 169, 1071-1080. doi:10.1111/bjd.12501
- Kardaun, S., Sidoroff, A., Allaore, L. V., Halevy, S., Davidivici, B., Mockenhaupt, M., & Roujeau, J. (2007). Variability in the clinical pattern of cutaneous side-effects of drugs with systemic symptoms: does a DRESS syndrome really exist? *British Journal of Dermatology*, 156(3), 609-611. doi:10.1111/j.1365-2133.2006.07704.x
- Kim, D.-H., & Koh, Y.-I. (2014). Comparison of Diagnostic Criteria and Determination of Prognostic Factors for Drug Reaction with Eosinophilia and Systemic Symptoms Syndrome. *Allergy, Asthma & Immunology Research*, 6(3), 216-221. doi:10.4168/aaair.2014.6.3.216
- Lekshmipriya, K., Pradeesh, A., Vasudevan, B., Dash, M., Sood, A., & Gera, V. (2023). An observational study of severe cutaneous adverse reactions at a

- tertiary care teaching hospital. *Medical journal, Armed Forces India*, 79(1), 209-2016. doi:10.1016/j.mjafi.2022.06.011
- Mallal, S., Phillips, E., Carosi, G., Molina, J.-M., Workman, C., Tomažič, J., . . . al., e. (2008). HLA-B*5701 Screening for Hypersensitivity to Abacavir. *The New England Journal of Medicine*, 358(6), 568-578. doi:10.1056/NEJMoa0706135
- Manieri, E., Dondi, A., Neri, I., & Lanari, M. (2023). Drug rash with eosinophilia and systemic symptoms (DRESS) syndrome in childhood: a narrative review. *Frontiers in medicine*, 10. doi:https://doi.org/10.3389%2Ffmed.2023.1108345
- Miyagawa, F., & Asada, H. (2021). Current Perspective Regarding the Immunopathogenesis of Drug-Induced Hypersensitivity Syndrome/Drug Reaction with Eosinophilia and Systemic Symptoms (DIHS/DRESS). *International Journal of Molecular Sciences*, 22(4), 2147. doi:https://doi.org/10.3390/ijms22042147
- Nama, Y., Park, M., Nam, H., Lee, S., Kim, K., Roh, M., . . . Son, C. (2015). Drug reaction with eosinophilia and systemic symptoms syndrome is not uncommon and shows better clinical outcome than generally recognised. *Allergologia et Immunopathologia*, 43(1), 19-24. doi:10.1016/j.aller.2013.08.003
- Nandha, R., Gupta, A., & Hashmi, A. (2011). Cutaneous adverse drug reactions in a tertiary care teaching hospital: A North Indian perspective. *International journal of applied & basic medical research*, 1(1), 50-53. doi:10.4103/2229-516X.81982
- Nayak, S., & Acharjya, B. (2008). Adverse Cutaneous Drug Reaction. *Indian Journal of Dermatology*, 53(1), 2-8. doi:10.4103/0019-5154.39732
- Oktarina, D. A., Sophiati, M., Moha, E. M., Waskito, F., & Soebono, H. (2021). A Five-Year Review of Adverse Cutaneous Drug Reaction in a Tertiary Care Hospital in Yogyakarta, Indonesia. *Berkala Ilmu Kesehatan Kulit dan Kelamin - Periodical of Dematology and Venereology*, 33(3), 150-155. doi:10.20473/bikk.V33.3.2021.150-155
- Perelló, M. I., Castro, A. d., Arraes, A. C., Conte, S., Pedrazzi, D. L., Dias, G. A., . . . Costa, E. (2022). Severe cutaneous adverse drug reactions:diagnostic approach and genetic study in a Brazillian case series. *European annals of allergy and clinical immunology*, 54(5), 207-217. doi:10.23822/EurAnnACI.1764-1489.193
- Piaserico, S., Larese, F., Recchia, G. P., Corradin, M. T., & al., e. (2004). Allergic contact sensitivity in elderly patients. *Aging Clinical and Experimental Research*, 16(3), 221-225. doi:10.1007/BF03327387

- Pichler, W. J. (2003). Delayed Drug Hypersensitivity Reactions. *Annals of Internal Medicine*, 139(8), 683-693. doi:10.7326/0003-4819-139-8-200310210-00012
- Posadas, S. J., & Pichler, W. J. (2007). Delayed drug hypersensitivity reactions - new concepts. *Clinical and Experimental Allergy*, 37(7), 989-999. doi:10.1111/j.1365-2222.2007.02742.x
- Rademarker, M. (2001). Do Women Have More Adverse Drug Reactions? *American Journal of Clinical Dermatology*, 2(6), 349-351. doi:10.2165/00128071-200102060-00001
- Ramirez, G. A., Ripa, M., Burastero, S., Benanti, G., Bagnasco, D., Nannipieri, S., . . . Castagna, A. (2023). Drug Reaction with Eosinophilia and Systemic Symptoms (DRESS): Focus on the Pathophysiological and Diagnostic Role of Viruses. *Microorganisms*, 11(2), 346. doi:10.3390/microorganisms11020346
- Ring, J., & Brockow, K. (2002). Adverse Drug Reactions: Mechanism and Assessment. *European Surgical Research*, 34(1-2), 170-175. doi:10.1159/000048905
- Rose, J., & Rao, P. G. (2006). Pattern of adverse drug reactions notified by spontaneous reporting in an Indian tertiary care teaching hospital. *Pharmacological Research*, 54(3), 226-233. doi:10.1016/j.phrs.2006.05.003
- S, C., AP, G., J, B., & SK, D. (2006). Adverse cutaneous drug reactions: a one year survey at a dermatology outpatient clinic of a tertiary care hospital. *Indian J Pharmacol*, 38(6), 429. doi:10.4103/0253-7613.28212
- Sasidharanpillai, S., Chathoth, A. T., Khader, A., Mariyath, O. K., Riyaz, N., Binitha, M. P., . . . T, M. H. (2019). Predictors of disease severity in drug reaction with eosinophilia and systemic symptoms. *Indian Journal of Dermatology, Venereology and Leprology*, 85(3), 266-275. doi:10.4103/ijdv.IJDVL_482_17
- Schunkert, E. M., & Divito, S. J. (2021). Updates and Insights in the Diagnosis and Management of DRESS Syndrome. *Current Dermatology Reports*, 10, 192-204. doi:10.1007/s13671-021-00348-z
- Sendrasoa, F. A., Imbelona, B. C., Razafimaharo, T. I., Ramarozatovo, L., & Rabenja, F. R. (2024). Clinical features of drug reaction with eosinophilia and systemic symptoms: A retrospective study in a reference centre of dermatology in Madagascar. *JEADV Clinical Practice*. doi:https://doi.org/10.1002/jvc2.438
- Sharifi, S., Caracciolo, G., Pozzi, D., Digiacomio, L., Swann, J., Daldrup-Link, H. E., & Mahmoudi, M. (2021). The role of sex as a biological variable in the

- efficacy and toxicity of therapeutic nanomedicine. *Advanced drug delivery reviews*, 174, 337-347. doi:10.1016/j.addr.2021.04.028
- Silva, M. D., Domingues, S. M., Oluic, S., Radovanovic, M., Kodela, P., Nordin, T., . . . Domic, I. (2023). Renal Manifestations of Drug Reaction with Eosinophilia and Systemic Symptoms (DRESS) Syndrome: A Systematic Review of 71 Cases. *Journal of Clinical Medicine*, 12(14), 4576. doi:10.3390/jcm12144576
- Tempark, T., John, S., Rerknimitr, P., Satampornpong, P., & Sukasem, C. (2022). Drug-Induced Severe Cutaneous Adverse Reactions: Insights Into Clinical Presentation, Immunopathogenesis, Diagnostic Methods, Treatment, and Pharmacogenomics. *Frontiers in Pharmacology*. doi:10.3389/fphar.2022.832048
- Tristiana, R. S., Perwitasari, D. A., & Febriana, S. A. (2020). Perbandingan Kualitas Hidup antara Pasien DRESS (Drug Reaction With Eosinophilia and Systemic Symptom) dan SJS (Steven Johnson Syndrome)/TEN (Toxic Epidermal Necrolysis) akibat Penggunaan Obat di RSUP Dr. Sardjito Yogyakarta. *Journal of Islamic Pharmacy*, 5(1), 5-10. doi:10.2147/PPA.S285256
- Vanini, A., & Hutomo, M. (2010). Manifestasi Klinis Sindroma DRESS (Drug Reaction with Eosinophilia and systemic Symptom). *BERKALA: Ilmu Penyakit Kulit dan Kelamin*, 22(1), 40-44.
- Ventura, M. T., Boni, E., Cecere, R., Buquicchio, R., Calogiuri, G. F., Martignago, I., . . . Ridolo, E. (2018). Importance of hypersensitivity in adverse reactions to drugs in the elderly. *Clinical and Molecular Allergy*, 16(7). doi:10.1186/s12948-018-0083-x
- Wolf, R., Orion, E., Marcos, B., & Matz, H. (2005). Life-threatening acute adverse cutaneous drug reactions. *Clinis in Dermatology*, 23, 171-181. doi:10.1016/j.clindermatol.2004.06.012