

DAFTAR PUSTAKA

- [1] K. Holmqvist, M. Nyström, R. Andersson, R. Dewhurst, J. Halszka, and J. van de Weijer, *Eye Tracking : A Comprehensive Guide to Methods and Measures*. United Kingdom: Oxford University Press, 2011.
- [2] C. Elmadjian, C. Gonzales, and C. H. Morimoto, “Eye movement classification with temporal convolutional networks,” in *Pattern Recognition. ICPR International Workshops and Challenges: Virtual Event, January 10–15, 2021, Proceedings, Part III*. Berlin, Heidelberg: Springer-Verlag, 2021, p. 390–404. [Online]. Available: https://doi.org/10.1007/978-3-030-68796-0_28
- [3] N. M. Arar, “Robust eye tracking based on adaptive fusion of multiple cameras,” Ph.D. dissertation, Swiss Federal Institute of Technology Lausanne, 2017.
- [4] M. M. Rahman, “A study of eye-tracking properties utilizing tobii eye tracker 5,” Master’s thesis, University of Gävle, Department of Electrical Engineering, Mathematics and Science, 2022.
- [5] J. Yan, L. Mu, L. Wang, R. Ranjan, and A. Y. Zomaya, “Temporal convolutional networks for the advance prediction of enso,” *Scientific reports*, vol. 10, no. 1, p. 8055, 2020.
- [6] Y. Zhang, P. Thorburn, and P. Fitch, *Multi-task Temporal Convolutional Network for Predicting Water Quality Sensor Data*, 12 2019, pp. 122–130.
- [7] Z. Shang, B. Zhang, W. Li, S. Qian, and J. Zhang, “Machine remaining life prediction based on multi-layer self-attention and temporal convolution network,” *Complex & Intelligent Systems*, vol. 8, no. 2, pp. 1409–1424, 2022.
- [8] R. Nugraheni, S. tono, and S. Winarni, “Infeksi nosokomial di rsud setjonegoro kabupaten wonosobo,” *MEDIA KESEHATAN MASYARAKAT INDONESIA*, vol. 11, no. 1, pp. 94–100, 2014. [Online]. Available: <https://ejournal.undip.ac.id/index.php/mkmi/article/view/6169>
- [9] R. Hughes, “Patient safety and quality: An evidence-based handbook for nurses,” 2008.
- [10] M. Z. Iqbal and A. G. Campbell, “From luxury to necessity: Progress of touchless interaction technology,” *Technology in Society*, vol. 67, p. 101796, 2021. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0160791X21002712>
- [11] L. E. Sibert and R. J. K. Jacob, “Evaluation of eye gaze interaction,” in *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*, ser. CHI ’00. New York, NY, USA: Association for Computing Machinery, 2000, p. 281–288. [Online]. Available: <https://doi.org/10.1145/332040.332445>
- [12] S. Wibirama, S. Murnani, and N. A. Setiawan, “Spontaneous gaze gesture interaction in the presence of noises and various types of eye movements,” in *ACM Symposium on Eye Tracking Research and Applications*, ser. ETRA ’20 Short Papers. New York, NY, USA: Association for Computing Machinery, 2020. [Online]. Available: <https://doi.org/10.1145/3379156.3391363>

- [13] D. H. Koh, S. Munikrishne Gowda, and O. V. Komogortsev, "Real time eye movement identification protocol," in *CHI '10 Extended Abstracts on Human Factors in Computing Systems*, ser. CHI EA '10. New York, NY, USA: Association for Computing Machinery, 2010, p. 3499–3504. [Online]. Available: <https://doi.org/10.1145/1753846.1754008>
- [14] M. Vidal, A. Bulling, and H. Gellersen, "Detection of smooth pursuits using eye movement shape features," in *Proceedings of the Symposium on Eye Tracking Research and Applications*, ser. ETRA '12. New York, NY, USA: Association for Computing Machinery, 2012, p. 177–180. [Online]. Available: <https://doi.org/10.1145/2168556.2168586>
- [15] R. Zemblys, D. C. Niehorster, O. Komogortsev, and K. Holmqvist, "Using machine learning to detect events in eye-tracking data," *Behavior Research Methods*, vol. 50, no. 1, p. 160–181, 2018.
- [16] W.-H. Liao, C.-W. Chang, and Y.-C. Wu, "Classification of reading patterns based on gaze information," in *2017 IEEE International Symposium on Multimedia (ISM)*, 2017, pp. 595–600.
- [17] S. Akshay, Y. J. Megha, and C. B. Shetty, "Machine learning algorithm to identify eye movement metrics using raw eye tracking data," in *2020 Third International Conference on Smart Systems and Inventive Technology (ICSSIT)*, 2020, pp. 949–955.
- [18] S. Hoppe and A. Bulling, "End-to-end eye movement detection using convolutional neural networks," *CoRR*, vol. abs/1609.02452, 2016. [Online]. Available: <http://arxiv.org/abs/1609.02452>
- [19] M. Startsev, I. Agtzidis, and M. Dorr, "1d cnn with blstm for automated classification of fixations, saccades, and smooth pursuits," *Behavior Research Methods*, Nov 2018. [Online]. Available: <https://doi.org/10.3758/s13428-018-1144-2>
- [20] T. Yu and H. Zhu, "Hyper-parameter optimization: A review of algorithms and applications," *CoRR*, vol. abs/2003.05689, 2020. [Online]. Available: <https://arxiv.org/abs/2003.05689>
- [21] K. Eggensperger, "Towards an empirical foundation for assessing bayesian optimization of hyperparameters," 2013. [Online]. Available: <https://api.semanticscholar.org/CorpusID:11699887>
- [22] L. Tani, D. Rand, C. Veelken, and M. Kadastik, "Evolutionary algorithms for hyperparameter optimization in machine learning for application in high energy physics," *The European Physical Journal C*, vol. 81, no. 2, Feb. 2021. [Online]. Available: <http://dx.doi.org/10.1140/epjc/s10052-021-08950-y>
- [23] D. Orive, G. Sorrosal, C. E. Borges, C. Martin, and A. Alonso-Vicario, "Evolutionary algorithms for hyperparameter tuning on neural networks models," 2014. [Online]. Available: <https://api.semanticscholar.org/CorpusID:202723124>
- [24] R. J. Leigh and D. S. Zee, *The Neurology of Eye Movements*. Oxford University Press, 06 2015. [Online]. Available: <https://doi.org/10.1093/med/9780199969289.001.0001>

- [25] O. V. Komogortsev and A. Karpov, "Automated classification and scoring of smooth pursuit eye movements in the presence of fixations and saccades," *Behavior Research Methods*, vol. 45, pp. 203–215, 2013. [Online]. Available: <https://api.semanticscholar.org/CorpusID:20458539>
- [26] T. Santini, W. Fuhl, T. C. Kübler, and E. Kasneci, "Bayesian identification of fixations, saccades, and smooth pursuits," *CoRR*, vol. abs/1511.07732, 2015. [Online]. Available: <http://arxiv.org/abs/1511.07732>
- [27] H. Nurlatifa, R. Hartanto, A. Ataka, and S. Wibirama, "Optimum object selection methods for spontaneous gaze-based interaction with linear and circular trajectories," *Results in Engineering*, vol. 21, p. 101769, 2024. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S2590123024000227>
- [28] A. T. Bahill, A. Brockenbrough, and B. T. Troost, "Variability and development of a normative data base for saccadic eye movements." *Investigative Ophthalmology Visual Science*, vol. 21, no. 1, pp. 116–125, 07 1981.
- [29] D. D. Salvucci and J. H. Goldberg, "Identifying fixations and saccades in eye-tracking protocols," in *Proceedings of the 2000 Symposium on Eye Tracking Research & Applications*, ser. ETRA '00. New York, NY, USA: Association for Computing Machinery, 2000, p. 71–78. [Online]. Available: <https://doi.org/10.1145/355017.355028>
- [30] S. Wibirama, S. Murnani, N. A. Setiawan, and H. Nurlatifa, "A survey of event detection methods for eye movements classification in smooth-pursuit-based interactive applications," in *2020 International Symposium on Community-centric Systems (CcS)*, 2020, pp. 1–6.
- [31] J. Pekkanen and O. Lappi, "A new and general approach to signal denoising and eye movement classification based on segmented linear regression," *Scientific reports*, vol. 7, no. 1, p. 17726, 2017.
- [32] *References*. John Wiley Sons, Ltd, 1994, pp. 489–554. [Online]. Available: <https://onlinelibrary.wiley.com/doi/abs/10.1002/9780470316870.refs>
- [33] M. Lüken, Š. Kucharský, and I. Visser, "Characterising eye movement events with an unsupervised hidden markov model," *Journal of Eye Movement Research*, vol. 15, no. 1, 2022.
- [34] J. H. Hsiao, H. Lan, Y. Zheng, and A. B. Chan, "Eye movement analysis with hidden markov models (emhmm) with co-clustering," *Behavior Research Methods*, vol. 53, no. 6, pp. 2473–2486, 2021.
- [35] M.-F. Balcan, "Data-driven algorithm design," *arXiv preprint arXiv:2011.07177*, 2020.
- [36] S. Bai, J. Z. Kolter, and V. Koltun, "An empirical evaluation of generic convolutional and recurrent networks for sequence modeling," *arXiv preprint arXiv:1803.01271*, 2018.

- [37] A. Darwish, A. E. Hassanien, and S. Das, "A survey of swarm and evolutionary computing approaches for deep learning," *Artificial intelligence review*, vol. 53, pp. 1767–1812, 2020.
- [38] K. Dilip, G. S. P. Ghantasala, M. Rathee, S. Kallam, and P. Bathla, "A brief comparative study of metaheuristic approaches for hyperparameter optimization of machine learning model," in *2023 International Conference on Computer Science and Emerging Technologies (CSET)*, 2023, pp. 1–5.
- [39] S. Verma, S. P. Sahu, and T. P. Sahu, "Stock market forecasting using hyperparameter-tuned ensemble model," in *2023 IEEE World Conference on Applied Intelligence and Computing (AIC)*, 2023, pp. 267–271.
- [40] A. Al-Hyari and M. Abu-Faraj, "Hyperparameters optimization of convolutional neural networks using evolutionary algorithms," in *2022 International Conference on Emerging Trends in Computing and Engineering Applications (ETCEA)*, 2022, pp. 1–6.
- [41] J. A. Vilensky, W. Robertson, and C. A. Suarez-Quian, *The clinical anatomy of the cranial nerves: the nerves of" on old Olympus towering top"*. John Wiley & Sons, 2015.
- [42] R. J. Leigh and D. S. Zee, *The neurology of eye movements*. Contemporary Neurology, 2015.
- [43] G. Kumar and S. T. L. Chung, "Characteristics of Fixational Eye Movements in People With Macular Disease," *Investigative Ophthalmology Visual Science*, vol. 55, no. 8, pp. 5125–5133, 08 2014. [Online]. Available: <https://doi.org/10.1167/iovs.14-14608>
- [44] J.-J. Orban de Xivry and P. Lefevre, "Saccades and pursuit: two outcomes of a single sensorimotor process," *The Journal of physiology*, vol. 584, no. 1, pp. 11–23, 2007.
- [45] J. N. Stember, H. Celik, D. Gutman, N. Swinburne, R. Young, S. Eskreis-Winkler, A. Holodny, S. Jambawalikar, B. J. Wood, P. D. Chang *et al.*, "Integrating eye tracking and speech recognition accurately annotates mr brain images for deep learning: proof of principle," *Radiology: Artificial Intelligence*, vol. 3, no. 1, p. e200047, 2020.
- [46] P. A. Punde, M. E. Jadhav, and R. R. Manza, "A study of eye tracking technology and its applications," in *2017 1st International Conference on Intelligent Systems and Information Management (ICISIM)*. IEEE, 2017, pp. 86–90.
- [47] J. M. Bland and D. G. Altman, "Statistics notes: measurement error," *Bmj*, vol. 312, no. 7047, p. 1654, 1996.
- [48] W. Burgard, *Artificial Intelligence: Key Technologies and Opportunities*, ser. Cambridge Law Handbooks. Cambridge University Press, 2022, p. 11–18.
- [49] S. J. Russell and P. Norvig, *Artificial intelligence a modern approach*. London, 2010.

- [50] R. Abbott, *Understanding Artificial Intelligence*. Cambridge University Press, 2020, p. 18–35.
- [51] A. W. Kiwelekar, G. S. Mahamunkar, L. D. Netak, and V. B. Nikam, “Deep learning techniques for geospatial data analysis,” *Machine Learning Paradigms: Advances in Deep Learning-based Technological Applications*, pp. 63–81, 2020.
- [52] M. Soori, B. Arezoo, and R. Dastres, “Artificial neural networks in supply chain management, a review,” *Journal of Economy and Technology*, vol. 1, pp. 179–196, 2023. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S2949948823000112>
- [53] S. K. Ashenden, A. Bartosik, P.-M. Agapow, and E. Semenova, “Chapter 2 - introduction to artificial intelligence and machine learning,” in *The Era of Artificial Intelligence, Machine Learning, and Data Science in the Pharmaceutical Industry*, S. K. Ashenden, Ed. Academic Press, 2021, pp. 15–26. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/B9780128200452000039>
- [54] R. C. Staudemeyer and E. R. Morris, “Understanding LSTM - a tutorial into long short-term memory recurrent neural networks,” *CoRR*, vol. abs/1909.09586, 2019. [Online]. Available: <http://arxiv.org/abs/1909.09586>
- [55] A. Graves, G. Wayne, and I. Danihelka, “Neural turing machines,” *CoRR*, vol. abs/1410.5401, 2014. [Online]. Available: <http://arxiv.org/abs/1410.5401>
- [56] T. Hastie, R. Tibshirani, J. H. Friedman, and J. H. Friedman, *The elements of statistical learning: data mining, inference, and prediction*. Springer, 2009, vol. 2.
- [57] S. Ruder, “An overview of gradient descent optimization algorithms,” *CoRR*, vol. abs/1609.04747, 2016. [Online]. Available: <http://arxiv.org/abs/1609.04747>
- [58] O. H. Rodríguez and J. M. Lopez Fernandez, “A semiotic reflection on the didactics of the chain rule,” *The Mathematics Enthusiast*, vol. 7, no. 2, pp. 321–332, 2010.
- [59] P. Christoffersen and K. Jacobs, “The importance of the loss function in option valuation,” *Journal of Financial Economics*, vol. 72, no. 2, pp. 291–318, 2004. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0304405X03002447>
- [60] Q. Wang, Y. Ma, K. Zhao, and Y. Tian, “A comprehensive survey of loss functions in machine learning,” *Annals of Data Science*, pp. 1–26, 2020.
- [61] C. Bishop, “Pattern recognition and machine learning,” *Springer google schola*, vol. 2, pp. 35–42, 2006.
- [62] U. Ruby and V. Yendapalli, “Binary cross entropy with deep learning technique for image classification,” *Int. J. Adv. Trends Comput. Sci. Eng.*, vol. 9, no. 10, 2020.
- [63] K. K. Gi, “Book review: Deep learning,” *hir*, vol. 22, no. 4, pp. 351–354, 2016. [Online]. Available: <http://www.e-sciencecentral.org/articles/?scid=1075818>

- [64] E. M. Dogo, O. J. Afolabi, N. I. Nwulu, B. Twala, and C. O. Aigbavboa, "A comparative analysis of gradient descent-based optimization algorithms on convolutional neural networks," in *2018 International Conference on Computational Techniques, Electronics and Mechanical Systems (CTEMS)*, 2018, pp. 92–99.
- [65] L. Deng, J. Li, J.-T. Huang, K. Yao, D. Yu, F. Seide, M. Seltzer, G. Zweig, X. He, J. Williams *et al.*, "Recent advances in deep learning for speech research at microsoft," in *2013 IEEE international conference on acoustics, speech and signal processing*. IEEE, 2013, pp. 8604–8608.
- [66] D. P. Kingma and J. Ba, "Adam: A method for stochastic optimization," *arXiv preprint arXiv:1412.6980*, 2014.
- [67] K. Fukushima, "A neural network model for selective attention in visual pattern recognition," *Biological Cybernetics*, vol. 55, no. 1, pp. 5–15, 1986.
- [68] Y. LeCun, Y. Bengio, and G. Hinton, "Deep learning," *nature*, vol. 521, no. 7553, pp. 436–444, 2015.
- [69] R. M. Schmidt, "Recurrent neural networks (rnns): A gentle introduction and overview," *arXiv preprint arXiv:1912.05911*, 2019.
- [70] A. Sherstinsky, "Fundamentals of recurrent neural network (rnn) and long short-term memory (lstm) network," *Physica D: Nonlinear Phenomena*, vol. 404, p. 132306, 2020.
- [71] C. Lea, M. D. Flynn, R. Vidal, A. Reiter, and G. D. Hager, "Temporal convolutional networks for action segmentation and detection," in *proceedings of the IEEE Conference on Computer Vision and Pattern Recognition*, 2017, pp. 156–165.
- [72] F. Yu and V. Koltun, "Multi-scale context aggregation by dilated convolutions," *arXiv preprint arXiv:1511.07122*, 2015.
- [73] J. Lederer, "Activation functions in artificial neural networks: A systematic overview," *arXiv preprint arXiv:2101.09957*, 2021.
- [74] S. R. Dubey, S. K. Singh, and B. B. Chaudhuri, "Activation functions in deep learning: A comprehensive survey and benchmark," *Neurocomputing*, 2022.
- [75] P. M. Radiuk, "Impact of training set batch size on the performance of convolutional neural networks for diverse datasets," 2017.
- [76] S. Ioffe and C. Szegedy, "Batch normalization: Accelerating deep network training by reducing internal covariate shift," in *International conference on machine learning*. pmlr, 2015, pp. 448–456.
- [77] S. Afaq and S. Rao, "Significance of epochs on training a neural network," *International Journal of Scientific & Technology Research*, vol. 9, pp. 485–488, 2020. [Online]. Available: <https://api.semanticscholar.org/CorpusID:225647672>
- [78] S. Salman and X. Liu, "Overfitting mechanism and avoidance in deep neural networks," *arXiv preprint arXiv:1901.06566*, 2019.

- [79] Z. Wang and S. Ji, “Smoothed dilated convolutions for improved dense prediction,” in *Proceedings of the 24th ACM SIGKDD International Conference on Knowledge Discovery & Data Mining*, 2018, pp. 2486–2495.
- [80] M.-A. Zöllner and M. F. Huber, “Benchmark and survey of automated machine learning frameworks,” *Journal of artificial intelligence research*, vol. 70, pp. 409–472, 2021.
- [81] R. Elshawi, M. Maher, and S. Sakr, “Automated machine learning: State-of-the-art and open challenges,” *arXiv preprint arXiv:1906.02287*, 2019.
- [82] L. Yang and A. Shami, “On hyperparameter optimization of machine learning algorithms: Theory and practice,” *Neurocomputing*, vol. 415, pp. 295–316, 2020.
- [83] Monica and P. Agrawal, “A survey on hyperparameter optimization of machine learning models,” in *2024 2nd International Conference on Disruptive Technologies (ICDT)*, 2024, pp. 11–15.
- [84] J. Bergstra, R. Bardenet, Y. Bengio, and B. Kégl, “Algorithms for hyper-parameter optimization,” *Advances in neural information processing systems*, vol. 24, 2011.
- [85] J. Bergstra and Y. Bengio, “Random search for hyper-parameter optimization.” *Journal of machine learning research*, vol. 13, no. 2, 2012.
- [86] P. I. Frazier, “A tutorial on bayesian optimization,” *arXiv preprint arXiv:1807.02811*, 2018.
- [87] L. Li, K. Jamieson, G. DeSalvo, A. Rostamizadeh, and A. Talwalkar, “Hyperband: A novel bandit-based approach to hyperparameter optimization,” *Journal of Machine Learning Research*, vol. 18, no. 185, pp. 1–52, 2018. [Online]. Available: <http://jmlr.org/papers/v18/16-558.html>
- [88] J. Wang, J. Xu, and X. Wang, “Combination of hyperband and bayesian optimization for hyperparameter optimization in deep learning,” *arXiv preprint arXiv:1801.01596*, 2018.
- [89] I. M. A. Mahesastra, I. D. M. B. A. Darmawan, and I. G. A. G. A. Kadyanan, “Klasifikasi gambar dalam dan luar ruangan dengan metode cnn dan hyperband,” *Jurnal Pengabdian Informatika*, vol. 1, no. 3, pp. 889–896, 2023.
- [90] X. Yu and M. Gen, *Introduction to evolutionary algorithms*. Springer Science & Business Media, 2010.
- [91] A. Lambora, K. Gupta, and K. Chopra, “Genetic algorithm- a literature review,” in *2019 International Conference on Machine Learning, Big Data, Cloud and Parallel Computing (COMITCon)*, 2019, pp. 380–384.
- [92] X. Xiao, M. Yan, S. Basodi, C. Ji, and Y. Pan, “Efficient hyperparameter optimization in deep learning using a variable length genetic algorithm,” *CoRR*, vol. abs/2006.12703, 2020. [Online]. Available: <https://arxiv.org/abs/2006.12703>
- [93] M. Sokolova, N. Japkowicz, and S. Szpakowicz, “Beyond accuracy, f-score and roc: a family of discriminant measures for performance evaluation,” in *Australasian joint conference on artificial intelligence*. Springer, 2006, pp. 1015–1021.



- [94] H. Dalianis and H. Dalianis, "Evaluation metrics and evaluation," *Clinical Text Mining: secondary use of electronic patient records*, pp. 45–53, 2018.
- [95] S. Yadav and S. Shukla, "Analysis of k-fold cross-validation over hold-out validation on colossal datasets for quality classification," in *2016 IEEE 6th International Conference on Advanced Computing (IACC)*, 2016, pp. 78–83.
- [96] A. Benavoli, G. Corani, and F. Mangili, "Should we really use post-hoc tests based on mean-ranks?" *Journal of Machine Learning Research*, vol. 17, no. 5, pp. 1–10, 2016. [Online]. Available: <http://jmlr.org/papers/v17/benavoli16a.html>
- [97] T. J. Cleophas and A. H. Zwinderman, *Paired Continuous Data (Paired T-Test, Wilcoxon Signed Rank Test)*. Cham: Springer International Publishing, 2016, pp. 31–36. [Online]. Available: https://doi.org/10.1007/978-3-319-27104-0_6
- [98] P. Mishra, C. M. Pandey, U. Singh, A. Gupta, C. Sahu, and A. Keshri, "Descriptive statistics and normality tests for statistical data," *Annals of Cardiac Anaesthesia*, vol. 22, pp. 67 – 72, 2019. [Online]. Available: <https://api.semanticscholar.org/CorpusID:58544321>