

DAFTAR PUSTAKA

- Abdel-Salam, M. S., Ameen, H. H., Soliman, G. M., Elkelany, U. S., & Asar, A. M. (2018). Improving the nematicidal potential of *Bacillus amyloliquefaciens* and *Lysinibacillus sphaericus* against the root-knot nematode *meloidogyne incognita* using protoplast fusion technique. *Egyptian Journal of Biological Pest Control*, 28(31), 211–216. <https://doi.org/10.1186/s41938-018-0034-3>
- Abdo, B., Tesfaye, W., & Shibbiru, T. (2017). Prevalence of Haemonchosis and Associated Risk Factors in Small Ruminants Slaughtered at Bishoftu ELFORA Export Abattoir, Ethiopia. *Journal of Natural Sciences Research Wwww.Iiste.Org ISSN*, 7(7), 48–52. www.iiste.org
- Ahmad, R. Z., & Tiffarent, R. (2020). Aspek Patologi Haemonchosis pada Kambing dan Domba. *Wartazoa*, 30(2), 91–102.
- Ahmed, I., Yokota, A., Yamazoe, A., & Fujiwara, T. (2007). Proposal of *Lysinibacillus boronitolerans* gen. nov. sp. nov., and transfer of *Bacillus fusiformis* to *Lysinibacillus fusiformis* comb. nov. and *Bacillus sphaericus* to *Lysinibacillus sphaericus* comb. nov. *International Journal of Systematic and Evolutionary Microbiology*, 57(5), 1117–1125. <https://doi.org/10.1099/ijms.0.63867-0>
- Ahsan, N., & Shimizu, M. (2021). *Lysinibacillus* species: Their potential as effective bioremediation, biostimulant, and biocontrol agents. *Reviews in Agricultural Science*, 9, 103–116. https://doi.org/10.7831/ras.9.0_103
- Alice, A. F., Pérez-Martínez, G., & Sánchez-Rivas, C. (2003). Phosphoenolpyruvate phosphotransferase system and N-acetylglucosamine metabolism in *Bacillus sphaericus*. *Microbiology*, 149(7), 1687–1698. <https://doi.org/10.1099/mic.0.26231-0>
- Allievi, Claudia, M., Florencia, S., Mariano, P. A., Mercedes, P. M., Ruzal, S. M., & Carmen, S. R. (2011). Metal biosorption by surface-layer proteins from *Bacillus* species. *Journal of Microbiology and Biotechnology*, 21(2), 147–153. <https://doi.org/10.4014/jmb.1009.09046>
- Allievi, M. C., Palomino, M. M., Acosta, M. P., Lanati, L., Ruzal, S. M., & Sánchez-Rivas, C. (2014). Contribution of S-layer proteins to the mosquitocidal activity of *Lysinibacillus sphaericus*. *PLoS ONE*, 9(10). <https://doi.org/10.1371/journal.pone.0111114>
- Almog, O., González, A., Klein, D., Greenblatt, H. M., Braun, S., & Shoham, G. (2003). The 0.93 Å crystal structure of sphericase: A calcium-loaded serine protease from *Bacillus sphaericus*. *Journal of Molecular Biology*, 332(5), 1071–1082. <https://doi.org/10.1016/j.jmb.2003.07.011>

- Arifin, K., Kusnoto, K., Yudhana, A., Sunarso, A., Purnama, M. T. E., & Praja, R. N. (2019). Prevalensi Haemonchiasis Pada Kambing Peranakan Etawah di Kecamatan Kalipuro, Banyuwangi. *Jurnal Medik Veteriner*, 2(2), 108. <https://doi.org/10.20473/jmv.vol2.iss2.2019.108-111>
- Arsenopoulos, K. V., Katsarou, E. I., Mendoza Roldan, J. A., Fthenakis, G. C., & Papadopoulos, E. (2022). *Haemonchus contortus* Parasitism in Intensively Managed Cross-Limousin Beef Calves: Effects on Feed Conversion and Carcass Characteristics and Potential Associations with Climatic Conditions. *Pathogens*, 11(9). <https://doi.org/10.3390/pathogens11090955>
- Baihaqi, Z. A., Nurcahyo, W., & Widiyono, I. (2020). Prevalence naturally infected gastrointestinal parasites and complete blood count condition on wonosobo sheep at wonosobo district, central java, indonesia. *Biodiversitas*, 21(7), 3057–3061. <https://doi.org/10.13057/biodiv/d210724>
- Barros, C. P., Guimarães, J. T., Esmerino, E. A., Duarte, M. C. K., Silva, M. C., Silva, R., Ferreira, B. M., Sant'Ana, A. S., Freitas, M. Q., & Cruz, A. G. (2020). Paraprobiotics and postbiotics: concepts and potential applications in dairy products. *Current Opinion in Food Science*, 32, 1–8. <https://doi.org/10.1016/j.cofs.2019.12.003>
- Belina, D., Giri, A., Mengistu, S., & Eshetu, A. (2017). Gastrointestinal Nematodes in Ruminants: The Parasite Burden, Associated Risk Factors and Anthelmintic Utilization Practices in Selected Districts of East and Western Hararghe, Ethiopia. *Journal of Veterinary Science & Technology*, 08(02), 1–7. <https://doi.org/10.4172/2157-7579.1000433>
- Berry, C. (2012). The bacterium, *Lysinibacillus sphaericus*, as an insect pathogen. *Journal of Invertebrate Pathology*, 109(1), 1–10. <https://doi.org/10.1016/j.jip.2011.11.008>
- Besier, R. B., Kahn, L. P., Sargison, N. D., & Van Wyk, J. A. (2016). The Pathophysiology, Ecology and Epidemiology of *Haemonchus contortus* Infection in Small Ruminants. In *Advances in Parasitology* (Vol. 93). Elsevier Ltd. <https://doi.org/10.1016/bs.apar.2016.02.022>
- Bone, L. W. (1989). 4781922 Control of parasitic nematode ova with bacillus *sphaericus*. *Biotechnology Advances*, 7(1), 103. [https://doi.org/10.1016/0734-9750\(89\)91078-1](https://doi.org/10.1016/0734-9750(89)91078-1)
- Bone, L. W., & Tinelli, R. (1987). *Trichostrongylus colubriformis*: Larvicidal activity of toxic extracts from *Bacillus sphaericus* (strain 1593) spores. *Experimental Parasitology*, 64(3), 514–516. [https://doi.org/10.1016/0014-4894\(87\)90066-X](https://doi.org/10.1016/0014-4894(87)90066-X)
- Brink, B. (2016). Brink, B. Urease Test Protocol. American Society for

- Microbiology, (November 2010), 1–10. *American Society for Microbiology*, 1–7.
- Buxton, R. (2005). Blood Agar Plates and Hemolysis Protocols. *American Society for Microbiology*, 1–9. www.asmscience.org
- Cabardo, D. E., & Portugaliza, H. P. (2017). Anthelmintic activity of *Moringa oleifera* seed aqueous and ethanolic extracts against *Haemonchus contortus* eggs and third stage larvae. *International Journal of Veterinary Science and Medicine*, 5(1), 30–34. <https://doi.org/10.1016/j.ijvsm.2017.02.001>
- Cappallo, M., Bungiro, R. D., Harrison, L. M., Bischof, L. J., Griffiths, J. S., Barrows, B. D., & Aroian, R. V. (2006). A purified *Bacillus thuringiensis* crystal protein with therapeutic activity against the hookworm parasite *Ancylostoma ceylanicum*. *Proceedings of the National Academy of Sciences of the United States of America*, 103(41), 15154–15159. <https://doi.org/10.1073/pnas.0607002103>
- Carpusca, I., Jank, T., & Aktories, K. (2006). *Bacillus sphaericus* mosquitocidal toxin (MTX) and pierisin: The enigmatic offspring from the family of ADP-ribosyltransferases. *Molecular Microbiology*, 62(3), 621–630. <https://doi.org/10.1111/j.1365-2958.2006.05401.x>
- Cavados, C. de F. G., Pires, E. S., Chaves, J. Q., Alvarez, D. N., & Gil, H. B. (2017). Isolation and genetic characterization of *Lysinibacillus sphaericus* strains found in mosquito larvae (Diptera: Culicidae). *Research and Reports in Tropical Medicine*, 8, 17–20.
- Chantarasiri, A., & Boontanom, P. (2021). Isolation and characterization of *Lysinibacillus sphaericus* BR2308 from coastal wetland in Thailand for the biodegradation of lignin Isolation and characterization of *Lysinibacillus sphaericus* BR2308 from coastal wetland in Thailand for the biodegradation. *AAFL Bioflux*, 10(2), 200–209.
- Charlier, J., Rinaldi, L., Musella, V., Ploeger, H. W., Chartier, C., Vineer, H. R., Hinney, B., von Samson-Himmelstjerna, G., Băcescu, B., Mickiewicz, M., Mateus, T. L., Martinez-Valladares, M., Quealy, S., Azaizeh, H., Sekovska, B., Akkari, H., Petkevicius, S., Hektoen, L., Höglund, J., ... Claerebout, E. (2020). Initial assessment of the economic burden of major parasitic helminth infections to the ruminant livestock industry in Europe. *Preventive Veterinary Medicine*, 182(March), 105103. <https://doi.org/10.1016/j.prevetmed.2020.105103>
- Christian, K. A., Brice, V. M. A., Nicaise, M. S., Doria, K.-O. M., & Etienne, N. (2018). The Genus *Lysinibacillus*: Versatile Phenotype and Promising Future. *International Journal of Science and Research (IJSR)*, 8(1), 1238–1242. <https://doi.org/10.21275/ART20194281>

- Cinar, H. N., Kothary, M., Datta, A. R., Tall, B. D., Sprando, R., Bilecen, K., Yildiz, F., & Mccardell, B. (2010). *Vibrio cholerae* Hemolysin Is Required for Lethality , Developmental Delay , and Intestinal Vacuolation in *Caenorhabditis elegans*. *PLoS ONE*, 5(7), 1–9. <https://doi.org/10.1371/journal.pone.0011558>
- Ciordia, H., & Bizzell, W. E. (1961). A preliminary report on the effects of *Bacillus thuringiensis* var. *thuringiensis* Berliner on the development of the free-living stages of some cattle nematodes. *Journal of Parasitology*, 47(41).
- Daniel-Gómez, M., & Dussán, J. (2020). Assessment of the synergic effect between *lysinibacillus sphaericus* s-layer protein and glyphosate in the lethality of the invasive arboviral vector *aedes albopictus*. *Insects*, 11(11), 1–11. <https://doi.org/10.3390/insects11110793>
- de Almada, C. N., Almada, C. N., Martinez, R. C. R., & Sant'Ana, A. S. (2016). Paraprobiotics: Evidences on their ability to modify biological responses, inactivation methods and perspectives on their application in foods. *Trends in Food Science and Technology*, 58, 96–114. <https://doi.org/10.1016/j.tifs.2016.09.011>
- De Graef, J., Claerebout, E., & Geldhof, P. (2013). Anthelmintic resistance of gastrointestinal cattle nematodes. *Vlaams Diergeneeskundig Tijdschrift*, 82(3), 113–123. <https://doi.org/10.21825/vdt.v82i3.16703>
- Elham, N., D, M. N., & Elahe, M. (2022). Selective Cytotoxic effect of Probiotic , Paraprobiotic and Postbiotics of *L. casei* strains against Colorectal Cancer Cells : Invitro studies. *Brazilian Journal of Pharmaceutical Sciences*, 58, 1–11.
- FAO. (1991). *Food Losses Due to Non-infectious and Production Diseases in Developing Countries*.
- Fetterer, R. H., & Rhoads, M. L. (1993). Biochemistry of the nematode cuticle: relevance to parasitic nematodes of livestock. *Veterinary Parasitology*, 46, 103–111.
- Fetterer, R. H., Urban, J. F., & Miller, R. W. (1989). Effects of the chitin synthesis inhibitor diflubenzuron on development of *Ascaris suum* and *Haemonchus contortus*. *Veterinary Parasitology*, 32(2–3), 181–192. [https://doi.org/10.1016/0304-4017\(89\)90119-2](https://doi.org/10.1016/0304-4017(89)90119-2)
- Flay, K. J., Hill, F. I., & Muguiro, D. H. (2022). A Review: *Haemonchus contortus* Infection in Pasture-Based Sheep Production Systems, with a Focus on the Pathogenesis of Anaemia and Changes in Haematological Parameters. *Animals*, 12(10). <https://doi.org/10.3390/ani12101238>

- From, C., Granum, P. E., & Hardy, S. P. (2008). Demonstration of a cholesterol-dependent cytolysin in a noninsecticidal *Bacillus sphaericus* strain and evidence for widespread distribution of the toxin within the species. *FEMS Microbiology Letters*, 286(1), 85–92. <https://doi.org/10.1111/j.1574-6968.2008.01256.x>
- Guo, Q., Ding, L., Gao, Y., Niu, Y., & Dai, X. (2021). Cys183 and Cys258 in Cry49Aa toxin from *Lysinibacillus sphaericus* are essential for toxicity to *Culex quinquefasciatus* larvae. *Archives of Microbiology*, 203(7), 4587–4592. <https://doi.org/10.1007/s00203-021-02436-x>
- Guo, Q. Y., Hu, X. M., Cai, Q. X., Yan, J. P., & Yuan, Z. M. (2016). Interaction of *Lysinibacillus sphaericus* Cry48Aa/Cry49Aa toxin with midgut brush-border membrane fractions from *Culex quinquefasciatus* larvae. *Insect Molecular Biology*, 25(2), 163–170. <https://doi.org/10.1111/imb.12209>
- Haryuningtyas, D., & Berijaya. (2002). Metode Deteksi Resistensi Terhadap Antelmintik Pada Domba Dan Kambing. *WARTAZOA*, 12(2), 72–79.
- Hasnudi, Patriani, P., Ginting, N., & Siregar, G. A. W. (2018). *Pengelolaan Ternak Kambing Dan Domba Edisi 2* (Issue May 2020).
- Hassanain, M. A., El-Assal, F. M., Abdel-Rahman, E. H., & Khalifa, R. M. (2010). Effect of *Bacillus thuringiensis* Var *Kurstaki* on The Ultra Structure of Mature *Fasciola gigantica* Flukes in Egypt. *Acta Parasitologica Globalia*, 1(1), 6–14.
- Hayati, Z., Puspita, I., & Kunci, K. (2012). Pola dan Sensitivitas Antibiotik Bakteri Yang Berpotensi Sebagai Penyebab Infeksi Nosokomial di Ruang Rawat Bedah RSUDZA Banda Aceh Pattern and Antibiotics ' Sensitivity of Bacteria Potentially Causing Nosocomial Infection at Surgical Wards , RSUDZA , Ban. *Jurnal Kedokteran Yarsi*, 20(3), 158–166.
- Holt, J. G., Krieg, N. R., Sneath, P. H. A., & Staley, J. T. (1994). *Bergey's manual of determinative bacteriology* (9th ed.). The Williams & Wilkins Company. [https://scholar.google.com/scholar_lookup?title=Bergey%27s manual of determinative bacteriology&author=J.G. Holt&publication_year=1994](https://scholar.google.com/scholar_lookup?title=Bergey%27s+manual+of+determinative+bacteriology&author=J.G.+Holt&publication_year=1994)
- Hynönen, U., & Palva, A. (2013). Lactobacillus surface layer proteins: Structure, function and applications. *Applied Microbiology and Biotechnology*, 97(12), 5225–5243. <https://doi.org/10.1007/s00253-013-4962-2>
- Ilk, N., Egelseer, E. M., & Sleytr, U. B. (2011). S-layer fusion proteins-construction principles and applications. *Current Opinion in Biotechnology*, 22(6), 824–831. <https://doi.org/10.1016/j.copbio.2011.05.510>
- Jiwintarum, Y., Diarti, M. W., & Zeniati, B. L. (2021). Variasi Suhu Inkubasi

Mempengaruhi Jumlah Sel Vegetatif Dan Spora *Bacillus Sphaericus*
Incubation Temperature Variation Affecting the Number of Vegetative Cells
and Spora *Bacillus Sphaericus* 1 Poltekkes Kemenkes Mataram 2 Instalasi
Litbang RSUP NTB. *Jurnal Ilmu Kesehatan*, 15(1), 76–83.

Jung, S., An, K., Jin, Y., Park, R., Kim, K., Shon, B., & Kim, T. (2002). Effect of Chitinase-Producing *Paenibacillus illinoisensis* KJA-424 on Egg Hatching of Root-Knot Nematode (*Meloidogyne incognita*). *Journal of Microbiology and Biotechnology*, 12(6), 865–871.

Kamilya, D., Baruah, A., Sangma, T., Chowdhury, S., & Pal, P. (2015). Inactivated Probiotic Bacteria Stimulate Cellular Immune Responses of Catla, *Catla catla* (Hamilton) In Vitro. *Probiotics and Antimicrobial Proteins*, 7(2), 101–106. <https://doi.org/10.1007/s12602-015-9191-9>

Kotze, A. C., & Prichard, R. K. (2016). Anthelmintic Resistance in *Haemonchus contortus*. History, Mechanisms and Diagnosis. In *Advances in Parasitology* (Vol. 93). Elsevier Ltd. <https://doi.org/10.1016/bs.apar.2016.02.012>

Lalthanpuii, P. B., & Lalchandama, K. (2020). Scanning Electron Microscopic Study of the Anthelmintic Effects of Some Anthelmintic Drugs on Poultry Nematode, *Ascaridia galli*. *Advances in Animal and Veterinary Sciences*, 8(7), 788–793. <https://doi.org/10.17582/journal.aavs/2020/8.8.788.793>

Li, H., Abraham, A., Gazzola, D., Hu, Y., Beamer, G., Flanagan, K., Soto, E., Rus, F., & Aroian, V. (2021). Recombinant Paraprobiotics as a New Paradigm for Treating Gastrointestinal Nematode Parasites of Humans. *Antimicrobial Agents and Chemotherapy*, 65(3), 1–15.

Luo, X., Chen, L., Huang, Q., Zheng, J., Zhou, W., Peng, D., Ruan, L., & Sun, M. (2013). *Bacillus thuringiensis* Metalloproteinase Bmp1 Functions as a Nematicidal Virulence Factor. *Applied and Environmental Microbiology*, 79(2), 460–468. <https://doi.org/10.1128/AEM.02551-12>

Martínez-Ortíz-de-Montellano, C., Arroyo-López, C., Fourquaux, I., Torres-Acosta, J. F. J., Sandoval-Castro, C. A., & Hoste, H. (2013). Scanning electron microscopy of *Haemonchus contortus* exposed to tannin-rich plants under in vivo and in vitro conditions. *Experimental Parasitology*, 133(3), 281–286. <https://doi.org/10.1016/j.exppara.2012.11.024>

Martinez, S. A., & Dussán, J. (2017). *Lysinibacillus sphaericus* Plant Growth Promoter Bacteria and Lead Phytoremediation Enhancer with *Canavalia ensiformis*. *Environmental Progress & Sustainable Energy*, 37, 276–282. <https://doi.org/10.1002/ep>

Mekonnen, G. (2021). A Review on Gastrointestinal Nematodes in Small Ruminants. *Advances in Applied Science Research*, 12(7), 32.

<https://www.imedpub.com/advances-in-applied-science-research/>

- Mushonga, B., Habumugisha, D., Kandiwa, E., Madzingira, O., Samkange, A., Segwagwe, B. E., & Jaja, I. F. (2018). Prevalence of *Haemonchus contortus* Infections in Sheep and Goats in Nyagatare District, Rwanda. *Journal of Veterinary Medicine*, 2018, 1–9. <https://doi.org/10.1155/2018/3602081>
- Nataraj, B. H., Ali, S. A., Behare, P. V., & Yadav, H. (2020). Postbiotics-parabiotics: The new horizons in microbial biotherapy and functional foods. *Microbial Cell Factories*, 19(1), 1–22. <https://doi.org/10.1186/s12934-020-01426-w>
- Nazish, A., Khattak, B., Khan, T. A., Ahmad, I., Ullah, R., Bari, A., Asmari, M. M., Mahmood, H. M., Sohaib, M., Askary, A. El, & El-kott, A. F. (2021). Antinematode Activity of Abomasum Bacterial Culture Filtrates against *Haemonchus contortus* in Small Ruminants. *Animals*, 11(1843), 1–17.
- Nishiwaki, H., Nakashima, K., Ishida, C., Kawamura, T., & Matsuda, K. (2007). Cloning, functional characterization, and mode of action of a novel insecticidal pore-forming toxin, sphaericolysin, produced by *Bacillus sphaericus*. *Applied and Environmental Microbiology*, 73(10), 3404–3411. <https://doi.org/10.1128/AEM.00021-07>
- Niu, Q., Huang, X., Zhang, L., Xu, J., Yang, D., Wei, K., & Niu, X. (2010). A Trojan horse mechanism of bacterial pathogenesis against nematodes. *107(38)*, 1–6. <https://doi.org/10.1073/pnas.1007276107>
- Park, H. W., Bideshi, D. K., & Federici, B. A. (2010). Properties and applied use of the mosquitocidal bacterium, *Bacillus sphaericus*. *Journal of Asia-Pacific Entomology*, 13(3), 159–168. <https://doi.org/10.1016/j.aspen.2010.03.002>
- Pavkov-Keller, T., Howorka, S., & Keller, W. (2011). The structure of bacterial S-layer proteins. In *Progress in Molecular Biology and Translational Science* (1st ed., Vol. 103). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-415906-8.00004-2>
- Pineda-Alegría, J. A., Sánchez-Vázquez, J. E., González-Cortazar, M., Zamilpa, A., López-Arellano, M. E., Cuevas-Padilla, E. J., Mendoza-de-Gives, P., & Aguilar-Marcelino, L. (2017). The Edible Mushroom *Pleurotus djamora* Produces Metabolites with Lethal Activity Against the Parasitic Nematode *Haemonchus contortus*. *Journal of Medicinal Food*, 20(12), 1184–1192. <https://doi.org/10.1089/jmf.2017.0031>
- Poopathi, S., & Abidha, S. (2010). Mosquitocidal bacterial toxins (*Bacillus sphaericus* and *Bacillus thuringiensis* serovar *israelensis*): Mode of action , cytopathological effects and mechanism of resistance. *Journal of Physiology and Pathophysiology*, 1(November), 22–38.

- Potârniche, A. V., Mickiewicz, M., Olah, D., Cerbu, C., Spînu, M., Hari, A., Györke, A., Moroz, A., Czopowicz, M., Várady, M., & Kaba, J. (2021). First report of anthelmintic resistance in gastrointestinal nematodes in goats in Romania. *Animals*, *11*(10), 1–12. <https://doi.org/10.3390/ani11102761>
- Pum, D., Breitwieser, A., & Sleytr, U. B. (2021). Patterns in nature—S-layer lattices of bacterial and archaeal cells. *Crystals*, *11*(8), 1–17. <https://doi.org/10.3390/cryst11080869>
- Reiner, K. (2012). Carbohydrate Fermentation Protocol. *American Society for Microbiology*, 1–10.
- Reiner, K. (2013). *Catalase Test Protocol. November 2010*, 1–9. <http://www.microbelibrary.org/library/laboratory-test/3226-catalase-test-protocol>
- Riaz, M. A., Adang, M. J., Hua, G., Rezende, T. M. T., Rezende, A. M., & Shen, G. M. (2020). Identification of *Lysinibacillus sphaericus* Binary toxin binding proteins in a malarial mosquito cell line by proteomics: A novel approach towards improving mosquito control. *Journal of Proteomics*, *227*(July), 103918. <https://doi.org/10.1016/j.jprot.2020.103918>
- Rinaldi, L., Catelan, D., Musella, V., Cecconi, L., Hertzberg, H., Torgerson, P. R., Mavrot, F., de Waal, T., Selemetas, N., Coll, T., Bosco, A., Biggeri, A., & Cringoli, G. (2015). *Haemonchus contortus*: Spatial risk distribution for infection in sheep in Europe. *Geospatial Health*, *9*(2), 325–331. <https://doi.org/10.4081/gh.2015.355>
- Riou, M., Guégnard, F., Vern, Y. Le, Grasseau, I., Koch, C., Blesbois, E., & Kerboeuf, D. (2020). Effects of cholesterol content on activity of P-glycoproteins and membrane physical state, and consequences for anthelmintic resistance in the nematode *Haemonchus contortus*. *Parasite*, *27*(3), 1–13.
- Rojas-Pinzón, P. A., & Dussán, J. (2017a). Contribution of *Lysinibacillus sphaericus* hemolysin and chitin-binding protein in entomopathogenic activity against insecticide resistant *Aedes aegypti*. *World Journal of Microbiology and Biotechnology*, *33*(10), 1–9. <https://doi.org/10.1007/s11274-017-2348-9>
- Rojas-Pinzón, P. A., & Dussán, J. (2017b). Efficacy of the vegetative cells of *Lysinibacillus sphaericus* for biological control of insecticide-resistant *Aedes aegypti*. *Parasites and Vectors*, *10*(1), 1–8. <https://doi.org/10.1186/s13071-017-2171-z>
- Sambodo, P., Prastowo, J., & Indarjulianto, S. (2018). MORPHOLOGY AND MORPHOMETRY OF *Haemonchus contortus* IN GOATS IN

YOGYAKARTA , INDONESIA. *Jurnal Kedokteran Hewan*, 12(September), 62–65.

- Sambodo, P., Prastowo, J., Kurniasih, K., & Indarjulianto, S. (2018). In vitro potential anthelmintic activity of *Biophytum petersianum* on *Haemonchus contortus*. *Veterinary World*, 11(1), 1–4. <https://doi.org/10.14202/vetworld.2018.1-4>
- Sanders, J., Xie, Y., Gazzola, D., Li, H., Abraham, A., Flanagan, K., Rus, F., Miller, M., Hu, Y., Guynn, S., Draper, A., Vakalapudi, S., Petersson, K. H., Zarlenga, D., Li, R. W., Urban, J. F., Ostroff, G. R., Zajac, A., & Aroian, R. V. (2020). A new paraprobiotic-based treatment for control of *Haemonchus contortus* in sheep. *International Journal for Parasitology: Drugs and Drug Resistance*, 14(November), 230–236. <https://doi.org/10.1016/j.ijpddr.2020.11.004>
- Sañudo, A. I., Luque, R., Díaz-Ropero, M. P., Fonollá, J., & Bañuelos, Ó. (2017). In vitro and in vivo anti-microbial activity evaluation of inactivated cells of *Lactobacillus salivarius* CECT 5713 against *Streptococcus mutans*. *Archives of Oral Biology*, 84(September), 58–63. <https://doi.org/10.1016/j.archoralbio.2017.09.014>
- Shadduck, J. A., Singer, S., & Lause, S. (1980). Lack of Mammalian Pathogenicity of Entomocidal Isolates of *Bacillus sphaericus*. *Environmental Entomology*, 9(4), 403–407. <https://doi.org/10.1093/ee/9.4.403>
- Sharma, M., & Kumar, V. (2022). Mosquito-larvicidal Binary (BinA/B) proteins for mosquito control programs —advancements, challenges, and possibilities. *Current Research in Insect Science*, 2(December 2021), 100028. <https://doi.org/10.1016/j.cris.2021.100028>
- Shields, P., & Cathcart, L. (2013). Oxidase Test Protocol - Library. *American Society for Microbiology, ASM MicrobeLibrary, November 2010*, 1–5. <http://www.microbelibrary.org/library/laboratory-test/3229-oxidase-test-protocol>
- Shimotahira, N., Oogai, Y., Kawada-Matsuo, M., Yamada, S., Fukutsuji, K., Nagano, K., Yoshimura, F., Noguchi, K., & Komatsuzawa, H. (2013). The surface layer of *Tannerella forsythia* contributes to serum resistance and oral bacterial coaggregation. *Infection and Immunity*, 81(4), 1198–1206. <https://doi.org/10.1128/IAI.00983-12>
- Silva Filha, M. H. N. L., Berry, C., & Regis, L. (2014). *Lysinibacillus sphaericus*: Toxins and Mode of Action, Applications for Mosquito Control and Resistance Management. In *Advances in Insect Physiology* (Vol. 47). <https://doi.org/10.1016/B978-0-12-800197-4.00003-8>
- Sinott, M. C., De Castro, L. L. D., Leite, F. L. L., Gallina, T., De-Souza, M. T.,

- Santos, D. F. L., & Leite, F. P. L. (2016). Larvicidal activity of *Bacillus circulans* against the gastrointestinal nematode *Haemonchus contortus* in sheep. *Journal of Helminthology*, *90*(1), 68–73. <https://doi.org/10.1017/S0022149X14000844>
- Smith, A., & Hussey, M. (2005). Gram Stain Protocols. *American Society for Microbiology*, 1–9. www.asmscience.org
- Soares, A. M. S., Oliveira, J. T. A., Rocha, C. Q., Ferreira, A. T. S., Perales, J., Zanatta, A. C., Vilegas, W., Silva, C. R., & Costa-Junior, L. M. (2018). Myracrodruon urundeuva seed exudates proteome and anthelmintic activity against *Haemonchus contortus*. *PLoS ONE*, *13*(7), 1–12. <https://doi.org/10.1371/journal.pone.0200848>
- Sohail, M., Rafiq, A., Naeem, M., Shahid, A., Rehman, H., Usama, M., & Izhar, M. (2021). Effects of Different Types of Microbes on Blood Cells , Current Perspectives and Future Directions. *Saudi Journal of Medical and Pharmaceutical Sciences*, *7*(1), 1–6. <https://doi.org/10.36348/sjmps.2021.v07i01.001>
- Soliman, G. M., Ameen, H. H., & Abdel-aziz, S. M. (2019). In vitro evaluation of some isolated bacteria against the plant parasite nematode *Meloidogyne incognita*. *Bulletin of The National Research Centre*, *43*(171), 1–7.
- Soulsby, E. J. . (1965). *Textbook of Veterinary Clinical Parasitology Vol.1*. Blackwell Scientific Publication.
- Sumarsih, S., Hadi, S., Fatimah, Fitri, R. D., & Illavi, G. (2024). *Lysinibacillus sphaericus* Isolated from Palm Oil Waste Land as Lipase Producer. *Hayati Journal of Bioscience*, *31*(3), 425–431. <https://doi.org/10.4308/hjb.31.3.425-431>
- Suryadi, B. F., Yanuwadi, B., Ardyati, T., & Suharjo. (2015). Isolation of *Bacillus sphaericus* from Lombok island, Indonesia, and their toxicity against *Anopheles aconitus*. *International Journal of Microbiology*, *2015*. <https://doi.org/10.1155/2015/854709>
- Suryadi, B. F., Yanuwadi, B., Ardyati, T., & Suharjo, S. (2016). Evaluation of entomopathogenic *Bacillus sphaericus* isolated from Lombok beach area against mosquito larvae. *Asian Pacific Journal of Tropical Biomedicine*, *6*(2), 148–154. <https://doi.org/10.1016/j.apjtb.2015.10.013>
- Tak, I.-R., Ali Dar, S., Shafi Dar, J., Ganai, B., Chishti, M., & Ahmad, F. (2014). A Brief Study of Morphology of *Haemonchus contortus* and its Hematophagous Behaviour. *Global Veterinaria*, *13*(6), 960–965. <https://doi.org/10.5829/idosi.gv.2014.13.06.9118>

- Tangsongcharoen, C., Chomane, N., Promdonkoy, B., & Boonserm, P. (2015). *Lysinibacillus sphaericus* binary toxin induces apoptosis in susceptible *Culex quinquefasciatus* larvae. *Journal of Invertebrate Pathology*, *128*, 57–63. <https://doi.org/10.1016/j.jip.2015.04.008>
- Taylor, M. A., Coop, R. L., & Wall, R. L. (2016). Veterinary Helminthology. In *Veterinary Parasitology*. <https://doi.org/10.1002/9781119073680.ch1>
- Thienpont, D., Rochette, F., & Vanparijs, O. F. J. (2003). *Diagnosing Helminthiasis By Coprological Examination* (Issue January).
- Urban, J. F., Nielsen, M. K., Gazzola, D., Xie, Y., Beshah, E., Hu, Y., Li, H., Rus, F., Flanagan, K., Draper, A., Vakalapudi, S., Li, R. W., Ostroff, G. R., & Aroian, R. V. (2021). An inactivated bacterium (paraprobiotic) expressing *Bacillus thuringiensis* Cry5B as a therapeutic for *Ascaris* and *Parascaris* spp. infections in large animals. *One Health*, *12*, 100241. <https://doi.org/10.1016/j.onehlt.2021.100241>
- Vallejo-Cordoba, B., Castro-López, C., García, H. S., González-Córdova, A. F., & Hernández-Mendoza, A. (2020). Postbiotics and paraprobiotics: A review of current evidence and emerging trends. In *Advances in Food and Nutrition Research* (1st ed., Vol. 94). Elsevier Inc. <https://doi.org/10.1016/bs.afnr.2020.06.001>
- Verma, R., Lata, K., & Das, G. (2018). An overview of anthelmintic resistance in gastrointestinal nematodes of livestock and its management: India perspectives All India Network Project on Gastrointestinal Parasitism View project coccidiosis View project An overview of anthelmintic resistance . *International Journal of Chemical Studies*, *6*(2), 1755–1762. <https://www.researchgate.net/publication/324007825>
- Vijayasarithi, M., Sheeba, A., Manikkavasagan, Sreekumar, C., & Dhama, K. (2015). Immune Responses to *Haemonchus Contortus* in Sheep . *Journal of Immunology and Immunopathology*, *17*(2), 79. <https://doi.org/10.5958/0973-9149.2015.00011.8>
- Wirth, M. C., Berry, C., Walton, W. E., & Federici, B. A. (2014). Mtx toxins from *Lysinibacillus sphaericus* enhance mosquitocidal cry-toxin activity and suppress cry-resistance in *Culex quinquefasciatus*. *Journal of Invertebrate Pathology*, *115*(1), 62–67. <https://doi.org/10.1016/j.jip.2013.10.003>
- Yang, J., Liang, L., Li, J., & Zhang, K. Q. (2013). Nematicidal enzymes from microorganisms and their applications. *Applied Microbiology and Biotechnology*, *97*(16), 7081–7095. <https://doi.org/10.1007/s00253-013-5045-0>