

DAFTAR PUSTAKA

- [1] U. R. Prasanna, A. K. Singh, and K. Rajashekara, "Novel Bidirectional Single-phase Single-Stage Isolated AC-DC Converter with PFC for Charging of Electric Vehicles," *IEEE Trans. Transp. Electrification*, vol. 3, no. 3, pp. 536–544, 2017, doi: 10.1109/TTE.2017.2691327.
- [2] E. Commision, *Electrification of the Transport System*, vol. 10, no. 6. 2017. doi: 10.2777/443147.
- [3] A. K. Tripathi, K. Hatua, H. Mirzaee, and S. Bhattacharya, "A three-phase three winding topology for dual active bridge and its D-Q mode control," *Conf. Proc. - IEEE Appl. Power Electron. Conf. Expo. - APEC*, pp. 1368–1372, 2012, doi: 10.1109/APEC.2012.6165998.
- [4] "[8]. ISBN Sistem Pengisian Baterai pada Mobil Listrik - PDF Download Gratis.pdf."
- [5] M. Prokin, J. Stojkovic, M. Cabarkapa, and D. Prokin, "Optimal Control of Chargers for Electric Vehicles," *2019 8th Mediterr. Conf. Embed. Comput. MECO 2019 - Proc.*, no. June, pp. 8–11, 2019, doi: 10.1109/MECO.2019.8760161.
- [6] J. H. Enslin, F. Blaabjerg, and D. Tan, "The Future of Electronic Power Processing and Conversion: Highlights from FEPPCON IX," *IEEE Power Electron. Mag.*, vol. 4, no. 3, pp. 28–32, 2017, doi: 10.1109/MPEL.2017.2721278.
- [7] R. Jadeja, A. Ved, T. Trivedi, and G. Khanduja, "Control of Power Electronic Converters in AC Microgrid," *Power Syst.*, vol. 27, no. 11, pp. 329–355, 2020, doi: 10.1007/978-3-030-23723-3_13.
- [8] M. Bertoluzzo, N. Zabihi, and G. Buja, "Overview on battery chargers for plug-in electric vehicles," *15th Int. Power Electron. Motion Control Conf. Expo. EPE-PEMC 2012 ECCE Eur.*, no. September, 2012, doi:

- 10.1109/EPEPEMC.2012.6397461.
- [9] R. P. Twiname, D. J. Thrimawithana, U. K. Madawala, and C. A. Baguley, "A Dual-Active Bridge Topology with a Tuned CLC Network," *IEEE Trans. Power Electron.*, vol. 30, no. 12, pp. 6543–6550, 2015, doi: 10.1109/TPEL.2014.2384511.
 - [10] Y. Hu and J. Shao, "3.3 kW high-frequency full-bridge LLC DC/DC converter with SiC MOSFETs," *PCIM Eur. Conf. Proc.*, pp. 377–383, 2019.
 - [11] Y. Wei, Q. Luo, D. Woldegiorgis, H. Mhiesan, and A. Mantooth, "Hybrid PWM and PFM control strategy for LLC resonant converter with hold-up time operation requirement," *2020 IEEE Transp. Electr. Conf. Expo, ITEC 2020*, pp. 291–295, 2020, doi: 10.1109/ITEC48692.2020.9161474.
 - [12] R. Ramachandran and M. Nymand, "A 98.8% efficient bidirectional full-bridge isolated dc-dc GaN converter," *Conf. Proc. - IEEE Appl. Power Electron. Conf. Expo. - APEC*, vol. 2016-May, pp. 609–614, 2016, doi: 10.1109/APEC.2016.7467934.
 - [13] A. R. Alonso, J. Sebastian, D. G. Lamar, M. M. Hernando, and A. Vazquez, "An overall study of a Dual Active Bridge for bidirectional DC/DC conversion," *2010 IEEE Energy Convers. Congr. Expo. ECCE 2010 - Proc.*, pp. 1129–1135, 2010, doi: 10.1109/ECCE.2010.5617847.
 - [14] J. Wu, Y. Li, X. Sun, and F. Liu, "A new dual-bridge series resonant DC-DC converter with dual tank," *IEEE Trans. Power Electron.*, vol. 33, no. 5, pp. 3884–3897, 2018, doi: 10.1109/TPEL.2017.2723640.
 - [15] Y. Guo, J. Meng, Y. Wang, and C. Wang, "A Virtual DC Machine Control Strategy for Dual Active Bridge DC-DC Converter," *2019 IEEE PES Innov. Smart Grid Technol. Asia, ISGT 2019*, pp. 2384–2388, 2019, doi: 10.1109/ISGT-Asia.2019.8881642.
 - [16] R. Mitova, R. Ghosh, U. Mhaskar, D. Klikic, M. X. Wang, and A. Dentella, "Investigations of 600-v gan HEMT and GaN diode for power converter applications," *IEEE Trans. Power Electron.*, vol. 29, no. 5, pp. 2441–2452,

2014, doi: 10.1109/TPEL.2013.2286639.

- [17] F. Stubenrauch, N. Seliger, and D. Schmitt-Landsiedel, "Design and performance of a 200 kHz GaN motor inverter with sine wave filter," *PCIM Eur. 2017 - Int. Exhib. Conf. Power Electron. Intell. Motion, Renew. Energy Energy Manag.*, no. May, pp. 16–18, 2017, doi: 10.1109/SBMicro.2017.7990756.
- [18] K. Shirabe *et al.*, "Efficiency comparison between Si-IGBT-based drive and GaN-based drive," *IEEE Trans. Ind. Appl.*, vol. 50, no. 1, pp. 566–572, 2014, doi: 10.1109/TIA.2013.2290812.
- [19] X. Ding, M. Du, T. Zhou, H. Guo, and C. Zhang, "Comprehensive comparison between silicon carbide MOSFETs and silicon IGBTs based traction systems for electric vehicles," *Appl. Energy*, vol. 194, pp. 626–634, 2017, doi: 10.1016/j.apenergy.2016.05.059.
- [20] T. P. Chow, "High-voltage SiC and GaN power devices," *Microelectron. Eng.*, vol. 83, no. 1 SPEC. ISS., pp. 112–122, 2006, doi: 10.1016/j.mee.2005.10.057.
- [21] M. Landel, C. Gautier, D. Labrousse, and S. Lefebvre, "[131] Experimental study of the short-circuit robustness of 600 V E-mode GaN transistors," *Microelectron. Reliab.*, vol. 64, pp. 560–565, 2016, doi: 10.1016/j.microrel.2016.07.042.
- [22] C. Abbate, G. Busatto, A. Sanseverino, D. Tedesco, and F. Velardi, "Experimental study of the instabilities observed in 650 V enhancement mode GaN HEMT during short circuit," *Microelectron. Reliab.*, vol. 76–77, pp. 314–320, 2017, doi: 10.1016/j.microrel.2017.07.020.
- [23] P. C. Chou and S. Cheng, "Design and characterization of a 200 V, 45 A all-GaN HEMT-based power module," *Appl. Therm. Eng.*, vol. 61, no. 2, pp. 20–27, 2013, doi: 10.1016/j.applthermaleng.2013.07.004.
- [24] S. She *et al.*, "Thermal analysis and improvement of cascode GaN device package for totem-pole bridgeless PFC rectifier," *Appl. Therm. Eng.*, vol. 90,

- pp. 413–423, 2015, doi: 10.1016/j.applthermaleng.2015.06.094.
- [25] P. C. Chou, S. Cheng, and S. H. Chen, “Evaluation of thermal performance of all-GaN power module in parallel operation,” *Appl. Therm. Eng.*, vol. 70, no. 1, pp. 593–599, 2014, doi: 10.1016/j.applthermaleng.2014.05.081.
 - [26] F. Renken, W. Shen, C. Wang, I. M. Pop-Calimanu, and A. Ciresan, “Multiphase hybrid buck-boost converter with wide conversion ratio,” *2017 19th Eur. Conf. Power Electron. Appl. EPE 2017 ECCE Eur.*, vol. 2017-Janua, 2017, doi: 10.23919/EPE17ECCEEurope.2017.8099271.
 - [27] G. G. Oggier and M. Ordonez, “High efficiency *switching* sequence and enhanced dynamic regulation for DAB converters in solid-state transformers,” *Conf. Proc. - IEEE Appl. Power Electron. Conf. Expo. - APEC*, vol. 1, pp. 326–333, 2014, doi: 10.1109/APEC.2014.6803329.
 - [28] S. G. Ghiocel, J. H. Chow, R. Quint, D. Kosterev, and D. J. Sobajic, “Computing measurement-based voltage stability margins for a wind power hub using the AQ-bus method,” *2014 IEEE Power Energy Conf. Illinois, PECEI 2014*, pp. 1–6, 2014, doi: 10.1109/PECEI.2014.6804570.
 - [29] S. Chauhan and N. R. Tummuru, “An Improvised Modulation and Control Approach for Dual Active Bridge DC-DC Converter System,” *IEEE Trans. Ind. Electron.*, vol. 71, no. 4, pp. 3572–3582, 2024, doi: 10.1109/TIE.2023.3273248.
 - [30] J. Liu, W. Chen, X. Ma, R. Zhang, and R. Yan, “A zero voltage *switching* range optimization strategy for NPC Dual-Active-Bridge Converter,” *2020 4th Int. Conf. HVDC, HVDC 2020*, pp. 966–970, 2020, doi: 10.1109/HVDC50696.2020.9292723.
 - [31] T. Halder, “A comparative study of the hard & soft *switching* of the flyback converters,” *2014 6th IEEE Power India Int. Conf.*, pp. 1–6, 2015, doi: 10.1109/poweri.2014.7117732.
 - [32] T. Halder, “Hard and soft *switching* geometries for operations of the MOSFET Used for the SMPS,” *Proc. 4th Int. Conf. 2021 Devices Integr.*

- Circuit, DevIC* 2021, no. 2, pp. 601–604, 2021, doi: 10.1109/DevIC50843.2021.9455810.
- [33] R. W. A. A. De Doncker, D. M. Divan, and M. H. Kheraluwala, “A Three-phase Soft-Switched High-Power-Density dc /dc Converter for High-Power Applications,” vol. 27, no. 1, 1991.
- [34] M. H. Kheraluwala, R. W. Gascoigne, D. M. Divan, and E. D. Baumann, “Performance Characterization of a High-Power Dual Active Bridge dc-to-dc Converter,” *IEEE Trans. Ind. Appl.*, vol. 28, no. 6, pp. 1294–1301, 1992, doi: 10.1109/28.175280.
- [35] G. D. Demetriades, *On small-signal analysis and control of the single-and the dual-active bridge topologies*. 2005.
- [36] F. Krismer and J. W. Kolar, “Accurate small-signal model for the digital control of an automotive bidirectional dual active bridge,” *IEEE Trans. Power Electron.*, vol. 24, no. 12, pp. 2756–2768, 2009, doi: 10.1109/TPEL.2009.2027904.
- [37] R. WULAN, “ANALISIS ENERGY TERSIMPAN PADA BATERAI BOSCH T4 12 VOLT 200 AH PADA ΔV SEBESAR 0.1 VOLT,” *J. Pembang. Wil. Kota*, vol. 1, no. 3, pp. 82–91, 2018.
- [38] S. Rochman and B. P. Sembodo, “Rancang Bangun Alat Kontrol Pengisian Aki Untuk Mobil Listrik Menggunakan Energi Sel Surya Dengan Metode Sequensial,” *WAKTU J. Tek. UNIPA*, vol. 12, no. 2, pp. 61–66, 2014, doi: 10.36456/waktu.v12i2.913.
- [39] GaN Systems, “GS66508T Top-side cooled 650 V E-mode GaN transistor Preliminary Datasheet (Rev 200402),” pp. 1–16, 2020, [Online]. Available: <https://gansystems.com/wp-content/uploads/2020/04/GS66508T-DS-Rev-200402.pdf>
- [40] S. Bazyar, J. H. Jung, R. Li, H. Beiranvand, and M. Liserre, “Losses Analysis of MMC in Medium Frequency Medium Voltage DAB Converter for Charging Station,” *2023 25th Eur. Conf. Power Electron. Appl. EPE 2023*

ECCE Eur., pp. 1–9, 2023, doi:
10.23919/EPE23ECCEurope58414.2023.10264424.

- [41] S. S. Trivedi and A. V. Sant, “Comparative analysis of dual active bridge dc–dc converter employing Si, SiC and GaN MOSFETs for G2V and V2G operation,” *Energy Reports*, vol. 8, pp. 1011–1019, 2022, doi: 10.1016/j.egy.2022.08.100.
- [42] A. Amirahmadi, M. Domb, and E. Persson, “High power density high efficiency wide *input* voltage range LLC resonant converter utilizing E-mode GaN switches,” *Conf. Proc. - IEEE Appl. Power Electron. Conf. Expo. - APEC*, pp. 350–354, 2017, doi: 10.1109/APEC.2017.7930716.
- [43] R. Chen, P. Brohlin, and D. Dapkus, “Design and magnetics optimization of LLC resonant converter with GaN,” *Conf. Proc. - IEEE Appl. Power Electron. Conf. Expo. - APEC*, pp. 94–98, 2017, doi: 10.1109/APEC.2017.7930678.
- [44] T. I. Incorporated, “Level 3 Electric Vehicle Charging Stations,” no. July, pp. 1–86, 2022.
- [45] S. Chon, “Maximizing power for Level 3 EV charging stations,” *TI Appl. Rep.*, 2018.
- [46] T. Tâm, N. C. Ú U. Và, C. Ê N. Giao, C. Ngh, and Â N B Û I Chu, “Mengupas Tuntas Sistem Easy Charging di Wuling Air EV,” vol. 01, pp. 1–23, 2016.
- [47] F. A. Padhilah, I. R. F. Surya, and P. Aji, “Indonesia Electric Vehicle Outlook 2023 Electrifying Transport Sector: Tracking Indonesia EV Industries and Ecosystem Readiness,” pp. 1–44, 2023.