

DAFTAR PUSTAKA

- Abedin, M. Z., Rahman, M. S., Hasan, R., Shathi, J. H., Jarin, L., & Zaman, M. S. U. (2020). Isolation, identification, and antimicrobial profiling of bacteria from aquaculture fishes in pond water of Bangladesh. *American Journal of Pure and Applied Biosciences*, 2(3), 39-50.
- Aboyadak, I. M., Ali, N. G. M., Goda, A. M. A. S., Saad, W., & Salam, A. M. E. (2017). Non-selectivity of RS media for *Aeromonas hydrophila* and TCBS media for *Vibrio* species isolated from diseased *Oreochromis niloticus*. *J. Aquac. Res. Dev*, 8(496), 1-5.
- Adelowo, O. O., Caucci, S., Banjo, O. A., Nnanna, O. C., Awotipe, E. O., Peters, F. B., ... & Berendonk, T. U. (2018). Extended Spectrum Beta-Lactamase (ESBL)-producing bacteria isolated from hospital wastewaters, rivers and aquaculture sources in Nigeria. *Environmental Science and Pollution Research*, 25, 2744-2755.
- Angreni, N. P. W., Arthana, I. W., & Wulandari, E. (2018). Distribusi Bakteri Patogen pada Ikan Nila (*Oreochromis niloticus*) di Danau Batur, Bali. *Current Trends in Aquatic Science I (I)*, 98, 105.
- Anonim. (2021). Sistem Informasi Peternakan dan Perikanan (SINAKKAN) Pemerintah Kabupaten Magelang. https://sinakkan.magelangkab.go.id/perikanan/perikanan/produksi_ikan diakses pada 25 Juni 2022, pk. 10.20 WIB.
- Artati, D., & Oman, M. (2020). Identifikasi Bakteri *Aeromonas hydrophila* Menggunakan Kit Api 20 E Di Laboratorium Mikrobiologi Brpi Sukamandi. *Buletin Teknik Litkayasa Akuakultur*, 18(1), 75-80.
- Ashari, C., Tumbol, R. A., & Kolopita, M. E. (2014). Diagnosa Penyakit Bakterial Pada Ikan Nila (*Oreochromis niloticus*) Yang Di Budi Daya Pada Jaring Tancap Di Danau Tondano. *E-Journal Budidaya Perairan*, 2(3).
- Aulia, R., Handayani, T., & Yennie, Y. (2015). Isolasi, identifikasi dan enumerasi bakteri *Salmonella* spp. pada hasil perikanan serta resistensinya terhadap antibiotik. *Bioma*, 11(2), 112-130.
- Balouiri, M., Sadiki, M., & Ibnsouda, S. K. (2016). Methods for in vitro evaluating antimicrobial activity: A review. *Journal of pharmaceutical analysis*, 6(2), 71-79.
- Basavaraju, M., & Gunashree, B. S. (2022). *Escherichia coli*: an overview of main characteristics. *Escherichia coli-Old and New Insights*.
- Bella, S. S. (2018). Isolasi bakteri probiotik dari organ pencernaan ikan mas (*Cyprinus carpio*). *e-Journal BUDIDAYA PERAIRAN*, 6(1).
- Benkova, M., Soukup, O., & Marek, J. (2020). Antimicrobial susceptibility testing: currently used methods and devices and the near future in clinical practice. *Journal of Applied Microbiology*, 129(4), 806-822.

- Ben Mhenni, N., Alberghini, G., Giaccone, V., Truant, A., & Catellani, P. (2023). Prevalence and antibiotic resistance phenotypes of *Pseudomonas* spp. in fresh fish fillets. *Foods*, 12(5), 950.
- Bhat, R. A. H., & Altinok, I. (2023). Antimicrobial resistance (AMR) and alternative strategies for combating AMR in aquaculture. *Turkish Journal of Fisheries and Aquatic Sciences*, 23(11).
- Bharadwaj, A., Rastogi, A., Pandey, S., Gupta, S., & Sohal, J. S. (2022). Multidrug-Resistant Bacteria: Their mechanism of action and prophylaxis. *BioMed research international*, 2022.
- BioMérieux. (2002). API 20 E Identification system for enterobacteriaceae and other non-fastidious Gram-negative rods. France: BioMérieux Company.
- Björngen, H., & Koppang, E. O. (2022). Anatomy of teleost fish immune structures and organs. *Principles of Fish Immunology*, 1-30.
- Busari, A. A., Efejene, I. O., Olayemi, S. O., Orororo, O. C., & Egbune, E. O. (2024). Evaluation of antibiotic use and analysis of ciprofloxacin and gentamicin residue in fish samples from farms in Lagos, Nigeria. *Environmental Monitoring and Assessment*, 196(2), 127.
- Castro, N., Toranzo, A. E., Nuñez, S., & Magariños, B. (2011). Evaluation of the selective and differential ET medium for detection of *Edwardsiella tarda* in aquaculture systems. *Letters in applied microbiology*, 53(1), 114-119.
- Cavanagh, K. (2012). Plumb's Veterinary Drug Handbook. Pocket—7th edition. *The Canadian Veterinary Journal*, 53(12), 1284.
- Darmawan, B. D., & Rohaendi, O. E. (2014). Zoonosis: infeksi penyakit ikan terhadap manusia akibat kesalahan manajemen dan penanganan ikan maupun produk olahannya. *Journal of Aquatropica Asia*, 1(1).
- Dong, H. T., Techatanakitarnan, C., Jindakittikul, P., Thaiprayoon, A., Taengphu, S., Charoensapsri, W., ... & Senapin, S. (2017). *Aeromonas jandaei* and *Aeromonas veronii* caused disease and mortality in Nile tilapia, *Oreochromis niloticus* (L.). *Journal of Fish Diseases*, 40(10), 1395-1403.
- Duman, M., Mulet, M., Altun, S., Saticioglu, I. B., Ozdemir, B., Ajmi, N., ... & García-Valdés, E. (2021). The diversity of *Pseudomonas* species isolated from fish farms in Turkey. *Aquaculture*, 535, 736369.
- El-Barbary, M. I., & Hal, A. M. (2016). Isolation and molecular characterization of some bacterial pathogens in El-Serw fish farm, Egypt. *Egyptian Journal of Aquatic Biology and Fisheries*, 20(4), 115-127.
- Elgohary, I., I Abd Elatief, J., G Fadel, N., E Eissa, A., & A Mahmoud, M. (2020). Pathological, bacteriological and seasonal prevalence of *Aeromonas hydrophila*, *Vibrio vulnificus*, *Proteus vulgaris* and *Pseudomonas aeruginosa*; infecting *Oreochromis niloticus* in some Egyptian fish farms. *Egyptian Journal of Aquatic Biology and Fisheries*, 24(5), 467-482.

- El-Tawab, A., Awad, A., Elhofy, F., & Elsaid, A. (2019). Bacteriological studies on *Aeromonas* and *pseudomonas* species in Nile tilapia *Oreochromis niloticus*. *Benha Veterinary Medical Journal*, 37(1), 144-148.
- Etyemez, M., & Balcazar, J. L. (2016). Isolation and characterization of bacteria with antibacterial properties from Nile tilapia (*Oreochromis niloticus*). *Research in veterinary science*, 105, 62-64.
- Fariq Azhar, M. J. (2018). Pelatihan Penanganan Streptococcosis Pada Ikan Nila Menggunakan Bahan Alami. *Prosiding Konferensi Nasional Pengabdian Kepada Masyarakat dan Corporate Social Responsibility (PKM-CSR)*, 1, 645-651.
- Farzam K, Nessel TA, Quick J. Erythromycin. [Updated 2022 Jun 16]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2022 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK532249/> diakses pada 19 Desember 2022, pk. 20.24 WIB.
- FAO (Food and Agriculture Organization of the United Nations). *Oreochromis niloticus*. *Cultured Aquatic Species Information Programme*. Text by Rakocy, J. E. Fisheries and Aquaculture Division [online]. Rome. Updated 2006-05-19 https://www.fao.org/fishery/en/culturedspecies/Oreochromis_niloticus/en diakses pada 10 Juli 2022, pk. 10.15 WIB.
- Fauzi, N. N. F. N. M., Hamdan, R. H., Mohamed, M., Ismail, A., Zin, A. A. M., & Mohamad, N. F. A. (2021). Prevalence, antibiotic susceptibility, and presence of drug resistance genes in *Aeromonas* spp. isolated from freshwater fish in Kelantan and Terengganu states, Malaysia. *Veterinary World*, 14(8), 2064.
- Filius, P. M. G., van Netten, D., Roovers, P. J. E., Vulto, A. G., Gyssens, I. C., Verbrugh, H. A., & Endtz, H. P. (2003). Comparative evaluation of three chromogenic agars for detection and rapid identification of aerobic Gram-negative bacteria in the normal intestinal microflora. *Clinical microbiology and infection*, 9(9), 912-918.
- Fouad, Z. (2011). Antimicrobial Disk Diffusion Zone Interpretation Guide. *Available Source: https://doi.org/10.13140/RG.2(13801.70240)*.
- Gauthier, D. T. (2015). Bacterial zoonoses of fishes: a review and appraisal of evidence for linkages between fish and human infections. *The Veterinary Journal*, 203(1), 27-35.
- Goni, O., Alam, M. M., Khalil, S. M. I., Bari, S. M., Hamom, A., Parven, M., & Mamun, M. A. A. (2020). Identification of pathogenic bacteria from diseased stringing catfish *Heteropneustis fossilis* with their sensitivity to antibiotics. *Int. J. Fish. Aquat. Stud*, 8(1), 291-301.
- Guidi, L. R., Santos, F. A., Ribeiro, A. C. S., Fernandes, C., Silva, L. H., & Gloria, M. B. A. (2018). Quinolones and tetracyclines in aquaculture fish by a simple and rapid LC-MS/MS method. *Food chemistry*, 245, 1232-1238.

- Hardi, E. H., Nugroho, R. A., Saptiani, G., Sarinah, R. I. A., Agriandini, M., & Mawardi, M. (2018). Identification of potentially pathogenic bacteria from tilapia (*Oreochromis niloticus*) and channel catfish (*Clarias batrachus*) culture in Samarinda, East Kalimantan, Indonesia. *Biodiversitas Journal of Biological Diversity*, 19(2), 480-488.
- Hazar, M., Marniati Salim, M. S., & Mardiah, E. (2012). Keberadaan Escherichia Coli Resistan Antibiotik Pada Ikan Balang (*Pristolepis Fasciata*) Di Sungai Batang Arau. *Jurnal Penelitian Fmipa Unand*.
- Herawati, N. M., Mahatmi, H., & Besung, I. N. K. (2013). Resistensi Bakteri Aeromonas sp. Isolat Ikan Piranha (*Pygocentrus nattereri*) Bali Safari and Marine Park Terhadap Antibiotik. *Jurnal Ilmu dan Kesehatan Hewan*, 1(2), 52-56.
- Hinthong, W., Thaotumpitak, V., Sripradite, J., Indrawattana, N., Srisook, T., Kongngoen, T., ... & Jeamsripong, S. (2024). Antimicrobial resistance, virulence profile, and genetic analysis of ESBL-producing Escherichia coli isolated from Nile tilapia in fresh markets and supermarkets in Thailand. *Plos one*, 19(1), e0296857.
- Hosmer Jr, D. W., Lemeshow, S., & Sturdivant, R. X. (2013). *Applied logistic regression* (Vol. 398). John Wiley & Sons.
- Hudzicki, J. (2009). Kirby-Bauer disk diffusion susceptibility test protocol. *American society for microbiology*, 15, 55-63.
- Iglewski, B. H. (1996). *Pseudomonas*. Medical Microbiology - NCBI Bookshelf. <https://www.ncbi.nlm.nih.gov/books/NBK8326/> diakses pada 2 Juli 2024, pk. 21.18 WIB.
- ITIS (Integrated Taxonomic Information System). (2004). https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=553310#null/ diakses pada 10 Juli 2022, pk. 14.20 WIB.
- Janda, J. M., Abbott, S. L., & McIver, C. J. (2016). Plesiomonas shigelloides revisited. *Clinical microbiology reviews*, 29(2), 349-374.
- Jung, B., & Hoilat, G. J. (2022). *MacConkey Medium*. StatPearls - NCBI Bookshelf. <https://www.ncbi.nlm.nih.gov/books/NBK557394/> diakses pada 19 mei 2024, pk. 15.59 WIB.
- Karimi, R. D., Ngeranwa, J. J., Njagi, E. N., & Kariuki, S. (2022). The bacterial flora of Oreochromis niloticus and Clarias gariepinus from earthen ponds in Sagana and Masinga, Kenya. *International Journal of Bonorowo Wetlands*, 12(2).
- Kawsar, M. A., Alam, M. T., Pandit, D., Rahman, M. M., Mia, M., Talukdar, A., & Sumon, T. A. (2022). Status of disease prevalence, drugs and antibiotics usage in pond-based aquaculture at Narsingdi district, Bangladesh: A major public health concern and strategic appraisal for mitigation. *Heliyon*, 8(3).
- Khoerunnisa, S. F., Balia, R. L., & Pradini, G. W. (2022). Mekanisme Resistensi

Antibiotik pada *Lactobacillus* dan Potensinya untuk Mengatasi Salmonellosis pada Ayam Broiler. *Acta VETERINARIA Indonesiana*, 10(2), 111-123.

KKP | Kementerian Kelautan dan Perikanan. (2020). <https://kkp.go.id/djpb/artikel/25193-kendalikan-resistensi-antimikroba-kkp-dan-fao-gelar-workshop-on-amr-surveillance-and-monitoring> diakses pada 29 Juni 2022, pk. 15.37 WIB.

KKP | Kementerian Kelautan dan Perikanan. (2021). <https://kkp.go.id/djpb/artikel/36080-kkp-kendalikan-amr-di-bidang-perikanan-budidaya-untuk-jamin-keamanan-pangan> diakses pada 4 Juli 2022, pk. 13.45 WIB.

Kondera, E., Bojarski, B., Ługowska, K., Kot, B., & Witeska, M. (2020). Effects of oxytetracycline and gentamicin therapeutic doses on hematological, biochemical and hematopoietic parameters in *Cyprinus carpio* juveniles. *Animals*, 10(12), 2278.

Kumar, C. B., & Rathore, G. (2024). Assessment of freshwater fish farms for the identification of the geographical areas harbouring antimicrobial resistance. *Aquaculture*, 586, 740808.

Kurniawati, A., Lukman, D. W., & Wibawan, I. W. T. (2016). Resistensi Antibiotik pada *Salmonella* Isolat Sapi Bakalan Asal Australia yang Diimpor Melalui Pelabuhan Tanjung Priok Jakarta. *J. Vet. Sept*, 17(3), 449-456.

Latifah, A. D., & Prayitno, S. B. (2014). Karakterisasi Bakteri Dan Gambaran Histopatologi Pada Ikan Gurami (*Osphronemus Gouramy*) Yang Terserang Penyakit "Mata Belo". *Journal of Aquaculture Management and Technology*, 3(4), 93-100.

Li, X. M., Zhu, Y. J., Ringø, E., & Yang, D. (2020). Prevalence of *Aeromonas hydrophila* and *Pseudomonas fluorescens* and factors influencing them in different freshwater fish ponds. *Iranian Journal of Fisheries Sciences*, 19(1), 111-124.

Mandal, S. C., Hasan, M., Rahman, M. S., Manik, M. H., Mahmud, Z. H., & Islam, M. S. (2009). Coliform bacteria in Nile Tilapia, *Oreochromis niloticus* of shrimp-Gher, pond and fish market. *World Journal of Fish and Marine Sciences*, 1(3), 160-166.

Mangunwardoyo, W., Ismayasari, R., & Riani, E. (2016). Uji patogenesis dan virulensi *Aeromonas hydrophila* Stanier pada ikan nila (*Oreochromis niloticus* Lin.) melalui postulat Koch. *Jurnal riset akuakultur*, 5(2), 145-255.

McDermott, P. F., Walker, R. D., & White, D. G. (2003). Antimicrobials: modes of action and mechanisms of resistance. *International journal of toxicology*, 22(2), 135-143.

Muhammad, Hiru. (2021). KKP Latih Masyarakat Kreasikan Olahan Ikan

Unggulan | Republika Online diakses pada 28 Oktober 2022, pk. 13.06 WIB.

- Mulia, D. S., Isnansetyo, A., Pratiwi, R., & Asmara, W. (2021). Antibiotic resistance of *Aeromonas* spp. isolated from diseased walking catfish (*Clarias* sp.). *Biodiversitas Journal of Biological Diversity*, 22(11).
- Mumbo, M. T., Nyaboga, E. N., Kinyua, J. K., Muge, E. K., Mathenge, S. G., Rotich, H., ... & Njiru, J. M. (2023). Antimicrobial resistance profiles of salmonella spp. and escherichia coli isolated from fresh Nile tilapia (*Oreochromis niloticus*) fish marketed for human consumption. *BMC microbiology*, 23(1), 306.
- Natnan, M. E., Low, C. F., Chong, C. M., Bunawan, H., & Baharum, S. N. (2021). Integration of omics tools for understanding the fish immune response due to microbial challenge. *Frontiers in Marine Science*, 8, 668771.
- Nurjanah, S., & Prayitno, S. B. (2014). Sensitivitas Bakteri *Aeromonas* sp. dan *Pseudomonas* sp. yang Diisolasi pada Ikan Mas (*Cyprinus carpio*) Sakit Terhadap Berbagai Macam Obat Beredar. *Journal of Aquaculture Management and Technology*, 3(4), 308-316.
- Osman, K. M., da Silva Pires, Á., Franco, O. L., Saad, A., Hamed, M., Naim, H., ... & Elbehiry, A. (2021). Nile tilapia (*Oreochromis niloticus*) as an aquatic vector for *Pseudomonas* species of medical importance: Antibiotic Resistance Association with Biofilm Formation, Quorum Sensing and Virulence. *Aquaculture*, 532, 736068.
- Permatasari, D. A., Witaningrum, A. M., Wibisono, F. J., & Effendi, M. H. (2020). Detection and prevalence of multidrug-resistant *Klebsiella pneumoniae* strains isolated from poultry farms in Blitar, Indonesia. *Biodiversitas Journal of Biological Diversity*, 21(10).
- Pessoa, R. B. G., de Oliveira, W. F., dos Santos Correia, M. T., Fontes, A., & Coelho, L. C. B. B. (2022). *Aeromonas* and human health disorders: Clinical approaches. *Frontiers in Microbiology*, 13.
- Petersen, A., Andersen, J. S., Kaewmak, T., Somsiri, T., & Dalsgaard, A. (2002). Impact of integrated fish farming on antimicrobial resistance in a pond environment. *Applied and environmental microbiology*, 68(12), 6036-6042.
- Prastyani, E. D., Ariyani, A. H. M., & Zuhriyah, A. (2022). Optimalisasi budidaya benih ikan nila kekar (Studi Kasus: Hatchery Nila Kekar). *AGRISCIENCE*, 3(2), 343-360.
- Pratiwi, R. H. (2017). Mekanisme pertahanan bakteri patogen terhadap antibiotik. *Jurnal pro-life*, 4(3), 418-429.
- Prayitno, S. B. (2014). Pengaruh Pencelupan Ekstrak Daun Sirih Temurose (*Piper betle* linn) terhadap Mortalitas dan Histopatologi Ginjal Ikan Mas (*Cyprinus carpio*) yang Diinfeksi Bakteri *Aeromonas hydrophila*. *Journal*

of Aquaculture Management and Technology, 3(3), 54-57.

- Preena, P. G., Dharmaratnam, A., & Swaminathan, T. R. (2020). Antimicrobial resistance analysis of pathogenic bacteria isolated from freshwater Nile Tilapia (*Oreochromis niloticus*) cultured in Kerala, India. *Current Microbiology*, 77(11), 3278-3287.
- Qin, S., Xiao, W., Zhou, C., Pu, Q., Deng, X., Lan, L., ... & Wu, M. (2022). *Pseudomonas aeruginosa*: pathogenesis, virulence factors, antibiotic resistance, interaction with host, technology advances and emerging therapeutics. *Signal transduction and targeted therapy*, 7(1), 199.
- Rahayu, N. N., Prayogo, Ulkhaq, M. F., Kenconoajati, H., & Azhar, M. H. (2019). Identifikasi Bakteri pada Komoditas Ikan Air Tawar di Balai Karantina Ikan, Pengendalian Mutu dan Keamanan Hasil Perikanan Surabaya I. *Journal of Aquaculture Science*, 4(2), 102-110.
- Rahayu, W., Hardi, E. H., & Saptiani, G. (2020). Pathogenicity Of Bacteria Enterobacteriaceae on Zebrafish as Animal Model. *Jurnal Veteriner*, 21(4), 512–518. <https://doi.org/10.19087/jveteriner.2020.21.4.512>
- Rehman, J., Kamboh, A., Moryani, A., Leghari, R., Sethar, A., Nizamani, A., ... & Malhi, K. (2023). Prevalence and antimicrobial susceptibility of bacterial organisms in raw fish of pond and retail market. *J. Anim. Health Prod*, 11(3), 258-266.
- Reygaert, Wanda C. (2018). An overview of the antimicrobial resistance mechanisms of bacteria. *AIMS Microbiology*, 4(3): 482-501.
- Rijal, N., & Rijal, N. (2024, January 9). *BHI broth: Composition, preparation, uses*. Microbe Online. <https://microbeonline.com/brain-heart-infusion-bhi-broth-composition-preparation-and-uses/> diakses pada 29 Mei 2024, pk. 14.35 WIB.
- Rinanda, T. (2015). Aquatic animals and their threats to public health at human-animal-ecosystem interface: a review. *Aquaculture, Aquarium, Conservation & Legislation*, 8(5), 784-789.
- Rossi, C., Serio, A., Chaves-López, C., Anniballi, F., Auricchio, B., Goffredo, E., ... & Paparella, A. (2018). Biofilm formation, pigment production and motility in *Pseudomonas* spp. isolated from the dairy industry. *Food Control*, 86, 241-248.
- Salsabila, M., & Suprpto, H. (2018). Teknik pembesaran ikan nila (*Oreochromis niloticus*) di instalasi budidaya air tawar pandaan, Jawa Timur. *Journal of Aquaculture and Fish Health*, 7(3), 118-123.
- Santos, L., & Ramos, F. (2018). Antimicrobial resistance in aquaculture: current knowledge and alternatives to tackle the problem. *International Journal of Antimicrobial Agents*, 52(2), 135-143.
- Santoso, H. (2018). Kajian Morfologi Ikan Nila (*Oreochromis niloticus*) dalam

Habitat Air Tawar dan Air Payau. *BIOSAIN TROPIS (BIOSCIENCE-TROPIC)*, 3(3), 10-17.

- Sarjito, S., Sulisyaningrum, S., Haditomo, A. H., Desrina, D., & Prayitno, S. B. (2021). SELEKTIF BAKTERI YANG BERASOSIASI DENGAN KEMATIAN IKAN NILA (*Oreochromis niloticus*) DI KABUPATEN MAGELANG.
- Setyowati, E., & Prayitno, S. B. (2014). Pengaruh Perendaman Ekstrak Daun Jambu Biji (*Psidium guajava*. L) Terhadap Kelulushidupan dan Histologi Hati Ikan Patin (*Pangasius hypophtalamus*) yang Diinfeksi Bakteri *Edwardsiella tarda*. *Journal of Aquaculture Management and Technology*, 3(4), 174-182.
- Siamujompa, M., Ndashe, K., Zulu, F. C., Chitala, C., Songe, M. M., Changula, K., ... & Hang'ombe, B. M. (2023). An investigation of bacterial pathogens associated with diseased Nile tilapia in small-scale cage culture farms on Lake Kariba, Siavonga, Zambia. *Fishes*, 8(9), 452.
- Smith, A. C., & Hussey, M. A. (2005). Gram stain protocols. *American Society for Microbiology*, 1, 14.
- Soleha, T. U. (2015). Uji kepekaan terhadap antibiotik. *Juke Unila*, 5(9), 119-123.
- Sugiani, D., Andriyanto, S., & Lusiastuti, A. M. (2019). Bakteri pada ikan gabus *Channa striata*, semah *Tor spp.*, dan baung *Hemibagrus sp.*: identifikasi, virulensi, dan kerentanan terhadap beberapa antibiotik. *Jurnal Riset Akuakultur*, 13(4), 347-356.
- Sumiarto, B., & Budiharta, S. (2021). *Epidemiologi veteriner analitik*. UGM PRESS.
- Suyamud, B., Chen, Y., Dong, Z., Zhao, C., & Hu, J. (2023). Antimicrobial resistance in aquaculture: Occurrence and strategies in Southeast Asia. *Science of The Total Environment*, 167942.
- Tawab, A. a. E., Maarouf, A., & Ahmed, N. (2016). Detection of Virulence factors of *Pseudomonas* species isolated from fresh water fish by PCR. *Benha Veterinary Medical Journal*, 30(1), 199–207. <https://doi.org/10.21608/bvmj.2016.31364>
- Thomas, J., Thanigaivel, S., Vijayakumar, S., Acharya, K., Shinge, D., Seelan, T. S. J., ... & Chandrasekaran, N. (2014). Pathogenecity of *Pseudomonas aeruginosa* in *Oreochromis mossambicus* and treatment using lime oil nanoemulsion. *Colloids and Surfaces B: Biointerfaces*, 116, 372-377.
- Thomassen, G. M. B., Reiche, T., Tennfjord, C. E., & Mehli, L. (2022). Antibiotic resistance properties among *Pseudomonas* spp. associated with salmon processing environments. *Microorganisms*, 10(7), 1420.
- Tiamiyu, A. M., Soladoye, M. O., Adegboyega, T. T., & Adetona, M. O. (2015). Occurrence and antibiotic sensitivity of bacterial strains isolated from Nile Tilapia, *Oreochromis niloticus* obtained in Ibadan, Southwest

- Nigeria. *Journal of Biosciences and Medicines*, 3(05), 19.
- Tilahun, A., & Engdawork, A. (2020). Isolation, identification and antimicrobial susceptibility profile of *E. coli* (O157: H7) from fish in lake Hawassa, southern Ethiopia. *Life Sci. J*, 17, 64-72.
- Topić Popović, N., Čož-Rakovac, R., & Strunjak-Perović, I. (2007). Commercial phenotypic tests (API 20E) in diagnosis of fish bacteria.
- Tripathi, N., & Sapra, A. (2023, August 14). *Gram staining*. StatPearls - NCBI Bookshelf. <https://www.ncbi.nlm.nih.gov/books/NBK562156/>
- Tumbol, R. A. (2020). Isolasi dan identifikasi bakteri patogen pada ikan nila (*Oreochromis niloticus*) yang dibudidayakan di Kecamatan Dimembe Kabupaten Minahasa Utara Tahun 2019. *e-Journal BUDIDAYA PERAIRAN*, 8(1).
- Türe, M., & Alp, H. (2016). Identification of bacterial pathogens and determination of their antibacterial resistance profiles in some cultured fish in Turkey. *Journal of Veterinary Research*, 60(2), 141-146.
- Urganci, N. N., Yılmaz, N., Alaşalvar, G. K., & Yıldırım, Z. (2022). *Pseudomonas aeruginosa* and its pathogenicity. *Turkish Journal of Agriculture-Food Science and Technology*, 10(4), 726-738.
- Urku, C. (2021). Isolation and characterization of *Pseudomonas putida* caused granulomas in cultured sea bass (*Dicentrarchus labrax*) in Turkey. *Journal of the Hellenic Veterinary Medical Society*, 72(1), 2661-2668.
- Vajargah, M. F. (2021). A review of the physiology and biology of Nile tilapia (*Oreochromis niloticus*). *J Aquac Mar Biol*, 10(5), 244-246.
- Wamala, S. P., Mugimba, K. K., Mutoloki, S., Evensen, Ø., Mdegela, R., Byarugaba, D. K., & Sørum, H. (2018). Occurrence and antibiotic susceptibility of fish bacteria isolated from *Oreochromis niloticus* (Nile tilapia) and *Clarias gariepinus* (African catfish) in Uganda. *Fisheries and Aquatic Sciences*, 21(1), 1-10.
- Wardoyo, S. E. (2007). Ternyata ikan nila, *oreochromis niloticus* mempunyai potensi yang besar untuk dikembangkan. *Media Akuakultur*, 2(1), 147-150.
- Watts, J. E., Schreier, H. J., Lanska, L., & Hale, M. S. (2017). The rising tide of antimicrobial resistance in aquaculture: sources, sinks and solutions. *Marine drugs*, 15(6), 158.
- Weiser, R., Donoghue, D., Weightman, A., & Mahenthiralingam, E. (2014). Evaluation of five selective media for the detection of *Pseudomonas aeruginosa* using a strain panel from clinical, environmental and industrial sources. *Journal of microbiological methods*, 99, 8-14.
- White, D. (2014). Laboratory methodologies for bacterial antimicrobial susceptibility testing. *World Organisation for Animal Health: Manual of Diagnostic Tests and Vaccines for Terrestrial Animals*.

- Wibowo, A., Muliana, L., & Prabowo, M. H. (2010). Analisis residu antibiotik kloramfenikol dalam daging ikan gurami (*Osphronemus gouramy*, Lac) menggunakan metode high performance liquid chromatography. *Jurnal Ilmiah Farmasi*, 7(1).
- WHO (World Health Organization). (2002). Antibiotic resistance (who.int) diakses pada 27 Juli 2022, pk. 11.44 WIB.
- Yardimci, B., & AYDIN, Y. (2011). Pathological findings of experimental *Aeromonas hydrophila* infection in Nile tilapia (*Oreochromis niloticus*). *Ankara Üniversitesi Veteriner Fakültesi Dergisi*, 58(1), 47-54.
- Ziarati, M., Zorriehzahra, M. J., Hassantabar, F., Mehrabi, Z., Dhawan, M., Sharun, K., ... & Shamsi, S. (2022). Zoonotic diseases of fish and their prevention and control. *Veterinary Quarterly*, 42(1), 95-118.