

## DAFTAR PUSTAKA

- Abrahams, A.D., Li, G., 1998. Effect of saltating sediment on flow resistance and bed roughness in overland flow. *Earth Surf Process Landf* 23. [https://doi.org/10.1002/\(SICI\)1096-9837\(199810\)23:10<953::AID-ESP915>3.0.CO;2-0](https://doi.org/10.1002/(SICI)1096-9837(199810)23:10<953::AID-ESP915>3.0.CO;2-0)
- Afzal, B., Al Faruque, A., Balachandar, R., 2009. Effect of Reynolds number, near-wall perturbation and turbulence on smooth open-channel flows. *Journal of Hydraulic Research* 47. <https://doi.org/10.3826/jhr.2009.3113>
- Allen, T.G., 2014. A Study of the Variability Versus the Assumed Constancy of Manning's n (All Graduate Theses and Dissertations). Utah State University, Utah.
- Arcement, G.J., Schneider, V.R., 1989. Guide for selecting Manning's roughness coefficients for natural channels and flood plains (USA. Department of the interior. Geological survey water-supply paper 2339). United States Geological Survey Water-Supply paper 2339.
- Baiamonte, G., Ferro, V., 1997. The influence of roughness geometry and shields parameter on flow resistance in gravel-bed channels. *Earth Surf Process Landf* 22. [https://doi.org/10.1002/\(sici\)1096-9837\(199708\)22:8<759::aid-esp779>3.0.co;2-m](https://doi.org/10.1002/(sici)1096-9837(199708)22:8<759::aid-esp779>3.0.co;2-m)
- Balachandar, R., Bhuiyan, F., 2007. Higher-Order Moments of Velocity Fluctuations in an Open-Channel Flow with Large Bottom Roughness. *Journal of Hydraulic Engineering* 133. [https://doi.org/10.1061/\(asce\)0733-9429\(2007\)133:1\(77\)](https://doi.org/10.1061/(asce)0733-9429(2007)133:1(77))
- Balachandar, R., Patel, V.C., 2002. Rough Wall Boundary Layer on Plates in Open Channels. *Journal of Hydraulic Engineering* 128. [https://doi.org/10.1061/\(asce\)0733-9429\(2002\)128:10\(947\)](https://doi.org/10.1061/(asce)0733-9429(2002)128:10(947))
- Bathurst, J.C., 2002. At-a-site variation and minimum flow resistance for mountain rivers, dalam: *Journal of Hydrology*. [https://doi.org/10.1016/S0022-1694\(02\)00191-9](https://doi.org/10.1016/S0022-1694(02)00191-9)
- Bergeron, N.E., Carbonneau, P., 1999. The effect of sediment concentration on bedload roughness. *Hydrol Process* 13. [https://doi.org/10.1002/\(sici\)1099-1085\(199911\)13:16<2583::aid-hyp939>3.3.co;2-j](https://doi.org/10.1002/(sici)1099-1085(199911)13:16<2583::aid-hyp939>3.3.co;2-j)
- Bigillon, F., Niño, Y., Garcia, M.H., 2006. Measurements of turbulence characteristics in an open-channel flow over a transitionally-rough bed using particle image velocimetry. *Exp Fluids* 41. <https://doi.org/10.1007/s00348-006-0201-2>
- Birchenhall, C., Press, W.H., Teukolsky, S.A., Vetterling, W.T., Flannery, B.P., 1994. *Numerical Recipes in C: The Art of Scientific Computing*. The Economic Journal 104. <https://doi.org/10.2307/2234664>
- Blinco, P.H., Partheniades, E., 1971. Turbulence Characteristics In Free Surface Flows Over Smooth And Rough Boundaries. *Journal of Hydraulic Research* 9. <https://doi.org/10.1080/00221687109500337>



- Boyer, M.C., 1954. Estimating the manning coefficient from an average bed roughness in open channels. *Eos, Transactions American Geophysical Union* 35. <https://doi.org/10.1029/TR035i006p00957>
- Bray, D.I., 1979. Estimating average velocity in gravel-bed rivers, ( Alberta). *Journal of the Hydraulics Division, ASCE* 105.
- Bremhorst, K., Walker, T.B., 1973. Spectral measurements of turbulent momentum transfer in fully developed pipe flow. *J Fluid Mech* 61. <https://doi.org/10.1017/S0022112073000637>
- Brownlie, W.R., 1983. Flow Depth in Sand-Bed Channels. *Journal of Hydraulic Engineering* 109. [https://doi.org/10.1061/\(asce\)0733-9429\(1983\)109:7\(959\)](https://doi.org/10.1061/(asce)0733-9429(1983)109:7(959))
- Bruschin, J., 1985. Discussion of “ Flow Depth in Sand-Bed Channels ” by William R. Brownlie (July, 1983) . *Journal of Hydraulic Engineering* 111. [https://doi.org/10.1061/\(asce\)0733-9429\(1985\)111:4\(736\)](https://doi.org/10.1061/(asce)0733-9429(1985)111:4(736))
- Calomino, F., Gaudio, R., Miglio, A., 2004. Effect of bed-load concentration on friction factor in narrow channels, dalam: *River Flow 2004*. <https://doi.org/10.1201/b16998-37>
- Campbell, L., McEwan, I., Nikora, V., Pokrajac, D., Gallagher, M., Manes, C., 2005. Bed-Load Effects on Hydrodynamics of Rough-Bed Open-Channel Flows. *Journal of Hydraulic Engineering* 131. [https://doi.org/10.1061/\(asce\)0733-9429\(2005\)131:7\(576\)](https://doi.org/10.1061/(asce)0733-9429(2005)131:7(576))
- Carbonneau, P.E., Bergeron, N.E., 2000. The effect of bedload transport on mean and turbulent flow properties. *Geomorphology* 35. [https://doi.org/10.1016/S0169-555X\(00\)00046-5](https://doi.org/10.1016/S0169-555X(00)00046-5)
- Cardoso, A.H., Graf, W.H., Gust, G., 1989. Uniform flow in a smooth open channel. *Journal of Hydraulic Research* 27. <https://doi.org/10.1080/00221688909499113>
- Cea, L., Puertas, J., Pena, L., 2007. Velocity measurements on highly turbulent free surface flow using ADV. *Exp Fluids* 42. <https://doi.org/10.1007/s00348-006-0237-3>
- Cellino, M., Graf, W.H., 2000. Experiments on suspension flow in open channels with bed forms. *Journal of Hydraulic Research* 38. <https://doi.org/10.1080/00221680009498328>
- Cellino, M., Graf, W.H., 1999. Sediment-Laden Flow in Open-Channels under Noncapacity and Capacity Conditions. *Journal of Hydraulic Engineering* 125. [https://doi.org/10.1061/\(asce\)0733-9429\(1999\)125:5\(455\)](https://doi.org/10.1061/(asce)0733-9429(1999)125:5(455))
- Chanson, H., Trevethan, M., Aoki, S. ichi, 2008. Acoustic Doppler velocimetry (ADV) in small estuary: Field experience and signal post-processing. *Flow Measurement and Instrumentation* 19. <https://doi.org/10.1016/j.flowmeasinst.2008.03.003>
- Charlton, F.G., Brown, P.M., Benson, R.W., 1978. The hydraulic geometry of some gravel rivers in Britain: Wallingford, UK. *Hydraulics Research Station Report IT*.
- Chow, V. Te, 1959. *Open-Channel Hydraulics*. Ven Te Chow. McGraw-Hill, New York, 1959. xviii+ 680 pp. Illus. \$17. Science (1979) 131.
- Colebrook, C.F., White, C.M., 1937. The Reduction of Carrying Capacity of Pipes With Age. *Journal of the Institution of Civil Engineers* 7. <https://doi.org/10.1680/ijoti.1937.14682>



- Coleman, N.L., 1981. Velocity Profiles With Suspended Sediment. *Journal of Hydraulic Research* 19. <https://doi.org/10.1080/00221688109499516>
- Coles, D., 1956. The law of the wake in the turbulent boundary layer. *J Fluid Mech* 1. <https://doi.org/10.1017/S0022112056000135>
- Cowan, W.L., 1956. Estimating hydraulic roughness coefficients. *Agricultural Engineering* 37.
- Cox, R.G., 1973. Effective Hydraulic Roughness For Channels Having Bed Roughness Different From Bank Roughness.
- Dancey, C.L., Balakrishnan, M., Diplas, P., Papanicolaou, A.N., 2000. The spatial inhomogeneity of turbulence above a fully rough, packed bed in open channel flow. *Exp Fluids* 29. <https://doi.org/10.1007/s003489900107>
- Dey, S., Das, R., 2012. Gravel-Bed Hydrodynamics: Double-Averaging Approach. *Journal of Hydraulic Engineering* 138. [https://doi.org/10.1061/\(asce\)hy.1943-7900.0000554](https://doi.org/10.1061/(asce)hy.1943-7900.0000554)
- Einstein, H.A., Chien, N., 1955. Effects of Heavy Sediment Concentration Near the Bed on Velocity and Sediment Distribution.
- Einstein, H.A., El-Samni, E.S.A., 1949. Hydrodynamic forces on a rough wall. *Rev Mod Phys* 21. <https://doi.org/10.1103/RevModPhys.21.520>
- Faruque, M.A. Al, Balachandar, R., 2010. Roughness effects on turbulence characteristics in an open channel flow. *Canadian Journal of Civil Engineering* 37. <https://doi.org/10.1139/L10-098>
- Ferguson, R., 2007. Flow resistance equations for gravel- and boulder-bed streams. *Water Resour Res* 43. <https://doi.org/10.1029/2006WR005422>
- Gao, P., Abrahams, A.D., 2004. Bedload transport resistance in rough open-channel flows. *Earth Surf Process Landf* 29. <https://doi.org/10.1002/esp.1038>
- García, C.M., Cantero, M.I., Niño, Y., García, M.H., 2005. Turbulence Measurements with Acoustic Doppler Velocimeters. *Journal of Hydraulic Engineering* 131. [https://doi.org/10.1061/\(asce\)0733-9429\(2005\)131:12\(1062\)](https://doi.org/10.1061/(asce)0733-9429(2005)131:12(1062))
- Garde, R.J., Rangga Raju, K.G., 2000. *Mechanics of Sediment Transport and Alluvial Stream Problems*. New Age International Publisher, New Delhi.
- Garde, R.J., Rangga Raju, K.G., 1985. *Mechanics of sediment transporation and alluvial stream problems*. Second edition.
- Gaudio, R., Miglio, A., Calomino, F., 2011. Friction factor and von Kármán's in open channels with bed-load. *Journal of Hydraulic Research* 49. <https://doi.org/10.1080/00221686.2011.561001>
- Ghani, A.A., Zakaria, N.A., Kiat, C.C., Ariffin, J., Hasan, Z.A., Abdul Ghaffar, A.B., 2007. Revised equations for manning's coefficient for sand-bed rivers. *International Journal of River Basin Management* 5. <https://doi.org/10.1080/15715124.2007.9635331>



- Giménez-Curto, L.A., Corniero Lera, M.A., 1996. Oscillating turbulent flow over very rough surfaces. *J Geophys Res Oceans* 101. <https://doi.org/10.1029/96JC01824>
- Goring, D.G., Nikora, V.I., 2002. Despiking Acoustic Doppler Velocimeter Data. *Journal of Hydraulic Engineering* 128. [https://doi.org/10.1061/\(asce\)0733-9429\(2002\)128:1\(117\)](https://doi.org/10.1061/(asce)0733-9429(2002)128:1(117))
- Graf, W.H., Altinakar, M.S., 2005. Transport of Sediments, dalam: *Encyclopedia of Hydrological Sciences*. <https://doi.org/10.1002/0470848944.hsa147>
- Graf, W.H., Cellino, M., 2002. Suspension flows in open channels; experimental study. *Journal of Hydraulic Research* 40. <https://doi.org/10.1080/00221680209499886>
- Grass, A.J., 1971. Structural features of turbulent flow over smooth and rough boundaries. *J Fluid Mech* 50. <https://doi.org/10.1017/S0022112071002556>
- Gratiot, N., Mory, M., Auchère, D., 2000. An acoustic Doppler velocimeter (ADV) for the characterisation of turbulence in concentrated fluid mud. *Cont Shelf Res* 20. [https://doi.org/10.1016/S0278-4343\(00\)00037-6](https://doi.org/10.1016/S0278-4343(00)00037-6)
- Griffiths, G.A., 1981. Flow Resistance in Coarse Gravel Bed Rivers. *ASCE J Hydraul Div*. <https://doi.org/10.1061/jyceaj.0005699>
- Guo, J., Julien, P.Y., 2007. Application of modified log-wake law in open-channels, dalam: *Examining the Confluence of Environmental and Water Concerns - Proceedings of the World Environmental and Water Resources Congress 2006*. [https://doi.org/10.1061/40856\(200\)200](https://doi.org/10.1061/40856(200)200)
- Hajbabaie, E., Hosseini, S.A., Sanei, M., 2017. Bed Load Pickup Rate and Flow Resistance for Turbid Flow on a Movable Plane Bed. *Environmental Processes* 4. <https://doi.org/10.1007/s40710-017-0211-5>
- Hinze, J.O., 1975. *Turbulence* McGraw-Hill. New York 218.
- Hohermuth, B., Weitbrecht, V., 2018. Influence of Bed-Load Transport on Flow Resistance of Step-Pool Channels. *Water Resour Res* 54. <https://doi.org/10.1029/2017WR021523>
- Hosseini, S.A., Shamsai, A., Ataie-Ashtiani, B., 2006. Synchronous measurements of the velocity and concentration in low density turbidity currents using an Acoustic Doppler Velocimeter. *Flow Measurement and Instrumentation* 17. <https://doi.org/10.1016/j.flowmeasinst.2005.05.002>
- Hurther, D., Lemmin, U., 2000. A correction method for turbulence measurements with a 3-D acoustic doppler velocity profiler using a constant beam width transducer. *American Society of Mechanical Engineers, Fluids Engineering Division (Publication) FED* 253.
- Jackson, D.R., Richardson, M.D., 2007. High-Frequency Seafloor Acoustics, High-Frequency Seafloor Acoustics. <https://doi.org/10.1007/978-0-387-36945-7>
- Jarrett, R.D., 1984. Hydraulics of high-gradient streams. *Journal of Hydraulic Engineering - ASCE*. [https://doi.org/10.1061/\(asce\)0733-9429\(1984\)110:11\(1519\)](https://doi.org/10.1061/(asce)0733-9429(1984)110:11(1519))



- Javier García-Ramos, F., Badules, J., Boné, A., Gil, E., Javier Aguirre, A., Vidal, M., 2018. Application of an acoustic doppler velocimeter to analyse the performance of the hydraulic agitation system of an agricultural sprayer. *Sensors (Switzerland)* 18. <https://doi.org/10.3390/s18113715>
- Johnson, J.P.L., Aronovitz, A.C., Kim, W., 2015. Coarser and rougher: Effects of fine gravel pulses on experimental step-pool channel morphodynamics. *Geophys Res Lett* 42. <https://doi.org/10.1002/2015GL066097>
- Kaftori, D., Hetsroni, G., Banerjee, S., 1995. Particle behavior in the turbulent boundary layer. I. Motion, deposition, and entrainment. *Physics of Fluids* 7. <https://doi.org/10.1063/1.868551>
- Kamphuis, J.W., 1974. Determination of Sand Roughness for Fixed Beds. *Journal of Hydraulic Research* 12. <https://doi.org/10.1080/00221687409499737>
- Keulegan, G.H., 1938. Laws of turbulent flow in open channels. *J Res Natl Bur Stand* (1934) 21. <https://doi.org/10.6028/jres.021.039>
- Khorsandi, B., Mydlarski, L., Gaskin, S., 2012. Noise in Turbulence Measurements Using Acoustic Doppler Velocimetry. *Journal of Hydraulic Engineering* 138. [https://doi.org/10.1061/\(asce\)hy.1943-7900.0000589](https://doi.org/10.1061/(asce)hy.1943-7900.0000589)
- Kirkgöz, M.S., Ardiçlioğlu, M., 1997. Velocity Profiles of Developing and Developed Open Channel Flow. *Journal of Hydraulic Engineering* 123. [https://doi.org/10.1061/\(asce\)0733-9429\(1997\)123:12\(1099\)](https://doi.org/10.1061/(asce)0733-9429(1997)123:12(1099))
- Kironoto, B.A., Graf, W.H., 1995. Turbulence characteristics in rough non-uniform open-channel flow. *Proceedings of the Institution of Civil Engineers: Water, Maritime and Energy* 112. <https://doi.org/10.1680/iwtme.1995.28114>
- Kironoto, B.A., Graf, W.H., 1994. Turbulence characteristics in rough uniform open-channel flow. *Proceedings of the Institution of Civil Engineers: Water, Maritime and Energy* 106. <https://doi.org/10.1680/iwtme.1994.27234>
- Kironoto, B.A., Yulistiyanto, B., 2016. The simplified of suspended sediment measurement method for predicting suspended sediment load as a basic of reservoir capacity design as renewable energy resource. *International Journal of Renewable Energy Research* 6. <https://doi.org/10.20508/ijrer.v6i1.3026.g6788>
- Kironoto, B.A., Yulistiyanto, B., Giarto, B., Kiptiah, M., Tantowi, M.L., 2019. The Simplified of Suspended Sediment Measurement Method in Natural River (Case study of Kuning River in Yogyakarta, Indonesia). *Journal of the Civil Engineering Forum* 5. <https://doi.org/10.22146/jcef.47061>
- Laufer, J., 1951. Investigation of Turbulent Flow in a Two-Dimensional Channel, Naca Tn.
- Lemmin, U., Lhermitte, R., Nikora, V.I., Goring, D.G., 1999. ADV Measurements of Turbulence: Can We Improve Their Interpretation? *Journal of Hydraulic Engineering* 125. [https://doi.org/10.1061/\(asce\)0733-9429\(1999\)125:9\(987\)](https://doi.org/10.1061/(asce)0733-9429(1999)125:9(987))





- Limerinos JT, 1970. Determination of The Manning Coefficient From Measured Bed Roughness in Natural Channels. US Geological Survey Water Supply Paper.
- Lohrmann, A., Cabrera, R., Kraus, N.C., 1994. Acoustic-doppler velocimeter (ADV) for laboratory use, dalam: Proceedings of the Symposium on Fundamentals and Advancements in Hydraulic Measurements and Experimentation.
- Lotter, K.G., 1933. Considerations on Hydraulic design of channel with different roughness of walls. Transactions of All-Union Scientific Research Institution of Hydraulic Engineering 9.
- Maini, M, Kironoto, B.A., Istiarto, Pamudji, A.P., 2024a. Evaluating Manning's Roughness Coefficient for Flows with Equilibrium and Non-equilibrium Sediment Transport. Jordan Journal of Civil Engineering 18, 65–80. <https://doi.org/10.14525/JJCE.v18i1.06>
- Maini, M, Kironoto, B.A., Rahardjo, A.P., Istiarto, 2024b. Effect of equilibrium and non-equilibrium sediment transport flows on the shear velocity in an open channel. IOP Conf Ser Earth Environ Sci 1311, 012013. <https://doi.org/10.1088/1755-1315/1311/1/012013>
- Maini, M., Kironoto, B.A., Rahardjo, A.P., Istiarto, 2023. Flow Characteristics of Equilibrium and Non-equilibrium Sediment Transport Flows. International Journal of GEOMATE 25, 77–86. <https://doi.org/10.21660/2023.110.3957>
- Manes, C., Pokrajac, D., McEwan, I., 2007. Double-Averaged Open-Channel Flows with Small Relative Submergence. Journal of Hydraulic Engineering 133. [https://doi.org/10.1061/\(asce\)0733-9429\(2007\)133:8\(896\)](https://doi.org/10.1061/(asce)0733-9429(2007)133:8(896))
- Manning, R., 1891. On the flow of water in open channels and pipes. Trans. Institution Civil Engineering 20.
- McLelland, S.J., Ashworth, P.J., Best, J.L., Livesey, J.R., 1999. Turbulence and Secondary Flow over Sediment Stripes in Weakly Bimodal Bed Material. Journal of Hydraulic Engineering 125. [https://doi.org/10.1061/\(asce\)0733-9429\(1999\)125:5\(463\)](https://doi.org/10.1061/(asce)0733-9429(1999)125:5(463))
- McQuivey, R.S., Richardson, E. V., 1969. Some Turbulence Measurements in Open-Channel Flow. Journal of the Hydraulics Division 95. <https://doi.org/10.1061/jyceaj.0001935>
- Meyer-Peter, E., Müller, R., 1948. Formulas for Bed-Load Transport. Proceedings of the 2nd Meeting of the International Association of Hydraulic Research.
- Mignot, E., Barthelemy, E., Hurther, D., 2009. Double-averaging analysis and local flow characterization of near-bed turbulence in gravel-bed channel flows. J Fluid Mech 618. <https://doi.org/10.1017/S0022112008004643>
- Muste, M., Patel, V.C., 1997. Velocity Profiles for Particles and Liquid in Open-Channel Flow with Suspended Sediment. Journal of Hydraulic Engineering 123. [https://doi.org/10.1061/\(asce\)0733-9429\(1997\)123:9\(742\)](https://doi.org/10.1061/(asce)0733-9429(1997)123:9(742))
- Nezu, I., 2005. Open-Channel Flow Turbulence and Its Research Prospect in the 21st Century. Journal of Hydraulic Engineering 131. [https://doi.org/10.1061/\(asce\)0733-9429\(2005\)131:4\(229\)](https://doi.org/10.1061/(asce)0733-9429(2005)131:4(229))



Nezu, I., 1977. Turbulent Structure In Open Channel Flows. Kyoto University.

Nezu, I., Nakagawa, H., 1993. Turbulence in open-channel flows.

Nezu, I., Rodi, W., 1991. Uniform flow in a smooth open channel. Journal of Hydraulic Research 29. <https://doi.org/10.1080/00221689109499009>

Nezu, I., Rodi, W., 1987. Closure to “ Open-Channel Flow Measurements with a Laser Doppler Anemometer ” by Iehisa Nezu and Wolfgang Rodf (May, 1986, Vol. 112, No. 5) . Journal of Hydraulic Engineering 113. [https://doi.org/10.1061/\(asce\)0733-9429\(1987\)113:12\(1574\)](https://doi.org/10.1061/(asce)0733-9429(1987)113:12(1574))

Nezu, I., Rodi, W., 1986. Open-channel Flow Measurements with a Laser Doppler Anemometer. Journal of Hydraulic Engineering 112. [https://doi.org/10.1061/\(asce\)0733-9429\(1986\)112:5\(335\)](https://doi.org/10.1061/(asce)0733-9429(1986)112:5(335))

Nikora, V., Goring, D., McEwan, I., Griffiths, G., 2001. Spatially Averaged Open-Channel Flow over Rough Bed. Journal of Hydraulic Engineering 127. [https://doi.org/10.1061/\(asce\)0733-9429\(2001\)127:2\(123\)](https://doi.org/10.1061/(asce)0733-9429(2001)127:2(123))

Nikora, V.I., Goring, D.G., 2002. Fluctuations of Suspended Sediment Concentration and Turbulent Sediment Fluxes in an Open-Channel Flow. Journal of Hydraulic Engineering 128. [https://doi.org/10.1061/\(asce\)0733-9429\(2002\)128:2\(214\)](https://doi.org/10.1061/(asce)0733-9429(2002)128:2(214))

Nikora, V.I., Smart, G.M., 1997. Turbulence Characteristics of New Zealand Gravel-Bed Rivers. Journal of Hydraulic Engineering 123. [https://doi.org/10.1061/\(asce\)0733-9429\(1997\)123:9\(764\)](https://doi.org/10.1061/(asce)0733-9429(1997)123:9(764))

Nikuradse, J., 1950. Laws of Flow in Rough Pipes. J Appl Phys 3.

Omid, M.H., Habibzadeh, A.R., 2006. Effect of bedload movement on supercritical flow resistance in rigid boundary channels, dalam: International Symposium on Hydraulic Structures - XXII Congreso Latinoamericano de Hidraulica.

Owen, P.R., 1964. Saltation of uniform grains in air. J Fluid Mech 20. <https://doi.org/10.1017/S0022112064001173>

Padhi, E., Penna, N., Dey, S., Gaudio, R., 2018. Hydrodynamics of water-worked and screeded gravel beds: A comparative study. Physics of Fluids 30. <https://doi.org/10.1063/1.5044479>

Penna, N., Padhi, E., Dey, S., Gaudio, R., 2022. Response of Reynolds stresses and scaling behavior of high-order structure functions to a water-worked gravel-bed surface and its implication on sediment transport. International Journal of Sediment Research 37. <https://doi.org/10.1016/j.ijsrc.2021.06.005>

Raichlen, F., 1967. Some Turbulence Measurements in Water. Journal of the Engineering Mechanics Division 93. <https://doi.org/10.1061/jmcea3.0000840>

Recking, A., Frey, P., Paquier, A., Belleudy, P., Champagne, J.Y., 2008. Bed-Load Transport Flume Experiments on Steep Slopes. Journal of Hydraulic Engineering 134. [https://doi.org/10.1061/\(asce\)0733-9429\(2008\)134:9\(1302\)](https://doi.org/10.1061/(asce)0733-9429(2008)134:9(1302))



Reynolds, A.J., 1974. Turbulent Flows in Engineering.

Rickenmann, D., 1991. Hyperconcentrated Flow and Sediment Transport at Steep Slopes. *Journal of Hydraulic Engineering* 117. [https://doi.org/10.1061/\(asce\)0733-9429\(1991\)117:11\(1419\)](https://doi.org/10.1061/(asce)0733-9429(1991)117:11(1419))

Rickenmann, D., 1990. Bedload transport capacity of slurry flows at steep slopes. *Mitteilungen - Versuchsanstalt fur Wasserbau, Hydrologie und Glaziologie ETH Zurich* 103.

Rickenmann, D., Recking, A., 2011. Evaluation of flow resistance in gravel-bed rivers through a large field data set. *Water Resour Res* 47. <https://doi.org/10.1029/2010WR009793>

Romagnoli, M., García, C.M., Lopardo, R.A., 2012. Signal Postprocessing Technique and Uncertainty Analysis of ADV Turbulence Measurements on Free Hydraulic Jumps. *Journal of Hydraulic Engineering* 138. [https://doi.org/10.1061/\(asce\)hy.1943-7900.0000507](https://doi.org/10.1061/(asce)hy.1943-7900.0000507)

Roushangar, K., Alipour, S.M., Mouaze, D., 2018. Linear and non-linear approaches to predict the Darcy-Weisbach friction factor of overland flow using the extreme learning machine approach. *International Journal of Sediment Research* 33. <https://doi.org/10.1016/j.ijsrc.2018.04.006>

Roussinova, V., Biswas, N., Balachandar, R., 2008. Revisiting turbulence in smooth uniform open channel flow. *Journal of Hydraulic Research* 46. <https://doi.org/10.1080/00221686.2008.9521938>

Rusello, P.J., Cowen, E.A., 2011. Turbulent dissipation estimates from pulse coherent Doppler instruments, dalam: 2011 IEEE/OES/CWTM 10th Working Conference on Current, Waves and Turbulence Measurement, CWTM 2011. <https://doi.org/10.1109/CWTM.2011.5759546>

Rusello, P.J., Lohrmann, A., Siegel, E., Maddux, T., 2006. IMPROVEMENTS IN ACOUSTIC DOPPLER VELOCIMETERY 1 2 3 and. *Conference on Hydrosience and Engineering* 98105.

Salehi, M., Strom, K., 2011. Using velocimeter signal to noise ratio as a surrogate measure of suspended mud concentration. *Cont Shelf Res* 31. <https://doi.org/10.1016/j.csr.2011.03.008>

Salehi, M., Strom, K.B., 2009. Suspended sediment concentration measurements of muddy sediments with an ADV, dalam: *Proceedings of World Environmental and Water Resources Congress 2009 - World Environmental and Water Resources Congress 2009: Great Rivers*. [https://doi.org/10.1061/41036\(342\)360](https://doi.org/10.1061/41036(342)360)

Sarkar, S., Dey, S., 2010. Double-averaging turbulence characteristics in flows over a gravel bed. *Journal of Hydraulic Research* 48. <https://doi.org/10.1080/00221686.2010.526764>

Sarma, K.V.N., Lakshminarayana, P., Rao, N.S.L., 1983. Velocity Distribution in Smooth Rectangular Open Channels. *Journal of Hydraulic Engineering* 109. [https://doi.org/10.1061/\(asce\)0733-9429\(1983\)109:2\(270\)](https://doi.org/10.1061/(asce)0733-9429(1983)109:2(270))





Schlichting, H., 1979. Boundary layer theory: Seventh edition.  
<https://doi.org/10.1115/1.3240614>

Shampine, L.F., 1987. Numerical Recipes, The Art of Scientific Computing. By W. H. Press, B. P. Flannery, S. A. Teukolsky, and W. T. Vetterling. The American Mathematical Monthly 94. <https://doi.org/10.1080/00029890.1987.12000737>

Smart, G.M., Jaeggi, M.N.R., 1983. Sediment transport on steep slopes. ZURICH, SWITZERLAND, VERSUCHSANSTALT FUR WASSERBAU, HYDROL. & GLAZIOL., ZURICH EIDG. TECH. HOCH., 1983.

Song, T., Chiew, Y.M., 2001. Turbulence Measurement in Nonuniform Open-Channel Flow Using Acoustic Doppler Velocimeter (ADV). J Eng Mech 127. [https://doi.org/10.1061/\(asce\)0733-9399\(2001\)127:3\(219\)](https://doi.org/10.1061/(asce)0733-9399(2001)127:3(219))

Song, T., Chiew, Y.M., 1997. Turbulence in non-uniform open-channel flows, dalam: Proceedings, Congress of the International Association of Hydraulic Research, IAHR.

Song, T., Chiew, Y.M., Chin, C.O., 1998. Effect of Bed-Load Movement on Flow Friction Factor. Journal of Hydraulic Engineering 124. [https://doi.org/10.1061/\(asce\)0733-9429\(1998\)124:2\(165\)](https://doi.org/10.1061/(asce)0733-9429(1998)124:2(165))

Song, T., Graf, W.H., Lemmin, U., 1994. Uniform flow in open channels with movable gravel bed. Journal of Hydraulic Research 32. <https://doi.org/10.1080/00221689409498695>

SonTek, 2001. ADVField Operation Manual.

Streeter, V.L., Wylie, E.B., 1979. Fluid mechanics (seventh ed.).

Sumiadi, S., Kironoto, B., Legono, D., Istiarto, I., 2021. Bed-Shear Velocity Measurement in Curved Open Channel. Civil and Environmental Science 004. <https://doi.org/10.21776/ub.civense.2021.00401.9>

Tachie, M.F., Bergstrom, D.J., Balachandar, R., 2004. Roughness effects on the mixing properties in open channel turbulent boundary layers. Journal of Fluids Engineering, Transactions of the ASME 126. <https://doi.org/10.1115/1.1792265>

Tachie, M.F., Bergstrom, D.J., Balachandar, R., 2003. Roughness effects in low-Re $\theta$  open-channel turbulent boundary layers. Exp Fluids 35. <https://doi.org/10.1007/s00348-003-0654-5>

Tachie, M.F., Bergstrom, D.J., Balachandar, R., 2000. Rough wall turbulent boundary layers in shallow open channel flow. Journal of Fluids Engineering, Transactions of the ASME 122. <https://doi.org/10.1115/1.1287267>

Thorne, P.D., Hanes, D.M., 2002. A review of acoustic measurement of small-scale sediment processes. Cont Shelf Res 22. [https://doi.org/10.1016/S0278-4343\(01\)00101-7](https://doi.org/10.1016/S0278-4343(01)00101-7)

Ugarte, A., Madrid, M., 1994. Roughness coefficient in mountain rivers, dalam: Proceedings - National Conference on Hydraulic Engineering.



van Rijn, L., 1993. Principles of Sediment Transport in Rivers, Estuaries and Coastal Seas. Principles of Sediment Transport in Rivers , Estuaries and Coastal Seas.

Velasco, D.W., Huhta, C.A., 2010. Experimental verification of acoustic Doppler velocimeter (ADV) performance in fine-grained, high sediment concentration fluids. SonTek/YSI Technical Note.

Wang, X., Wang, Z.Y., Yu, M., Li, D., 2001. Velocity profile of sediment suspensions and comparison of log-law and wake-law. Journal of Hydraulic Research 39. <https://doi.org/10.1080/00221680109499822>

Wiberg, P.L., Rubin, D.M., 1989. Bed roughness produced by saltating sediment. J Geophys Res 94. <https://doi.org/10.1029/JC094iC04p05011>

Widayanti, D.A., 2021. Analisis Hubungan Kecepatan Rerata Terhadap Kecepatan Permukaan Untuk Penentuan Kekasaran Dasar Pada Aliran Saluran Terbuka. REKONSTRUKSI TADULAKO: Civil Engineering Journal on Research and Development. <https://doi.org/10.22487/renstra.v2i2.260>

Wilcox, A.C., Nelson, J.M., Wohl, E.E., 2006. Flow resistance dynamics in step-pool channels: 2. Partitioning between grain, spill, and woody debris resistance. Water Resour Res 42. <https://doi.org/10.1029/2005WR004278>

Woo, H.S., Julien, P.Y., Richardson, E. V., 1988. Suspension of Large Concentrations of Sands. Journal of Hydraulic Engineering 114. [https://doi.org/10.1061/\(asce\)0733-9429\(1988\)114:8\(888\)](https://doi.org/10.1061/(asce)0733-9429(1988)114:8(888))

Wu, F.C., Wang, C.K., Huang, G.H., 2018. Delineation of gravel-bed clusters via factorial kriging. Geomorphology 308. <https://doi.org/10.1016/j.geomorph.2018.02.013>

Yang, C.T., 1996. Sediment transport: theory and practice, McGraw-Hill series in water resources and environmental engineering.

Yang, S.Q., Lim, S.Y., McCorquodale, J.A., 2005. Investigation of near wall velocity in 3-D smooth channel flows. Journal of Hydraulic Research 43. <https://doi.org/10.1080/00221686.2005.9641231>

Yang, S.-Q., McCorquodale, J.A., 2004. Determination of Boundary Shear Stress and Reynolds Shear Stress in Smooth Rectangular Channel Flows. Journal of Hydraulic Engineering 130. [https://doi.org/10.1061/\(asce\)0733-9429\(2004\)130:5\(458\)](https://doi.org/10.1061/(asce)0733-9429(2004)130:5(458))

Yang, S.-Q., Tan, S.-K., Lim, S.-Y., 2004. Velocity Distribution and Dip-Phenomenon in Smooth Uniform Open Channel Flows. Journal of Hydraulic Engineering 130. [https://doi.org/10.1061/\(asce\)0733-9429\(2004\)130:12\(1179\)](https://doi.org/10.1061/(asce)0733-9429(2004)130:12(1179))

Yen, B.C., 2002. Open Channel Flow Resistance. Journal of Hydraulic Engineering 128. [https://doi.org/10.1061/\(asce\)0733-9429\(2002\)128:1\(20\)](https://doi.org/10.1061/(asce)0733-9429(2002)128:1(20))

Yen, B.C., 1993. Closure to “ Dimensionally Homogeneous Manning’s Formula ” by Ben Chie Yen (September, 1992, Vol. 118, No. 9) . Journal of Hydraulic Engineering 119. [https://doi.org/10.1061/\(asce\)0733-9429\(1993\)119:12\(1443\)](https://doi.org/10.1061/(asce)0733-9429(1993)119:12(1443))



**Pengaruh Transpor Sedimen terhadap Koefisien Kekasaran Manning di Saluran Terbuka**

MISKAR MAINI, Prof. Dr. Ir. Bambang Agus Kironoto; Prof. Ir. Adam Pamudji Rahardjo, M.Sc., Ph.D., IPM.; Dr. Ir. Isti

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

UNIVERSITAS  
GADJAH MADA

Zhang, G.H., Luo, R.T., Cao, Y., Shen, R.C., Zhang, X.C., 2010. Impacts of sediment load on Manning coefficient in supercritical shallow flow on steep slopes. Hydrol Process 24. <https://doi.org/10.1002/hyp.7892>