



DAFTAR PUSTAKA

- Almeida, F. S. D., & Silva Júnior, F. G. (2004). Influence of alkali charge on hexenuronic acid formation and pulping efficiency for lo-solids cooking of eucalyptus. In *Engineering, Pulping and Process Control Division, TAPPI Technical Conference* (pp. 1-13).
- Akgül, M., Çöpür, Y., & Temiz, S. (2007). A comparison of kraft and kraft-sodium borohydrate brutia pine pulps. *Building and Environment*, 42(7), 2586-2590.
- Aklilu, E. G. (2020). Optimization and modeling of ethanol-alkali pulping process of bamboo (*Yushania alpina*) by response surface methodology. *Wood Science and Technology*, 54(5), 1319-1347.
- Ardina, V., Irawan, B., Prajitno, D. H., & Roesyadi, A. (2018, September). Active alkali charge effect on kraft pulping process of *Acacia mangium* and *Eucalyptus pellita*. In *AIP Conference Proceedings* (Vol. 2014, No. 1). AIP Publishing.
- Atiwannapat, P., Anapanurak, W., & Oonjittichai, W. (2009). Study on chemical constituents of *Acacia aulacocarpa*. In *47. Kasetsart University Annual Conference, Bangkok (Thailand), 17-20 Mar 2009*.
- Bajpai, P. (2012). *Environmentally benign approaches for pulp bleaching*. Elsevier.
- Baş, D., & Boyacı, İ. H. (2007). Modeling and optimization I: Usability of response surface methodology. *Journal of food engineering*, 78(3), 836-845.
- Biermann, C.J. 1996. *Handbook of Pulping and Papermaking*. Academic Press. California. USA.
- Brännvall E. 2009. *Pulp and Paper Chemistry and Technology: Pulp Characterisation* (Volume 2). De Gruyter, Berlin.
- Brogdon, B. N. (2009). A fundamental review and critical analysis of hexenuronic acids and their impact in elemental chlorine-free bleaching. In *TAPPI Engineering, Pulping & Environmental Conference* (pp. 11-14).
- Brogdon, B. N., Dimmel, D. R., & McDonough, T. J. (1997). A Fundamental Study of a Novel Extraction Stage for an Organosolv-Based Bleaching Sequence. In *AICHE Symposium Series* (pp. 42-51). American Institute of Chemical Engineers.
- Browning, B.L. (1967). *Methods of Wood Chemistry Vol. I*. Interscience Publisher, A Division of John Wiley and Sons, Inc. New York.
- Browning, B.L. 1967. *Methods of Wood Chemistry Vol.I*. Interscience Publisher, A Division of John Wiley and Sons, Inc. New York.



- Buchert, J., Carlsson, G., Viikari, L., & Ström, G. (1996). Surface characterization of unbleached kraft pulps by enzymatic peeling and ESCA.
- Burkhardt, S. 2018. Does the Kappa Number Method Accurately Reflect Lignin Content in Nonwood Pulps ?. *Tappi Journal*, 17(11): 611–617
- Cardoso, M., de Oliveira, É. D., & Passos, M. L. (2009). Chemical composition and physical properties of black liquors and their effects on liquor recovery operation in Brazilian pulp mills. *Fuel*, 88(4), 756-763.
- Carley, K. M., Kamneva, N. Y., & Reminga, J. (2004). Response surface methodology: CASOS technical report. *Center for Computational Analysis of Social and Organizational Systems, Carnegie Mellon University*, 750.
- Carvalho, M. G., Ferreira, P. J., & Figueiredo, M. M. (2001). Cellulose depolymerisation and paper properties in E. globulus kraft pulps, 359– 368
- Casey, J. P. (1980). Pulp and paper chemistry and chemical technology. Vol I: Pulp and bleaching. Wild Interscience Publication. New York
- Casey, JP. 1966. Pulp and Paper: Chemistry and Chemical Technology. Volume III: Paper Testing and Converting, Second Edition. Wild Interscience Publication, New York.
- Chadijah, S. (2011). Kinetika Delignifikasi Sabut Kelapa dengan Proses Peroksida Alkali pada Pembuatan Pulp. *Teknosains: Media Informasi Sains dan Teknologi*, 5(2).
- Chai, X. S., Zhu, J. Y., & Li, J. (2001). A simple and rapid method to determine hexeneuronic acid groups in chemical pulps. *Journal of pulp and paper science*, 27(5), 165-170.
- Cifriadi, A. (2013). Penggunaan lindi hitam sebagai bahan pelunak dalam kompon karet alam. *Jurnal Penelitian Karet*, 20-29.
- Cock IE. 2012. Research Letter Antimicrobial Activity of *Acacia aulacocarpa* and *Acacia complanta* Methanolic Extracts. *Pharmacognosy Communications* 2(1):66-71.
- Colodette, J. L., Gomide, J. L., Girard, R., Jääskeläinen, A. S., & Argyropoulos, D. S. (2002). Influence of pulping conditions on eucalyptus kraft pulp yield, quality, and bleachability. *Tappi Journal*, 1(1), 14-20.
- Colodette. 2008. New insights on brightness stability of eucalyptus kraft pulp. *Nordic Pulp and Paper Research Journal*, 23(01), 102–107
- Cortina, J. M., & Nouri, H. (2000). *Effect size for ANOVA designs* (No. 129). Sage.
- Duke, J. A., & Martinez, R. V. (1994). Handbook of Ethnobotanicals (Peru). *CRC Press, Boca Raton, FL. Flores-Ocelotl, MR, Rosas-Murrieta, NH, Moreno, DA, Vallejo-Ruiz, V., Reyes-Leyva, J., Domínguez, F., & Santos-López, G. (2018). Taraxacum officinale and Urtica dioica extracts inhibit dengue virus serotype, 2, 1-10.*
- Egas, Ana P.V. et al. 2002. “Experimental Methodology for Heterogeneous Studies in Pulping of Wood.” *Industrial and Engineering Chemistry Research* 41(10):



Enqvist, E. (2006). Impregnation, vapor phase and methanol as means of intensifying the softwood kraft pulping process.

Fatriasari, W., & Risanto, L. (2011). The properties kraft pulp sengon wood (*Paraserianthes falcataria*): Differences of cooking liquor concentration and bleaching sequence. *Text in Indonesian*, *Widya Riset*, 14(3), 589-597.

Fearon, O., Kuitunen, S., Ruuttunen, K., Alopaeus, V., & Vuorinen, T. (2020). Detailed modeling of kraft pulping chemistry. Delignification. *Industrial & Engineering Chemistry Research*, 59(29), 12977-12985.

Fengel, D dan Wegener, G, 1995. Kayu: Kimia, Ultrastruktur, Reaksi-reaksi. Terjemahan. Gadjah Mada University Press: Yogyakarta. 2529–34.

Fengel, D., Wegener, G., & Greune, A. (1989). Studies on the delignification of spruce wood by organosolv pulping using SEM-EDXA and TEM. *Wood Science and Technology*, 23, 123-130.

Feria, M. J., García, J. C., Díaz, M. J., Garrote, G., & López, F. (2012). Optimization the soda-AQ process for cellulose pulp production and energy content of black liquor from *L. leucocephala* K360. *Bioresource Technology*, 120, 173-179.

Gusmailina, G. dan Sumadiwangsa, S., 1988. Analisis kimia sepuluh jenis bambu dari Jawa Timur. *Jurnal Penelitian Hasil Hutan*, 5(5): 290-293.

Gutiérrez, A., del Río, J. C., & Martínez, Á. T. (2011). Fungi and their enzymes for pitch control in the pulp and paper industry. *Industrial Applications*, 357-377.

Hagemeyer, R. W., & Casey, J. P. (1983). *Pulp and Paper Chemistry and Technology*.

Hanum, I. F., & Maesen, L. J. G. (1997). *Plant resources of South-East Asia* (Vol. 11). Backhuys Publ.

Haque, M. M., Uddin, M. N., Quaiyyum, M. A., Nayeem, J., Alam, M. Z., & Jahan, M. S. (2019). Pulpwood quality of the second generation *Acacia auriculiformis*. *Journal of Bioresources and Bioproducts*, 4(2), 73-79.

Haygreen, J.G., & J.L. Bowyer. (1988). Hasil hutan dan ilmu kayu. Gadjah Mada University Press (terjemahan). Yogyakarta.

Hermiati, E., D. Mangunwidjaja, T.C. Sunarti, O. Suparno, dan B. Prasetya. 2010. Pemanfaatan Biomassa Lignoselulosa Ampas Tebu Untuk Produksi Bioetanol. *Jurnal Litbang Pertanian*, 29(4): 121-130.

Hoang, V., Bhardwaj, N. K., & Nguyen, K. L. (2005). A FTIR method for determining the content of hexeneuronic acid (hexA) and Kappa number of a high-yield kraft pulp. *Carbohydrate polymers*, 61(1), 5-9.

<https://phl.menlhk.go.id/media/publikasi/1649050547-LKJ%20UHP%202021.pdf> diakses tanggal 26 Juli 2024.



- Jahan, M. S., Sabina, R., & Rubaiyat, A. (2007). Influence of cooking conditions on pulp properties of *Acacia auriculiformis* in kraft pulping. *JAPAN TAPPI JOURNAL*, 61(11), 69.
- Jahan, M. S., Sabina, R., & Rubaiyat, A. (2008). Alkaline pulping and bleaching of *Acacia auriculiformis* grown in Bangladesh. *Turkish Journal of Agriculture and Forestry*, 32(4), 339-347.
- Jiménez, L., Ramos, E., Rodríguez, A., De la Torre, M. J., & Ferrer, J. L. (2005). Optimization of pulping conditions of abaca. An alternative raw material for producing cellulose pulp. *Bioresource technology*, 96(9), 977-983.
- Jochem, D., Bösch, M., Weimar, H., & Dieter, M. (2021). National wood fiber balances for the pulp and paper sector: An approach to supplement international forest products statistics. *Forest Policy and Economics*, 131, 102540.
- Jusner, P., Barbini, S., Schiehser, S., Bacher, M., Schwaiger, E., Potthast, A., dan Rosenau, T. 2022. Impact of residual extractives on the thermal stability of softwood Kraft pulp. *Cellulose*, 29(16): 8797-8810.
- Kamthai S, Puthson P. 2005. The Physical Properties Fiber Morphology and Chemical Compositions of Sweet Bamboo (*Dendrocalamus asper* Backer). *Kasetsart Journal Natural Science*, 39: 581–587
- Kardiansyah, T., & Sugesty, S. (2020). Pengaruh alkali aktif terhadap karakteristik pulp kraft putih *Acacia mangium* dan *Eucalyptus pellita*. *Jurnal Selulosa*, 10(01), 9-20.
- Karlsson, H. 2006 *Fibre Guide, Fibre analysis and process applications in the pulp and paper industry*. AB Lorentzen & Wetre, Box 4, SE-164 93, KISTA, Sweden, p.120, ISBN 91-631-7899-0
- Kocurek, M.J., Otto V. Ingrubber, Al Wong, 1989, *Pulp and Paper manufacture*, The Joint Text Book Committe of Paper Industry, Alkaline Pulping, Vol. 5, TAPPI - CPPA, Canada
- Lal, M., Dutt, D., Tyagi, C. H., Upadhyay, J. S., & Upadhyay, S. (2010). Characterization of *Anthocephalus cadamba* and its delignification by kraft pulping. *Tappi J*, 9(3), 30-37.
- Lehr, M., Miltner, M., & Friedl, A. (2021). Removal of wood extractives as pulp (pre-) treatment: A technological review. *SN Applied Sciences*, 3, 1-22.
- Listyarini, R. V., & Dewi, N. K. (2021). Pengaruh Jenis Larutan Pemasak Terhadap Kualitas Pulp Daun Pisang. *Fullerene Journal of Chemistry*, 6(1), 20-27.
- Lourenço, A., Baptista, I., Gominho, J., & Pereira, H. (2008). The influence of heartwood on the pulping properties of *Acacia melanoxylon* wood. *Journal of wood science*, 54(6), 464-469.
- Lubis, M. R., Mairiza, L., Tanjung, A. P., & Fahmi, N. Y. (2022). Parameter Optimization for Pulp from Rice Straw and used Paper with a Box-Behnken Design. *Mindanao Journal of Science and Technology*, 20(2).



- Lukmandaru, G. (2018). Pengaruh Penambahan Antrakinon terhadap Sifat Pulp dan Lindi Hitam Proses Sulfat pada Kayu Karet. In *Proseding seminar Nasional Masyarakat Peneliti Kayu Indonesia XX*. Denpasar (Vol. 25, pp. 256-263).
- Lumban Gaol, N. I., Hidayati, F., Nugroho, W. D., Praptoyo, H., Karyanto, O., & Marsoem, S. N. (2023). Sifat Fisika dan Mekanika Kayu *Acacia aulacocarpa* dari KHDTK Wanagama. *Indonesian Journal of Agricultural Sciences/Jurnal Ilmu Pertanian Indonesia*, 28(4).
- Ma, X., Huang, L., Cao, S., Chen, Y., Luo, X., & Chen, L. (2012). Preparation of bamboo dissolving pulp for textile production. Part 2. Optimization of pulping conditions of hydrolyzed bamboo and its kinetics. *BioResources*, 7(2), 1866-1875.
- Maan, P., Kadam, A., Kumar, A., Kumar, S., & Dutt, D. (2018). Process parameters optimization of *Casuarina equisetifolia* for enhanced production of bleachable grade kraft pulp through RSM. *BioResources*, 13(4), 8802-8813.
- MacLeod, M. (2007). The top ten factors in kraft pulp yield. *Paperi Ja Puu/Paper & Timber*, 89(7), 417.
- Małachowska, E., Dubowik, M., Boruszewski, P., Łojewska, J., & Przybysz, P. (2020). Influence of lignin content in cellulose pulp on paper durability. *Scientific Reports*, 10(1), 19998.
- Malinen, R. O., Pisuttipiched, S., Kolehmainen, H., & Kusuma, F. N. (2006). Potential of *Acacia* species as pulpwood in Thailand. *Appita: Technology, Innovation, Manufacturing, Environment*, 59(3), 190-196.
- Mat S, Shukor NAA, Hamzah MZ. (2009). Aboveground Biomass of Selected Provenances of *Acacia Mangium* and *Acacia aulacocarpa* Multiple-leadered Trees.
- Mboowa, D. (2024). A review of the traditional pulping methods and the recent improvements in the pulping processes. *Biomass Conversion and Biorefinery*, 14(1), 1-12.
- McDonald, M. W., & Maslin, B. R. (2000). Taxonomic revision of the salwoods: *Acacia aulacocarpa* Cunn. ex Benth. and its allies (Leguminosae: Mimosoideae: section Juliflorae). *Australian Systematic Botany*, 13(1), 21-78.
- Miranda I. & Pereira H., Kinetics of ASAM and kraft pulping of eucalypt wood. *Holzforschung* 56(2002)1 p. 85-90.
- Mohamad, N. A. N., & Jai, J. (2022). Response surface methodology for optimization of cellulose extraction from banana stem using NaOH-EDTA for pulp and papermaking. *Heliyon*, 8(3), e09114.
- Molin, U., & Teder, A. (2002). Importance of cellulose/hemicellulose-ratio for pulp strength. *Nordic Pulp & Paper Research Journal*, 17(1), 14-19a.
- Montgomery, DC. 2001. Design and Analysis of Experiments 5th edition. New York: John Wiley & Sons, Inc.



- Muryanto, M., Sudiyani, Y., & Abimanyu, H. (2016). Optimasi proses perlakuan awal NaOH tandan kosong kelapa sawit untuk menjadi bioetanol. *Jurnal Kimia Terapan Indonesia*, 18(01), 27-35.
- Musekiwa, P., Moyo, L. B., Mamvura, T. A., Danha, G., Simate, G. S., & Hlabangana, N. (2020). Optimization of pulp production from groundnut shells using chemical pulping at low temperatures. *Heliyon*, 6(6), e04184.
- Myers, R. H., Montgomery, D. C., & Anderson-Cook, C. M. (2016). Response surface methodology: process and product optimization using designed experiments. John Wiley & Sons.
- Pinyopusarerk K. 1997. *Acacia aulacocarpa* A. Cunn. ex Benth dalam IF Hanum, LJG van der Maesen, editors. Plant Resources of South-East Asia 11: Auxiliary plants. PROSEA Foundation, Bogor, Indonesia. Database record: prota4u.org/prosea
- Prawirohatmodjo, S. (2004). Kimia kayu. Universitas Gadjah Mada. Yogyakarta. (Tidak diterbitkan).
- Pydimalla, M., Muthyala, B. R., & Adusumalli, R. B. (2019). Influence of temperature on kraft pulping of whole bagasse and depithed bagasse. *Sugar tech*, 21, 1003-1015.
- Rahmati, H., Navaee-Ardeh, S., & Aminian, H. (2007). Influence of sulfidity and active alkali charge on the properties of pulp produced from *Eucalyptus camaldulensis*.
- Rasat, M. S. M., Amin, M. F. M., Ahmad, M. I., Noor, A. M., Sobri, S. A., Hermawan, A., & Chotikhan, A. (2021, August). Comparison of Chemical Compositions Between Two Fast Growing Species: *Acacia mangium* and *Leucaena leucocephala*. In *IOP Conference Series: Earth and Environmental Science* (Vol. 842, No. 1, p. 012079). IOP Publishing.
- Rautiainen, R., & Alen, R. (2009). Influence of cooking conditions on the properties of first-thinning scots pine (*Pinus sylvestris*) kraft pulp. *Cellulose Chemistry and Technology*, 43(7-8), 281-286.
- Rizaluddin, A. T., & Septiningrum, K. (2018). Kandungan Hexenuronic Acid pada Pulp serta Pengaruhnya terhadap Kualitas Pulp dan Air Limbah: Tinjauan. *Jurnal Selulosa*, 8(02), 61-76.
- Rizqiani, K. D., Aprianis, Y., dan Junaedi, A. 2019. Potensi Tiga Jenis Kayu Tanah Gambut Sumatera sebagai Bahan Baku Pulp dan Kertas. *J. Ilmu Teknol. Kayu Tropis*, 17(2): 112–121.
- Rodrigues, P. F., Evtyugin, D. D., Evtugin, D. V., & Prates, A. (2018). Extractive profiles in the production of sulfite dissolving pulp from *Eucalyptus globulus* wood. *Journal of wood chemistry and technology*, 38(5), 397-408.
- Rosli, W. W., Leh, C. P., Zainuddin, Z., & Tanaka, R. (2003). Optimisation of soda pulping variables for preparation of dissolving pulps from oil palm fibre.



- Rosli, W. W., Mazlan, I., & Law, K. N. (2009). Effects of kraft pulping variables on pulp and paper properties of *Acacia mangium* kraft pulp. *Cellulose Chemistry and Technology*, 43(1-3), 9-15.
- Rowell, R.M., R. Petersen, & M.A. Tshabalala. (2005). Cell wall chemistry. Dalam: handbook of wood chemistry and wood composites (second edition). CRC Press. Taylor & Francis Group.
- Rullifank, K. F., Roefinal, M. E., Kostanti, M., & Sartika, L. (2020, May). Pulp and paper industry: An overview on pulping technologies, factors, and challenges. In *IOP Conference Series: Materials Science and Engineering* (Vol. 845, No. 1, p. 012005). IOP Publishing.
- Sarosi, O. P., Bammer, D., Fitz, E., & Potthast, A. (2021). Partial exchange of ozone by electron beam irradiation shows better viscosity control and less oxidation in cellulose upgrade scenarios. *Carbohydrate Polymers*, 265, 118037.
- Senin, A. L., Hamid, H. A., Kusno, M. A., Abdu, A., & Ismail, M. K. (2011). Comparative Growth of 11 Year Old *Acacia aulococarpa* A. Cunn. Ex. Benth from Four Provenances. *Research Journal of Forestry*, 5, 154-161.
- Shatalov, A. A., & Pereira, H. (2013). High-grade sulfur-free cellulose fibers by pre-hydrolysis and ethanol-alkali delignification of giant reed (*Arundo donax* L.) stems. *Industrial Crops and Products*, 43, 623-630.
- Shin, N. H., & Strömberg, B. (2003). Impact of cooking conditions on pulp yield and other parameters. *ColSóquio Internacional sobre Celulose Kraft de Eucalipto*, 59-74.
- Silveira da Silva, C. E., Ribas Batalha, L. A., Monteiro de Carvalho, A., Lobosco Gonzaga de Oliveira, V. B., Macedo Ladeira Carvalho, A. M., Oliveira Carneiro, A. D. C., & Borges Gomes, F. J. (2022). Evaluation of kraft lignin and residues of sawmill for producing briquettes. *Brazilian Journal of Forest Research/Pesquisa Florestal Brasileira*, 42.
- Simão, J. P., Egas, A. P., Baptista, C. M., Carvalho, M. G., & Castro, J. A. (2005). Evolution of methylglucuronic and hexenuronic acid contents of *Eucalyptus globulus* pulp during kraft delignification. *Industrial & engineering chemistry research*, 44(9), 2990-2996.
- Sjostrom, E. (1998). Kimia kayu: dasar-dasar penggunaan. Gadjah Mada University Press (terjemahan). Yogyakarta.
- Sugesty, S., Kardiansyah, T., & Pratiwi, W. (2015). Potensi *Acacia crassicarpa* sebagai bahan baku pulp kertas untuk hutan tanaman industri. *Jurnal Selulosa*, 5(01).
- Sutiya, B. 2012. Kandungan Kimia dan Sifat Serat Alang-Alang (*Imperata Cylindrica*) sebagai Gambaran Bahan Baku Pulp dan Kertas. *Bioscientiae*, 9(1): 1-7.
- TAPPI. (2002). Acid-insoluble lignin in wood and pulp. Technical Association of the Pulp and Paper Industry, T 222 om-02. Technical Association of the Pulp and Paper Industry, New York.



Tarigan, M., Roux, J., van Wyk, M., Tjahjono B., & Wingfield, M.J. (2011). A new wilt and die-back disease of Acacia mangium associated with Ceratocystis manginecans and C. acaciivora sp nov. in Indonesia. *South African Journal of Botany*, 77(2), 292-304.

Theo, Y. P. (2011). Sifat Pulp Campuran Kayu Randu Dan Tusam Pada Konsentrasi Alkali Aktif Yang Berbeda. *Jurnal Hutan Tropis*, 12(31).

Thomson, L. A. (1994). *Acacia aulacocarpa, A. cincinnata, A. crassicarpa and A. wetarensis: an annotated bibliography*. CSIRO.

Wang, J., & Wan, W. (2009). Experimental design methods for fermentative hydrogen production: a review. *International journal of hydrogen energy*, 34(1), 235-244.

Wool, R., & Sun, X. S. (2011). *Bio-based polymers and composites*. Elsevier