

DAFTAR PUSTAKA

- [1] D. D. Ariananda, M. K. Lakshmanan, and H. Nikookar, “A Survey on Spectrum Sensing Techniques for Cognitive Radio,” in *2009 2nd International Workshop on Cognitive Radio and Advanced Spectrum Management, CogART 2009*, 2009, pp. 74–79. doi: 10.1109/COGART.2009.5167237.
- [2] H. H. Cahyo, D. Aryanta, and N. Armi, “Kinerja Spectrum Sensing Dengan Metode Cyclostationary Feature Detector Pada Radio Kognitif,” *Elkomika: Jurnal Teknik Elektro*, vol. 1, no. 1, pp. 26–34, 2013.
- [3] Electronic Communications Committee (ECC), “ECC Report 252: SEAMCAT Handbook Edition 2,” 2016.
- [4] Yourdan, “Evaluasi Pemanfaatan Infrastruktur Perangkat Monitor Spektrum Frekuensi Radio di Padang Evaluation of the Utilization of Radio Frequency Monitoring Device in Padang,” *Buletin Pos dan Telekomunikasi*, vol. 11, no. 4, pp. 293–306, 2013.
- [5] Federal Communications Commission, “Spectrum Policy Task Force: Report of the Spectrum Efficiency Working Group,” Nov. 2002.
- [6] A. Baker *et al.*, “Economics at the FCC 2019–2020: Spectrum Policy, Universal Service, Inmate Calling Services, and Telehealth,” *Rev Ind Organ*, vol. 57, pp. 827–858, 2020, doi: 10.1007/s11151-020-09791-x.
- [7] R. Atat, L. Liu, H. Chen, J. Wu, H. Li, and Y. Yi, “Enabling cyber-physical communication in 5G cellular networks: challenges, spatial spectrum sensing, and cyber-security,” *IET Cyber-Physical Systems: Theory & Applications*, vol. 2, no. 1, pp. 49–54, Apr. 2017, doi: 10.1049/IET-CPS.2017.0010.
- [8] A. Nurizar, “Digital Television Regulation and its Impact on Indonesia towards Society 5.0,” *Jurnal Komunikator*, vol. 12, no. 2, pp. 106–115, Nov. 2020, doi: 10.18196/JKM.122039.
- [9] M. A. Abdulsattar and Z. A. Hussein, “Energy Detection Technique for Spectrum Sensing in Cognitive Radio: A Survey,” *International Journal of Computer Networks & Communications (IJCNC)*, vol. 4, no. 5, 2012, doi: 10.5121/ijcnc.2012.4514.
- [10] D. D. Ariananda, “On Wavelet Based Spectrum Estimation for Dynamic Spectrum Access,” Delft University of Technology, Delft, 2009.

- [11] Y. Zhang, J. Zheng, and H.-Hwa. Chen, *Cognitive Radio Networks: Architectures, Protocols, and Standards*. CRC Press/Taylor & Francis, 2010.
- [12] V. Balaji, P. Kabra, P. V. P. K. Saieesh, C. Hota, and G. Raghurama, “Cooperative Spectrum Sensing in Cognitive Radios Using Perceptron Learning for IEEE 802.22 WRAN,” *Procedia Comput Sci*, vol. 54, pp. 14–23, 2015, doi: 10.1016/J.PROCS.2015.06.002.
- [13] Center for Software Defined Radio (CSDR), “Software Defined Radio: Terms, Trends and Perspectives,” 2007. [Online]. Available: www.sdrforum.org
- [14] S. Maleki, “Spectrum Sensing Issues for Cognitive Radio,” Delft University of Technology, Delft, 2009. [Online]. Available: <http://ens.ewi.tudelft.nl/>
- [15] M. Song, C. Xin, Y. Zhao, and X. Cheng, “Dynamic Spectrum Access: From Cognitive Radio to Network Radio,” *IEEE Wirel Commun*, vol. 19, no. 1, pp. 23–29, Feb. 2012, doi: 10.1109/MWC.2012.6155873.
- [16] J. G. Proakis and Masoud. Salehi, *Digital Communications*, 5th ed. McGraw-Hill, 2008.
- [17] Y.-C. Liang, *Dynamic Spectrum Management*. in Signals and Communication Technology. Singapore: Springer Singapore, 2020. doi: 10.1007/978-981-15-0776-2.
- [18] Y. Arjoun, Z. El Mrabet, H. El Ghazi, and A. Tamtaoui, “Spectrum Sensing: Enhanced Energy Detection Technique Based on Noise Measurement,” *2018 IEEE 8th Annual Computing and Communication Workshop and Conference, CCWC 2018*, vol. 2018-January, pp. 828–834, Feb. 2018, doi: 10.1109/CCWC.2018.8301619.
- [19] S. Kim, H. Wang, G. Noh, D. Kim, and D. Hong, “Advanced Sensing Techniques of Energy Detection in Cognitive Radios,” *Article in Journal of Communications and Networks*, vol. 12, no. 1, 2010, doi: 10.1109/JCN.2010.5710555.
- [20] K. M. Thilina, K. W. Choi, N. Saquib, and E. Hossain, “Machine Learning Techniques for Cooperative Spectrum Sensing in Cognitive Radio Networks,” *IEEE Journal on Selected Areas in Communications*, vol. 31, no. 11, pp. 2209–2221, 2013, doi: 10.1109/JSAC.2013.131120.
- [21] A. M. Mikaeil and Z. Wang, “Machine Learning to Data Fusion Approach for Cooperative Spectrum Sensing,” *Proceedings - 2014 International Conference on Cyber-Enabled Distributed Computing and Knowledge Discovery, CyberC 2014*, pp. 429–434, Dec. 2014, doi: 10.1109/CYBERC.2014.80.

- [22] Y. Lu, P. Zhu, D. Wang, and M. Fattouche, "Machine Learning Techniques with Probability Vector for Cooperative Spectrum Sensing in Cognitive Radio Networks," in *IEEE Wireless Communications and Networking Conference (WCNC)*, Institute of Electrical and Electronics Engineers Inc., Sep. 2016. doi: 10.1109/WCNC.2016.7564840.
- [23] B. Khalfi, A. Zaid, and B. Hamdaoui, "When Machine Learning Meets Compressive Sampling for Wideband Spectrum Sensing," *2017 13th International Wireless Communications and Mobile Computing Conference, IWCMC 2017*, pp. 1120–1125, Jul. 2017, doi: 10.1109/IWCMC.2017.7986442.
- [24] A. Subekti, H. F. Pardede, R. Sustika, and Suyoto, "Spectrum Sensing for Cognitive Radio using Deep Autoencoder Neural Network and SVM," in *International Conference on Radar, Antenna, Microwave, Electronics, and Telecommunications*, 2018, pp. 81–85.
- [25] S. Mohammed, E. R. Abdessamad, S. Rachid, K. A. Hatim, and C. Abdellah, "An Optimized Spectrum Sensing Implementation Based on SVM, KNN and TREE Algorithms," in *15th International Conference on Signal Image Technology and Internet Based Systems (SISITS)*, Institute of Electrical and Electronics Engineers Inc., Nov. 2019, pp. 383–389. doi: 10.1109/SITIS.2019.00068.
- [26] S. Zheng, S. Chen, P. Qi, H. Zhou, and X. Yang, "Spectrum Sensing Based on Deep Learning Classification for Cognitive Radios," *China Communication*, pp. 136–148, 2020.
- [27] Y. Zeng and Y. C. Liang, "Eigenvalue-Based Spectrum Sensing Algorithms for Cognitive Radio," *IEEE Transactions on Communications*, vol. 57, no. 6, pp. 1784–1793, 2009, doi: 10.1109/TCOMM.2009.06.070402.
- [28] E. Axell and E. G. Larsson, "Optimal and Sub-Optimal Spectrum Sensing of OFDM Signals in Known and Unknown Noise Variance," *IEEE Journal on Selected Areas in Communications*, vol. 29, no. 2, pp. 290–304, Feb. 2011, doi: 10.1109/JSAC.2011.110203.
- [29] D. D. Ariananda and G. Leus, "Compressive Wideband Power Spectrum Estimation," *IEEE Transactions on Signal Processing*, vol. 60, no. 9, pp. 4775–4789, 2012, doi: 10.1109/TSP.2012.2201153.

- [30] M. Bkassiny, Y. Li, and S. K. Jayaweera, "A Survey on Machine-Learning Techniques in Cognitive Radios," *IEEE Communications Surveys and Tutorials*, vol. 15, no. 3, pp. 1136–1159, 2013, doi: 10.1109/SURV.2012.100412.00017.
- [31] F. Azmat, Y. Chen, and N. Stocks, "Analysis of Spectrum Occupancy Using Machine Learning Algorithms," *IEEE Trans Veh Technol*, vol. 65, no. 9, pp. 6853–6860, Sep. 2016, doi: 10.1109/TVT.2015.2487047.
- [32] O. P. Awe and S. Lambotharan, "Cooperative Spectrum Sensing in Cognitive Radio Networks using Multi-class Support Vector Machine Algorithms," in *9th International Conference on Signal Processing and Communication Systems (ICSPCS)*, Institute of Electrical and Electronics Engineers Inc., 2015. doi: 10.1109/ICSPCS.2015.7391780.
- [33] A. V. Oppenheim, A. S. Willsky, and S. H. Nawab, *Signals and Systems*, 2nd ed. Upper Saddle River, New Jersey: Prentice Hall, 1996.
- [34] A. V. Oppenheim, R. W. Schaffer, and J. R. Buck, *Discrete-Time Signal Processing*, 2nd ed. Upper Saddle River, New Jersey: Prentice Hall, 1999.
- [35] R. E. Walpole, R. H. Myers, S. L. Myers, and K. Ye, *Probability & Statistics for Engineers & Scientists*, 9th ed. Pearson Education, Inc., 2012.
- [36] C. Coronel and S. Morris, *Database Systems: Design, Implementation, and Management*, 12th ed. Boston, MA: Cengage Learning, 2017.
- [37] R. D. Yates and D. J. Goodman, *Probability and Stochastic Processes*, 2nd ed. John Wiley & Sons, Inc., 2005.
- [38] J. E. Hanke and D. W. Wichern, *Business Forecasting*, 8th ed. Upper Saddle River, New Jersey: Prentice Hall, Inc., 2005.
- [39] W. W. S. Wei, *Time Series Analysis: Univariate and Multivariate Methods*, 2nd ed. Pearson Education, Inc., 2006.
- [40] P. Stoica and R. Moses, *Spectral Analysis of Signals*, 1st ed. Upper Saddle River, New Jersey: Prentice Hall, Inc., 2005.
- [41] G. M. Jenkins and D. G. Watts, *Spectral Analysis and Its Applications*. San Francisco, California: Holden-Day, 1968.
- [42] P. M. T. Broersen, *Automatic Autocorrelation and Spectral Analysis*, 1st ed. Springer London, 2006. doi: 10.1007/1-84628-329-9/COVER.
- [43] T. S. Rappaport, *Wireless Communications: Principles and Practice*, 2nd ed. Prentice Hall, 2002. [Online]. Available: www.vsofts.net

- [44] H. H. Ibrahim *et al.*, “Radio Frequency Energy Harvesting Technologies: A Comprehensive Review on Designing, Methodologies, and Potential Applications,” *Sensors (Basel)*, vol. 22, no. 11, Jun. 2022, doi: 10.3390/S22114144.
- [45] A. Paulraj, R. Nabar, and D. Gore, *Introduction to Space-Time Wireless Communications*. Cambridge University Press, 2003. Accessed: Jun. 06, 2024. [Online]. Available: https://books.google.com/books/about/Introduction_to_Space_Time_Wireless_Comm.html?hl=id&id=YQSsoPDFyngC
- [46] A. Goldsmith, *Wireless Communications*. Cambridge University Press, 2005. doi: 10.1017/CBO9780511841224.
- [47] V. Erceg *et al.*, “Empirically based path loss model for wireless channels in suburban environments,” *IEEE Journal on Selected Areas in Communications*, vol. 17, no. 7, pp. 1205–1211, 1999, doi: 10.1109/49.778178.
- [48] S. Y. Seidel, T. S. Rappaport, S. Jain, M. L. Lord, and R. Singh, “Path Loss, Scattering, and Multipath Delay Statistics in Four European Cities for Digital Cellular and Microcellular Radiotelephone,” *IEEE Trans Veh Technol*, vol. 40, no. 4, pp. 721–730, 1991, doi: 10.1109/25.108383.
- [49] S. Y. Seidel and T. S. Rappaport, “914 MHz Path Loss Prediction Models for Indoor Wireless Communications in Multifloored Buildings,” *IEEE Trans Antennas Propag*, vol. 40, no. 2, pp. 207–217, 1992, doi: 10.1109/8.127405.
- [50] A. F. Toledo and A. M. D. Turkmani, “Propagation Into and Within Buildings at 900, 1800 and 2300 MHz,” in *IEEE Vehicular Technology Conference*, Institute of Electrical and Electronics Engineers Inc., 1992, pp. 633–636. doi: 10.1109/VETEC.1992.245316.
- [51] F. C. Owen and C. D. Pudney, “Radio Propagation for Digital Cordless Telephones at 1700MHz and 900MHz,” *Electron Lett*, vol. 25, no. 1, pp. 52–53, 1989, doi: 10.1049/EL:19890037.
- [52] A. F. Toledo, A. M. D. Turkmani, and J. D. Parsons, “Estimating Coverage of Radio Transmission Into and Within Buildings at 900, 1800, and 2300 MHz,” *IEEE Personal Communications*, vol. 5, no. 2, pp. 40–47, Apr. 1998, doi: 10.1109/98.667944.
- [53] W. C. Y. Lee, *Mobile Communications Design Fundamentals*, 2nd ed. John Wiley & Sons, Inc., 2010. doi: 10.1002/9780470930427.
- [54] G. D. Durgin, T. S. Rappaport, and H. Xu, “Partition-based Path Loss Analysis for In-home and Residential Areas at 5.85 GHz,” in *IEEE Global Telecommunications*

- Conference*, Sydney, New South Wales, Australia: IEEE, Nov. 1998, pp. 904–909. doi: 10.1109/GLOCOM.1998.776862.
- [55] D. M. J. Devasirvatham, R. R. Murray, and D. R. Wolter, “Time Delay Spread Measurements in a Wireless Local Loop Test Bed,” in *IEEE Vehicular Technology Conference*, Chicago, IL, USA: IEEE, Jul. 1995, pp. 241–245. doi: 10.1109/VETEC.1995.504865.
- [56] S. S. Ghassemzadeh, L. J. Greenstein, A. Kavčić, T. Sveinsson, and V. Tarokh, “UWB Indoor Path Loss Model for Residential and Commercial Buildings,” in *IEEE Vehicular Technology Conference*, Institute of Electrical and Electronics Engineers Inc., 2003, pp. 3115–3119. doi: 10.1109/VETECF.2003.1286197.
- [57] W. C. Jakes, *Microwave Mobile Communications*. 1994.
- [58] J. E. Berg, R. Bownds, and F. Lotse, “Path Loss and Fading Models for Microcells at 900 MHz,” in *IEEE Vehicular Technology Conference*, Denver, CO, USA: IEEE, May 1992, pp. 666–671. doi: 10.1109/VETEC.1992.245484.
- [59] A. J. Goldsmith and L. J. Greenstein, “A Measurement-Based Model for Predicting Coverage Areas of Urban Microcells,” *IEEE Journal on Selected Areas in Communications*, vol. 11, no. 7, pp. 1013–1023, 1993, doi: 10.1109/49.233214.
- [60] M. Gudmundson, “Correlation Model for Shadow Fading in Mobile Radio Systems,” *Electron Lett*, vol. 27, no. 23, pp. 2145–2146, Oct. 1991, doi: 10.1049/EL:19911328.
- [61] G. L. Stüber, *Principles of Mobile Communication*, 2nd ed. Kluwer Academic Publishers, 2002.
- [62] J. Mitola and G. Q. Maguire, “Cognitive Radio: Making Software Radios More Personal,” *IEEE Personal Communications*, vol. 6, no. 4, pp. 13–18, Aug. 1999, doi: 10.1109/98.788210.
- [63] J. Mitola, “Cognitive Radio for Flexible Mobile Multimedia Communications,” pp. 3–10, Jan. 2003, doi: 10.1109/MOMUC.1999.819467.
- [64] A. Nasser, H. A. H. Hassan, J. A. Chaaya, A. Mansour, and K. C. Yao, “Spectrum Sensing for Cognitive Radio: Recent Advances and Future Challenge,” *Sensors (Basel)*, vol. 21, no. 7, Apr. 2021, doi: 10.3390/S21072408.
- [65] I. F. Akyildiz, B. F. Lo, and R. Balakrishnan, “Cooperative Spectrum Sensing in Cognitive Radio Networks: A Survey,” *Physical Communication*, vol. 4, no. 1, pp. 40–62, Mar. 2011, doi: 10.1016/j.phycom.2010.12.003.

- [66] Y. Hong, T. Thaj, and E. Viterbo, *Delay-Doppler Communications: Principles and Applications*. Elsevier, 2022. doi: 10.1016/C2020-0-01791-3.
- [67] I. F. Akyildiz, W. Y. Lee, and K. R. Chowdhury, "Spectrum Management in Cognitive Radio Ad Hoc Networks," *IEEE Netw*, vol. 23, no. 4, pp. 6–12, 2009, doi: 10.1109/MNET.2009.5191140.
- [68] IEEE, "802.22-2019 - IEEE Standard - Information Technology-Telecommunications and Information Exchange Between Systems-Wireless Regional Area Networks-Specific Requirements-Part 22 Cognitive Wireless RAN MAC and PHY Specifications: Policies and Procedures for Operation in the Bands that Allow Spectrum Sharing where the Communications Devices May Opportunistically Operate in the Spectrum of Primary Service," 2020.
- [69] I. F. Akyildiz, W. Y. Lee, M. C. Vuran, and S. Mohanty, "NeXt Generation/Dynamic Spectrum Access/Cognitive Radio Wireless Networks: A Survey," *Computer Networks*, vol. 50, no. 13, pp. 2127–2159, Sep. 2006, doi: 10.1016/J.COMNET.2006.05.001.
- [70] H. Uchiyama *et al.*, "Study on Soft Decision Based Cooperative Sensing for Cognitive Radio Networks," *IEICE Transactions on Communications*, vol. E91-B, no. 1, pp. 95–101, 2008, doi: 10.1093/IETCOM/E91-B.1.95.
- [71] A. Ali and W. Hamouda, "Advances on Spectrum Sensing for Cognitive Radio Networks: Theory and Applications," *IEEE Communications Surveys and Tutorials*, vol. 19, no. 2, pp. 1277–1304, Apr. 2017, doi: 10.1109/COMST.2016.2631080.
- [72] A. M. Wyglinski, M. Nekovee, and Y. T. Hou, *Cognitive Radio Communications and Networks: Principles and Practice*. Elsevier Inc., 2010. doi: 10.1016/C2009-0-19335-2.
- [73] P. K. Varshney, *Distributed Detection and Data Fusion*. Springer New York, 1997. doi: 10.1007/978-1-4612-1904-0.
- [74] L. Li, Y. Lu, and H. Zhu, "Half-Voting Based Twice-Cooperative Spectrum Sensing in Cognitive Radio Networks," *Proceedings - 5th International Conference on Wireless Communications, Networking and Mobile Computing, WiCOM 2009*, 2009, doi: 10.1109/WICOM.2009.5304071.
- [75] W. Choi, M. G. Song, J. Ahn, and G. H. Im, "Soft Combining for Cooperative Spectrum Sensing over Fast-Fading Channels," *IEEE Communications Letters*, vol. 18, no. 2, pp. 193–196, Feb. 2014, doi: 10.1109/LCOMM.2013.112713.131767.

- [76] A. L. Samuel, “Some Studies in Machine Learning Using the Game of Checkers,” *IBM J Res Dev*, vol. 3, no. 3, pp. 210–229, Jul. 1959, doi: 10.1147/RD.33.0210.
- [77] C. E. Sapp, “Preparing and Architecting for Machine Learning,” Gartner, Inc., Stamford, Connecticut, USA, 2017.
- [78] B. Santosa, *Data Mining: Teknik Pemanfaatan Data untuk Keperluan Bisnis*, 1st ed., vol. 1. Yogyakarta: Graha Ilmu, 2007.
- [79] V. N. Vapnik, *Statistical Learning Theory*, 1st ed. Wiley-Interscience, 1998. Accessed: Mar. 05, 2024. [Online]. Available: <https://www.wiley.com/en-us/Statistical+Learning+Theory-p-9780471030034>
- [80] C. Cortes and V. Vapnik, “Support-Vector Networks,” *Mach Learn*, vol. 20, no. 3, pp. 273–297, Sep. 1995, doi: 10.1007/BF00994018.
- [81] Boaz. Porat, *A Course in Digital Signal Processing*, 1st ed. John Wiley & Sons, Inc., 1997.
- [82] S. Maleki, A. Pandharipande, and G. Leus, “Energy-Efficient Distributed Spectrum Sensing for Cognitive Sensor Networks,” *IEEE Sens J*, vol. 11, no. 3, pp. 565–573, Mar. 2011, doi: 10.1109/JSEN.2010.2051327.
- [83] L. Tang, L. Zhao, and Y. Jiang, “An SVM-Based Feature Detection Scheme for Spatial Spectrum Sensing,” *IEEE Communications Letters*, vol. 27, no. 8, pp. 2132–2136, Aug. 2023, doi: 10.1109/LCOMM.2023.3289982.