

DAFTAR PUSTAKA

- Adab, P., Pallan, M., & Whincup, P. H. (2018). Is BMI the best measure of obesity?. *BMJ* 2018;360:k1274. doi: <https://doi.org/10.1136/bmj.k1274>
- Ahn, E., & Kang, H. (2018). Introduction to systematic review and meta-analysis. *Korean journal of anesthesiology*, 71(2), 103-112. <https://doi.org/10.4097/kjae.2018.71.2.103>
- Alghamdi, A. S., Alqadi, A., Jenkins, R. O., & Haris, P. I. (2021). The influence of gender and menopausal status on HbA1c variation in a big data study of a Saudi population. *Current Diabetes Reviews*, 17(3), 365-372. <https://doi.org/10.2174/1573399816999200729143238>
- Ali, H. I., Platat, C., Baynouna, L. M., & Abd El Baki, H. A. (2015). Community-based diabetes nutrition education programme for Emirati adults with type 2 diabetes mellitus—barriers to participation. *Hamdan Medical Journal*, 8(2), 209-216. DOI: 10.7707/hmj.378
- Al-Mountashiri, N. A., Al-Zhrani, A. M., Ibrahim, S. F. H., & Mirghani, H. O. (2017). Dietary habits, physical activity and diabetes perception among patients with type 2 diabetes mellitus in Tabuk City, Saudi Arabia. *Electronic physician*, 9(9), 5179. doi: [10.19082/5179](https://doi.org/10.19082/5179)
- American Diabetes Association Professional Practice Committee; 8 (2024). Obesity and Weight Management for the Prevention and Treatment of Type 2 Diabetes: *Standards of Care in Diabetes—2024*. *Diabetes Care* 1 January 2024; 47 (Supplement_1): S145–S157. <https://doi.org/10.2337/dc24-S008>
- American Diabetes Association. (2019). Lifestyle Management: Standards of Medical Care in Diabetes—2019. *Diabetes Care*, 42(Supplement 1), S46–S60. <https://doi.org/10.2337/dc19-S008>
- American Diabetes Association. (2020). Standards of Medical Care in Diabetes—2020. *Diabetes Care*, 43(Supplement 1), S14-S31.
- American Diabetes Association. (2021). Standards of Medical Care in Diabetes—2021 Abridged for Primary Care Providers. *Clinical Diabetes*, 39(1), 14-36. doi: 10.2337/cd20-0065
- American Diabetes Association. (2023). Obesity and Weight Management for the Prevention and Treatment of Type 2 Diabetes: Standards of Care in Diabetes—2023. *Diabetes Care* 2023;46(Suppl. 1): S128–S139. <https://doi.org/10.2337/dc23-S008>
- American Diabetes Association. (2023b). Facilitating Positive Health Behaviors and Well-being to Improve Health Outcomes: Standards of Care in Diabetes—2023. *Diabetes Care* 2023;46(Suppl. 1): S68–S96. <https://doi.org/10.2337/dc23-S005>
- Bauer, F., Beulens, J. W., Van Der A, D. L., Wijmenga, C., Grobbee, D. E., Spijkerman, A. M., ... & Onland-Moret, N. C. (2013). Dietary patterns and the risk of type 2 diabetes in overweight and obese individuals. *European journal of nutrition*, 52, 1127-1134. <https://doi.org/10.1007/s00394-012-0423-4>

- Beck, J., Greenwood, D. A., Blanton, L., Bollinger, S. T., Butcher, M. K., Condon, J. E., ... & Wang, J. (2018). 2017 National standards for diabetes self-management education and support. *The Diabetes Educator*, 44(1), 35-50. <https://doi.org/10.1177/0145721718754797>
- Bloom, D. E., Chen S., McGovern M., Prettner K., Candeias V., Bernaert A. and Cristin S. (2015). The Economics of Non-Communicable Diseases in Indonesia. World Economic Forum, April 2015.
- Bross, R., Genter, P., Lu, Y., Serpas, L., Campa, D., & Ipp, E. (2022). Barriers to healthy eating and diabetes diet education: Divergent perspectives of patients and their providers. *Health Education & Behavior*, 49(4), 658-666. <https://doi.org/10.1177/10901981211052241>
- Carlsson, S., Ahlbom, A., Lichtenstein, P., & Andersson, T. (2013). Shared genetic influence of BMI, physical activity and type 2 diabetes: a twin study. *Diabetologia*, 56, 1031-1035. <https://doi.org/10.1007/s00125-013-2859-3>
- Centers for Disease Control and Prevention. (2020). National Diabetes Statistics Report, 2020. Atlanta, GA: Centers for Disease Control and Prevention, US Department of Health and Human Services.
- Coates, V., Slevin, M., Carey, M., Slater, P., & Davies, M. (2018). Declining structured diabetes education in those with type 2 diabetes: A plethora of individual and organisational reasons. *Patient education and counseling*, 101(4), 696-702. <https://doi.org/10.1016/j.pec.2017.10.013>
- Colberg, S. R., Sigal, R. J., Yardley, J. E., Riddell, M. C., Dunstan, D. W., Dempsey, P. C., ... & Tate, D. F. (2016). Physical activity/exercise and diabetes: a position statement of the American Diabetes Association. *Diabetes care*, 39(11), 2065. doi: [10.2337/dc16-1728](https://doi.org/10.2337/dc16-1728)
- Cruz-Cobo, C., & Santi-Cano, M. J. (2020). Efficacy of diabetes education in adults with diabetes mellitus type 2 in primary care: a systematic review. *Journal of Nursing Scholarship*, 52(2), 155-163. <https://doi.org/10.1111/jnu.12539>
- Daka B, Rosen T, Jansson PA, Råstam L, Larsson CA, Lindblad U. (2008). Inverse association between serum testosterone and leptin in men and women. *Journal of Clinical Endocrinology & Metabolism*. 2008;93(8):3205-10. doi:10.1210/jc.2008-0307
- Daryani, A., Asadi, M., Sharifirad, G., & Rahmati, S. (2017). Effective Factors on Consumption of Fruits and Vegetables by Diabetic Patients Based on the Social Cognitive Theory. *Journal of nutrition and metabolism*, 2017, 1458741. <https://doi.org/10.1155/2017/1458741>
- Davies MJ, Heller S, Skinner TC, Campbell MJ, Carey ME, Craddock S, Dallosso HM, Daly H, Doherty Y, Eaton S, Fox C, Oliver L, Rantell K, Rayman G, Khunti K, The DESMOND Collaborative. (2008). Effectiveness of the diabetes education and self-management for ongoing and newly diagnosed (DESMOND) programme for people with newly diagnosed type 2 diabetes: cluster randomised controlled trial. *BMJ*, 336(7642), 491–495. <https://doi.org/10.1136/bmj.39474.922025.BE>
- Deakin, T. A., McShane, C. E., Cade, J. E., & Williams, R. (2005). Group based training for self-management strategies in people with type 2 diabetes

- mellitus. *Cochrane database of systematic reviews*, (2).
<https://doi.org/10.1002/14651858.CD003417.pub2>
- DeFronzo, R. A. (2009). From the triumvirate to the ominous octet: a new paradigm for the treatment of type 2 diabetes mellitus. *Diabetes*, 58(4), 773-795.
<https://doi.org/10.2337/db09-9028>
- Dehghan, T., Mohsenpour, M. A., Karimi, M., Mehrabi, M., Zare, M., Akbarzadeh, M., ... Sohrabi, Z. (2024). Educational intervention based on the extended parallel process model improves adherence to diabetic diet and glycaemic control indices: a randomised, double-blind, controlled, factorial field trial. *British Journal of Nutrition*, 1–12. doi:10.1017/S0007114524000497
- Dening, J., Mohebbi, M., Abbott, G. *et al.* A web-based low carbohydrate diet intervention significantly improves glycaemic control in adults with type 2 diabetes: results of the T2Diet Study randomised controlled trial. *Nutr. Diabetes* 13, 12 (2023). <https://doi.org/10.1038/s41387-023-00240-8>
- Derakhshandeh-Rishehri, S. M., Heidari-Beni, M., Faghieh, S., & Mirfardi, A. (2022). The effects of formal nutrition education on anthropometric indices, lipid profile, and glycemic control of patients with type 2 diabetes: a systematic review and meta-analysis. *International Journal of Diabetes in Developing Countries*, 1-17. <https://doi.org/10.1007/s13410-021-01023-6>
- D'Souza, M. S., Karkada, S. N., Labrague, L. J., & Ammouri, A. A. A. (2019). How do multi-modality strategies affect outcomes in T2D using a randomized control trial?. *Clinical Epidemiology and Global Health*, 7(4), 578-585.
<https://doi.org/10.1016/j.cegh.2019.01.004>
- Eisenberg, D. M., & Burgess, J. D. (2015). Nutrition education in an era of global obesity and diabetes: thinking outside the box. *Academic Medicine*, 90(7), 854-860. DOI: 10.1097/ACM.0000000000000682
- Fan, L., & Sidani, S. (2018). Factors influencing preferences of adults with type 2 diabetes for diabetes self-management education interventions. *Canadian journal of diabetes*, 42(6), 645-651.
<https://doi.org/10.1016/j.jcjd.2018.04.003>
- Fan, M. H., Huang, B. T., Tang, Y. C., Han, X. H., Dong, W. W., & Wang, L. X. (2016). Effect of individualized diabetes education for type 2 diabetes mellitus: a single-center randomized clinical trial. *African health sciences*, 16(4), 1157-1162. doi: [10.4314/ahs.v16i4.34](https://doi.org/10.4314/ahs.v16i4.34)
- Fisher, L., Hessler, D., Glasgow, R. E., Arean, P. A., Masharani, U., Naranjo, D., & Strycker, L. A. (2013). REDEEM: a pragmatic trial to reduce diabetes distress. *Diabetes care*, 36(9), 2551-2558. <https://doi.org/10.2337/dc12-2493>
- Fitria, N., Andela, M., Syaputri, Y., & Nasif, H. (2023). Analisis Efektivitas Biaya Penggunaan Metformin-Glimepiride Terhadap Penurunan Kadar Gula Darah Puasa Pada Pasien Diabetes Mellitus Tipe 2 di RS Universitas Andalas. *Jurnal Sains Farmasi & Klinis*, 9(sup), 202-207. doi: <https://dx.doi.org/10.25077/jsfk.9.sup.202-207.2022>

- Franz, M. J., & Boucher, J. L. (2015). Efficacy of weight loss interventions for obese older adults with type 2 diabetes mellitus. *American Journal of Managed Care*, 21(3), e206-e215.
- Franz, M. J., MacLeod, J., Evert, A., Brown, C., Gradwell, E., Handu, D., ... & Robinson, M. (2017). Academy of Nutrition and Dietetics nutrition practice guideline for type 1 and type 2 diabetes in adults: systematic review of evidence for medical nutrition therapy effectiveness and recommendations for integration into the nutrition care process. *Journal of the Academy of Nutrition and Dietetics*, 117(10), 1659-1679. <https://doi.org/10.1016/j.jand.2017.03.022>
- Galicia-Garcia, U., Benito-Vicente A., Jebari S., Larrea-Sebal A., Siddiqi H., Uribe K. B., Ostolaza H., Martín C.. 2020. Pathophysiology of Type 2 Diabetes Mellitus. *Int J Mol Sci*, 21(17): 6275. <https://doi.org/10.3390/ijms21176275>
- Gülsen, Ş., Deniz, K. E., Başak, C., Alper, G., Yeşil, B. S., & Betül, E. (2023). The effect of age and gender on HbA1c levels in adults without diabetes mellitus. *Journal of medical biochemistry*, 42(4), 714–721. <https://doi.org/10.5937/jomb0-44190>
- Han, Y., Ye, X., Li, X., Yang, P., Wu, Y., Chen, L., ... & He, W. (2023). Comparison of an online versus conventional multidisciplinary collaborative weight loss programme in type 2 diabetes mellitus: A randomized controlled trial. *International Journal of Nursing Practice*, 29(1), e13126. <https://doi.org/10.1111/ijn.13126>
- Hashim, S. A., Yusof, B. N. M., Saad, H. A., Ismail, S., Hamdy, O., & Mansour, A. A. (2021). Effectiveness of simplified diabetes nutrition education on glycemic control and other diabetes-related outcomes in patients with type 2 diabetes mellitus. *Clinical nutrition ESPEN*, 45, 141-149. <https://doi.org/10.1016/j.clnesp.2021.07.024>
- Higgins JPT, Sterne JAC, Savović J, Page MJ, Hróbjartsson A, Boutron I, Reeves B, Eldridge S. A revised tool for assessing risk of bias in randomized trials In: Chandler J, McKenzie J, Boutron I, Welch V (editors). *Cochrane Methods. Cochrane Database of Systematic Reviews* 2016, Issue 10 (Suppl 1). [dx.doi.org/10.1002/14651858.CD201601](https://doi.org/10.1002/14651858.CD201601).
- Higgins, Julian PT, Jelena Savović, Matthew J Page, Jonathan AC Sterne. (2019). Revised Cochrane risk-of-bias tool for randomized trials (RoB 2).
- Horigan, G., Davies, M., Findlay-White, F., Chaney, D., & Coates, V. (2017). Reasons why patients referred to diabetes education programmes choose not to attend: a systematic review. *Diabetic Medicine*, 34(1), 14-26. <https://doi.org/10.1111/dme.13120>
- Hou, C., Carter, B., Hewitt, J., Francisa, T., Mayor, S., & Tudor-Edwards, R. (2019). Do mobile phone applications improve glycemic control (HbA1c) in the self-management of diabetes? A systematic review, meta-analysis, and GRADE of 14 randomized trials. *Diabetes Care*, 42(4), 602-612.
- International Diabetes Federation. (2021). *IDF Diabetes Atlas*, 10th ed. Brussels, Belgium: International Diabetes Federation.

- Joseph, J. J., & Golden, S. H. (2017). Cortisol dysregulation: the bidirectional link between stress, depression, and type 2 diabetes mellitus. *Annals of the New York Academy of Sciences*, 1391(1), 20-34. <https://doi.org/10.1111/nyas.13217>
- Katagiri, E. (2018). From Reactive to Proactive Diabetes Care: Identifying Barriers to Nutrition Education. Dissertation, University of Arizona: USA
- Kementerian Kesehatan Republik Indonesia. (2020). Infodatin 2020 Diabetes Melitus Pusat Data dan Informasi Kementerian Kesehatan RI.
- Khunti, N., Khunti, N., & Khunti, K. (2019). Adherence to type 2 diabetes management. *British Journal of Diabetes*, 19(2), 99-104. <https://doi.org/10.15277/bjd.2019.223>
- Kim, J., & Hur, M. H. (2021). The effects of dietary education interventions on individuals with type 2 diabetes: a systematic review and meta-analysis. *International Journal of Environmental Research and Public Health*, 18(16), 8439. <https://doi.org/10.3390/ijerph18168439>
- Kim, J. H., Nam, Y. J., Kim, W. J., Lee, K. A., Baek, A. R., Park, J. N., ... & Kim, S. S. (2018). The effectiveness of multidisciplinary team-based education in the management of type 2 diabetes. *The Journal of Korean Diabetes*, 19(2), 119-133. <https://doi.org/10.4093/jkd.2018.19.2.119>
- Kirmayr, M., Quilodr n, C., Valente, B., Loezar, C., Garegnani, L., & Franco, J. V. A. (2021). The GRADE approach, Part 1: how to assess the certainty of the evidence. *Medwave*, 21(02). <http://doi.org/10.5867/medwave.2021.02.8109>
- Ko, S. H., Park, S. A., Cho, J. H., Ko, S. H., Shin, K. M., Lee, S. H., ... & Ahn, Y. B. (2012). Influence of the duration of diabetes on the outcome of a diabetes self-management education program. *Diabetes & metabolism journal*, 36(3), 222. doi: [10.4093/dmj.2012.36.3.222](https://doi.org/10.4093/dmj.2012.36.3.222)
- Kortas, K. J., & Quinn, L. (1992). Diabetes education: a multidisciplinary team approach. *Journal of Pharmacy Practice*, 5(5), 238-253. <https://doi.org/10.1177/089719009200500503>
- Kovacs Burns, K., Nicolucci, A., Holt, R. I., Willaing, I., Hermanns, N., Kalra, S., ... & DAWN2 Study Group. (2013). Diabetes Attitudes, Wishes and Needs second study (DAWN2TM): Cross-national benchmarking indicators for family members living with people with diabetes. *Diabetic Medicine*, 30(7), 778-788. <https://doi.org/10.1111/dme.12239>
- Lakens D. (2013). Calculating and reporting effect sizes to facilitate cumulative science: a practical primer for t-tests and ANOVAs. *Frontiers in psychology*, 4, 863. <https://doi.org/10.3389/fpsyg.2013.00863>
- Lean, M. E., & Han, T. S. (2018). Managing obesity in diabetes: the clinical benefits and cost-effectiveness of weight loss. *Diabetic Medicine*, 35(2), 148-156.
- Lee, E. Y., Lee, Y. H., Jin, S. M., Yang, H. K., Jung, C. H., Park, C. Y., ... & Kim, J. H. (2017). Differential association of body mass index on glycemic control in type 1 diabetes. *Diabetes/metabolism research and reviews*, 33(1), e2815. <https://doi.org/10.1002/dmrr.2815>
- Li, Y., Xu, M., Fan, R., Ma, X., Gu, J., Cai, X., ... & Li, Y. (2016). The effects of intensive nutrition education on late middle-aged adults with type 2

- diabetes. *International Journal of Environmental Research and Public Health*, 13(9), 897. <https://doi.org/10.3390/ijerph13090897>
- Lim, H. M., Park, J. E., Choi, Y. J., Huh, K. B., & Kim, W. Y. (2009). Individualized diabetes nutrition education improves compliance with diet prescription. *Nutrition research and practice*, 3(4), 315. doi: [10.4162/nrp.2009.3.4.315](https://doi.org/10.4162/nrp.2009.3.4.315)
- Lim, S. L., Ong, K. W., Johal, J., Han, C. Y., Yap, Q. V., Chan, Y. H., ... & Khoo, C. M. (2021). Effect of a smartphone app on weight change and metabolic outcomes in Asian adults with type 2 diabetes: a randomized clinical trial. *JAMA network open*, 4(6), e2112417-e2112417. doi:10.1001/jamanetworkopen.2021.12417
- Lim, S. L., Tay, M. H. J., Ong, K. W., Johal, J., Yap, Q. V., Chan, Y. H., Yeo, G. K. N., Khoo, C. M., & Yaxley, A. (2022). Association Between Mobile Health App Engagement and Weight Loss and Glycemic Control in Adults With Type 2 Diabetes and Prediabetes (D'LITE Study): Prospective Cohort Study. *JMIR diabetes*, 7(3), e35039. <https://doi.org/10.2196/35039>
- Lingvay, I., Sumithran, P., Cohen, R. V., & le Roux, C. W. (2022). Obesity management as a primary treatment goal for type 2 diabetes: time to reframe the conversation. *The Lancet*. Volume 399, Issue 10322, 394 – 405. [https://doi.org/10.1016/S0140-6736\(21\)01919-X](https://doi.org/10.1016/S0140-6736(21)01919-X)
- Look AHEAD Research Group. (2010). Long-term effects of a lifestyle intervention on weight and cardiovascular risk factors in individuals with type 2 diabetes mellitus: four-year results of the Look AHEAD trial. *Archives of internal medicine*, 170(17), 1566-1575. doi:10.1001/archinternmed.2010.334
- Maneze, D., Weaver, R., Kovai, V., Salamonson, Y., Astorga, C., Yogendran, D., & Everett, B. (2019). "Some say no, some say yes": Receiving inconsistent or insufficient information from healthcare professionals and consequences for diabetes self-management: A qualitative study in patients with type 2 diabetes. *Diabetes research and clinical practice*, 156, 107830. <https://doi.org/10.1016/j.diabres.2019.107830>
- Maratou, E., Hadjidakis, D. J., Kollias, A., Tsegka, K., Peppas, M., Alevizaki, M., ... & Dimitriadis, G. (2009). Studies of insulin resistance in patients with clinical and subclinical hypothyroidism. *European journal of endocrinology*, 160(5), 785-790. <https://doi.org/10.1530/EJE-08-0797>
- Mauvais-Jarvis F, Clegg DJ, Hevener AL. (2013). The role of estrogens in control of energy balance and glucose homeostasis. *Endocrine Reviews*. 2013;34(3):309-38. doi:10.1210/er.2012-1055
- Mauvais-Jarvis F, Manson JE, Stevenson JC, Fonseca VA. (2017). Menopausal hormone therapy and type 2 diabetes prevention: evidence, mechanisms, and clinical implications. *Endocrine Reviews*. 2017;38(3):173-88. doi:10.1210/er.2016-1149
- Mohan, B. P., & Adler, D. G. (2019). Heterogeneity in systematic review and meta-analysis: how to read between the numbers. *Gastrointestinal Endoscopy*, 89(4), 902-903. <https://doi.org/10.1016/j.gie.2018.10.036>

- Moser, A., Van Der Bruggen, H., Widdershoven, G., & Spreeuwenberg, C. (2008). Self-management of type 2 diabetes mellitus: a qualitative investigation from the perspective of participants in a nurse-led, shared-care programme in the Netherlands. *BMC public health*, 8(1), 1-9. <https://doi.org/10.1186/1471-2458-8-91>
- Muchiri, J. W., Gericke, G. J., & Rheeder, P. (2016). Effect of a nutrition education programme on clinical status and dietary behaviours of adults with type 2 diabetes in a resource-limited setting in South Africa: a randomised controlled trial. *Public Health Nutrition*, 19(1), 142-155. doi:10.1017/S1368980015000956
- Muchiri, J. W., Gericke, G. J., & Rheeder, P. (2016). Impact of nutrition education on diabetes knowledge and attitudes of adults with type 2 diabetes living in a resource-limited setting in South Africa: a randomised controlled trial. *Journal of Endocrinology, Metabolism and Diabetes of South Africa*, 21(2), 26-34.
- Mulvaney, S. A., Rothman, R. L., Osborn, C. Y., Lybarger, C., Dietrich, M. S., & Wallston, K. A. (2011). Self-management problem solving for adolescents with type 1 diabetes: intervention processes associated with an Internet program. *Patient education and counseling*, 85(2), 140-142. <https://doi.org/10.1016/j.pec.2010.09.018>
- Murimi, M. W., Kanyi, M., Mupfudze, T., Amin, M. R., Mbogori, T., & Aldubayan, K. (2017). Factors influencing efficacy of nutrition education interventions: a systematic review. *Journal of nutrition education and behavior*, 49(2), 142-165. <https://doi.org/10.1016/j.jneb.2016.09.003>
- Murimi, M. W., Nguyen, B., Moyeda-Carabaza, A. F., Lee, H. J., & Park, O. H. (2019). Factors that contribute to effective online nutrition education interventions: a systematic review. *Nutrition reviews*, 77(10), 663-690. <https://doi.org/10.1093/nutrit/nuz032>
- Nasution, F., Andilala, & Siregar, A. A. 2021. Faktor Risiko Kejadian Diabetes Mellitus. *Jurnal Ilmu Kesehatan*, 9(2).
- O'Neill, D. (2015). Measuring obesity in the absence of a gold standard. *Economics & Human Biology*, 17, 116-128. <https://doi.org/10.1016/j.ehb.2015.02.002>
- Oh, T. J. (2019). The role of anti-obesity medication in prevention of diabetes and its complications. *Journal of Obesity & Metabolic Syndrome*, 28(3), 158. doi: [10.7570/jomes.2019.28.3.158](https://doi.org/10.7570/jomes.2019.28.3.158)
- Page MJ, McKenzie JE, Bossuyt PM, Boutron I, Hoffmann TC, Mulrow CD, et al. The PRISMA 2020 statement: an updated guideline for reporting systematic reviews. *BMJ* 2021;372:n71. doi: 10.1136/bmj.n71
- Pardhan, S., Upadhyaya, T., Smith, L., Sharma, T., Tuladhar, S., Adhikari, B., ... & Sapkota, R. (2023). Individual patient-centered target-driven intervention to improve clinical outcomes of diabetes, health literacy, and self-care practices in Nepal: a randomized controlled trial. *Frontiers in Endocrinology*, 14, 1076253. <https://doi.org/10.3389/fendo.2023.1076253>

- Parente, E. B. (2016). Is body mass index still a good tool for obesity evaluation?. *Archives of endocrinology and metabolism*, 60(6), 507-509. <https://doi.org/10.1590/2359-3997000000232>
- Peimani, M., Rambod, C., Omidvar, M., Larijani, B., Ghodssi-Ghassemabadi, R., Tootee, A., & Esfahani, E. N. (2016). Effectiveness of short message service-based intervention (SMS) on self-care in type 2 diabetes: A feasibility study. *Primary care diabetes*, 10(4), 251-258. <https://doi.org/10.1016/j.pcd.2015.11.001>
- Perkumpulan Endokrinologi Indonesia. (2021). *Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia 2021*. PB PERKENI
- Polonsky, W. H., Fisher, L., Hessler, D., & Edelman, S. V. (2015). Identifying the worries and concerns about hypoglycemia in adults with type 2 diabetes. *Journal of diabetes and its complications*, 29(8), 1171-1176. <https://doi.org/10.1016/j.jdiacomp.2015.08.002>
- Powers, M. A., Bardsley, J. K., Cypress, M., Funnell, M. M., Harms, D., Hess-Fischl, A., ... & Uelman, S. (2020). Diabetes self-management education and support in adults with type 2 diabetes: a consensus report of the American Diabetes Association, the Association of Diabetes Care & Education Specialists, the Academy of Nutrition and Dietetics, the American Academy of Family Physicians, the American Academy of PAs, the American Association of Nurse Practitioners, and the American Pharmacists Association. *Journal of the American Pharmacists Association*, 60(6), e1-e18. <https://doi.org/10.1016/j.japh.2020.04.018>
- Powers, M. A., Bardsley, J., Cypress, M., Duker, P., Funnell, M. M., Fischl, A. H., ... & Vivian, E. (2017). Diabetes self-management education and support in type 2 diabetes: a joint position statement of the American Diabetes Association, the American Association of Diabetes Educators, and the Academy of Nutrition and Dietetics. *The Diabetes Educator*, 43(1), 40-53. <https://doi.org/10.1177/01457217166896>
- Rafique, G., & Shaikh, F. (2006). Identifying needs and barriers to diabetes education in patients with diabetes. *Journal of Pakistan Medical Association*, 56(8), 347.
- Reale, R., Tumminia, A., Romeo, L., La Spina, N., Baratta, R., Padova, G., ... & Frittitta, L. (2019). Short-term efficacy of high intensity group and individual education in patients with type 2 diabetes: a randomized single-center trial. *Journal of endocrinological investigation*, 42, 403-409. <https://doi.org/10.1007/s40618-018-0929-6>
- Renard, E. (2005). Monitoring glycemic control: the importance of self-monitoring of blood glucose. *The American journal of medicine*, 118(9), 12-19. <https://doi.org/10.1016/j.amjmed.2005.07.052>
- Samadi, S. A., Mashhadi, N. S., & Mosavinasab, N. (2016). The effect of education on knowledge and performance of diabetic patients based on health belief model. *Journal of education and health promotion*, 5, 6. <https://doi.org/10.4103/2277-9531.174580>

- Sanaeinasab, H., Saffari, M., Yazdanparast, D., Zarchi, A. K., Al-Zaben, F., Koenig, H. G., & Pakpour, A. H. (2021). Effects of a health education program to promote healthy lifestyle and glycemic control in patients with type 2 diabetes: A randomized controlled trial. *Primary Care Diabetes*, 15(2), 275-282. <https://doi.org/10.1016/j.pcd.2020.09.007>
- Santoro N, Randolph Jr JF. (2011). Reproductive hormones and the menopause transition. *Obstetrics and Gynecology Clinics of North America*. 2011;38(3):455-66. doi:10.1016/j.ogc.2011.05.003
- Schäfer, I., Pawels, M., Küver, C., Pohontsch, N. J., Scherer, M., van den Bussche, H., & Kaduszkiewicz, H. (2014). Strategies for improving participation in diabetes education. A qualitative study. *PloS one*, 9(4), e95035. <https://doi.org/10.1371/journal.pone.0095035>
- Schembri, L., Curran, J., Collins, L., Pelinowskaia, M., Bell, H., Richardson, C., & Palermo, C. (2016). The effect of nutrition education on nutrition-related health outcomes of Aboriginal and Torres Strait Islander people: a systematic review. *Australian and New Zealand journal of public health*, 40, S42-S47. <https://doi.org/10.1111/1753-6405.12392>
- Sterne JAC, Savović J, Page MJ, Elbers RG, Blencowe NS, Boutron I, Cates CJ, Cheng H-Y, Corbett MS, Eldridge SM, Hernán MA, Hopewell S, Hróbjartsson A, Junqueira DR, Jüni P, Kirkham JJ, Lasserson T, Li T, McAleenan A, Reeves BC, Shepperd S, Shrier I, Stewart LA, Tilling K, White IR, Whiting PF, Higgins JPT. RoB 2: a revised tool for assessing risk of bias in randomised trials. *BMJ* 2019; 366: 14898.
- Stratton, I. M., Adler, A. I., Neil, H. A. W., Matthews, D. R., Manley, S. E., Cull, C. A., ... & Holman, R. R. (2000). Association of glycaemia with macrovascular and microvascular complications of type 2 diabetes (UKPDS 35): prospective observational study. *Bmj*, 321(7258), 405-412. <https://doi.org/10.1136/bmj.321.7258.405>
- Sun, Y., You, W., Almeida, F., Estabrooks, P., & Davy, B. (2017). The effectiveness and cost of lifestyle interventions including nutrition education for diabetes prevention: a systematic review and meta-analysis. *Journal of the Academy of Nutrition and Dietetics*, 117(3), 404-421. <https://doi.org/10.1016/j.jand.2016.11.016>
- Świątoniowska, N., Sarzyńska, K., Szymańska-Chabowska, A., & Jankowska-Polańska, B. (2019). The role of education in type 2 diabetes treatment. *Diabetes research and clinical practice*, 151, 237-246. <https://doi.org/10.1016/j.diabres.2019.04.004>
- Tan, H. Q. M., Chin, Y. H., Ng, C. H., Liow, Y., Devi, M. K., Khoo, C. M., & Goh, L. H. (2020). Multidisciplinary team approach to diabetes. An outlook on providers' and patients' perspectives. *Primary Care Diabetes*, 14(5), 545-551. <https://doi.org/10.1016/j.pcd.2020.05.012>
- Tchero, H., Kangambega, P., Briatte, C., Brunet-Houdard, S., Retali, G. R., Rusch, E., & Rusch, S. (2018). Mobile health applications to improve self-management of diabetes mellitus: A systematic review of randomized controlled trials. *Diabetes research and clinical practice*, 139, 320-332

- Thuita, A. W., Kiage, B. N., Onyango, A. N., & Makokha, A. O. (2020). Effect of a nutrition education programme on the metabolic syndrome in type 2 diabetes mellitus patients at a level 5 Hospital in Kenya:“a randomized controlled trial”. *BMC nutrition*, 6, 1-14. <https://doi.org/10.1186/s40795-020-00355-6>
- Trief, P. M., Sandberg, J. G., Dimmock, J. A., & Forken, P. J. (2003). Social support, stress, and glucose control in adults with diabetes. *Journal of Behavioral Medicine*, 26(2), 133–143. <https://doi.org/10.1023/a:1023950801366>
- Van Strien, T. (2018). Causes of emotional eating and matched treatment of obesity. *Current diabetes reports*, 18, 1-8. <https://doi.org/10.1007/s11892-018-1000-x>
- Wardle, J., Parmenter, K., & Waller, J. (2000). Nutrition knowledge and food intake. *Appetite*, 34(3), 269–275. <https://doi.org/10.1006/appe.1999.0318>
- Wilding, J. P. (2018). Medication use for the treatment of diabetes in obese individuals. *Diabetologia*, 61(2), 265-272. <https://doi.org/10.1007/s00125-017-4288-1>
- Williams, J., & O'Driscoll, R. (2020). Use of a smartphone app to manage type 2 diabetes mellitus: A systematic review. *World journal of diabetes*, 11(9), 381–395.
- Wing, R. R., Bolin, P., Brancati, F. L., Bray, G. A., Clark, J. M., Coday, M., & Wadden, T. A. (2016). Cardiovascular effects of intensive lifestyle intervention in type 2 diabetes. *New England Journal of Medicine*, 374(23), 2149-2161.
- Wing, R. R., Lang, W., Wadden, T. A., Safford, M., Knowler, W. C., Bertoni, A. G., Hill, J. O., Brancati, F. L., Peters, A., Wagenknecht, L., & Look AHEAD Research Group (2011). Benefits of modest weight loss in improving cardiovascular risk factors in overweight and obese individuals with type 2 diabetes. *Diabetes care*, 34(7), 1481–1486. <https://doi.org/10.2337/dc10-2415>
- Yuan, C., Lai, C. W., Chan, L. W., Chow, M., Law, H. K., & Ying, M. (2014). The effect of diabetes self-management education on body weight, glycemic control, and other metabolic markers in patients with type 2 diabetes mellitus. *Journal of diabetes research*, 2014. <https://doi.org/10.1155/2014/789761>
- Zhang, Y., & Chu, L. (2018). Effectiveness of systematic health education model for type 2 diabetes patients. *International journal of endocrinology*, 2018. <https://doi.org/10.1155/2018/6530607>