

DAFTAR PUSTAKA

- [1] C. Kidd, "Satellite rainfall climatology: a review," *International Journal of Climatology*, vol. 21, no. 9, pp. 1041–1066, Jul. 2001, doi: 10.1002/joc.635.
- [2] B. Praveen *et al.*, "Analyzing trend and forecasting of rainfall changes in India using bukan parametrical and machine learning approaches," *Sci Rep*, vol. 10, no. 1, p. 10342, Jun. 2020, doi: 10.1038/s41598-020-67228-7.
- [3] D. R. Prabawadhani, B. Harsoyo, T. H. Seto, and B. R. Prayoga, "KARAKTERISTIK TEMPORAL DAN SPASIAL CURAH HUJAN PENYEBAB BANJIR DI WILAYAH DKI JAKARTA DAN SEKITARNYA," *Jurnal Sains & Teknologi Modifikasi Cuaca*, vol. 17, no. 1, p. 21, Jun. 2016, doi: 10.29122/jstmc.v17i1.957.
- [4] S. Blenkinsop, E. Lewis, S. C. Chan, and H. J. Fowler, "Quality-control of an hourly rainfall dataset and climatology of extremes for the UK," *International Journal of Climatology*, vol. 37, no. 2, pp. 722–740, Feb. 2017, doi: 10.1002/joc.4735.
- [5] T. Canchala-Nastar, Y. Carvajal-Escobar, W. Alfonso-Morales, W. Loaiza Cerón, and E. Caicedo, "Estimation of missing data of monthly rainfall in southwestern Colombia using artificial neural networks," *Data Brief*, vol. 26, p. 104517, Oct. 2019, doi: 10.1016/j.dib.2019.104517.
- [6] Q. Sun, C. Miao, Q. Duan, H. Ashouri, S. Sorooshian, and K. Hsu, "A Review of Global Precipitation Data Sets: Data Sources, Estimation, and Intercomparisons," *Reviews of Geophysics*, vol. 56, no. 1, pp. 79–107, Mar. 2018, doi: 10.1002/2017RG000574.
- [7] K. L. Sainani, "Dealing With Missing Data," *PM&R*, vol. 7, no. 9, pp. 990–994, Sep. 2015, doi: 10.1016/j.pmrj.2015.07.011.
- [8] M. Norazian Ramli, "Roles of Imputation Methods for Filling the Missing Values: A Review," 2013. [Online]. Available: <http://www.aensiweb.com/aeb.html>.
- [9] R. Sivakani and G. Ahmad Ansari, "Imputation Using Machine Learning Techniques," in *2020 4th International Conference on Computer, Communication and Signal Processing (ICCCSP)*, IEEE, Sep. 2020, pp. 1–6. doi: 10.1109/ICCCSP49186.2020.9315205.
- [10] D. B. Rubin, "Inference and Missing Data," *Biometrika*, vol. 63, no. 3, p. 581, Dec. 1976, doi: 10.2307/2335739.
- [11] T. A. Myers, "Goodbye, Listwise Deletion: Presenting Hot Deck Imputation as an Easy and Effective Tool for Handling Missing Data," *Commun Methods Meas*, vol. 5, no. 4, pp. 297–310, Oct. 2011, doi:

10.1080/19312458.2011.624490.

- [12] I. R. White and J. B. Carlin, “Bias and efficiency of multiple imputation compared with complete-case analysis for missing covariate values,” *Stat Med*, vol. 29, no. 28, pp. 2920–2931, Dec. 2010, doi: 10.1002/sim.3944.
- [13] Q.-T. Phan, Y.-K. Wu, Q.-D. Phan, and H.-Y. Lo, “A Study on Missing Data Imputation Methods for Improving Hourly Solar Dataset,” in *2022 8th International Conference on Applied System Innovation (ICASI)*, IEEE, Apr. 2022, pp. 21–24. doi: 10.1109/ICASI55125.2022.9774453.
- [14] J. M. Jerez *et al.*, “Missing data imputation using statistical and machine learning methods in a real breast cancer problem,” *Artif Intell Med*, vol. 50, no. 2, pp. 105–115, Oct. 2010, doi: 10.1016/j.artmed.2010.05.002.
- [15] A. Sahoo and D. K. Ghose, “Imputation of missing precipitation data using KNN, SOM, RF, and FNN,” *Soft comput*, vol. 26, no. 12, pp. 5919–5936, Jun. 2022, doi: 10.1007/s00500-022-07029-4.
- [16] N. A. A. Norazizi and S. M. Deni, “Comparison of Artificial Neural Network (ANN) and Other Imputation Methods in Estimating Missing Rainfall Data at Kuantan Station,” 2019, pp. 298–306. doi: 10.1007/978-981-15-0399-3_24.
- [17] B. D. Chivers *et al.*, “Imputation of missing sub-hourly precipitation data in a large sensor network: A machine learning approach,” *J Hydrol (Amst)*, vol. 588, p. 125126, Sep. 2020, doi: 10.1016/j.jhydrol.2020.125126.
- [18] YuanYuan Li and L. E. Parker, “A spatial-temporal imputation technique for classification with missing data in a wireless sensor network,” in *2008 IEEE/RSJ International Conference on Intelligent Robots and Systems*, IEEE, Sep. 2008, pp. 3272–3279. doi: 10.1109/IROS.2008.4650774.
- [19] S. Londhe, P. Dixit, S. Shah, and S. Narkhede, “Infilling of missing daily rainfall records using artificial neural network,” *ISH Journal of Hydraulic Engineering*, vol. 21, no. 3, pp. 255–264, Sep. 2015, doi: 10.1080/09715010.2015.1016126.
- [20] M. Dubey and M. K. Hardaha, “Application of Standard Models and Artificial Neural Network for Missing Rainfall Estimation,” *Int J Curr Microbiol Appl Sci*, vol. 8, no. 01, pp. 1564–1572, Jan. 2019, doi: 10.20546/ijemas.2019.801.164.
- [21] Y. X. Tan, J. L. Ng, and Y. F. Huang, “Estimation of missing daily rainfall during monsoon seasons for tropical region: A comparison between ann and conventional methods,” *Carpathian Journal of Earth and Environmental Sciences*, vol. 15, no. 1, pp. 103–112, 2020, doi: 10.26471/cjees/2020/015/113.
- [22] J. A. Bellido-jiménez, J. E. Gualda, and A. P. García-marín, “Assessing machine learning models for gap filling daily rainfall series in a semiarid region of

- spain,” *Atmosphere (Basel)*, vol. 12, no. 9, Sep. 2021, doi: 10.3390/atmos12091158.
- [23] I. Papailiou, F. Spyropoulos, I. Trichakis, and G. P. Karatzas, “Artificial Neural Networks and Multiple Linear Regression for Filling in Missing Daily Rainfall Data,” *Water (Basel)*, vol. 14, no. 18, p. 2892, Sep. 2022, doi: 10.3390/w14182892.
- [24] O. M. Katipoğlu, “Evaluation of the performance of data-driven approaches for filling monthly precipitation gaps in a semi-arid climate conditions,” *Acta Geophysica*, vol. 71, no. 5, pp. 2265–2285, Dec. 2022, doi: 10.1007/s11600-022-00963-9.
- [25] H. Han, B. Kim, K. Kim, D. Kim, and H. S. Kim, “Machine learning approach for the estimation of missing precipitation data: a case study of South Korea,” *Water Science & Technology*, vol. 88, no. 3, pp. 556–571, Aug. 2023, doi: 10.2166/wst.2023.237.
- [26] J. Das Agrawal, “ANN in forecasting Missing Rainfall Data,” *E3S Web of Conferences*, vol. 405, p. 04017, Jul. 2023, doi: 10.1051/e3sconf/202340504017.
- [27] Y. Liu, T. Dillon, W. Yu, W. Rahayu, and F. Mostafa, “Missing Value Imputation for Industrial IoT Sensor Data With Large Gaps,” *IEEE Internet Things J.*, vol. 7, no. 8, pp. 6855–6867, Aug. 2020, doi: 10.1109/JIOT.2020.2970467.
- [28] T. Kim, W. Ko, and J. Kim, “Analysis and Impact Evaluation of Missing Data Imputation in Day-ahead PV Generation Forecasting,” *Applied Sciences*, vol. 9, no. 1, p. 204, Jan. 2019, doi: 10.3390/app9010204.
- [29] R. S. V. Teegavarapu and V. Chandramouli, “Improved weighting methods, deterministic and stochastic data-driven models for estimation of missing precipitation records,” *J Hydrol (Amst)*, vol. 312, no. 1–4, pp. 191–206, Oct. 2005, doi: 10.1016/j.jhydrol.2005.02.015.
- [30] S. van Buuren and K. Groothuis-Oudshoorn, “mice: Multivariate Imputation by Chained Equations in R,” *J Stat Softw*, vol. 45, no. 3, 2011, doi: 10.18637/jss.v045.i03.
- [31] N. S. Pradipta, P. Sembiring, and P. Bangun, “Analisis Pengaruh Curah Hujan di Kota Medan,” *Saintia Matematika*, vol. 1, no. 5, pp. 459–468, 2013.
- [32] Md. A. Shahin, Md. A. Ali, and A. B. M. S. Ali, “Vector Autoregression (VAR) Modeling and Forecasting of Temperature, Humidity, and Cloud Coverage,” in *Computational Intelligence Techniques in Earth and Environmental Sciences*, Dordrecht: Springer Netherlands, 2014, pp. 29–51. doi: 10.1007/978-94-017-8642-3_2.
- [33] Z. Zhang, “Multiple imputation with multivariate imputation by chained equation (MICE) package,” *Ann Transl Med*, vol. 4, no. 2, Jan. 2016, doi: 10.3978/j.issn.2305-5839.2015.12.63.

- [34] Muhammad Wildan Al Azkia, Nurul Hitayuwana, Zulfa Aulia Khusna, and Edy Widodo, “Analisis Temperature dan Kelembaban terhadap Curah Hujan di Kabupaten Sleman Provinsi Daerah Istimewa Yogyakarta,” in *Konferensi Nasional Penelitian Matematika dan Pembelajarannya (KNPMP) IV*, Surakarta: Universitas Muhammadiyah Surakarta, Mar. 2019.
- [35] S. Hong and H. S. Lynn, “Accuracy of random-forest-based imputation of missing data in the presence of non-normality, non-linearity, and interaction,” *BMC Med Res Methodol*, vol. 20, no. 1, p. 199, Dec. 2020, doi: 10.1186/s12874-020-01080-1.
- [36] A. Hallam, D. Mukherjee, and R. Chassagne, “Multivariate imputation via chained equations for elastic well log imputation and prediction,” *Applied Computing and Geosciences*, vol. 14, p. 100083, Jun. 2022, doi: 10.1016/j.acags.2022.100083.
- [37] J. Polpinij and K. Namee, “Comparison of Methods to Estimate Missing Values in Monthly Rainfall Data,” in *2021 25th International Computer Science and Engineering Conference (ICSEC)*, IEEE, Nov. 2021, pp. 228–233. doi: 10.1109/ICSEC53205.2021.9684588.
- [38] S. Chairani, “The Correlation between Rainfall, Temperature, Relative Humidity, and Rice Field Productivity in Aceh Besar,” *IOP Conf Ser Earth Environ Sci*, vol. 1071, no. 1, p. 012030, Aug. 2022, doi: 10.1088/1755-1315/1071/1/012030.
- [39] T. M. Hossain, J. Watada, Z. Jian, H. Sakai, S. Rahman, and I. A. Aziz, “Missing well log data handling in complex lithology prediction: An nis apriori algorithm approach,” *International Journal of Innovative Computing, Information and Control*, vol. 16, no. 3, pp. 1077–1091, 2020, doi: 10.24507/ijicic.16.03.1077.
- [40] M. J. Azur, E. A. Stuart, C. Frangakis, and P. J. Leaf, “Multiple imputation by chained equations: what is it and how does it work?,” *Int J Methods Psychiatr Res*, vol. 20, no. 1, pp. 40–49, Mar. 2011, doi: 10.1002/mpr.329.
- [41] T. E. Raghunathan, J. M. Lepkowski, J. Van Hoewyk, and P. W. Solenberger, “A multivariate technique for multiply imputing missing values using a sequence of regression models,” *Surv Methodol*, vol. 27, pp. 85–95, 2001, [Online]. Available: <https://api.semanticscholar.org/CorpusID:10201308>
- [42] G. Varoquaux, L. Buitinck, G. Louppe, O. Grisel, F. Pedregosa, and A. Mueller, “Scikit-learn: Machine Learning Without Learning the Machinery,” *GetMobile: Mobile Computing and Communications*, vol. 19, no. 1, pp. 29–33, Jun. 2015, doi: 10.1145/2786984.2786995.
- [43] H. B. Demuth, M. H. Beale, O. De Jess, and M. T. Hagan, *Neural Network Design*, 2nd ed. Stillwater, OK, USA: Martin Hagan, 2014.
- [44] S. S. Haykin, *Neural networks and learning machines*, Third. Upper Saddle River, NJ: Pearson Education, 2009.

- [45] Made Satria Wibawa, “Pengaruh Fungsi Aktivasi, Optimisasi dan Jumlah Epoch Terhadap Performa Jaringan Saraf Tiruan,” *Jurnal Sistem Dan Informatika (JSI)*, vol. 11, no. 2, pp. 167–174, May 2017.
- [46] D. D. Santika, B. Susanti, W. Anderson, and K. Wongso, “IMPLEMENTASI METODE BACKPROPAGATION DALAM KLASIFIKASI OBJEK,” *CommIT (Communication and Information Technology) Journal*, vol. 1, no. 1, p. 30, May 2007, doi: 10.21512/commit.v1i1.465.
- [47] J. W. Grzymala-Busse and M. Hu, “A Comparison of Several Approaches to Missing Attribute Values in Data Mining,” 2001, pp. 378–385. doi: 10.1007/3-540-45554-X_46.
- [48] G. Ispirova, T. Eftimov, and B. K. Seljak, “Evaluating missing value imputation methods for food composition databases,” *Food and Chemical Toxicology*, vol. 141, p. 111368, Jul. 2020, doi: 10.1016/j.fct.2020.111368.
- [49] M. Popolizio, A. Amato, T. Politi, R. Calienno, and V. Di Lecce, “Missing data imputation in meteorological datasets with the GAIN method,” in *2021 IEEE International Workshop on Metrology for Industry 4.0 & IoT (MetroInd4.0&IoT)*, IEEE, Jun. 2021, pp. 556–560. doi: 10.1109/MetroInd4.0IoT51437.2021.9488451.
- [50] M. Rafique, A. D. K. Tareen, A. A. Mir, M. S. A. Nadeem, K. M. Asim, and K. J. Kearfott, “Delegated Regressor, A Robust Approach for Automated Anomaly Detection in the Soil Radon Time Series Data,” *Sci Rep*, vol. 10, no. 1, p. 3004, Feb. 2020, doi: 10.1038/s41598-020-59881-9.
- [51] T. Chai and R. R. Draxler, “Root mean square error (RMSE) or mean absolute error (MAE)? – Arguments against avoiding RMSE in the literature,” *Geosci Model Dev*, vol. 7, no. 3, pp. 1247–1250, Jun. 2014, doi: 10.5194/gmd-7-1247-2014.
- [52] A. Sahoo, S. Samantaray, and D. K. Ghose, “Prediction of Flood in Barak River using Hybrid Machine Learning Approaches: A Case Study,” *Journal of the Geological Society of India*, vol. 97, no. 2, pp. 186–198, Feb. 2021, doi: 10.1007/s12594-021-1650-1.
- [53] S. Samantaray, A. Sahoo, and A. Agnihotri, “Assessment of Flood Frequency using Statistical and Hybrid Neural Network Method: Mahanadi River Basin, India,” *Journal of the Geological Society of India*, vol. 97, no. 8, pp. 867–880, Aug. 2021, doi: 10.1007/s12594-021-1785-0.
- [54] S. Siregar, *Statistik Parametrik untuk Penelitian Kuantitatif Dilengkapi dengan Perhitungan Manual dan Aplikasi SPSS Versi 17*. Bumi Aksara, 2014.
- [55] G. M. Tinungki, “The analysis of partial autocorrelation function in predicting maximum wind speed,” *IOP Conf Ser Earth Environ Sci*, vol. 235, p. 012097, Feb. 2019, doi: 10.1088/1755-1315/235/1/012097.

- [56] Rasid Burtiev, Fernanda Greenwell, and Vitalii Kolivenko, “TIME SERIES ANALYSIS OF WIND SPEED AND TEMPERATURE IN TIRASPOL, MOLDOVA,” *Environ Eng Manag J*, vol. 12, no. 1, pp. 23–33, Jan. 2013.
- [57] R. Maity, *Statistical Methods in Hydrology and Hydroclimatology*. Singapore: Springer Singapore, 2018. doi: 10.1007/978-981-10-8779-0.
- [58] R. G. Mantovani, A. L. D. Rossi, J. Vanschoren, B. Bischl, and A. C. P. L. F. de Carvalho, “Effectiveness of Random Search in SVM hyper-parameter tuning,” in *2015 International Joint Conference on Neural Networks (IJCNN)*, IEEE, Jul. 2015, pp. 1–8. doi: 10.1109/IJCNN.2015.7280664.
- [59] U. Mital, D. Dwivedi, J. B. Brown, B. Faybishenko, S. L. Painter, and C. I. Steefel, “Sequential Imputation of Missing Spatio-Temporal Precipitation Data Using Random Forests,” *Frontiers in Water*, vol. 2, Aug. 2020, doi: 10.3389/frwa.2020.00020.
- [60] M. Addi, Y. Gyasi-Agyei, E. Obuobie, and L. K. Amekudzi, “Evaluation of imputation techniques for infilling missing daily rainfall records on river basins in Ghana,” *Hydrological Sciences Journal*, vol. 67, no. 4, pp. 613–627, Mar. 2022, doi: 10.1080/02626667.2022.2030868.
- [61] E. Dyukarev, “Comparison of Artificial Neural Network and Regression Models for Filling Temporal Gaps of Meteorological Variables Time Series,” *Applied Sciences*, vol. 13, no. 4, p. 2646, Feb. 2023, doi: 10.3390/app13042646.
- [62] Y. Hasbi, W. Budi, and S. Rukun, “Feed Forward Neural Network Modeling for Rainfall Prediction,” *E3S Web of Conferences*, vol. 73, p. 05017, Dec. 2018, doi: 10.1051/e3sconf/20187305017.