

BIBLIOGRAPHY

- Akiba, M., Ota, Y., Tsai, I. J., Hattori, T., Sahashi, N., & Kikuchi, T. (2015). Genetic Differentiation and Spatial Structure of *Phellinus noxius*, the Causal Agent of Brown Root Rot of Woody Plants in Japan. *PLOS ONE*, *10*(10), e0141792. <https://doi.org/10.1371/journal.pone.0141792>.
- Alrasyid, H. (1971). Keterangan tentang silvikultur sawo kecik (*Manilkara kauki* Dubard, Sapotaceae). Laporan no. 127. Bogor: Lembaga Penelitian Hutan.
- Anggara O and Rahmawati L. 2021. The Effectiveness of Urban Forest in Absorbing CO₂ Emission at Rajekwesi Type A Terminal. *Jurnal Ilmu Lingkungan*, *19*(1), 60-65.
- Armstrong, K. E. (2013). A REVISION OF THE ASIAN-PACIFIC SPECIES OF MANILKARA (SAPOTACEAE). *Edinburgh Journal of Botany*, *70*(1), 7-56.
- Ann, P.J., Chang, T.T., Ko, W.H. (2002). *Phellinus noxius* brown root rot of fruit and ornamental trees in Taiwan. *Plant Dis*, *86*, 820-826.
- Azeem, U., Dhingra, G.S., & Shri, R. (2018). Pharmacological potential of wood inhabiting fungi of genus *Phellinus* Quél.: An overview. *Journal of Pharmacognosy and Phytochemistry*, *7*(2). 1161-1171.
- Blanchette R. (1984). Screening Wood Decayed by White Rot Fungi for Preferential Lignin Degradation. *Applied Environmental Microbiology*, *48*(3), 647-653.
- Blanchette, R. A. (1995). Degradation of the lignocellulose complex in wood. *Can J Bot Rev Bot*, *73*:S999–S1010.
- Bolland, L. (1984). *Phellinus noxius*: cause of a significant root-rot in Queensland hoop pine plantations. *Aust For.*, *47*, 2-10.
- Cannon, P.G., Klopfenstein, N.B., Kim, M.S., Stewart, J.E., Chin, C.L. (2022). Brown root rot disease caused by *Phellinus noxius* in U.S.-Affiliated Pacific Islands. Gen. Tech. Rep. PNW-GTW-1006.
- Castaño, J. D., Zhang, J., Anderson, C. E., & Schilling, J. S. (2018). Oxidative Damage Control during Decay of Wood by Brown Rot Fungus Using

- Oxygen Radicals. *Appl Environ Microbiol*, 84(22).
<https://doi.org/10.1128%2FAEM.01937-18>.
- Chai, Y., Bai, M., Chen, A., Peng, L., Shao, J., Luo, S., Deng, Y., Yan, B., & Peng, C. (2022). Valorization of waste biomass through fungal technology: Advances, challenges, and prospects. *Industrial Crops and Products*, 188, 115608. <https://doi.org/10.1016/j.indcrop.2022.115608>.
- Chang, T.T., & Yang, W.W. (1998). *Phellinus noxius* in Taiwan: distribution, host plants and the pH and texture of the rhizosphere soils of infected hosts. *Mycological Research*, 102(9), 1085-1088.
- Chen, Y., Wang, X., Jiang, B., Wen, Z., Yang, N., & Li, L. (2017). Tree survival and growth are impacted by increased surface temperature on paved land. *Landscape and Urban Planning*, 162, 68–79. <https://doi.org/10.1016/j.landurbplan.2017.02.001>.
- Chin, W. W. (1998). *The Partial Least Squares Approach to Structural Equation Modeling*. Lawrence Erlbaum Associates, London.
- Chung, C. L., Huang, S. Y., Huang, Y. C., Tzean, S. S. Ann, P. J., Tsai, J. N., Yang, C. C., Lee, H. H., Huang, T. W., Huang, H. Y., Chang, T. T., Lee, H. L., & Liou, R. F. (2015). The Genetic Structure of *Phellinus noxius* and Dissemination Pattern of Brown Root Rot Disease in Taiwan. *PLOS ONE*, 10(10). <https://doi.org/10.1371/journal.pone.0139445>.
- Dai, Y. C., Cui, B. K., Yuan, H. S., & Li, B. D. (2007). Pathogenic Wood-decaying fungi in China. *Forest Pathology*, 37(2), 105–120. <https://doi.org/10.1111/j.1439-0329.2007.00485.x>.
- Dai, Y.C. & Xu, M.Q. (1998). Studies on the medicinal polypore, *Phellinus baumii* and its kin, *P. linteus*. *Myxotacon*, 67, 191-200.
- de la Mota Daniel, F. J., Day, S. D., Owen, J. S., Stewart, R. D., Steele, M. K., & Sridhar, V. (2018). Porous-permeable pavements promote growth and establishment and modify root depth distribution of *platanus × acerifolia* (Aiton) Willd. in simulated urban tree pits. *Urban Forestry & Urban Greening*, 33, 27–36. <https://doi.org/10.1016/j.ufug.2018.05.003>.

- Deacon, J. (n.d.). Wood Decay, and Wood-Rotting Fungi. <https://archive.bio.ed.ac.uk/jdeacon/FungalBiology/woodrots.htm>.
Downloaded on 28 July 2024.
- Din, F., & Mukhtar, T. (2019). Morphological characterization of Ganoderma species from Muree hills of Pakistan. *Plant Protection*, 3(2), 73-84.
- Ding, S., Hu, H., & Gu, J. (2020). Diversity, Abundance, and Distribution of Wood-Decay Fungi in Major Parks of Hong Kong. *Forests*, 11(10), 1030. <https://doi.org/10.3390/f11101030>.
- Ding, C., Wang, X., & Li, M. (2019). Evaluation of six white-rot fungal pretreatments on corn stover for the production of cellulolytic and ligninolytic enzymes, reducing sugars, and ethanol. *Applied Microbiology and Biotechnology*, 103(14), 5641-5652. <https://doi.org/10.1007/s00253-019-09884-y>.
- Downer, A.J., and Perry, E.J. (2019). Wood Decay Fungi in Landscape Trees. In: *Pest Notes*. UC IPM. Davis: University of California.
- Edy, N., Anshary, A., Bogor, I. (2020). Incidence and Severity of Ganoderma Rot Disease in Tropical Land-use Systems and Their Virulence to Palm Oil. *Plant Pathology Journal*, 19(2), 98-105.
- Ekowati, G., Indriyani S., & Azrianingsih, R. (2017). Model Arsitektur Percabangan Beberapa Pohon di Taman Nasional Alas Purwo. *Jurnal Biotropika*, 5(7), 27-35.
- Eriksson, K. E. L., Blanchette, R. A., & Ander, P. (1990). *Microbial and Enzymatic Degradation of Wood and Wood Components*. Springer-Verlag.
- Fandeli, C., & Muhamad. (2020). *Pembangunan Kota Hijau*. Gadjah Mada University Press, Yogyakarta.
- FAO. (n.d.). Urban Forestry: A Manual for the State Forestry Agencies in the Southern Region. https://www.fao.org/uploads/media/Urban%20Forestry%20Manual_site%20and%20tree%20selection.pdf.
- Fini, A., Frangi, P., Comin, S., Vigevani, I., Rettori, A. A., Brunetti, C., Moura, B. B., & Ferrini, F. (2022). Effects of pavements on established urban trees:

- Growth, physiology, ecosystem services and disservices. *Landscape and Urban Planning*, 226, 104501. <https://doi.org/10.1016/j.landurbplan.2022.104501>.
- Fitriani, Suryantini R, and Wulandari RS. 2017. Biocontrolling to the pathogen of root rot (*Ganoderma* sp.) in *Acacia mangium* used the local isolates *Trichoderma* spp. in vitro). *Jurnal Hutan Lestari*, 5(3), 571-577.
- Fukasawa, Y. (2021). Ecological impact of fungal wood decay types: A review of current knowledge and future research directions. *Ecological Research*, 910-931. <https://doi.org/10.1111/1440-1703.12260>.
- Gilbertson, R. L. (1980). Wood-Rotting Fungi of North America. *Mycologia*, 72(1), 1–49. <https://doi.org/10.1080/00275514.1980.12021153>.
- Gonthier, P., & Nicolotti, G. (2007). A Field Key to Identify Common Wood Decay Fungal Species on Standing Trees. *Arboriculture & Urban Forestry*, 33(6), 410-420.
- Goodell, B. (2003). Brown-rot fungal degradation of wood: Our evolving view. *ACS Symposium Series*, 97–118. <https://doi.org/10.1021/bk-2003-0845.ch006>.
- Goodell, B., Qian, Y., & Jellison, J. (2008). Fungal decay of wood: Soft rot—brown rot—white rot. *ACS Symposium Series*, 9–31. <https://doi.org/10.1021/bk-2008-0982.ch002>.
- Govaerts, R. (2017). *World Checklist of Sapotaceae*. Richmond, Royal Botanic Gardens, UK.
- Hidayati N & Nurrohmah SN. 2015. Karakteristik Morfologi *Ganoderma steyaertanum* yang Menyerang Kebun benih *Acacia mangium* dan *Acacia auriculiformis* di Wonogiri Jawa Tengah. *Jurnal Pemuliaan Tanaman Hutan*, 9(2), 117-130.
- Ikhfan, A. N. (2019). *Perbandingan Pertumbuhan antara Sengon Lokal dan Sengon Solomon dalam Sistem Agroforestri* [Undergraduate Thesis, IPB University]. IPB Repository. <https://repository.ipb.ac.id/handle/123456789/98286>.

- International Society of Arboriculture. (2017). *Basic Tree Risk Assessment Form Instructions*. Retrieved July 27, 2024, from https://www.isa-arbor.com/education/resources/ISABasicTreeRiskAssessmentForm_Instructions.pdf.
- Jazuli, N.A., Kamu, A., Chong, K.P., Gabda, D., Hassan, A., Abu Seman, I., & Ho, C.M. (2022). A Review of Factors Affecting Ganoderma Basal Stem Rot Disease Progress in Oil Palm. *Plants*, 22. <https://doi.org/10.3390/plants11192462>.
- Kandan A, Ramanathan A, Raguchander T, Balasubramanian P, and Samiyappan R. (2010). Early immunodiagnosis of Ganoderma infecting coconut seedlings. *Archives of Phytopathology and Plant Protection*, 43(17), 1693-1709.
- Kementerian Lingkungan Hidup dan Kehutanan. (n.d.). Sawo Kecil. <https://muspera.menlhk.go.id/Artikel/arboretum/95>.
- Keypour, S., & Asef, M. R. (2020). New report on locality and host relationship of *Ganoderma resinaceum* from Iran. *Australasian Plant Pathology*, 49, 175-178. <https://doi.org/10.1007/s13313-020-00688-7>.
- Khoo, Y. W., & Chong, K. P. (2023). *Ganoderma boninense*: General characteristics of pathogenicity and methods of control. *Frontiers in Plant Science*, 14. <https://doi.org/10.3389/fpls.2023.1156869>.
- Kumari, A., Harsh, N. S. K., & Singh, A., N. (2021). Host range of *Phellinus sensu lato* in India: An overview. *Journal of Applied and Natural Science*, 13(1), 157-169. <https://doi.org/10.31018/jans.v13i1.2510>.
- Kukachka BF. 1981. *Manilkara* (In: *Wood Anatomy of the Neotropical Sapotaceae*). Wisconsin: US Department of Agriculture.
- Larsen, M.J., & Cobb-Poule, L.A. (1990). *Phellinus* (Hymenochaetaceae). A survey of the world taxa. *Synopsis Fungorum*, 3.
- Lee, C. A., Holdo, R. M., & Muzika, R. M. (2021). Feedbacks between forest structure and an opportunistic fungal pathogen. *Journal of Ecology*, 109(12), 4092-4102. <https://doi.org/10.1111/1365-2745.13780>.

- Li, H., Zhang, X., Li, Z., Wen, J., & Tan, X. (2022). A review of research on tree risk assessment methods. *Forests*, *13*(10), 1556. <https://doi.org/10.3390/f13101556>.
- Liu, T. Y., Chen, C. H., Yang, Y. L., Tsai, I. J., Ho, Y. N., & Chung, C. L. (2022). The brown root rot fungus *Phellinus noxius* affects microbial communities in different root-associated niches of *Ficus* trees. *Environmental microbiology*, *24*(1), 276–297. <https://doi.org/10.1111/1462-2920.15862>.
- Luangharn, T., Karunarathna, S. C., Dutta, A. K., Paloi, S., Promputtha, I., Hyde, K. D., Xu, J., & Mortimer, P. E. (2021). *Ganoderma* (Ganodermataceae, Basidiomycota) Species from the Greater Mekong Subregion. *Journal of fungi (Basel, Switzerland)*, *7*(10), 819. <https://doi.org/10.3390/jof7100819>.
- Lonsdale, D. (1999). *Principles of Tree Hazard Assessment and Management*. Forestry Commission, The Stationary Office.
- MacDonagh, L. P. (2020, September 29). *13 simple steps to evaluate trees*. Deeproot. <https://www.deeproot.com/blog/blog-entries/13-simple-steps-to-evaluate-trees-2/>.
- Madden, L. V., Hughes, G., & Bosch, F. (2007). *The Study of Plant Disease Epidemics*. The American Phytopathological Society, Minnesota.
- Maryono T. (2020). Penyakit Akar Ganoderma pada Sengon di Sleman, Yogyakarta. *Jurnal Pemuliaan Tanaman Hutan*, *14*(1), 57-63.
- Mandal, S. K., Alam, M., Ray, M. C., Roy, E., Binte-A-Khaleque, K., Khan, T. R., Chowdhury, M. M., Sakib, K., Mim, I. J., & Tahsin, R. (2023). An Assessment of Analgesic and Anti-inflammatory Activity of *Manilkara zapota* on Rat Model. *South Asian Research Journal of Natural Products*, *6*(3), 177-184.
- McPherson, E. G., & Simpson, J. R. (2003). Potential energy savings in buildings by an urban tree planting programme in California. *Urban Forestry & Urban Greening*, *2*(2), 73-86.
- Morell, J.J. (2002). Fungal Strategies of Wood Decay in Trees. *Mycopathologia*, *154*, 155-156. <https://doi.org/10.1023/A:1016087425684>.

- Na'iem, M., Adriyanti, D. T., & Musyafa. (2014). *Pedoman Pengelolaan Vegetasi di Lingkungan Universitas Gadjah Mada*. Direktorat Pengelolaan dan Pemeliharaan Aset Universitas Gadjah Mada, Yogyakarta.
- Ningkrum, N. P. M. (2023). *Perkembangan Gejala Penyakit Ganoderma pada Berbagai Jenis Pohon di Kawasan Kampus Universitas Gadjah Mada, Yogyakarta* [Undergraduate Thesis, Universitas Gadjah Mada]. ETD Repository UGM. <http://etd.repository.ugm.ac.id/penelitian/detail/219098>.
- Nowak, D. J., & Crane, D. E. (2002). Carbon storage and sequestration by urban trees in the USA. *Environmental Pollution*, 116(3), 381–389. [http://doi.org/10.1016/S0269-7491\(01\)00214-7](http://doi.org/10.1016/S0269-7491(01)00214-7).
- Nowak, D. J., Crane, D. E., Stevens, J. C., Hoehn, R. E., Walton, J. T., & Bond, J. (2008). A ground-based method of assessing urban forest structure and ecosystem services. *Arboriculture and Urban Forestry*, 34(6), 347-358.
- Nurika, I., Suhartini, S., & Barker, G. C. (2020). Biotransformation of tropical lignocellulosic feedstock using the brown rot fungus *Serpula lacrymans*. *Waste and Biomass Valorization*, 11(6), 2689-2700. <https://doi.org/10.1007/s12649-019-00581-5>.
- Page, D. E., Glen, M., Desy Puspitasari, Istiana Prihatini, Gafur, A., & Mohammed, C. L. (2020). Acacia plantations in Indonesia facilitate clonal spread of the root pathogen *Ganoderma philippii*. *Plant Pathology*, 69(4), 685–697. <https://doi.org/10.1111/ppa.13153>.
- Putri, G. A. M. A., Wasrin, S., & Trisna, P. (2019). Aktivitas Anti Jamur Zat Ekstraktif Kayu Balata (*Manilkara bidentata*) [Undergraduate Thesis, IPB University]. IPB Repository. <https://repository.ipb.ac.id/handle/123456789/99144>.
- Rahayu S, Utomo DS, Cahyanto VE, Anggara G, Adriyanti DT, Nurjanto HH, Kristian AA. 2021. Monitoring of *Ganoderma* spp. on the trees at Arboretum of Universitas Gadjah Mada, Yogyakarta, Indonesia: Implications for health care recommendation of old trees. *IOP Conf. Ser.: Earth Environ. Sci.*, 918.

- Rammal, M., & Berthier, E. (2020). Runoff Lossess on Urban Surfaces during Frequent Rainfall Events: A Review of Observations and Modeling Attempts. *Water*, *12*(10). <https://doi.org/10.3390/w12102777>.
- Rasmussen, M. L., Shrestha, P., Khanal, S. K., Pometto, A. L., & van Leeuwen, J. (2010). Sequential saccharification of corn fiber and ethanol production by the brown rot fungus *Gloeophyllum trabeum*. *Bioresource Technology*, *101*(10), 3526-3533. <https://doi.org/10.1016/j.biortech.2009.12.115>.
- Ren, Y., Zhang, J., Wang, G., Liu, X., Li, L., Wang, J., & Yang, M. (2018). The relationship between insect resistance and tree age of transgenic triploid *Populus tomentosa* plants. *Frontiers in Plant Science*, *9*. <https://doi.org/10.3389/fpls.2018.00053>.
- Robles, C. A., Carmarán, C. C., & Lopez, S. E. (2011). Screening of xylophagus fungi associated with *Platanus acerifolia* in urban landscapes: Biodiversity and potential biodeterioration. *Landscape and Urban Planning*, *100*(1-2), 129-135. <https://doi.org/10.1016/j.landurbplan.2010.12.003>.
- Sahashi, N., Akiba, M., Ishihara, M., Ota, Y., Kanzaki, N. (2012). Brown root rot of trees cause by *Phellinus noxius* in the Ryukyu Islands, subtropical areas of Japan. *For Pathol*, *42*, 353-361.
- Sahashi, N., Akiba M., Takemoto, S., Yokoi, T., Ota, Y., Kanzaki, N. (2014). *Phellinus noxius* causes brown root rot on four important conifer species in Japan. *Eur J Plant Pathol*, *140*, 867-873.
- Sarwadi A, Irwan S, Utami R, Raya A. 2019. Study on roadside greenery in Yogyakarta City towards development of productive urban landscape. *IOP Conf. Ser.: Earth Environ. Sci.*, 361.
- Schwarze, F., & Ferner, D. (2003). Ganoderma on trees—differentiation of species and studies of invasiveness. *Arboric J.*, *27*, 59–77.
- Schwarze, F. W., Engels, J., and Mattheck, C. (2000). Fungal strategies of wood decay in trees. Springer-Verlag, Berlin.
- Sharma, J. K., Mohanan C., Florence, E. J. M. (1985). Disease Survey in Nurseries and Plantations of Forest Tree Species Grown in Kerala. Kerala Forest Research Institute, India.

- Singh, G., & Bons, H. K. (2020). Influence of naphthalene acetic acid on fruit setting, fruit quality and yield of *Manilkara achras* L. cv. Kalipatti under subtropical conditions. *Indian Journal of Experimental Biology*, 58, 661-666.
- Sofiyanti, N., & Iriani, D. (2023). Kajian Kajian anatomi, histokimia, dan karakteristik epidermal daun sawo kecik (*Manilkara kauki* (L.) Dubard - Sapotaceae). *Jurnal Biologi Udayana*, 27(1), 14-25.
- Srisupap, S., & Aroenpong, CC. (2021). In vitro antioxidant and antityrosinase activities of *Manilkara kauki*. *Acta Pharm*, 71, 153-162.
- Sudrajat, D., & Megawati. (2010). Keragaman morfologi dan respon perlakuan praperkecambahan benih dari lima populasi sawi kecik (*Manilkara kauki* (L.) Dubard). *Jurnal Penelitian Hutan Tanaman*, 7, 67-76. <http://doi.org/10.20886/JPHT.2010.7.2.67-76>.
- Taskirawati, I. (2015). *Production and Dispersal of Basidiospores of Ganoderma applanatum in Japan* [Dissertation, Kanazawa University]. <https://core.ac.uk/download/pdf/196734551.pdf>.
- Tchoumi, J., Coetzee, M., Rajchenberg, M., Roux, J. 2019. Taxonomy and species diversity of *Ganoderma* species in the Garden Route National Park of South Africa inferred from morphology and multilocus phylogenies. *Mycologia*, 111(5), 730-747.
- Thawtong, A., Hapuarachchu, K., Wen, T., Raspe, O., Thongklang, N., Kang, J., Hyde, K. (2017). *Ganoderma sichuanense* (Ganodermataceae, Polyporales) new to Thailand. *MycKeys*, 22, 27-43. <https://doi.org/10.3897/mycokeys.22.13083>.
- Tsang, K. S. W., Cheung, M. K., Lam, R. Y. C., & Kwan, H. S. (2020). A preliminary examination of the bacterial, archaeal, and fungal rhizosphere microbiome in healthy and *Phellinus noxius*-infected trees. *Microbiologyopen*, 9(10). <https://doi.org/10.1002/mbo3.1115>.
- Tsujimoto, M., Kajikawa, Y., Tomita, J., & Matsumoto, Y. (2017). A review of the ecosystem concept — Towards coherent ecosystem design. *Technological*

Forecasting and Social Change, 136.

<https://doi.org/10.1016/j.techfore.2017.06.032>.

Tuor, U., Winterhalter, K., & Fiechter, A. (1995). Enzymes of white-rot fungi involved in lignin degradation and ecological determinants for wood decay. *Journal of Biotechnology*, 41(1), 1–17. [https://doi.org/10.1016/0168-1656\(95\)00042-o](https://doi.org/10.1016/0168-1656(95)00042-o).

Utomo, DS. 2021. *Sebaran Jamur Ganoderma spp. dan Tingkat Kerusakannya pada Pohon di Kawasan Kampus Universitas Gadjah Mada Yogyakarta* [Undergraduate Thesis, Universitas Gadjah Mada]. ETD Repository UGM. <https://etd.repository.ugm.ac.id/penelitian/detail/205776>.

Wang, B., Cui, B.K., Li, H.J., Du, P., & Jia, B.S. (2011). Wood-rotting fungi in eastern China. 5. Polypore diversity in Jiangxi Province. *Ann. Bot. Fennici*, 48.

Widyastuti, S. M., Harjono., Riastiwi, I. (2014). Toleransi Tanaman Peneduh *Polyalthia longifolia* dan *Pterocarpus indicus* terhadap *Ganoderma* sp. *Journal of Tropical Plant Pests and Diseases*, 13(1). <https://doi.org/10.23960/j.hptt.11319-23>.

Widyastuti, S. M., Sumardi, Harjono. (2005). *Patologi Hutan*. Yogyakarta: Gadjah Mada University Press.

Xing, J.H., Sun, Y.F., Han, Y.L., Cui, B.K., & Dai., Y.C. (2018). Morphological and Molecular Identification of Two New *Ganoderma* Species on *Casuarina equisetifolia* from China. *MycKeys*, 34, 93-108.

Yuniasih, B. (2019). Tingkat Keparahan Serangan *Ganoderma* sp. pada Berbagai Umur Tanaman Kelapa Sawit. *Prosiding Seminar Instiper Tahun 2018*, 1(1).

Zabel, R. A., & Morrell, J. J. (2020). Decays originating in the stems of living trees. *Wood Microbiology*, 311–337. <https://doi.org/10.1016/b978-0-12-819465-2.00012-7>.

Zanne, A.E., Lopez-Gonzalez, G.*, Coomes, D.A., Ilic, J., Jansen, S., Lewis, S.L., Miller, R.B., Swenson, N.G., Wiemann, M.C., and Chave, J. 2009. Global wood density database. *Dryad*. Identifier: <http://hdl.handle.net/10255/dryad.235>.