

DAFTAR PUSTAKA

- Aburto, T. C., Gordon-Larsen, P., Poti, J. M., Howard, A. G., Adair, L. S., Avery, C. L., & Popkin, B. M. (2019). Is a Hypertension Diagnosis Associated With Improved Dietary Outcomes Within 2 to 4 Years? A Fixed-Effects Analysis From the China Health and Nutrition Survey. *Journal of the American Heart Association*, 8(21). <https://doi.org/10.1161/JAHA.119.012703>
- Agustini, T. W., Darmanto, Y. S., Wijayanti, I., & Riyadi, P. H. (2017). The Effect of different Concentration of Fish Meat on Texture, Nutrition and Sensory of 'Tahu bakso' made from Tilapia (*Oreochromis niloticus*). *Jurnal Pengolahan Hasil Perikanan Indonesia*, 19(3), 214. <https://doi.org/10.17844/jphpi.v19i3.15073>
- Alfaqeeh, M., Alfian, S. D., & Abdulah, R. (2024). Factors associated with diabetes mellitus among adults: Findings from the Indonesian Family Life Survey-5. *Endocrine and Metabolic Science*, 14(September 2023), 100161. <https://doi.org/10.1016/j.endmts.2024.100161>
- Ardisson Korat, A. V., Willett, W. C., & Hu, F. B. (2014). Diet, Lifestyle, and Genetic Risk Factors for Type 2 Diabetes: A Review from the Nurses' Health Study, Nurses' Health Study 2, and Health Professionals' Follow-Up Study. *Current Nutrition Reports*, 3(4), 345–354. <https://doi.org/10.1007/s13668-014-0103-5>
- Aschbacher, K., Kornfeld, S., Picard, M., Puterman, E., Havel, P., Stanhope, K., Lustig, R.H., Epel, E. (2014). Chronic Stress Increases Vulnerability to Diet-Related Abdominal Fat, Oxidative Stress, and Metabolic Risk. *Psychoneuroendocrinology*, 46, 14–22. <https://doi.org/10.1016/j.psyneuen.2014.04.003>
- Association, A. D. (2014). Diagnosis and classification of diabetes mellitus. *Diabetes Care*, 37(SUPPL.1), 81–90. <https://doi.org/10.2337/dc14-S081>
- Aune, D., Norat, T., Leitzmann, M., Tonstad, S., & Vatten, L. J. (2015). Physical activity and the risk of type 2 diabetes: A systematic review and dose-response meta-analysis. *European Journal of Epidemiology*, 30(7), 529–542. <https://doi.org/10.1007/s10654-015-0056-z>
- Badan Kebijakan Pembangunan Kesehatan. (2023). Survei Kesehatan Indonesia (SKI) Dalam Angka. In *Kementerian Kesehatan RI*.
- Badan Penelitian dan Pengembangan Kesehatan. (2013). Riset Kesehatan Dasar 2013. In *Kementerian Kesehatan RI*.
- Badan Pusat Statistika. (2022). Proyeksi Jumlah Penduduk menurut Kabupaten/Kota di D.I. Yogyakarta (Jiwa), 2020-2022. <https://yogyakarta.bps.go.id/indicator/12/133/2/proyeksi-jumlah-penduduk-menurut-kabupaten-kota-di-d-i-yogyakarta-.html>, diakses pada 7 Juni 2024.
- Badan Pusat Statistika. (2024). Persentase Merokok Pada Penduduk Umur ≥ 15 Tahun Menurut Provinsi (Persen), 2021-2023. <https://www.bps.go.id/id/statistics-table/2/MTQzNSMy/persentase-merokok-pada-penduduk-umur--15-tahun-menurut>

provinsi.html, diakses pada 7 Juni 2024.

Biro Tata Pemerintahan Setda DIY. (2022). *Jumlah Penduduk DIY Semester 2 Tahun 2022 Menurut Jenis Kelamin*.

Boffetta, P., McLerran, D., Chen, Y., Inoue, M., Sinha, R., He, J., Gupta, P. C., Tsugane, S., Irie, F., Tamakoshi, A., Gao, Y. T., Shu, X. O., Wang, R., Tsuji, I., Kuriyama, S., Matsuo, K., Satoh, H., Chen, C. J., Yuan, J. M., ... Potter, J. D. (2011). Body mass index and diabetes in Asia: A cross-sectional pooled analysis of 900,000 individuals in the Asia cohort consortium. *PLoS ONE*, 6(6). <https://doi.org/10.1371/journal.pone.0019930>

BPJS Kesehatan. (2019). Peraturan BPJS Kesehatan No 2 Tahun 2019 tentang Pelayanan Skrining Riwayat Kesehatan dan Pelayanan Penapisan atau Skrining Kesehatan Tertentu serta Peningkatan Kesehatan bagi Peserta Penderita Penyakit Kronis.

BPJS Kesehatan. (2022). Siaran Pers: Cegah Risiko Penyakit Kronis, BPJS Kesehatan Ajak Peserta Lakukan Skrining Kesehatan. <https://www.bpjs-kesehatan.go.id/bpjs/dmdocuments/f5d018bb3c1f85dcf13d74b1c923cabf.pdf> diakses pada 15 Juni 2023.

BPJS Kesehatan. (2023). Skrining Riwayat Kesehatan Dapat Mengantisipasi Penyakit yang Tidak Diinginkan. <https://www.bpjs-kesehatan.go.id/bpjs/post/read/2023/2533/Skrining-Riwayat-Kesehatan-Dapat-Mengantisipasi-Penyakit-yang-Tidak-Diinginkan> diakses pada 15 Juni 2023.

Burch, E., Williams, L. T., Makepeace, H., Alston-Knox, C., & Ball, L. (2019). How does diet change with a diagnosis of diabetes? Protocol of the 3d longitudinal study. *Nutrients*, 11(1), 1–15. <https://doi.org/10.3390/nu11010158>

Burch, E., Williams, L. T., Thalib, L., & Ball, L. (2020). Short-term improvements in diet quality in people newly diagnosed with type 2 diabetes are associated with smoking status, physical activity and body mass index: the 3D case series study. *Nutrition and Diabetes*, 10(1). <https://doi.org/10.1038/s41387-020-0128-3>

Carlström, M., & Larsson, S. C. (2018). Coffee consumption and reduced risk of developing type 2 diabetes: A systematic review with meta-analysis. *Nutrition Reviews*, 76(6), 395–417. <https://doi.org/10.1093/nutrit/nuy014>

Cascio, G., Schiera, G., Liegro, I.D. Dietary fatty acids in metabolic syndrome, diabetes and cardiovascular diseases. *Curr Diabetes Rev*, 8(1):2-17. doi: 10.2174/157339912798829241

Cha, E. S., Choi, Y., Bancks, M., Faulkner, M. S., Dunbar, S. B., Umpierrez, G. E., Reis, J., Carnethon, M. R., Shikany, J. M., Yan, F., & Jacobs, D. R. (2024). Longitudinal changes in diet quality and food intake before and after diabetes awareness in American adults: the Coronary Artery Risk Development in Young Adults (CARDIA) study. *BMJ Open Diabetes Research and Care*, 12(2), 4–6. <https://doi.org/10.1136/bmjdr-2023-003800>

Chen, Y., Li, W., Qiu, S., Vladmir, C., Xu, X., Wang, X., Nian, X., Chen, Q., Wang, Q.,

- Tu, P., Zhang, L., Yan, S., Li, K., Chen, J., Wu, H., Wang, X., Wang, X., Liu, J., Cai, M., ... Sun, Z. (2020). Tea consumption and risk of diabetes in the Chinese population: A multi-centre, cross-sectional study. *British Journal of Nutrition*, 123(4), 428–436. <https://doi.org/10.1017/S000711451900299X>
- Cheung, Y. B. (2014). “A Body Shape Index” in middle-age and older Indonesian population: Scaling exponents and association with incident hypertension. *PLoS ONE*, 9(1), 2–6. <https://doi.org/10.1371/journal.pone.0085421>
- Choi, J., Choi, J. Y., Lee, S. A., Lee, K. M., Shin, A., Oh, J., Park, J., Song, M., Yang, J. J., Lee, J. K., & Kang, D. (2019). Association between family history of diabetes and clusters of adherence to healthy behaviors: Cross-sectional results from the health examinees-gem (hexa-g) study. *BMJ Open*, 9(6), 1–13. <https://doi.org/10.1136/bmjopen-2018-025477>
- CNN Indonesia. (2023). BPJS Kesehatan Gelontorkan Rp7,5 T untuk Penderita Diabetes. <https://www.cnnindonesia.com/ekonomi/20230208180210-78-910621/bpjs-kesehatan-gelontorkan-rp75-t-untuk-penderita-diabetes>. Diakses pada 15 September 2023.
- Dinas Kesehatan DIY. (2021). Profil Kesehatan D.I Yogyakarta Tahun 2021. *Dinas Kesehatan DIY*. <http://www.dinkes.jogjapro.go.id/download/download/27>.
- Fagherazzi, G., Vilier, A., Sartorelli, D. S., Lajous, M., Balkau, B., & Clavel-Chapelon, F. (2013). Consumption of artificially and sugar-sweetened beverages and incident type 2 diabetes in the Etude Epidé miologique auprès s des femmes de la Mutuelle Gé né rale de l’Education Nationale-European Prospective Investigation into Cancer and Nutrition cohort1. *American Journal of Clinical Nutrition*, 97(3), 517–523. <https://doi.org/10.3945/ajcn.112.050997>
- Fry, A., Littlejohns, T. J., Sudlow, C., Doherty, N., Adamska, L., Sprosen, T., Collins, R., & Allen, N. E. (2017). Comparison of Sociodemographic and Health-Related Characteristics of UK Biobank Participants with Those of the General Population. *American Journal of Epidemiology*, 186(9), 1026–1034. <https://doi.org/10.1093/aje/kwx246>
- Ganz, M. L., Wintfeld, N., Li, Q., Alas, V., Langer, J., & Hammer, M. (2014). The association of body mass index with the risk of type 2 diabetes: A case-control study nested in an electronic health records system in the United States. *Diabetology and Metabolic Syndrome*, 6(1), 1–8. <http://www.embase.com/search/results?subaction=viewrecord%7B%7Dfrom=export%7B%7Ddid=L372827357%5Cnhttp://dx.doi.org/10.1186/1758-5996-6-50%5Cnhttp://zp9vv3zm2k.search.serialssolutions.com/?sid=EMBASE%7B%7Dissn=17585996%7B%7Ddid=doi:10.1186%7B%25%7D2F175>
- Gardener, H., Moon, Y. P., Rundek, T., Elkind, M. S. V., & Sacco, R. L. (2018). Diet soda and sugar-sweetened soda consumption in relation to incident diabetes in the Northern Manhattan Study. *Current Developments in Nutrition*, 2(5), nzy008. <https://doi.org/10.1093/cdn/nzy008>
- Gary-Webb, T. L., Suglia, S. F., & Tehranifar, P. (2013). Social Epidemiology of

Diabetes and Associated Conditions. *Current Diabetes Reports*, 13(6), 850–859. <https://doi.org/10.1007/s11892-013-0427-3>

González, Á. A. L., Sbert, P. R., Fe, B. R., Fe, N. R., Bote, S. A., & Manent, J. I. R. (2022). Relationship between healthy habits and sociodemographic variables and risk of diabetes type 2. *African Health Sciences*, 22(4), 133–139. <https://doi.org/10.4314/ahs.v22i4.17>

Goto, A., Morita, A., Goto, M., Sasaki, S., Miyachi, M., Aiba, N., Kato, M., Terauchi, Y., Noda, M., & Watanabe, S. (2013). Validity of diabetes self-reports in the saku diabetes study. *Journal of Epidemiology*, 23(4), 295–300. <https://doi.org/10.2188/jea.JE20120221>

Hackett, R. A., Moore, C., Steptoe, A., & Lassale, C. (2018). Health behaviour changes after type 2 diabetes diagnosis: Findings from the English Longitudinal Study of Ageing. *Scientific Reports*, 8(1), 1–8. <https://doi.org/10.1038/s41598-018-35238-1>

Heraclides, A. M., Chandola, T., Witte, D. R., & Brunner, E. J. (2012). Work stress, obesity and the risk of type 2 diabetes: Gender-specific bidirectional effect in the whitehall II study. *Obesity*, 20(2), 428–433. <https://doi.org/10.1038/oby.2011.95>

Hill, J. O., Galloway, J. M., Goley, A., Marrero, D. G., Minners, R., Montgomery, B., Peterson, G. E., Ratner, R. E., Sanchez, E., & Aroda, V. R. (2013). Scientific statement: Socioecological determinants of prediabetes and type 2 diabetes. *Diabetes Care*, 36(8), 2430–2439. <https://doi.org/10.2337/dc13-1161>

Holmes, M. V., & Ala-Korpela, M. (2019). What is ‘LDL cholesterol’? *Nature Reviews Cardiology*, 16(4), 197–198. <https://doi.org/10.1038/s41569-019-0157-6>

Huxley, R., Lee, C. M. Y., Barzi, F., Timmermeister, L., Czernichow, S., Perkovic, V., Grobbee, D. E., Batty, D., & Woodward, M. (2009). Coffee, decaffeinated coffee, and tea consumption in relation to incident type 2 diabetes mellitus: A systematic review with meta-analysis. *Archives of Internal Medicine*, 169(22), 2053–2063. <https://doi.org/10.1001/archinternmed.2009.439>

International Diabetes Federation. (2019). International Diabetes Federation. In *IDF Diabetes Atlas 2019 9th edition*. https://www.diabetesatlas.org/upload/resources/material/20200302_133351_IDFATLAS9e-final-web.pdf

International Diabetes Federation. (2021). International Diabetes Federation. In *IDF Diabetes Atlas 2021 10th edition*. https://diabetesatlas.org/idfawp/resource-files/2021/07/IDF_Atlas_10th_Edition_2021.pdf

Janghorbani, M., Soltanian, N., Amini, M., & Aminorroaya, A. (2018). Low-density lipoprotein cholesterol and risk of type 2 diabetes: The Isfahan diabetes prevention study. *Diabetes and Metabolic Syndrome: Clinical Research and Reviews*, 12(5), 715–719. <https://doi.org/10.1016/j.dsx.2018.04.019>

Juwita, N. E., & Santoso, D. (2022). Urgensi Pelaksanaan Skrining Riwayat Kesehatan Peserta JKN-KIS dengan Pendekatan Stakeholder Engagement. *Jurnal Jaminan*

Kesehatan Nasional (JJKN), 2(2), 142–158. <https://doi.org/10.53756/jjkn.v2i2.103>

Kautzky-Willer, A., Harreiter, J., & Pacini, G. (2016). Sex and gender differences in risk, pathophysiology and complications of type 2 diabetes mellitus. *Endocrine Reviews*, 37(3), 278–316. <https://doi.org/10.1210/er.2015-1137>

Kementerian Kesehatan RI. (2014). *Pedoman Gizi Seimbang*.

Kementerian Kesehatan RI. (2018). Hasil Riset Kesehatan Dasar Tahun 2018. *Kementerian Kesehatan RI*.

Kementerian Kesehatan RI. (2018). Cegah, Cegah, dan Cegah: Suara Dunia Perangi Diabetes. Biro Komunikasi dan Pelayanan Masyarakat. <https://p2ptm.kemkes.go.id/kegiatan-p2ptm/pusat-/cegah-cegah-dan-cegah-suara-dunia-perangi-diabetes> diakses pada 1 September 2023.

Kementerian Kesehatan RI. (2020). Infodatin tetap produktif, cegah, dan atasi Diabetes Melitus 2020. In Pusat Data dan Informasi Kementerian Kesehatan RI (bll 1–10).

Kompas. (2023). Diabetes Makin Membebani Biaya Jaminan Kesehatan. <https://www.kompas.id/baca/investigasi/2023/04/13/diabetes-makin-membebani-biaya-jaminan-kesehatan>. Diakses pada 15 September 2023.

Lestari, N. D., & Rizkiyah, N. (2021). The workplace stress and its related factors among Indonesian academic staff. *Open Access Macedonian Journal of Medical Sciences*, 9(T4), 70–76. <https://doi.org/10.3889/oamjms.2021.5802>

Liang, W., & Chikritzhs, T. (2014). Alcohol consumption during adolescence and risk of diabetes in young adulthood. *BioMed Research International*, 2014. <https://doi.org/10.1155/2014/795741>

Liguori, I., Russo, G., Curcio, F., Bulli, G., Aran, L., Della-Morte, D., Gargiulo, G., Testa, G., Cacciatore, F., Bonaduce, D., & Abete, P. (2018). Oxidative stress, aging, and diseases. *Clinical Interventions in Aging*, 13, 757–772. <https://doi.org/10.2147/CIA.S158513>

Liu, S., van der Schouw, Y. T., Soedamah-Muthu, S. S., Spijkerman, A. M. W., & Sluijs, I. (2019). Intake of dietary saturated fatty acids and risk of type 2 diabetes in the European Prospective Investigation into Cancer and Nutrition-Netherlands cohort: associations by types, sources of fatty acids and substitution by macronutrients. *European Journal of Nutrition*, 58(3), 1125–1136. <https://doi.org/10.1007/s00394-018-1630-4>

Long, J. S. (1997). *Regression Models for Categorical and Limited Dependent Variables*. Sage Publications, Inc.

Luo, J., Rossouw, J., Tong, E., Giovino, G. A., Lee, C. C., Chen, C., Ockene, J. K., Qi, L., & Margolis, K. L. (2013). Smoking and diabetes: does the increased risk ever go away? *American journal of epidemiology*, 178(6), 937–945. <https://doi.org/10.1093/aje/kwt071>

- Luthansa, N., & Pramono, D. (2017). Indeks massa tubuh dan kejadian diabetes melitus pada penduduk dewasa di Indonesia: analisis data The Indonesian Family Life Survey 5 Body mass index and incidence of diabetes mellitus in adult population in Indonesia: an analysis of The Indonesian Fam. *Berita Kedokteran Masyarakat*, 33(4), 167–172.
- Lwanga, S. K., & Lemeshow, S. (1991). Sample Size Determination in Health Studies: A Practical Manual. *Journal of the American Statistical Association*, 86(416), 1149. <https://doi.org/10.2307/2290547>
- Micha, R., Wallace, S. K., & Mozaffarian, D. (2010). Red and processed meat consumption and risk of incident coronary heart disease, stroke, and diabetes mellitus: A systematic review and meta-analysis. *Circulation*, 121(21), 2271–2283. <https://doi.org/10.1161/CIRCULATIONAHA.109.924977>
- Nainggolan, O., Kristanto, A., & Edison, H. (2013). Determinan Diabetes Melitus Analisis Baseline Data Studi Kohort Penyakit Tidak Menular Bogor 2011 (The Determinan of Diabetes Melitus (Baseline Data Analysis of Kohort Studies of Non-Communicable Diseases Bogor 2011)). *Buletin Penelitian Sistem Kesehatan*, 16(3), 331–339.
- Natella, F., & Scaccini, C. (2012). Role of coffee in modulation of diabetes risk. *Nutrition Reviews*, 70(4), 207–217. <https://doi.org/10.1111/j.1753-4887.2012.00470.x>
- Noviati, N. P. (2016). Correlation between Work-Family Conflict and Job Stress among Government Public Service Employees: The Moderating Role of Psychological Capital. *GSTF Journal of Psychology*, 3(1), 1–6. <https://doi.org/10.7603/s40790-016-0001-y>
- Nur, A., Fitria, E., Zulhaida, A., & Hanum, S. (2016). Hubungan Pola Konsumsi dengan Diabetes Melitus Tipe 2 pada Pasien Rawat Jalan di RSUD Dr. Fauziah Bireuen Provinsi Aceh. *Media Penelitian dan Pengembangan Kesehatan*, 26(3), 145–150. <https://doi.org/10.22435/mpk.v26i3.4607.145-150>
- Papier, K., Jordan, S., Bain, C., D'este, C., Thawornchaisit, P., Seubsman, S., & Sleight, A. (2016). Validity of Self-Reported Diabetes in a Cohort of Thai Adults. *Global Journal of Health Science*, 9(7), 1. <https://doi.org/10.5539/gjhs.v9n7p1>
- Piette, J. ., & Kerr, E. A. (2006). The Impact of Comorbid Chronic Conditions on Diabetes Care. *Diabetes Care*, 29(3), 725–731. <http://dx.doi.org/10.1016/j.jaci.2012.05.050>
- Polsky, S., & Akturk, H. K. (2017). Alcohol Consumption, Diabetes Risk, and Cardiovascular Disease Within Diabetes. *Current Diabetes Reports*, 17(12). <https://doi.org/10.1007/s11892-017-0950-8>
- Prasetia, H., Setiawan, A. A. R., Bardant, T. B., Muryanto, ., Randy, A., Haq, M. S., Mastur, A. I., Harianto, S., Annisa, N., & Sulaswatty, A. (2020). STUDI POLA KONSUMSI TEH DI INDONESIA UNTUK MENDUKUNG DIVERSIFIKASI PRODUK YANG BERKELANJUTAN (A Study of Tea Consumption Pattern in Indonesia Toward Sustainable Product Diversification). *Biopropal Industri*, 11(2),

107. <https://doi.org/10.36974/jbi.v1i12.6249>

Public Health England. (2019). *NHS Health Check Best practice guidance* (Number October). www.gov.uk/phe%5Cnwww.facebook.com/PublicHealthEngland

Purnama, D.S., Rachmawati, I., Kurniasari, M., Millenia, P., Rahmadania, A., Dewanti, S. R. (2024). Job stress of university employees: The role of guidance and counseling. *Professional Guidance and Counseling Journal*, 5(2), 33–44.

Pusdatin Kementerian Pertanian. (2022). Outlook Komoditas Perkebunan Kopi 2022. *Outlook Komoditas Perkebunan Kopi 2022*, 1–103.

Rahmadhani, R., Sitiawati, T., Mahmudatussa'ada, A., & Mupita, J. (2021). Teaching of the Production and Acceptance Analysis of Instant Urap Seasoning in the Vocational School. *Indonesian Journal of Multidiciplinary Research*, 1(2), 251–256. <https://doi.org/10.17509/ijomr.v1i2.37605>

Robson, J., Dostal, I., Madurasinghe, V., Sheikh, A., Hull, S., Boomla, K., Griffiths, C., & Eldridge, S. (2017). NHS Health Check comorbidity and management: An observational matched study in primary care. *British Journal of General Practice*, 67(655), e86–e93. <https://doi.org/10.3399/bjgp16X688837>

Romulo, A., & Surya, R. (2021). Tempe: A traditional fermented food of Indonesia and its health benefits. *International Journal of Gastronomy and Food Science*, 26(August), 100413. <https://doi.org/10.1016/j.ijgfs.2021.100413>

Sakurai, M., Nakamura, K., Miura, K., Takamura, T., Yoshita, K., Sasaki, S., Nagasawa, S. Y., Morikawa, Y., Ishizaki, M., Kido, T., Naruse, Y., Suwazono, Y., & Nakagawa, H. (2013). Family history of diabetes, lifestyle factors, and the 7-year incident risk of type 2 diabetes mellitus in middle-aged japanese men and women. *Journal of Diabetes Investigation*, 4(3), 261–268. <https://doi.org/10.1111/jdi.12033>

Santos, R. M. M., & Lima, D. R. A. (2016). Coffee consumption, obesity and type 2 diabetes: a mini-review. *European Journal of Nutrition*, 55(4), 1345–1358. <https://doi.org/10.1007/s00394-016-1206-0>

Sliwinska-Mosson, M., & Milnerowicz, H. (2017). The impact of smoking on the development of diabetes and its complications. *Diabetes and Vascular Disease Research*, 14(4), 265–276. <https://doi.org/10.1177/1479164117701876>

Sohn, K. (2017). The Association between Height and Hypertension in Indonesia. *Economics and Human Biology*, 27, 74–83. <https://doi.org/10.1016/j.ehb.2017.04.007>

Spruijt-Metz, D., O'Reilly, G. A., Cook, L., Page, K. A., & Quinn, C. (2014). Behavioral contributions to the pathogenesis of type 2 diabetes topical collection on pathogenesis of type 2 diabetes and insulin resistance. *Current Diabetes Reports*, 14(4), 1–16. <https://doi.org/10.1007/s11892-014-0475-3>

Stetson, B., Minges, K. E., & Richardson, C. R. (2017). New directions for diabetes prevention and management in behavioral medicine. *Journal of Behavioral*

Medicine, 40(1), 127–144. <https://doi.org/10.1007/s10865-016-9802-2>

Tang, J., Wan, Y., Zhao, M., Zhong, H., Zheng, J. S., & Feng, F. (2020). Legume and soy intake and risk of type 2 diabetes: A systematic review and meta-analysis of prospective cohort studies. *American Journal of Clinical Nutrition*, 111(3), 677–688. <https://doi.org/10.1093/ajcn/nqz338>

Tri Sutanti Puji Hartati, & Emyr Reisha Isaura. (2023). Three Body Mass Index Classification Comparison In Predicting Hypertension Among Middle-Aged Indonesians. *Media Gizi Indonesia*, 18(1), 38–48. <https://doi.org/10.20473/mgi.v18i1.38-48>

Tsiompah, G., Murwani, R., & Maharani, N. (2021). Effects of Cooking Method on the Antioxidant Activity and Inhibition of Lipid Peroxidation of the Javanese Salad “Pecel” Vegetables and Its Peanut Sauce Dressing. *International Journal of Food Science*, 2021. <https://doi.org/10.1155/2021/8814606>

Twig, G., Afek, A., Derazne, E., Tzur, D., Cukierman-Yaffe, T., Gerstein, H. C., & Tirosh, A. (2014). Diabetes risk among overweight and obese metabolically healthy young adults. *Diabetes Care*, 37(11), 2989–2995. <https://doi.org/10.2337/dc14-0869>

Wagner, R., Thorand, B., Osterhoff, M. A., Müller, G., Böhm, A., Meisinger, C., Kowall, B., Rathmann, W., Kronenberg, F., Staiger, H., Stefan, N., Roden, M., Schwarz, P. E., Pfeiffer, A. F., Häring, H. U., & Fritsche, A. (2013). Family history of diabetes is associated with higher risk for prediabetes: A multicentre analysis from the German Center for Diabetes Research. *Diabetologia*, 56(10), 2176–2180. <https://doi.org/10.1007/s00125-013-3002-1>

Wanders, A. J., Alsema, M., De Koning, E. J. P., Le Cessie, S., De Vries, J. H., Zock, P. L., Rosendaal, F. R., Den Heijer, M., & De Mutsert, R. (2017). Fatty acid intake and its dietary sources in relation with markers of type 2 diabetes risk: The NEO study. *European Journal of Clinical Nutrition*, 71(2), 245–251. <https://doi.org/10.1038/ejcn.2016.204>

Wang, P. Y., Fang, J. C., Gao, Z. H., Zhang, C., & Xie, S. Y. (2016). Higher intake of fruits, vegetables or their fiber reduces the risk of type 2 diabetes: A meta-analysis. *Journal of Diabetes Investigation*, 7(1), 56–69. <https://doi.org/10.1111/jdi.12376>

Wang, X., Ma, H., Kou, M., Tang, R., Xue, Q., Li, X., Harlan, T. S., Heianza, Y., & Qi, L. (2023). Dietary Sodium Intake and Risk of Incident Type 2 Diabetes. *Mayo Clinic Proceedings*, 98(11), 1641–1652. <https://doi.org/10.1016/j.mayocp.2023.02.029>

Wicaksari, S. A. (2023). Source of sugar-sweetened beverages consumption among Indonesian: A mini review. *Journal of Global Nutrition*, 2(2), 151–159. <https://doi.org/10.53823/jgn.v2i2.38>

Widjajaseputra, A. I., Widoeri, T. E., Suprijono, M. M., & Trisnawati, C. Y. (2019). Role of indigenous wisdom in food selection: study of students’ nutritional status in food nutrition programme: Widya Mandala Surabaya Catholic University. *International Journal of Food, Nutrition and Public Health*, 6(3–4), 311–322.

<https://doi.org/10.47556/j.ijfnph.6.3-4.2013.5>

World Health Organization. (2019). Classification of diabetes mellitus. In *Clinics in Laboratory Medicine* (Vol 21, Number 1).
https://doi.org/10.5005/jp/books/12855_84

Wu, Y., Zhang, D., Jiang, X., & Jiang, W. (2015). Fruit and vegetable consumption and risk of type 2 diabetes mellitus: A dose-response meta-analysis of prospective cohort studies. *Nutrition, Metabolism and Cardiovascular Diseases*, 25(2), 140–147. <https://doi.org/10.1016/j.numecd.2014.10.004>

Yang, W. S., Wang, W. Y., Fan, W. Y., Deng, Q., & Wang, X. (2014). Tea consumption and risk of type 2 diabetes: A dose-response meta-analysis of cohort studies. *British Journal of Nutrition*, 111(8), 1329–1339.
<https://doi.org/10.1017/S0007114513003887>

Yeh, H., Duncan, B.B., Schmidt, M.I., Wang, N., Brancati, F. L. (2010). Smoking, Smoking Cessation, and the Risk for Type 2 Diabetes Mellitus: A Cohort Study. *Ann Intern Med*, 152(1), 10–17. <https://doi.org/10.7326/0003-4819-152-1-201001050-00005>

Yuan, X., Liu, T., Wu, L., Zou, Z. Y., & Li, C. (2015). Validity of self-reported diabetes among middle-aged and older Chinese adults: The China Health and Retirement Longitudinal Study. *BMJ Open*, 5(4), 1–7. <https://doi.org/10.1136/bmjopen-2014-006633>