

## DAFTAR PUSTAKA

- ACSM (American College of Sports Medicine). (2006). *ACSM's Guidelines for Exercise Testing and Prescription*. 7th Edition, Lippincott Williams & Wilkins, Philadelphia.
- ADA. (2023). *Diabetes Standard Care*. <https://www.guidelinecentral.com/guideline/14119/>
- Adnan, M., Mulyati, T., & Isworo, J. T. (2018). Hubungan Indeks Massa Tubuh (IMT) Dengan Kadar Gula Darah Penderita Diabetes Mellitus (DM) Tipe 2 Rawat Jalan Di RS Tugurejo Semarang. *Jurnal Gizi*, 2(1), 18–27.
- Aji Wibowo, M. I. N., Fitri, F. M., Yasin, N. M., Kristina, S. A., & Prabandari, Y. S. (2021). Kepatuhan Minum Obat pada Pasien Diabetes Melitus Tipe 2 di Beberapa Puskesmas Kabupaten Banyumas. *Jurnal Kefarmasian Indonesia*, 11(2), 98–108. <https://doi.org/10.22435/jki.v11i2.3635>
- Al Mansour, M. A. (2020) 'The prevalence and risk factors of type 2 diabetes mellitus (DMT2) in a semi-urban Saudi population', *International Journal of Environmental Research and Public Health*, 17(1), 1–8. doi: 10.3390/ijerph17010007.
- Alejandro, E. U., Mamerto, T. P., Chung, G., Villavieja, A., Gaus, N. L., Morgan, E., & Pineda-Cortel, M. R. B. (2020). Gestational diabetes mellitus: A harbinger of the vicious cycle of diabetes. *International Journal of Molecular Sciences*, 21(14), 1–21. <https://doi.org/10.3390/ijms21145003>
- American Diabetes Association (ADA).(2012). Standards Of Medical Care In Diabetes Care. *Diabetes Care Journal* 35(1): 116-121.
- Aminah, S., Nafira Hidayat, D., & Kemenkes Makassar, P. (2021). Studi Literatur Hubungan Kepatuhan Diet Dengan Kadar Gula Darah Pada Pasien Diabetes Mellitus Tipe 2. *Politeknik Kesehatan Makassar*, 12(1), 2087–2122. <https://media.neliti.com/media/publications/194084-ID-hubungan-antara-kepatuhan-terapi-diet-da.pdf>
- Amrullah JF. (2020). Hubungan Aktivitas Fisik dengan Kadar Gula Darah Sewaktu Pada Lansia Penderita Diabetes Melitus di Wilayah Kerja UPT Puskesmas Babakan Sari Kota Bandung. *J Sehat Masada*. 16(1):42-50.
- Ana, K., & Fiddaroini, F. N. (2023). Hubungan Kepatuhan Minum Obat Dengan Kadar Gula Darah Pasien Diabetes Mellitus Tipe 2 di Klinik Intan Husada Jatirogo Tuban. *Jurnal Pendidikan Tambusai*, 7(3), 31850–31860.
- Anggraeni, I., & Alfarisi, R. (2018). Hubungan Aktifitas Fisik Dengan Kadar Gula Darah Puasa Pada Penderita Diabetes Melitus Tipe II Di Rumah Sakit Umum Daerah Dr. H. Abdul Moeloek. *Jurnal Dunia Kemas*, 7(3), 140–146.
- Arania, R., Triwahyuni, T., Prasetya, T., & Cahyani, S. D. (2021). Hubungan Antara Pekerjaan Dan Aktivitas Fisik Dengan Kejadian Diabetes Mellitus Di Klinik Mardi Waluyo Kabupaten Lampung Tengah. *Jurnal Medika Malahayati*, 5(3), 163–169. <https://doi.org/10.33024/jmm.v5i3.4110>
- Ardiani, H. *et al.* (2018) 'Obesity as Risk Factor of Type 2 Diabetes Mellitus in Women of Reproductive Age', *Global Medical & Health Communication*, 6(2), 93–97. doi: <https://doi.org/10.29313/gmh.v6i2.2708>.

Ari Wibowo, T., Wahdi, A., Ilmu Keperawatan, F., Muhammadiyah Kalimantan Timur, U., Bahrul Ulum Jombang, Stik., Kunci, K., Jalan kaki, T., Gula Darah, K., & Mellitus Tipe, D. (2022). Pengaruh Terapi Jalan Kaki Terhadap Penurunan Kadar Gula Darah Pada Pasien Diabetes Mellitus Tipe 2 the Effect of Hydroterapy on Reducing Blood Sugar Levels in Diabetes Mellitus Patients. *Journal Well Being*, 7(2),113-118 26157519. <http://journal.stikes-bu.ac.id/>

Ariana, R., Triwahyuni, T., Esfandiari, F., & Nugroho, F. R. (2021). Hubungan Antara Usia, Jenis Kelamin, dan Tingkat Pendidikan dengan Kejadian Diabetes Melitus di Klinik Mardi Waluyo di Lampung Tengah. *Jurnal Medika Malahayati*, 5(3), 146–153.

Asikainen, T. M., Suni, J. H., Pasanen, M. E., Oja, P., Rinne, M. B., Miilunpalo, S. I., Nygård, C. H., & Vuori, I. M. (2006). Effect of brisk walking in 1 or 2 daily bouts and moderate resistance training on lower-extremity muscle strength, balance, and walking performance in women who recently went through menopause: a randomized, controlled trial. *Physical therapy*, 86(7), 912–923.

Azitha, M., Aprilia, D., & Ilhami, Y. R. (2018). Hubungan Aktivitas Fisik dengan Kadar Glukosa Darah Puasa pada Pasien Diabetes Melitus yang Datang ke Poli Klinik Penyakit Dalam Rumah Sakit M. Djamil Padang. *Jurnal Kesehatan Andalas*, 7(3), 400-404. <https://doi.org/10.25077/jka.v7i3.893>

Baig, M. S., Banu, A., Zehravi, M., Rana, R., Burle, S. S., Khan, S. L., Islam, F., Siddiqui, F. A., Massoud, E. E. S., Rahman, M. H., & Cavalu, S. (2022). An Overview of Diabetic Foot Ulcers and Associated Problems with Special Emphasis on Treatments with Antimicrobials. *Life (Basel, Switzerland)*, 12(7),3-18. 1054. <https://doi.org/10.3390/life12071054>

Balaji, P., & Varne, S. R. (2017). Physiological effects of brisk walking, yoga and non- walking on metabolic parameters and anthropometry among type 2 diabetic patients. *International Journal of Physiology, Nutrition and Physical Education IJPNPE*, 2 (21), 99–102.

Balitbangkes RI. (2018). Laporan Riskesdas 2018 Nasional.pdf. In Lembaga Penerbit Balitbangkes (hal 156).

Bazaev NA, Pletenev AN, Pozhar KV. (2013). Classification of factors affecting blood glucose concentration dynamics. *Biomedical Engineering*, (2), 39-42

Bird, S. R., & Hawley, J. A. (2017). Update on the effects of physical activity on insulin sensitivity in humans. *BMJ Open Sport and Exercise Medicine*, 2(1), 1–26. <https://doi.org/10.1136/bmjsem-2016-000143>

Boonpor, J., Ho, F. K., Gray, S. R., & Celis-Morales, C. A. (2022). Association of Self-reported Walking Pace With Type 2 Diabetes Incidence in the UK Biobank Prospective Cohort Study. *Mayo Clinic proceedings*, 97(9), 1631–1640. <https://doi.org/10.1016/j.mayocp.2022.02.028>

Bull, F. C., Maslin, T. S., & Armstrong, T. (2009). Global physical activity questionnaire (GPAQ): Nine country reliability and validity study. *Journal of Physical Activity and Health*, 6(6), 790–804. <https://doi.org/10.1123/jpah.6.6.790>

Bulu, A., Wahyuni, T. D., & Sutriningsih, A. (2019). Hubungan Antara Tingkat Kepatuhan Minum Obat Dengan Kadar Gula Darah Pada Pasien Diabetes Melitus Tipe II. *Ilmiah Keperawatan*, 4(1), 181–189.

- Bytyci Katanolli, A., Probst-Hensch, N., Ann Obas, K., Gerold, J., Zahorka, M., Jerliu, N., Ramadani, Q., Fota, N., & Merten, S. (2022). Perceived barriers to physical activity behaviour among patients with diabetes and hypertension in Kosovo: a qualitative study. *BMC Primary Care*, 23(1), 1–11. <https://doi.org/10.1186/s12875-022-01866-w>
- Callaghan, B. C., Gallagher, G., Fridman, V., & Feldman, E. L. (2020). Diabetic neuropathy: the future is promising. Reply to Uusitupa M, Niskanen L, Laitinen T [letter] and Coppini DV [letter]. *Diabetologia*, 63(9), 1951–1952. <https://doi.org/10.1007/s00125-020-05233-1>
- Cannata, F., Vadalà, G., Russo, F., Papalia, R., Napoli, N., & Pozzilli, P. (2020). Beneficial Effects of Physical Activity in Diabetic Patients. *Journal of functional morphology and kinesiology*, 5(3), 70–81. <https://doi.org/10.3390/jfkm5030070>
- Cheisson, G., Jacqueminet, S., Cosson, E., Ichai, C., Leguerrier, A. M., Nicolescu-Catargi, B., Ouattara, A., Tauveron, I., Valensi, P., & Benhamou, D. (2018). Perioperative management of adult diabetic patients. Review of hyperglycaemia: definitions and pathophysiology. *Anaesthesia Critical Care and Pain Medicine*, 37, S5–S8. <https://doi.org/10.1016/j.accpm.2018.02.019>
- Choudhury, A. A., & Rajeswari, V. D. (2021). Gestational diabetes mellitus - A metabolic and reproductive disorder. *Biomedicine & Pharmacotherapy*, 143, 1–17. <https://doi.org/10.1016/j.biopha.2021.112183>
- Delfina, S., Carolita, I., Habsah, S., & Ayatillahi, S. (2021). Analisis Determinan Faktor Risiko Kejadian Diabetes Mellitus Tipe 2 Pada Usia Produktif. *Jurnal Kesehatan Tambusai*, 2(4), 141–151. <https://doi.org/10.31004/jkt.v2i4.2823>
- Derek MI, Rottie JV, Kallo V. Hubungan tingkat stres dengan kadar gula darah pada pasien diabetes melitus tipe II di Rumah Sakit Pancaran Kasih Gmim Manado. *J Keperawatan UNSRAT*. 2017; 5(1):1-6. Available at : <https://ejournal.unsrat.ac.id/index.php/jkp/article/view/14730>
- Dhatariya, K. K., Glaser, N. S., Codner, E., & Umpierrez, G. E. (2020). Diabetic ketoacidosis. *Nature Reviews Disease Primers*, 6(1), 1–20. <https://doi.org/10.1038/s41572-020-0165-1>
- Egan, A. M., Dow, M. L., & Vella, A. (2020). A Review of the Pathophysiology and Management of Diabetes in Pregnancy. *Mayo Clinic Proceedings*, 95(12), 2734–2746. <https://doi.org/10.1016/j.mayocp.2020.02.019>
- Ekasari, E., & Dhanny, D. R. (2022). Faktor Yang Mempengaruhi Kadar Glukosa Darah Penderita Diabetes Melitus Tipe Ii Usia 46-65 Tahun Di Kabupaten Wakatobi. *Journal of Nutrition College*, 11(2), 154–162. <https://doi.org/10.14710/jnc.v11i2.32881>
- Fajriyah, N., Sudiana, I. K., & Wahyuni, E. D. (2020). The Effects from Physical Exercise on the Blood Glucose Levels, HbA1c and Quality of Life of Type 2 Diabetes Mellitus Patients: A Systematic Review. *Jurnal Ners*, 15(2), 489–496. [https://doi.org/10.20473/jn.v15i2\(si\).20517](https://doi.org/10.20473/jn.v15i2(si).20517)
- Ghozali, Imam. (2016). *Aplikasi Analisis Multivariate Dengan Program IBM SPSS 23* (Edisi 8). Cetakan ke VIII. Semarang : Badan Penerbit Universitas Diponegoro
- Golden, S. H., Yajnik, C., Phatak, S., Hanson, R. L., & Knowler, W. C. (2019). Racial/ethnic

- differences in the burden of type 2 diabetes over the life course: a focus on the USA and India. *Diabetologia*, 62(10), 1751–1760. <https://doi.org/10.1007/s00125-019-4968-0>
- Handayani, S. T., . H. and Noerjoedianto, D. (2018). Hubungan Obesitas Dan Aktivitas Fisik Dengan Kejadian Diabetes Melitus Tipe II di Wilayah Kerja Puskesmas Olak Kemang Tahun 2018. *Jurnal Kesmas Jambi*, 2(1), 1–11. doi: 10.22437/jkmj.v2i1.6535.
- Hartuti, S., Nasution, A., & Syafril, S. (2019). The effect of drug-related problems on blood glucose level in the treatment of patients with type 2 diabetes mellitus. *Open Access Macedonian Journal of Medical Sciences*, 7(11), 1798–1802. <https://doi.org/10.3889/oamjms.2019.290>
- Hati, Y., & Muchsin, R. (2022). Pengaruh Brisk Walking Terhadap Kadar Glukosa Darah Sewaktu Pasien Diabetes Melitus Tipe II Effect of Brisk Walking on Blood Glucose Levels Patients with Type II Diabetes Mellitus. *Jurnal Ilmu Kesehatan*, 16(1), 74–79.
- Hu, H., Lei, Y., Yin, L., & Luo, X. (2020). Evaluation of walking exercise on glycemic control in patients with type 2 diabetes mellitus: A protocol for systematic review and meta-analysis of randomized cross-over controlled trials. *Medicine*, 99(47), 2-5. <https://doi.org/10.1097/MD.00000000000022735>
- Irawan, Q. P., Utami, K. D., Reski, S., & Saraheni. (2022). Hubungan Indeks Massa Tubuh (IMT) dengan Kadar HbA1c pada Penderita Diabetes Mellitus Tipe II di Rumah Sakit Abdoel Wahab Sjahranie. *Formosa Journal of Science and Technology*, 1(5), 459–468. <https://doi.org/10.55927/fjst.v1i5.1220>
- Joenputri, N. N. (2023). Profil Pasien Ketoasidosis Diabetikum di Rumah Sakit Rujukan Tersier di Bali Indonesia *Jurnal Penyakit Dalam Indonesia*, ., 10(3), 130-135. <https://doi.org/10.7454/jpdi.v10i3.1484>
- Kaaffah, S., Soewondo, P., Riyadina, W., Renaldi, F. S., & Sauriasari, R. (2021). Adherence to Treatment and Glycemic Control in Patients with Type 2 Diabetes Mellitus: A 4-Year Follow-up PTM Bogor Cohort Study, Indonesia. *Patient preference and adherence*, 15, 2467–2477. <https://doi.org/10.2147/PPA.S318790>
- Kartono TH, Setiawan D, Astuti IY. (2020). Analisis Kepatuhan Minum Obat Anti Diabetik Terhadap Kadar Gula Darah Puasa Dan Nilai Hba1c Pada Pasien Diabetes Melitus. *Journal of Pharmacopolium*, 3(3), 166–173. Doi: 10.36465/jop.v3i3.657.
- Kasmad, K., Abdillah, A. J., & Karnelia, M. (2022). The Impact of Using Brisk Walking Exercise in Lower Blood Sugar of Patients with Type 2 Diabetes Mellitus. *International Journal of Nursing Information*, 1(1), 10–17. <https://doi.org/10.58418/ijni.v1i1.6>
- Kautzky-Willer, A., Harreiter, J., & Pacini, G. (2016). Sex and gender differences in risk, pathophysiology and complications of type 2 diabetes mellitus. *Endocrine Reviews*, 37(3), 278–316. <https://doi.org/10.1210/er.2015-1137>
- Kementerian Kesehatan RI. (2020). Infodatin tetap produktif, cegah, dan atasi Diabetes Melitus 2020. In *Pusat Data dan Informasi Kementerian Kesehatan RI*, 21(1) 1–9.
- Klein, S., Gastaldelli, A., Yki-Jarvinen, H., & E. Scherer, P. (2022). Why does obesity cause diabetes? *Cell Metabolism*, 34, 11–19. [https://doi.org/\\*Correspondence:https://doi.org/10.1016/j.cmet.2021.12.01](https://doi.org/*Correspondence:https://doi.org/10.1016/j.cmet.2021.12.01)



- Kowalski, R. (2010). *Terapi Hipertensi: Program 8 minggu Menurunkan Tekanan Darah Tinggi*. Bandung: Qanita Mizan Pustaka.
- Kurniawati, Y., Kurniawati, N. D., & Probowati, R. (2020). Barriers to Physical Activity in Recently Diagnosed Type 2 Diabetes Mellitus: A Qualitative Study. *Nurse and Health: Jurnal Keperawatan*, 9(2), 87–96.
- Kusnanto, Sundari, P. M., Asmoro, C. P., & Arifin, H. (2019). Hubungan Tingkat Pengetahuan dan Diabetes Self-Management Dengan Tingkat Stres Pasien Diabetes Melitus Yang Menjalani Diet. *Jurnal Keperawatan Indonesia*, 22(1), 31–42. <https://doi.org/10.7454/jki.v22i1.780>
- Laia, J. (2020). Hubungan Tingkat Kepatuhan Diet Makan Dengan Tingkat Kadar Gula Darah Pasien Diabetes Melitus. *Jurnal Ilmiah Wijaya*, 12(2), 92–97.
- Lee, S. H., Park, S. Y., & Choi, C. S. (2022). Insulin Resistance: From Mechanisms to Therapeutic Strategies. *Diabetes and Metabolism Journal*, 46(1), 15–37. <https://doi.org/10.4093/DMJ.2021.0280>
- Levy, R. B., Rauber, F., Chang, K., Carlos A, M., & Millet, C. (2022). Ultra-processed food consumption and type 2 diabetes incidence: A prospective cohort study. *Clinical Nutrition*, 40, 3608–3614.
- Listyarini, A. D., & Fadilah, A. (2017). Brisk Walking Dapat Menurunkan Kadar Glukosa Darah Pada Penderita Diabetes Mellitus Di Desa Klumpit Kecamatan Gebog Kabupaten Kudus. *Jurnal Keperawatan Dan Kesehatan Masyarakat Cendekia Utama*, 6(2), 10–19. <http://jurnal.stikescendekiautamakudus.ac.id/index.php/stikes/article/view/187>
- Malakar, A. K., Choudhury, D., Halder, B., Paul, P., Uddin, A., & Chakraborty, S. (2019). A review on coronary artery disease, its risk factors, and therapeutics. *Journal of Cellular Physiology*, 234(10), 16812–16823. <https://doi.org/10.1002/jcp.28350>
- Mambiya, M., Shang, M., Wang, Y., Liu, Q., & Liu, S. (2019). The Play of Genes on Non-Genetic Factors on Type 2 Diabetes Mellitus. *Frontier in Public Health*, 7, 2–8. <https://doi.org/10.3389/fpubh.2019.00349>
- McLeod, S. (2019). What does effect size tell you? *Simply Psychology*, 4–9. Retrieved from [https://online210.psych.wisc.edu/wp-content/uploads/psy-210\\_unit\\_materials/psy\\_210\\_unit09\\_materials/mcleod\\_effectsize\\_2019.pdf](https://online210.psych.wisc.edu/wp-content/uploads/psy-210_unit_materials/psy_210_unit09_materials/mcleod_effectsize_2019.pdf)
- Mezil, Sabreen A, B. A. abed. (2021). Complication of Diabetes Mellitus Complication of Diabetes Mellitus. *Annals of the Romanian Society for Cell Biology*, 25(3)(3), 1546–1556.
- Monika, K., Joanna, K., Mateusz, R., & Marta, M. (2019). Physical activity in prevention and treatment of type 2 diabetes mellitus. *Journal of Education, Health and Sport*, 9(9), 1175–1181.
- Mpila, D. A., Wiyono, W. I., & Lolo, W. A. (2023). Hubungan Tingkat Kepatuhan Minum Obat dengan Kadar Gula Darah dan Kualitas Hidup Pasien Diabetes Melitus Tipe 2 di Klinik Imanuel Manado. *Medical Scope Journal*, 6(1), 116–123. <https://doi.org/10.35790/msj.v6i1.51696>
- Nanayakkara, N., Curtis, A. J., Heritier, S., Gadowski, A. M., Pavkov, M. E., Kenealy, T., Owens, D. R., Thomas, R. L., Song, S., Wong, J., Chan, J. C. N., Luk, A. O. Y., Penno, G., Ji, L., Mohan, V., Amutha, A., Romero-Aroca, P., Gasevic, D., Magliano, D. J., ...

- Zoungas, S. (2021). Impact of age at type 2 diabetes mellitus diagnosis on mortality and vascular complications: systematic review and meta-analyses. *Diabetologia*, 64(2), 275–287. <https://doi.org/10.1007/s00125-020-05319-w>
- Nanda, O. D., Wiryanto, B., & Triyono, E. A. (2018). Hubungan Kepatuhan Minum Obat Anti Diabetik dengan Regulasi Kadar Gula Darah pada Pasien Perempuan Diabetes Mellitus. *Amerta Nutrition*, 2(4), 340-349. <https://doi.org/10.20473/amnt.v2i4.2018.340-348>
- Nanditha, A., Ma, R. C. W., Ramachandran, A., Snehalatha, C., Chan, J. C. N., Chia, K. S., Shaw, J. E., & Zimmet, P. Z. (2016). Diabetes in Asia and the pacific: Implications for the global epidemic. *Diabetes Care*, 39(3), 472-485. <https://doi.org/10.2337/dc15-1536>
- Nasution, F., Andilala, & Siregar, A. A. (2021). Faktor Risiko Kejadian Diabetes Melitus. *Jurnal Ilmu Kesehatan*, 9(1), 94–102.
- Nasution, L. K., Siagian, A. and Lubis, R. (2018) ‘Hubungan Obesitas Terhadap Kejadian Diabetes Melitus Tipe 2 Pada Wanita Usia Subur Di Wilayah Kerja’, *Jurnal Muara Sains, Teknologi, Kesehatan, dan Ilmu Kesehatan*, 2(1): 240–246. doi: 10.24912/jmstkik.v2i1.1857.
- Natesan, V., & Kim, S. J. (2021). Diabetic nephropathy – A review of risk factors, progression, mechanism, and dietary management. *Biomolecules and Therapeutics*, 29(4), 365–372. <https://doi.org/10.4062/biomolther.2020.204>
- Nonita, S. (2019). Aktivitas Fisik Dan Hubungannya Dengan Kejadian Diabetes Melitus. *Window Of Health: Jurnal Kesehatan* 2(4): 368-381
- Notoatmodjo, S. (2018). *Metodologi Penelitian Kesehatan*. Rineka Cipta.
- Novitasari, D., Afni, A. C. N., & Kartina, I. (2021). Pengaruh Brisk Walking Exercise terhadap Kadar Gula Darah Sewaktu pada Penderita Diabetes Mellitus Tipe 2 di Wilayah Kerja Puskesmas Boyolali II. *Naskah Publikasi. Universitas Kusuma Husada Surakarta*, 001, 1–13. <http://eprints.ukh.ac.id/id/eprint/2629/1>
- Nurayati, L., & Adriani, M. (2017). Hubungan Aktifitas Fisik dengan Kadar Gula Darah Puasa Penderita Diabetes Melitus Tipe 2. *Amerta Nutrition*, 2(1): 80–87. <https://doi.org/10.20473/amnt.v1.i2.2017.80-87>
- Ong, K. L., Stafford, L. K., McLaughlin, S. A., Boyko, E. J., Vollset, S. E., Smith, A. E., Dalton, B. E., Duprey, J., Cruz, J. A., Hagins, H., Lindstedt, P. A., Aali, A., Abate, Y. H., Abate, M. D., Abbasian, M., Abbasi-Kangevari, Z., Abbasi-Kangevari, M., Abd ElHafeez, S., Abd-Rabu, R., ... Vos, T. (2023). Global, regional, and national burden of diabetes from 1990 to 2021, with projections of prevalence to 2050: a systematic analysis for the Global Burden of Disease Study 2021. *The Lancet*, 402(10397), 203–234. [https://doi.org/10.1016/S0140-6736\(23\)01301-6](https://doi.org/10.1016/S0140-6736(23)01301-6)
- Opoku, B. (2023). Effects of brisk walking on fasting blood glucose and blood pressure in diabetic patients. *Journal of Insulin Resistance*, 6(1), 1–7.
- Palermi, S., Iacono, O., Sirico, F., Modestino, M., Ruosi, C., Spera, R., & De Luca, M. (2022). The complex relationship between physical activity and diabetes: An overview. *Journal of Basic and Clinical Physiology and Pharmacology*, 33(5), 535–547. <https://doi.org/10.1515/jbcpp-2021-0279>

PERKENI.(2019) Konsensus pengelolaan dan pencegahan diabetes melitus tipe 2 di Indonesia. Jakarta: PB PERKENI; 1–82.

Piercy, K. L., Troiano, R. P., Ballard, R. M., Carlson, S. A., Fulton, J. E., Galuska, D. A., George, S. M., & Olson, R. D. (2018). The Physical Activity Guidelines for Americans. *JAMA*, 320(19), 2020–2028. <https://doi.org/10.1001/jama.2018.14854>

Purwandari, H. (2017). *Hubungan Kepatuhan Diet Dengan Kualitas Hidup Pada Penderita Dm Di Poli Penyakit Dalam Rsud Kertosono*. 6(2), 16–21.

Rahati, S., Shahraki, M., Arjomand, G., & Shahraki, T. (2014). Food pattern, lifestyle and diabetes mellitus. *International journal of high risk behaviors & addiction*, 3(1),1-6. <https://doi.org/10.5812/ijhrba.8725>

Rahayuningsih, M. S., Juniarsana, I. W., & Wiardani, N. K. (2023). Hubungan Aktivitas Fisik dan Kepatuhan Diet dengan Kadar Glukosa Darah Pasien DM Tipe 2. *Jurnal Ilmu Gizi : Journal of Nutrition Science*, 12(3), 155–165.<https://doi.org/10.33992/jig.v12i3.2122>

Razali, N.M. & Wah, Y.B. (2011). Power Comparision of Shapiro-Wilk, Kolmogorov-Smirnov, Lilliefors, and Anderson-Darling tests. *Journal of Statistical modeling and Analytics* 2(1), 21-33.

Ritonga, N. (2019). Analisis Determinan Faktor Risiko Diabetes Melitus Tipe II di Puskesmas Batunadua Tahun 2019. *Jurnal Kesehatan Ilmiah Indonesia*, 4(2), 140–145.

Roberts, C. K., Little, J. P., & Thyfault, J. P. (2013). Modification of insulin sensitivity and glycemic control by activity and exercise. *Medicine and science in sports and exercise*, 45(10), 1868–1877. <https://doi.org/10.1249/MSS.0b013e318295cddb>

Rosita, R., Kusumaningtiar, D. A., Irfandi, A., & Ayu, I. M. (2022). Hubungan Antara Jenis Kelamin, Umur, Dan Aktivitas Fisik Dengan Diabetes Melitus Tipe 2 Pada Lansia Di Puskesmas Balaraja Kabupaten Tangerang. *Jurnal Kesehatan Masyarakat (Undip)*, 10(3), 364–371. <https://doi.org/10.14710/jkm.v10i3.33186>

Rynders, C. A., Weltman, J. Y., Jiang, B., Breton, M., Patrie, J., Barrett, E. J., & Weltman, A. (2014). Effects of exercise intensity on postprandial improvement in glucose disposal and insulin sensitivity in prediabetic adults. *The Journal of clinical endocrinology and metabolism*, 99(1), 220–228. <https://doi.org/10.1210/jc.2013-2687>

Saputra, I., Sriwahyuni, S., & Haskas, Y. . (2023). Pengaruh Latihan Fisik Jalan Cepat Terhadap Perubahan Kadar Gula Darah Sewaktu Pada Wanita Diabetes di Wilayah Kerja Puskesmas Tamalanrea Kota Makassar. *JIMPK : Jurnal Ilmiah Mahasiswa & Penelitian Keperawatan*, 3(1), 1-8. <https://doi.org/10.35892/jimpk.v3i1.1301>

Sari, N. N. (2018). Hubungan Obesitas Sentral dengan Kejadian Diabetes Melitus. *Jurnal Ilmiah Keperawatan Sai Betik*, 14(2), 157-161.

Şavkın, R., Büker, N., Bayrak, G., Oğuz, G., & Topsakal, Ş. (2021). Effect of Walking Exercise on Blood Parameters in Patients with Type 2 Diabetes Mellitus. *Istanbul Medical Journal*, 22(4), 313–319. <https://doi.org/10.4274/imj.galenos.2021.40222>

Sendekie, A. K., Netere, A. K., Kasahun, A. E., & Belachew, E. A. (2022). Medication adherence and its impact on glycemic control in type 2 diabetes mellitus patients with comorbidity: A multicenter cross-sectional study in Northwest Ethiopia. *PloS one*, 17(9), 1-18. <https://doi.org/10.1371/journal.pone.0274971>

Shahin, W., Kennedy, G. A., & Stupans, I. (2019). The impact of personal and cultural beliefs

- on medication adherence of patients with chronic illnesses: a systematic review. *Patient preference and adherence*, 13 (5), 1019–1035. <https://doi.org/10.2147/PPA.S212046>
- Simó-Servat, O., Hernández, C., & Simó, R. (2019). Diabetic Retinopathy in the Context of Patients with Diabetes. *Ophthalmic Research*, 62(4), 211–217. <https://doi.org/10.1159/000499541>
- Singh, A., & Purohit, B. (2011). Evaluation of Global Physical Activity Questionnaire (GPAQ) among Healthy and Obese Health Professionals in Central India. *Baltic Journal of Health and Physical Activity*, 3(1), 34–43. <https://doi.org/10.2478/v10131-011-0004-6>
- Smith, A. D., Crippa, A., Woodcock, J., & Brage, S. (2016). Physical activity and incident type 2 diabetes mellitus: a systematic review and dose-response meta-analysis of prospective cohort studies. *Diabetologia*, 59(12), 2527–2545. <https://doi.org/10.1007/s00125-016-4079-0>
- Soyoye, D. O., Abiodun, O. O., Ikem, R. T., Kolawole, B. A., & Akintomide, A. O. (2021). Diabetes and peripheral artery disease: A review. *World Journal of Diabetes*, 12(6), 827–838. <https://doi.org/10.4239/wjd.v12.i6.827>
- Stuart, C. A., South, M. A., Lee, M. L., McCurry, M. P., Howell, M. E., Ramsey, M. W., & Stone, M. H. (2013). Insulin responsiveness in metabolic syndrome after eight weeks of cycle training. *Medicine and science in sports and exercise*, 45(11), 2021–2029. <https://doi.org/10.1249/MSS.0b013e31829a6ce8>
- Sugiyarto, S., Sumardino, S., & Yusran P., A. D. M. (2022). Literature Review: Effect of Brisk Walking on Blood Sugar Levels in Pa-tients with Type 2 Diabetes Mellitus. *Basic and Applied Nursing Research Journal*, 3(2), 37–45. <https://doi.org/10.11594/banrj.03.02.02>
- Sulistyo, A. A. H. (2018). Management of Diabetic Foot Ulcer: a Literature Review. *Jurnal Keperawatan Indonesia*, 21(2), 84–93. <https://doi.org/10.7454/jki.v21i2.634>
- Sun, H., Saeedi, P., Karuranga, S., Pinkepank, M., Ogurtsova, K., Duncan, B. B., Stein, C., Basit, A., Chan, J. C. N., Mbanya, J. C., Pavkov, M. E., Ramachandaran, A., Wild, S. H., James, S., Herman, W. H., Zhang, P., Bommer, C., Kuo, S., Boyko, E. J., & Magliano, D. J. (2022). IDF Diabetes Atlas: Global, regional and country-level diabetes prevalence estimates for 2021 and projections for 2045. *Diabetes Research and Clinical Practice*, 183, 1-23. <https://doi.org/10.1016/j.diabres.2021.109119>
- Suryono E, 2013. *Bersahabat dengan Diabetes*. Bandung: Yrama Widya Bandung.
- Susil M.I., Muneshwar J.N., Khan S.T.(2015) To Study Body Mass Index, Waist Circumference, Waist Hip Ratio, Body Adiposity Index And Lipid Profile Level In Patients With Type-2 Diabetes Mellitus. *IOSR Journal of Dental and Medical Sciences (IOSR-JDMS)* 14(5), Ver III, 98-101
- Świątoniowska, N., Sarzyńska, K., Szymańska-Chabowska, A., & Jankowska-Polańska, B. (2019). The role of education in type 2 diabetes treatment. *Diabetes Research and Clinical Practice*, 151, 237–246. <https://doi.org/10.1016/j.diabres.2019.04.004>
- Tramunt, B., Smati, S., Grandgeorge, N., Lenfant, F., Arnal, J. F., Montagner, A., & Gourdy, P. (2020). Sex differences in metabolic regulation and diabetes susceptibility. *Diabetologia*, 63(3), 453–461. <https://doi.org/10.1007/s00125-019-05040-3>
- Ubaidillah, Z., & Dipanusa, A. P. (2019). Faktor Faktor Ketidakpatuhan Diet Pada Klien Diabetes Melitus. *Journal Of Borneo Holistic Health*, 2, 17-29





UNIVERSITAS  
GADJAH MADA

**Pengaruh Modifikasi Brisk Walking Exercises Terhadap Kadar Gula Darah Sewaktu Pada Penderita Diabetes Mellitus Tipe 2 di Kelurahan Wates Wilayah Kerja Puskesmas Wates Kulon Progo Yogyakarta**

Rinda Suciarti, Uki Noviana, S.Kep.,Ns.,M.N.Sc.,Ph.D; Haryani, S.Kp.,M.Kes.,Ph.D

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Wang, T., Lu, J., Shi, L., Chen, G., Xu, M., Xu, Y., Su, Q., Mu, Y., Chen, L., Hu, R., Tang, X., Yu, X., Li, M., Zhao, Z., Chen, Y., Yan, L., Qin, G., Wan, Q., Dai, M., ... Ning, G. (2020). Association of insulin resistance and  $\beta$ -cell dysfunction with incident diabetes among adults in China: a nationwide, population-based, prospective cohort study. *The Lancet Diabetes and Endocrinology*, 8(2), 115–124. [https://doi.org/10.1016/S2213-8587\(19\)30425-5](https://doi.org/10.1016/S2213-8587(19)30425-5)

World Health Organization. (2012). Global Physical Activity Questionnaire (GPAQ) Analysis Guide. Geneva: World Health Organization,.

Yap AF, Thirumoorthy T, Kwan YH. Medication adherence in the elderly. *Journal of Clinical Gerontology and Geriatrics*. 2016 Jun;7(2):64–7

Yunita, W., Jannah, M., Hidayah, N., & Utomo, A. S. (2019). Efektivitas antara brisk walk exercise dan relaksasi otot progresif terhadap penurunan kadar gula darah pada pasien diabetes mellitus tipe 2 Poltekkes Kemenkes malang jl . besar ijen no 77c malang effectiveness between brisk walk exercise and progressive. *jurnal keperawatan terapan*, 5(1), 65–75.

Zou, D. *et al.* (2017) ‘Analysis of risk factors and their interactions in type 2 diabetes mellitus: A cross-sectional survey in Guilin, China’, *Journal of Diabetes Investigation*, 8(2),188–194. doi: 10.1111/jdi.12549.