

## DAFTAR PUSTAKA

- Abd-Elfattah, R., Rashed, L., Ahmed., O., & Hassan, F. A. (2023). Gene Expression of Connective Tissue Growth Factor in Relation to Nephropathy In Patients with Type 2 Diabetes. *Azhar International Journal of Pharmaceutical and Medical Sciences*, 3(1), 172–179. <https://doi.org/10.21608/aijpms.2022.149722.1152>.
- Abdelmoez, A. M., Sardón Puig, L., Smith, J. A. B., Gabriel, B. M., Savikj, M., Dollet, L., Chibalin, A. V., Krook, A., Zierath, J. R., & Pilon, N. J. (2020). Comparative Profiling of Skeletal Muscle Models Reveals Heterogeneity of Transcriptome and Metabolism. *American Journal of Physiology. Cell Physiology*, 318(3), 615–626. <https://doi.org/10.1152/ajpcell.00540.2019>.
- Abo, K. A., & Lawal, I. O. (2013). Antidiabetic Activity of *Physalis angulata* Extracts and Fractions in Alloxan-Induced Diabetic Rats. *Journal of Advanced Scientific Research*, 4(3), 32–36.
- Adewolu, A., Adenekan, A. S., Uzamat, O. F., & Ajayi, O. O. (2021). Ameliorative Effects of Ethanolic Leaf Extract of *Physalis angulata* (Ewe Koropo) on Diabetic-Induced Wistar Rats in South West Nigeria. 11, 2021.
- Ajiboye, B. O., Oyinloye, B. E., Agboinghale, P. E., Onikanni, S. A., Asogwa, E., & Kappo, A. P. (2019). Antihyperglycaemia and Related Gene Expressions of Aqueous Extract of *Gongronema latifolium* leaf in Alloxan-Induced Diabetic Rats. *Pharmaceutical Biology*, 57(1), 604–611. <https://doi.org/10.1080/13880209.2019.1657907>.
- Ali, I. H., Hassan, R. M., El Kerdawy, A. M., Abo-Elfadl, M. T., Abdallah, H. M. I., Sciandra, F., & Ghannam, I. A. Y. (2024). Novel Thiazolidin-4-One Benzenesulfonamide Hybrids as Ppar $\gamma$  Agonists: Design, Synthesis and *In Vivo* Anti-Diabetic Evaluation. *European Journal of Medicinal Chemistry*, 269, 1–26. <https://doi.org/10.1016/J.Ejmech.2024.116279>.
- Amine, H., Benomar, Y., & Taouis, M. (2021). Palmitic Acid Promotes Resistin-Induced Insulin Resistance and Inflammation in SH-SY5Y Human Neuroblastoma. *Scientific Reports*, 11(1), 1–12. <https://doi.org/10.1038/s41598-021-85018-7>.
- Andrade, J. K. S., Barros, R. G. C., Pereira, U. C., Nogueira, J. P., Gualberto, N. C., Santos De Oliveira, C., Shanmugam, S., & Narain, N. (2022). Bioaccessibility of Bioactive Compounds after *In Vitro* Gastrointestinal Digestion and Probiotics Fermentation of Brazilian Fruits Residues with Antioxidant and Antidiabetic Potential. *Lwt*, 153(October 2020). <https://doi.org/10.1016/J.Lwt.2021.112469>.
- Ayeleso, T. B., Ramachela, K., & Mukwevho, E. (2018). Aqueous-Methanol Extracts of Orange-Fleshed Sweet Potato (*Ipomoea batatas*) Ameliorate Oxidative Stress and Modulate Type 2 Diabetes Associated Genes in Insulin Resistant C2C12 Cells. *Molecules*, 23(2058). <https://doi.org/10.3390/Molecules23082058>.
- Azzoz, M., Zaghloul, M., Sayed, M., Soliman, H., Mounir, N., Abdel Shakour, N., El-Dabae, W., & Aly, S. (2024). Efficiency of MTT and Trypan Blue Assays for Detection of Viability and Recovery of Different Frozen Cell Lines. *Egyptian Journal of Veterinary Sciences*, 55(6), 1649–1657. [10.21608/ejvs.2024.260687.1764](https://doi.org/10.21608/ejvs.2024.260687.1764).
- Babu, S., Krishnan, M., Rajagopal, P., Periyasamy, V., Veeraraghavan, V., Govindan, R., & Jayaraman, S. (2020). Beta-Sitosterol Attenuates Insulin Resistance in Adipose Tissue via p-IRS1<sup>Tyr612</sup>/Akt Mediated Insulin Signaling in High Fat Diet and Sucrose Induced Type-2 Diabetic Rats. *European Journal of Pharmacology*, 873, 1–13. <https://doi.org/10.1016/J.Ejphar.2020.173004>.
- Bakar, M.H.A. & Tan, J.S. (2017) Improvement of Mitochondrial Function by Celastrol in Palmitate-Treated C2C12 Myotubes via Activation of the PI3K-Akt Signaling Pathway. *Biomedicine and Pharmacotherapy*, 93, 903–912. <https://doi.org/10.1016/j.biopha.2017.07.021>.



- Bakrim, S., Benkhair, N., Bouras, T., Benali, T., Lee, L. H., El-Onafi, N., Sheikh, R. A., Goh, K. W., Ming, L. C., & Bouyahya, A. (2022). Health Benefits and Pharmacological Properties of Stigmasterol. *Antioxidants* (Basel, Switzerland), 11(10), 1-32. <https://doi.org/10.3390/antiox11101912>.
- Balas, M., Dumitrache, F., Badea, M. A., Fleaca, C., Badoi, A., Tanasa, E., & Dinischiotu, A. (2018). Coating Dependent *In Vitro* Biocompatibility of New Fe-Si Nanoparticles. *Nanomaterials* (Basel, Switzerland), 8(7), 1-26. <https://doi.org/10.3390/nano8070495>.
- Barba-Ostria, C., Carrera-Pacheco, S. E., Gonzalez-Pastor, R., Heredia-Moya, J., Mayorga-Ramos, A., Rodríguez-Pólit, C., Zúñiga-Miranda, J., Arias-Almeida, B., & Guamán, L. P. (2022). Evaluation of Biological Activity of Natural Compounds: Current Trends and Methods. *Molecules* (Basel, Switzerland), 27(14), 4490. <https://doi.org/10.3390/molecules27144490>.
- Bartlett, G. J., Newberry, R. W., Vanveller, B., Raines, R. T., & Woolfson, D. N. (2013). Interplay of Hydrogen Bonds and  $n \rightarrow \pi^*$  Interactions in Proteins. *Journal of the American Chemical Society*, 135(49), 18682–18688. <https://doi.org/10.1021/ja4106122>.
- Baus, D., Heermeier, K., De Hoop, M., Metz-Weidmann, C., Gassenhuber, J., Dittrich, W., Welte, S., & Tennagels, N. (2008). Identification of a Novel AS160 Splice Variant that Regulates GLUT4 Translocation and Glucose-Uptake in Rat Muscle Cells. *Cellular Signalling*, 20(12), 2237–2246. <https://doi.org/10.1016/j.cellsig.2008.08.010>.
- Berg, K. A., & Clarke, W. P. (2018). Making Sense of Pharmacology: Inverse Agonism and Functional Selectivity. *International Journal of Neuropsychopharmacology*, 21(10), 962–977. <https://doi.org/10.1093/ijnp/pyy071>.
- Bitam, S., Hamadache, M., & Hanini, S. (2024). Targeting Bladder Cancer with *Trigonella foenum-graecum*: A Computational Study Using Network Pharmacology and *Molecular docking*. *Journal of Biomolecular Structure and Dynamics*, 42(6), 3286–3293. <https://doi.org/10.1080/07391102.2023.2217926>.
- Butelman, E. R., & Kreek, M. J. (2015). Salvinorin A, A Kappa-Opioid Receptor Agonist Hallucinogen: Pharmacology and Potential Template for Novel Pharmacotherapeutic Agents in Neuropsychiatric Disorders. *Frontiers in Pharmacology*, 6, 190. <https://doi.org/10.3389/fphar.2015.00190>.
- Carbone, J., Ghidini, A., Romano, A., Gentilucci, L., & Musiani, F. (2022). PacDOCK: A Web Server for Positional Distance-Based and Interaction-Based Analysis of *Docking* Results. *Molecules*, 27(20), 1-13. <https://doi.org/10.3390/molecules27206884>.
- Cetin, E., Pedersen, B., Porter, L. M., Adler, G. K., & Burak, M. F. (2024). Protocol for A Randomized Placebo-Controlled Clinical Trial Using Pure Palmitoleic Acid to Ameliorate Insulin Resistance and Lipogenesis in Overweight and Obese Subjects with Prediabetes. *Frontiers in Endocrinology*, 14. <https://doi.org/10.3389/fendo.2023.1306528>.
- Chai, B. X., Neubig, R. R., Millhauser, G. L., Thompson, D. A., Jackson, P. J., Barsh, G. S., Dickinson, C. J., Li, J. Y., Lai, Y. M., & Gantz, I. (2003). Inverse Agonist Activity of Agouti and Agouti-Related Protein. *Peptides*, 24(4), 603–609. [https://doi.org/10.1016/s0196-9781\(03\)00104-9](https://doi.org/10.1016/s0196-9781(03)00104-9).
- Chegade, H., Fox, A., Mor, G.G., & Alvero, A.B. (2021). Subcellular Fractionation to Demonstrate Activation of Intrinsic Apoptotic Pathway. In: Alvero, A.B., Mor, G.G. (eds) *Detection of Cell Death Mechanisms. Methods in Molecular Biology*, 2255. Humana, New York, NY. [https://doi.org/10.1007/978-1-0716-1162-3\\_3](https://doi.org/10.1007/978-1-0716-1162-3_3).
- Cho, S.-C., & Shaw, S.-Y. (2023). Tea Seed Saponin-Reduced Extract Ameliorates Palmitic Acid-Induced Insulin Resistance in HepG2 Cells. *Molecular Medicine Reports*, 29(2), 1–11. <https://doi.org/10.3892/Mmr.2023.13149>.
- Chuang, W.T., Yen, C.C., Huang, C.S., Chen, H.W., & Lii, C.K. (2020). Benzyl Isothiocyanate Ameliorates High-Fat Diet-Induced Hyperglycemia by Enhancing Nrf2-Dependent Antioxidant Defense-Mediated IRS-1/AKT/TBC1D1 Signaling and GLUT-4 Expression in



UNIVERSITAS  
GADJAH MADA

**Bioassay Guided Isolation Senyawa Aktif Herba Ciplukan (*Physalis angulata* L.) Termonitor Glucose Consumption Assay: Isolasi dan Identifikasi, Molecular Docking, dan Penelusuran Mekanisme Aksinya pada Sel Myoblast**

Rita Rakhmawati, Prof. Dr. apt. Mae Sri Hartati Wahyuningsih, M.Si; Prof. Dr. apt. Mustofa, M.Kes; dr. Ahmad Hamim

*Skeletal Muscle, Journal of Agricultural and Food Chemistry*, 68(51), 15228–15238.  
<https://doi.org/10.1021/acs.jafc.0c06269>.

- Cutignano, A., Nuzzo, G., Ianora, A., Luongo, E., Romano, G., Gallo, C., Sansone, C., Aprea, S., Mancini, F., D'Oro, U., & Fontana, A. (2015). Development and Application of a Novel SPE-Method for Bioassay-Guided Fractionation of Marine Extracts. *Marine drugs*, 13(9), 5736–5749. <https://doi.org/10.3390/md13095736>.
- Da Lima Eno, M. R., Sulistyowati, Y., & Setyobroto, I. (2020). Pengaruh Pemberian Ekstrak Herba Ciplukan (*Physalis angulata* L) Terstandar Fisalin Terhadap Perubahan Berat Badan Tikus (Sprague Dawley) Hiperglikemia. *Jurnal Ilmiah Respati*, 11(2), 156–170. <https://doi.org/10.52643/Jir.V11i2.1133>.
- Da Silva, B. J., Rodrigues, A. P., Farias, L. H., Hage, A. A., Do Nascimento, J. L., & Silva, E. O. (2014). *Physalis angulata* Induces *In Vitro* Differentiation of Murine Bone Marrow Cells into Macrophages. *BMC Cell Biology*, 15(37), 1-11. <https://doi.org/10.1186/1471-2121-15-37>.
- Darma, A. P., Ashari, R. A., Nugroho, P. A., Monikawati, A., Fauzi, I. A., Hermawan, A., & Meiyanto, E. (2012). Aktivitas Sitotoksik Ekstrak Etanolik Herba Ciplukan (*Physalis angulata* L.) pada Sel Kanker Leher Rahim Hela melalui Modulasi Ekspresi Protein P53. *Farmasains : Jurnal Farmasi Dan Ilmu Kesehatan*, 1(2), 1-10. <https://doi.org/10.22219/far.v1i2.1163>.
- Deng, A., Wang, Y., Huang, K., Xie, P., Mo, P., Liu, F., Chen, J., Chen, K., Wang, Y., & Xiao, B. (2023). Artichoke (*Cynara scolymus* L.) Water Extract Alleviates Palmitate-Induced Insulin Resistance in HepG2 Hepatocytes via the Activation of IRS1/PI3K/AKT/FoxO1 and GSK-3 $\beta$  Signaling Pathway. *BMC Complementary Medicine and Therapies*, 23(1), 1-12. <https://doi.org/10.1186/s12906-023-04275-3>.
- Dhe-Paganon, S., Ottinger, E. A., Nolte, R. T., Eck, M. J., & Shoelson, S. E. (1999). Crystal structure of the pleckstrin homology-phosphotyrosine binding (PH-PTB) targeting region of insulin receptor substrate 1. *Proceedings of the National Academy of Sciences of the United States of America*, 96(15), 8378–8383. <https://doi.org/10.1073/pnas.96.15.8378>.
- Diaz-Vegas, A., Norris, D. M., Jall-Rogg, S., Cooke, K. C., Conway, O. J., Shun-Shion, A. S., Duan, X., Potter, M., Van Gerwen, J., Baird, H. J., Humphrey, S. J., James, D. E., Fazakerley, D. J., & Burchfield, J. G. (2023). A High-Content Endogenous GLUT4 Trafficking Assay Reveals New Aspects of Adipocyte Biology. *Life Science Alliance*, 6(1), 1–19. <https://doi.org/10.26508/Lsa.202201585>.
- Ebersbach-Silva, P., Poletto, A. C., David-Silva, A., Seraphim, P. M., Anhê, G. F., Passarelli, M., Furuya, D. T., & Machado, U. F. (2018). Palmitate-Induced Slc2a4/GLUT4 Downregulation in L6 Muscle Cells: Evidence of Inflammatory and Endoplasmic Reticulum Stress Involvement. *Lipids In Health and Disease*, 17(1), 1–8. <https://doi.org/10.1186/S12944-018-0714-8>.
- Fanshuri, M. I., Tri Putri, D. K., Azizah, A., & Purwaningayu, J. H. (2022). The Toxicity Test of *Channa striata* Scale Chitosan on BHK-21 Fibroblast Cells *In Vitro*. Dentino: *Jurnal Kedokteran Gigi*, 7(2), 168. <https://doi.org/10.20527/dentino.v7i2.14625>.
- Febrina, M., Hidayah, R., & Novitasari, M. (2023). Pengaruh Pemberian Infusa Tumbuhan Ciplukan (*Physalis angulata* L.) Terhadap Kadar Gula Darah Mencit Putih (*Mus Musculus* L.) Jantan yang Diinduksi Glukosa. 12(2), 83–87. <https://doi.org/10.51887/Jpfi.V12i2.1836>.
- Feng, S. Y., Wu, S. J., Chang, Y. C., Ng, L. T., & Chang, S. J. (2022). Stimulation of GLUT4 Glucose Uptake by Anthocyanin-Rich Extract from Black Rice (*Oryza sativa* L.) via PI3K/Akt and AMPK/p38 MAPK Signaling in C2C12 Cells. *Metabolites*, 12(9), 1-10. <https://doi.org/10.3390/metabo12090856>.
- Fouejio, D., Yossa Kamsi, R., Tadjouteu Assatse, Y., Ejuh, G., & Ndjaka, J. (2021). DFT Studies of the Structural, Chemical Descriptors and Nonlinear Optical Properties of the Drug Dihydroartemisinin Functionalized on C60 Fullerene. *Computational and Theoretical Chemistry*, 1202, 1-11. <https://doi.org/10.1016/j.comptc.2021.113298>.





- Fu, Y., Zhao, J., & Chen, Z. (2018). Insights into the Molecular Mechanisms of Protein-Ligand Interactions by *Molecular docking* and *Molecular Dynamics Simulation*: A Case of Oligopeptide Binding Protein. *Computational and Mathematical Methods in Medicine*, 2018. <https://doi.org/10.1155/2018/3502514>.
- Ghosh, A. K., Panda, S. K., Hu, H., Schoofs, L., & Luyten, W. (2024). Compounds Isolation from *Syzygium cumini* Leaf Extract Against the *Vibrio* Species in Shrimp Through Bioassay-Guided Fractionation. *Natural Product Research*, 1–11. <https://doi.org/10.1080/14786419.2024.2344192>.
- Gupta, J. K. (2024). The Role of Aldose Reductase in Polyol Pathway: An Emerging Pharmacological Target in Diabetic Complications and Associated Morbidities. *Current Pharmaceutical Biotechnology*, 25(9), 1073–1081. <https://doi.org/10.2174/1389201025666230830125147>.
- Hidayat, B., Ramadani, R. V., Rudijanto, A., Soewondo, P., Suastika, K., & Siu Ng, J. Y. (2022). Direct Medical Cost of Type 2 Diabetes Mellitus and Its Associated Complications in Indonesia. *Value in Health Regional Issues*, 28, 82–89. <https://doi.org/10.1016/j.vhri.2021.04.006>.
- Hur, H., Kim, H. J., Lee, D., & Jo, C. (2024). Beef Peptides Mitigate Skeletal Muscle Atrophy in C2C12 Myotubes Through Protein Degradation, Protein Synthesis, and The Oxidative Stress Pathway. *Food & function*, 15(8), 4564–4574. <https://doi.org/10.1039/d3fo03911k>.
- Hwang, T. L., Batabyal, D., Knutson, N., & Wikström, M. (2021). Use of the 2D 1H-13C HSQC NMR Methyl Region to Evaluate the Higher Order Structural Integrity of Biopharmaceuticals. *Molecules*, 26(9), 1-7. <https://doi.org/10.3390/molecules26092714>.
- Ibrahim, Z. Y., Uzairu, A., Shallangwa, G. A., & Abechi, S. E. (2021). Application of QSAR Method in the Design of Enhanced Antimalarial Derivatives of Azetidine-2-carbonitriles, their *Molecular Docking*, Drug-likeness, and SwissADME Properties. *Iranian Journal of Pharmaceutical Research : IJPR*, 20(3), 254–270. <https://doi.org/10.22037/ijpr.2021.114536.14901>.
- Iwansyah, A. C., Luthfiyanti, R., Ardiansyah, R. C. E., Rahman, N., Andriana, Y., & Hamid, H. A. (2022). Antidiabetic Activity of *Physalis angulata* L. Fruit Juice on Streptozotocin-Induced Diabetic Rats. *South African Journal of Botany*, 145, 313–319. <https://doi.org/10.1016/J.Sajb.2021.08.045>.
- Iqbal, S., & Matsabisa, M. (2024). *In Silico* Investigation of Cannabinoids from *Cannabis sativa* Leaves as a Potential Anticancer Drug to Inhibit MAPK-ERK Signaling Pathway and EMT Induction. *In silico pharmacology*, 12(1), 1-13. <https://doi.org/10.1007/s40203-024-00213-4>.
- Jackson, C. M., Esnouf, M. P., Winzor, D. J., & Duewer, D. L. (2007b). Defining and Measuring Biological Activity: Applying the Principles of Metrology. *Accreditation and Quality Assurance*, 12(6), 283–294. <https://doi.org/10.1007/s00769-006-0254-1>.
- Jang, M., Scheffold, J., Røst, L.M., Cheon, H., & Bruheim, P. (2022). Serum-Free Cultures of C2C12 Cells Show Different Muscle Phenotypes Which Can Be Estimated by Metabolic Profiling. *Science Report*, 12(827), 1-15. <https://doi.org/10.1038/s41598-022-04804-z>.
- Jonathan, G., Rivka, R., Avinoam, S., Lumír, H., & Nirit, B. (2015). Hypoglycemic Activity of Withanolides and Elicited *Withania somnifera*. *Phytochemistry*, 116(1), 283–289. <https://doi.org/10.1016/J.Phytochem.2015.02.029>.
- Jovanovic, A., Xu, B., Zhu, C., Ren, D., Wang, H., Krause-Hauch, M., Abel, E. D., Li, J., & Xiang, Y. K. (2023). Characterizing Adrenergic Regulation of Glucose Transporter 4-Mediated Glucose Uptake and Metabolism in the Heart. *JACC. Basic to Translational Science*, 8(6), 638–655. <https://doi.org/10.1016/j.jacbts.2022.11.008>.
- Jyothi Reddy, G., Bhaskar Reddy, K., & Subba Reddy, G. V. (2020). *In vivo* Anti-diabetic and Anti-hyperlipidemic Activities of Ethyl Acetate/Methanol Fractions of *Feronia elephantum* Fruit in Type 2 Diabetic Rats: Via  $\alpha$ -amylase and PPAR- $\gamma$  by using *in silico* Approach. *Indian Journal*

<https://doi.org/10.5530/ijper.54.3.128>.

- Kamal, N., Clements, C., Gray, A., & Edrada-Ebel, R. (2016). Anti-infective Activities of Secondary Metabolites from *Vitex pinnata*. *Journal of Applied Pharmaceutical Science*, 102–106. <https://doi.org/10.7324/japs.2016.600117>.
- Kamboj, A., & Saluja, A. K. (2011). Isolation of Stigmasterol and  $\beta$ -Sitosterol from Petroleum Ether Extract of Aerial Parts of *Ageratum conyzoides* (Asteraceae). *International Journal of Pharmacy and Pharmaceutical Sciences*, 3(1).
- Kasali, M. F., Fokunang, C. N., Ngoupayo, J., Tembe-Fokunang, E., Ngameni, B., Njinkio, B., Kechia, F., Kadima, J. N., Marthe, T., Victor, O., Mbacham, W., & Ngadjui, B. T. (2016). Evaluation of the Antidiabetic Properties of Hydro-Alcoholic Extract and Its Fractions from *Physalis peruviana* L. Leaves on Streptozotocin-Induced Diabetic Wistar Rats. *Journal of Diseases and Medicinal Plants*, 2(6), 67. <https://doi.org/10.11648/J.Jdmp.20160206.12>.
- Kelly E. (2013). Efficacy and Ligand Bias at the  $\mu$ -opioid Receptor. *British Journal of Pharmacology*, 169(7), 1430–1446. <https://doi.org/10.1111/bph.12222>.
- Khilnani, G., & Khilnani, A. K. (2011). Inverse Agonism and Its Therapeutic Significance. *Indian Journal of Pharmacology*, 43(5), 492–501. <https://doi.org/10.4103/0253-7613.84947>
- Kim, J.S., Lee, H., Jung, C.H., Lee, S.J., Ha, T.Y. & Ahn, J. (2018). Chicoric acid Mitigates Impaired Insulin Sensitivity by Improving Mitochondrial Function. *Bioscience, Biotechnology and Biochemistry*. 82(7), 1197–1206. <https://doi.org/10.1080/09168451.2018.1451742>.
- Kohler, Z. M., Trencsenyi, G., Juhasz, L., Zvara, A., Szabo, J. P., Dux, L., Puskas, L. G., Rovo, L., & Keller-Pinter, A. (2023). Tilorone Increases Glucose Uptake *In Vivo* and in Skeletal Muscle Cells by Enhancing Akt2/AS160 Signaling and Glucose Transporter Levels. *Journal of cellular physiology*, 238(5), 1080–1094. <https://doi.org/10.1002/jcp.30998>.
- Kosmas, C. E., Bousvarou, M. D., Kostara, C. E., Papakonstantinou, E. J., Salamou, E., & Guzman, E. (2023). Insulin Resistance and Cardiovascular Disease. *Journal of International Medical Research*, 51(3), 1-11. <https://doi.org/10.1177/03000605231164548>.
- Kozlov, A. V., Javadov, S., & Sommer, N. (2024). Cellular ROS and Antioxidants: Physiological and Pathological Role. *Antioxidants*, 13(5), 602. <https://doi.org/10.3390/antiox13050602>.
- Krishnan, K. U., Adishes, M., Navaneethakrishnan, L., & Manjunathan, R. (2019). Calibration of Micropipettes Through Gravimetric Solution and its Beneficial Impact on Research. *Biotechnology: An Indian Journal*, 15(4), 1–8.
- Kulkarni, A., Thool, A. R., & Daigavane, S. (2024). Understanding the Clinical Relationship Between Diabetic Retinopathy, Nephropathy, and Neuropathy: A Comprehensive Review. *Cureus*, 16(3), 1-15. <https://doi.org/10.7759/cureus.56674>.
- Kurniasih, W., & Yuniaswan, A. (2022). Potensi *Physalis angulata* (Ciplukan) sebagai Manajemen Kelainan pada Kulit. *Jurnal Klinik Dan Riset Kesehatan*, 1(2), 87–100. <https://doi.org/10.11594/jk-risk.01.2.4>.
- Lautaoja, J. H., Pekkala, S., Pasternack, A., Laitinen, M., Ritvos, O., & Hulmi, J. J. (2020). Differentiation of Murine C2C12 Myoblasts Strongly Reduces the Effects of Myostatin on Intracellular Signaling. *Biomolecules*, 10(5), 1-24. <https://doi.org/10.3390/biom10050695>.
- Lavin D.P., White M.F., & Brazil D.P. (2016). IRS Proteins and Diabetic Complications. *Diabetologia*, 59(11), 2280-2291. 10.1007/s00125-016-4072-7.
- Lee, H., Lim, J. Y., & Choi, S. J. (2017). Oleate Prevents Palmitate-Induced Atrophy via Modulation of Mitochondrial ROS Production in Skeletal Myotubes. *Oxidative Medicine and Cellular Longevity*, 2017, 1-11. <https://doi.org/10.1155/2017/2739721>.
- Lee, J. O., Lee, S. K., Kim, J. H., Kim, N., You, G. Y., Moon, J. W., Kim, S. J., Park, S. H., & Kim, H. S. (2012). Metformin Regulates Glucose Transporter 4 (GLUT4) Translocation through AMP-Activated Protein Kinase (AMPK)-Mediated Cbl/CAP Signaling in 3T3-L1



- Lempiäinen, H., Molnár, F., Macias Gonzalez, M., Peräkylä, M., & Carlberg, C. (2005). Antagonist- and Inverse Agonist-Driven Interactions of the Vitamin D Receptor and the Constitutive Androstane Receptor with Corepressor Protein. *Molecular Endocrinology (Baltimore, Md.)*, 19(9), 2258–2272. <https://doi.org/10.1210/me.2004-0534>.
- Lestari, I. N., Renada, E., Juliana, D., Iswara, K., & Sukmara, S. (2023). *Molecular docking Study of Antidiabetic Compounds on PPAR- $\Gamma$  Receptors from Ciplukan (*Physalis angulata* Linn.) Plants. Indonesia Journal of Biological Pharmacy*, 3(1), 1–9. <https://Dx.doi.org/10.47653/Farm.V8i1.533>.
- Li, H. B., Yang, Y. R., Mo, Z. J., Ding, Y., & Jiang, W. J. (2015). Silibinin Improves Palmitate-Induced Insulin Resistance in C2C12 Myotubes by Attenuating IRS-1/PI3K/Akt Pathway Inhibition. *Brazilian Journal of Medical and Biological Research = Revista Brasileira de Pesquisas Medicas e Biologicas*, 48(5), 440–446. <https://doi.org/10.1590/1414-431X20144238>.
- Li, L., Yu, Y., Lu, D., Chen, J., Guo, J., Liang, J., Zhang, A., & Yang, Z. (2022). Bioassay-Guided Separation and Identification of the Anticancer Composition from *Curcuma longa* L. by the Combination Strategy of Methanol Gradient Countercurrent Chromatography and Ultra-High-Performance Liquid Chromatography Coupled with High-Resolution Mass Spectrometry. *Journal of separation science*, 45(24), 4478–4490. <https://doi.org/10.1002/jssc.202200348>.
- Li, M., Chi, X., Wang, Y., Setrerrahmane, S., Xie, W., & Xu, H. (2022). Trends in Insulin Resistance: Insights into Mechanisms and Therapeutic Strategy. *Signal Transduction and Targeted Therapy*, 7(216), 1–25. <https://doi.org/10.1038/S41392-022-01073-0>.
- Li Y., Cheng, K.C., Niu, C.S., Lo, S.H., Cheng, J.T., & Niu, H.S., (2017). Investigation of Triamterene as an Inhibitor of the TGR5 Receptor: Identification in Cells and Animals. *Drug Design, Development and Therapy*, 11, 1127–1134. <https://doi.org/10.2147/DDDT.S131892>.
- Li, Y., Xu, Y., Zhang, B., Wang, Z., Ma, L., Sun, L., Wang, X., Lin, Y., Li, J., & Wu, C. (2024). *Atractylodes Macrocephala* Koidz. and *Cuscuta Chinensis* Lam. Extract Relieves Insulin Resistance via PI3K/Akt Signalling in Diabetic *Drosophila*. *Journal of Traditional and Complementary Medicine*, S2225411024000105. <https://doi.org/10.1016/J.Jtcme.2024.01.010>.
- Liang, Y., Liang, L., Shi, R., Luo, R., Yue, Y., Yu, J., Wang, X., Lin, J., Zhou, T., Yang, M., Zhong, L., Wang, Y., & Shu, Z. (2024). Genus *Physalis* L.: A Review of Resources and Cultivation, Chemical Composition, Pharmacological Effects and Applications. *Journal of Ethnopharmacology*, 324, 1–25. <https://doi.org/10.1016/J.Jep.2024.117736>.
- Lin, C.H., Kuo, Y.H., & Shih, C.C. (2017). Eburicoic Acid. A Triterpenoid Compound from *Antrodia camphorata*. Displays Antidiabetic and Antihyperlipidemic Effects in Palmitate-Treated C2C12 Myotubes and High-Fat Diet-Fed Mice. *International Journal of Molecular Sciences*, 18. <https://doi.org/10.3390/ijms18112314>
- Liu, M., Wang, L., Li, X., Wu, Y., Yin, F., & Liu, J. (2020). Trilobatin Ameliorates Insulin Resistance Through IRS-AKT-GLUT4 Signaling Pathway in C2C12 Myotubes and ob/ob Mice. *Chinese Medicine*, 15(1). <https://doi.org/10.1186/s13020-020-00390-2>.
- Lolok, N., Sumiwi, S., Sahidin, I., & Levita, J. (2023). Stigmasterol Isolated from the Ethyl Acetate Fraction of *Morinda citrifolia* Fruit (Using the Bioactivity-Guided Method) Inhibits  $\alpha$ -Amylase Activity: *In vitro* and *In Vivo* Analyses. *World Academy of Sciences Journal*, 5(5), 1–8. <https://doi.org/10.3892/wasj.2023.202>.
- Luo, J., Hou, Y., Xie, M., Ma, W., Shi, D., & Jiang, B (2020). CYC31 A Natural Bromophenol PTP1B Inhibitor Activates Insulin Signaling and Improves Long Chain Fatty Acid Oxidation in C2C12 Myotubes. *Marine Drugs*, 18(267). <https://doi.org/10.3390/md18050267>.





- Mafuyai, C. E., Luker, C. D., Iyia, M. K., & Okon, I. (2020). Antidiabetic Activity of *Physalis angulata* in Streptozotocin Induced Diabetic Wistar Albino Rats. *Journal of Advances in Biology & Biotechnology*, 23(11), 33–43. <https://doi.org/10.9734/Jabb/2020/V23i1130190>.
- Magomedov, K. E., Zeynalov, R. Z., Suleymanov, S. I., Tataeva, S. D., & Magomedova, V. S. (2022). Calculation of Lipophilicity of Organophosphate Pesticides Using Density Functional Theory. *Membranes*, 12(6), 632–639. <https://doi.org/10.3390/membranes12060632>.
- Maliangkay, H. P., Rumondor, R., & Kantohe, M. (2019). Skrining Fitokimia dan Potensi Antidiabetes Ekstrak Etanol Herba Ciplukan (*Physalis angulata* L) pada Tikus Putih (*Rattus Novergicus*) yang Diinduksi Aloksan. *Bio-Edu: Jurnal Pendidikan Biologi*, 4(3), 98–107. <https://doi.org/10.32938/Jbe.V4i3.422>.
- Malik, S., Inamdar, S., Acharya, J., Goel, P., & Ghaskadbi, S. (2024). Characterization of Palmitic Acid Toxicity Induced Insulin Resistance in HepG2 Cells. *Toxicology In Vitro*, 97, 1–12. <https://doi.org/10.1016/J.Tiv.2024.105802>.
- Martin, Y.C. (2015). A bioavailability score. *Journal of medicinal chemistry*, 48(9), 3164–70.
- Marushchak, M., & Krynytska, I. (2021). Insulin Receptor Substrate 1 Gene and Glucose Metabolism Characteristics in Type 2 Diabetes Mellitus with Comorbidities. *Ethiopian Journal of Health Sciences*, 31(5), 1001–1010. <https://doi.org/10.4314/ejhs.v31i5.12>.
- McCarthy, M., Chushak, Y., & Gearhart, J. (2022). Reverse Molecular Docking and Deep-Learning to Make Predictions of Receptor Activity for Neurotoxicology. *Computational Toxicology*, 24, 1–11. <https://doi.org/10.1016/j.comtox.2022.100238>.
- Mendoza, R. A., Shen, C. C., Tsai, P. W., & De Castro-Cruz, K. A. (2021). Bioassay-Guided Isolation and Structure Elucidation of Bioactive Phytoconstituents with Inhibitory Activity against Carbohydrate-Hydrolyzing Enzymes from the Aerial Parts of *Premna odorata* Blanco. *Indian Journal of Pharmaceutical Education*, 55(3), 846–856. <https://doi.org/10.5530/ijper.55.3.158>.
- Menéndez, C. A., Accordino, S. R., Gerbino, D. C., & Appignanesi, G. A. (2016). Hydrogen Bond Dynamic Propensity Studies for Protein Binding and Drug Design. *PLoS ONE*, 11(10), 1–12. <https://doi.org/10.1371/journal.pone.0165767>.
- Miao, L., Zhang, X., Zhang, H., Cheong, M. S., Chen, X., Farag, M. A., Cheang, W. S., & Xiao, J. (2024). Baicalin Ameliorates Insulin Resistance and Regulates Hepatic Glucose Metabolism via Activating Insulin Signaling Pathway in Obese Pre-Diabetic Mice. *Phytomedicine*, 124, 1–9. <https://doi.org/10.1016/J.Phytmed.2023.155296>.
- Michael, L. F., Wu, Z., Cheatham, R. B., Puigserver, P., Adelmant, G., Lehman, J. J., Kelly, D. P., & Spiegelman, B. M. (2001). Restoration of Insulin-Sensitive Glucose Transporter (GLUT4) Gene Expression in Muscle Cells by the Transcriptional Coactivator PGC-1. *Proceedings of The National Academy of Sciences of The United States of America*, 98(7), 3820–3825. <https://doi.org/10.1073/Pnas.061035098>.
- Moreno-Anzúrez, N., Marquina, S., Alvarez, L., Zamilpa, A., Castillo-España, P., Perea-Arango, I., Torres, P., Herrera-Ruiz, M., García, E. D., García, J., & Arellano-García, J. (2017). A Cytotoxic and Anti-inflammatory Campesterol Derivative from Genetically Transformed Hairy Roots of *Lopezia racemosa* Cav. (Onagraceae). *Molecules/Molecules Online/Molecules Annual*, 22(1), 118. <https://doi.org/10.3390/molecules22010118>.
- Morris, A. J., Martin, S. S., Haruta, T., Nelson, J. G., Vollenweider, P., Gustafson, T. A., Mueckler, M., Rose, D. W., & Olefsky, J. M. (1996). Evidence for an Insulin Receptor Substrate 1 Independent Insulin Signaling Pathway That Mediates Insulin-Responsive Glucose transporter (GLUT4) Translocation. *Proceedings of the National Academy of Sciences of the United States of America*, 93(16), 8401–8406. <https://doi.org/10.1073/pnas.93.16.8401>.
- Muñoz-Gómez, R. J., Rivero-Cruz, I., Ovalle-Magallanes, B., Linares, E., Bye, R., Tovar, A. R., Noriega, L. G., Tovar-Palacio, C., & Mata, R. (2022). Antidiabetic Sterols from *Peniocereus greggii* Roots. *ACS Omega*, 7(15), 13144–13154. <https://doi.org/10.1021/acsomega.2c00595>.



- Musa, A.J., Duengo, S., & Kell, A.R. (2019). *Campesterol* Compound from Methanol Fraction of Brotowali (*Tinospora crispa*) Stem Bark. <https://doi.org/10.2991/snk-19.2019.23>.
- Myint, A Study of Antidiabetic and Antioxidant Activities of *Amomum xanthioides* Wall.(Chinbaung hpalar) Seed, *Universities Research Journal*, 5(4), 19-31.
- Nakada, M., Kita, D., Teng, L., Pyko, I. V., Watanabe, T., Hayashi, Y., & Hamada, J. I. (2020). Receptor Tyrosine Kinases: Principles and Functions in Glioma Invasion. *Advances in Experimental Medicine and Biology*, 151–178. [https://doi.org/10.1007/978-3-030-30651-9\\_8](https://doi.org/10.1007/978-3-030-30651-9_8).
- Naowaboot, J., Pannangpetch, P., Kukongviriyapan, V., Prawan, A., Kukongviriyapan, U., & Itharat, A. (2012). Mulberry Leaf Extract Stimulates Glucose Uptake and GLUT4 Translocation in Rat Adipocytes. *American Journal of Chinese Medicine*, 40(1), 163–175. <https://doi.org/10.1142/S0192415X12500139>.
- Navale, A. (2019). Glucose Transporters and Their Cellular Form, Role and Function. In *Molecular Nutrition Carbohydrates*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-849886-6.00003-3>.
- Nguyen, N. P., Le, Q. G., Truong, V. N., Nguyen, T. N. D., Phan, N. T. T., & Tran, M. H. (2024). In vitro Inhibition of 5- $\alpha$  reductase and *in vivo* Suppression of Benign Prostatic Hyperplasia by *Physalis angulata* Ethyl Acetate Extract. *Fitoterapia*, 175, 1-9. <https://doi.org/10.1016/j.fitote.2024.105950>.
- Nguyen, T. Q., & Vo, T. S. (2020). Investigation of the Anti-Diabetic and Antioxidant Activities of *Physalis angulata* Extract. *Tropical Journal of Natural Product Research*, 4(6), 243–248. <https://doi.org/10.26538/Tjnpr/V4i6.6>.
- Nishimori, K., & Ouchi, M. (2020). AB-Alternating Copolymers via Chain-Growth Polymerization: Synthesis, Characterization, Self-Assembly, and Functions. *Chemical Communications*, 56(24), 3473–3483. <https://doi.org/10.1039/d0cc00275e>.
- Nualkaew, S., Padee, P., & Talubmook, C. (2015). Hypoglycemic Activity in Diabetic Rats of Stigmasterol and Sitosterol-3-O--D-glucopyranoside Isolated from *Pseuderanthemum palatiferum* (Nees) Radlk. Leaf Extract. *Journal of Medicinal Plants Research*, 9(20), 629–635. <https://doi.org/10.5897/jmpr2014.5722>.
- O'Boyle, N. M., Banck, M., James, C. A., Morley, C., Vandermeersch, T., & Hutchison, G. R. (2011). Open Babel. *Journal of Cheminformatics*, 3(33), 1–14. <https://jcheminf.biomedcentral.com/track/pdf/10.1186/1758-2946-3-33>.
- Odongo, K., Abe, A., Kawasaki, R., Kawabata, K., & Ashida, H. (2024). Two Prenylated Chalcones, 4-Hydroxyderricin, and Xanthoangelol Prevent Postprandial Hyperglycemia by Promoting GLUT4 Translocation via the LKB1/AMPK Signaling Pathway in Skeletal Muscle Cells. *Molecular Nutrition & Food Research*, 68(5). <https://doi.org/10.1002/mnfr.202300538>.
- Oh, K. K., Adnan, M., & Cho, D. H. (2020). Network Pharmacology of Bioactives from *Sorghum bicolor* with Targets Related To Diabetes Mellitus. *PloS one*, 15(12), 1-24. <https://doi.org/10.1371/journal.pone.0240873>.
- Ojha, H., Sethi, M., Kakkar, R., Sharma, M., Saini, M., & Pathak, M. (2021). Chem-Bioinformatic Approach for Drug Discovery: *In Silico* Screening of Potential Antimalarial Compounds. *In Chemoinformatics and Bioinformatics in the Pharmaceutical Sciences*. Academic Press.
- Pan, X., Liu, C., Wang, X., Zhao, M., Zhang, Z., Zhang, X., Wang, C., & Song, G. (2023). Resveratrol Improves Palmitic Acid-Induced Insulin Resistance via the DDIT4/mTOR Pathway in C2C12 Cells. *Molecular Medicine Reports*, 28(4), 1-11. <https://doi.org/10.3892/mmr.2023.13068>.
- Papur, O.S., Glatz, J. F., & Luiken, J. J. (2024). Protein Kinase-D1 and Downstream Signaling Mechanisms Involved in GLUT4 Translocation in Cardiac Muscle. *Biochimica Et Biophysica Acta (BBA) - Molecular Cell Research*, 1871(6), 119748. <https://doi.org/10.1016/j.bbamcr.2024.119748>.





- Pardina, E., Tondo, M., Leela, C., & Rossi, J. (2024). Molecular Mechanisms Involved in Hyperglycemia-Induced Cellular Damage. *Chronic Complications of Diabetes Mellitus*, 25–38. <https://doi.org/10.1016/b978-0-323-88426-6.00012-9>.
- Park, S. Y., Jin, W., Woo, J. R., & Shoelson, S. E. (2011). Crystal Structures of Human TBC1D1 and TBC1D4 (AS160) RabGTPase-Activating Protein (RabGAP) Domains Reveal Critical Elements for GLUT4 Translocation. *Journal of Biological Chemistry*, 286(20), 18130–18138. <https://doi.org/10.1074/jbc.M110.217323>.
- Paul, S., & Barman, P. (2024). Exploring Diaminomaleonitrile-Derived Schiff Base Ligand and Its Complexes: Synthesis, Characterization, Computational Insights, Biological Assessment, and Molecular docking. *Journal of Molecular Structure*, 1296, 1-15. <https://doi.org/10.1016/j.molstruc.2023.136941>.
- Pham, X. P., Nhung, T. T. T., Trinh, H. N., Trung, D. M., Giang, D. T., Vu, B. D., Diep, N. T., Van Long, N., Nguyen, V. T., & Van Men, C. (2021). Isolation and Structural Characterization of Compounds from *Blumea lacera*. *Pharmacognosy Journal*, 13(4), 999-1004. <https://doi.org/10.5530/pj.2021.13.129>.
- Poulose, N., Sajayan, A., Ravindran, A., Chandran, A., Priyadharshini, G. B., Selvin, J., & Kiran, G. S. (2021). Anti-Diabetic Potential of a Stigmasterol from the Seaweed *Gelidium spinosum* and Its Application in the Formulation of Nanoemulsion Conjugate for the Development of Functional Biscuits. *Frontiers in Nutrition*, 8(September), 1–10. <https://doi.org/10.3389/fnut.2021.694362>.
- Pequeno, A., Miranda, Y., Rodríguez, G., Valverde, V., Álvarez, L., Da Silva, T., & Da Silva Junior, V. (2017). Effect of *Physalins* on the Modulation of NF-κB and Its Possible Implications for Glucose Homeostasis. *International Journal of Herbal Medicine*, 5(6), 30–33.
- Pereda, M. D. C. V., Dieamant, G., Nogueira, C., Eberlin, S., Facchini, G., Mussi, L., Polezel, M. A., Martins-Oliveira, D., Rosa, P. T., & Di Stasi, L. C. (2019). Sterol-Standardized Phytopharmaceutical from Ground Cherry: Corticoid-Like Properties on Human Keratinocytes and Fibroblasts and its Effects in a Randomized Double-Blind Placebo-Controlled Clinical Trial. *Journal Of Cosmetic Dermatology*, 18(5), 1516–1528. <https://doi.org/10.1111/jocd.12851>.
- Perkeni. (2021). Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa Di Indonesia 2021. *Global Initiative For Asthma*, 46.
- Phukhatmuen, P., Raksat, A., Laphookhieo, S., Charoensup, R., Duangyod, T., & Maneerat, W. (2020). Bioassay-Guided Isolation and Identification of Antidiabetic Compounds from *Garcinia cowa* Leaf Extract. *Heliyon*, 6(4), 1-8. <https://doi.org/10.1016/j.heliyon.2020.e03625>.
- Poli, A., Marangoni, F., Corsini, A., Manzato, E., Marrocco, W., Martini, D., Medea, G., & Visioli, F. (2021). Phytosterols, Cholesterol Control, and Cardiovascular Disease. *Nutrients*, 13(8), 1-13. <https://doi.org/10.3390/nu13082810>.
- Poojari, S., Porika, R., & Mamidala, E. (2014). Phytochemical Analysis and In Vitro Antidiabetic Activities of *Physalis angulata* Fruit Extracts. *National Journal of Integrated Research In Medicine*, 5(2), 34–38.
- Pujari, S., & Mamidala, E. (2015). Anti-Diabetic Activity of *Physagulin-F* Isolated from *Physalis angulata* fruits. *The American Journal of Science and Medical Research*, 1(1), 53–60. <https://doi.org/10.17812/Ajsmr2015113>.
- Rai, M., Singh, A. V., Paudel, N., Kanase, A., Falletta, E., Kerkar, P., Heyda, J., Barghash, R. F., Pratap Singh, S., & Soos, M. (2023). Herbal Concoction Unveiled: A Computational Analysis of Phytochemicals' Pharmacokinetic and Toxicological Profiles Using Novel Approach Methodologies (NAMs). *Current Research in Toxicology*, 5, 100118. <https://doi.org/10.1016/j.crttox.2023.100118>.



- Raju, P., & Manikandan, E. (2015). Antidiabetic Activity of Compound Isolated from *Physalis angulata* fruit Extracts in Alloxan Induced Diabetic Rats. *The American Journal of Science and Medical Research*, 1(1), 40–43. <https://doi.org/10.17812/Ajsmr2015111>.
- Ramu, R., Shirahatti, P. S., Nayakavadi, S., R, V., Zameer, F., Dhananjaya, B. L., & Prasad Mn, N. (2016). The Effect of a Plant Extract Enriched in Stigmasterol and  $\beta$ -Sitosterol on Glycaemic Status and Glucose Metabolism in Alloxan-Induced Diabetic Rats. *Food & function*, 7(9), 3999–4011. <https://doi.org/10.1039/c6fo00343e>.
- Ramalingam, S., Packirisamy, M., Karuppiyah, M., Vasu, G., Gopalakrishnan, R., Gothandam, K., & Thiruppathi, M. (2020). Effect of B-Sitosterol on Glucose Homeostasis by Sensitization of Insulin Resistance via Enhanced Protein Expression of PPR $\gamma$  and Glucose Transporter 4 in High Fat Diet and Streptozotocin-Induced Diabetic Rats. *Cytotechnology*, 72(3), 357–366. <https://doi.org/10.1007/S10616-020-00382-Y>.
- Ramakrishna Pillai, J., Wali, A. F., Menezes, G. A., Rehman, M. U., Wani, T. A., Arafah, A., Zargar, S., & Mir, T. M. (2022). Chemical Composition Analysis, Cytotoxic, Antimicrobial and Antioxidant Activities of *Physalis angulata* L.: A Comparative Study of Leaves and Fruit. *Molecules*, 27(5), 1-20. <https://doi.org/10.3390/molecules27051480>.
- Reza, M. S., Shuvo, M. S. R., Hassan, M. M., Basher, M. A., Islam, M. A., Naznin, N. E., Jafrin, S., Ahmed, K. S., Hossain, H., & Daula, A. F. M. S. U. (2020). Antidiabetic and Hepatoprotective Potential of Whole Plant Extract and Isolated Compounds of *Aeginetia indica*. *Biomedicine & Pharmacotherapy = Biomedecine & Pharmacotherapie*, 132, 1-8. <https://doi.org/10.1016/j.biopha.2020.110942>.
- Rimando, A. M., Olofsdotter, M., Dayan, F. E., & Duke, S. O. (2001). Searching for Rice Allelochemicals: An Example of Bioassay-Guided Isolation. *Agronomy Journal*, 93(1), 16–20. <https://doi.org/10.2134/Agronj2001.93116x>.
- Riyanti, S., Suganda, A. G., & Sukandar, E. Y. (2016). Dipeptidyl Peptidase-IV Inhibitory Activity of Some Indonesian Medicinal Plants. *Asian Journal of Pharmaceutical and Clinical Research*, 9(2), 375–377.
- Ruiz-Moreno, A. J., Dömling, A., & Velasco-Velázquez, M. A. (2021). Reverse Docking for the Identification of Molecular Targets of Anticancer Compounds. *Methods in molecular biology (Clifton, N.J.)*, 2174, 31–43. [https://doi.org/10.1007/978-1-0716-0759-6\\_4](https://doi.org/10.1007/978-1-0716-0759-6_4).
- Russo, B., Picconi, F., Malandrucchio, I., & Frontoni, S. (2019). Flavonoids and Insulin-Resistance: From Molecular Evidences to Clinical Trials. *International journal of molecular sciences*, 20(9), 2061. <https://doi.org/10.3390/ijms20092061>
- Russo-Savage, L., & Schulman, I. G. (2021, June). Liver X Receptors and Liver Physiology. *Biochimica Et Biophysica Acta (BBA) - Molecular Basis of Disease*, 1867(6), 1-11. <https://doi.org/10.1016/j.bbadis.2021.166121>.
- Safaradz, M., Marjani, A., Jazi, M. S., Qujeq, D., Mir, S. M., Marjani, M., & Kaldehi, A. N. (2020). Effect of *Rubus anatolicus* Leaf Extract on Glucose Metabolism in hepG2, CRI-D2 and C2C12 Cell lines. *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, 13, 1109–1116. <https://doi.org/10.2147/DMSO.S244850>
- Salahudeen, M. S., & Nishtala, P. S. (2017). An Overview of Pharmacodynamic Modelling, Ligand-Binding Approach and Its Application in Clinical Practice. *Saudi Pharmaceutical Journal : SPJ : The Official Publication of the Saudi Pharmaceutical Society*, 25(2), 165–175. <https://doi.org/10.1016/j.jsps.2016.07.002>.
- Saltiel, A. R. (2021). Insulin Signaling in Health and Disease. *The Journal of Clinical Investigation*, 131(1), 1-12. <https://doi.org/10.1172/jci142241>.
- Sánchez-Alegría, K., & Arias, C. (2023). Functional Consequences of Brain Exposure to Saturated Fatty Acids: From Energy Metabolism and Insulin Resistance to Neuronal Damage. *Endocrinology, Diabetes & Metabolism*, 6(1), 1-12. <https://doi.org/10.1002/edm2.386>.



- Saputra, D. E., Handayani, N., & Wapono, M. W. (2019). Isolation and Identification of  $\beta$ -Sitosterol and Stigmasterol Mixture from Root Bark of Slatri (*Calophyllum soulattri* Burm. f). *Alchemy*, 10(1), 87. <https://doi.org/10.20961/alchemy.v10i1.14>.
- Sardar, H. (2023). Drug Like Potential of Daidzein using SwissADME Prediction: *In Silico* Approaches. *PHYTONutrients*, 2, 1-7. 10.62368/pn.vi.18.
- Satoh, T. (2014). Molecular Mechanisms for the Regulation of Insulin-Stimulated Glucose Uptake by Small Guanosine Triphosphatases in Skeletal Muscle and Adipocytes. *International Journal of Molecular Sciences*, 15(10), 18677–18692. <https://doi.org/10.3390/Ijms151018677>.
- Sediarso, Sunaryo, H., & Amalia, N. (2012). Efek Antidiabetes dan Identifikasi Senyawa Dominan Fraksi Kloroform Herba Ciplukan (*Physalis angulata* L.). *Majalah Ilmu Kefarmasian*, IX(1).
- Seeliger, D., & De Groot, B. L. (2010). Ligand Docking and Binding Site Analysis with PyMOL and Autodock/Vina. *Journal of Computer-Aided Molecular Design*, 24(5), 417–422. <https://doi.org/10.1007/s10822-010-9352-6>.
- Shen, J., San, W., Zheng, Y., Zhang, S., Cao, D., Chen, Y., & Meng, G. (2023). Different Types of Cell Death in Diabetic Endothelial Dysfunction. *Biomedicine & Pharmacotherapy*, 168, 1-12. <https://doi.org/10.1016/j.biopha.2023.115802>.
- Song, G., Huang, Y., Xiong, M., Yang, Z., Liu, Q., Shen, J., Zhao, P., & Yang, X. (2021). Aloperine Relieves Type 2 Diabetes Mellitus via Enhancing GLUT4 Expression and Translocation. *Frontiers in Pharmacology*, 11(January), 1–15. <https://doi.org/10.3389/fphar.2020.561956>.
- Stentz, F. B., & Kitabchi, A. E. (2007). Transcriptome and Proteome Expressions Involved in Insulin Resistance in Muscle and Activated T-Lymphocytes of Patients with Type 2 Diabetes. *Genomics, Proteomics and Bioinformatics*, 5(3–4), 216–235. [https://doi.org/10.1016/S1672-0229\(08\)60009-1](https://doi.org/10.1016/S1672-0229(08)60009-1).
- Sun, Y. N., Yang, Z. X., Ren, F. Z., & Fang, B. (2020). FGF19 Alleviates Palmitate-Induced Atrophy in C2C12 Cells by Inhibiting Mitochondrial Overload and Insulin Resistance. *International Journal of Biological Macromolecules*, 158, 401–407. <https://doi.org/10.1016/j.ijbiomac.2020.04.186>.
- Sutandar, V. H., Saleh, Mgs. I., & Maritska, Z. (2023). GLUT4 As A Protein Target for Type 2-Diabetes Mellitus Therapy with Natural Compounds. *Sriwijaya Journal of Medicine*, 6(1), 9–16. <https://doi.org/10.32539/Sjm.V6i1.154>.
- Świdarska, E., Strycharz, J., Wróblewski, A., Szemraj, J., Drzewoski, J., & Śliwińska, A. (2020). Role of PI3K/AKT Pathway in Insulin-Mediated Glucose Uptake. *Blood Glucose Levels*, 1-18 <https://doi.org/10.5772/intechopen.80402>.
- Szkudelski, T., & Szkudelska, K. (2023). The Anti-Diabetic Potential of Baicalin: Evidence from Rodent Studies. *International Journal of Molecular Sciences*, 25(1), 1–20. <https://doi.org/10.3390/Ijms25010431>.
- Taale, M., Schamberger, B., Monclus, M.A., Dolle, C., Taheri, F., Mager, D., Eggeler, Y.M., Korvink, J.G., Molina-Aldareguia, J.M., Selhuber-Unkel, C., Lantada, A.D., & Islam, M. (2024). Microarchitected Compliant Scaffolds of Pyrolytic Carbon for 3D Muscle Cell Growth. *Advance Healthcare Materials*. 2024(13), 1-13. <https://doi.org/10.1002/adhm.202303485>.
- Taderera, T., Chagonda, L. S., Gomo, E., Katerere, D., & Shai, L. J. (2019). *Annona Stenophylla* Aqueous Extract Stimulate Glucose Uptake in Established C2C12 Muscle Cell lines. *African Health Sciences*, 19(2), 2219–2229. <https://doi.org/10.4314/Ahs.V19i2.47>.
- Talevi, A. & Bellera, C.L. (2020) Total Clearance and Organ Clearance. (2022). *In The ADME Encyclopedia: A Comprehensive Guide on Biopharmacy and Pharmacokinetics*. Cham: Springer International Publishing, 1128-1137.
- Tang, P., Tang, Y., Liu, Y., He, B., Shen, X., Zhang, Z. J., Qin, D. L., & Tian, J. (2023). Quercetin-3-O- $\alpha$ -L-arabinopyranosyl-(1 $\rightarrow$ 2)- $\beta$ -D-glucopyranoside Isolated from *Eucommia ulmoides* Leaf Relieves Insulin Resistance in HepG2 Cells via the IRS-1/PI3K/Akt/GSK-3 $\beta$  Pathway.



- Tian, S., Zhao, H., & Song, H. (2022). Shared Signaling Pathways and Targeted Therapy by Natural Bioactive Compounds for Obesity And Type 2 Diabetes. *Critical Reviews in Food Science and Nutrition*, 1–18. <https://doi.org/10.1080/10408398.2022.2148090>.
- Tian, X., Ye, M., Cao, Y., & Wang, C. (2017). Losartan Improves Palmitate-Induced Insulin Resistance in 3T3-L1 Adipocytes Through Upregulation of Src Phosphorylation. *Experimental and Clinical Endocrinology & Diabetes : Official Journal, German Society of Endocrinology [and] German Diabetes Association*, 125(2), 136–140. <https://doi.org/10.1055/s-0042-120709>.
- Tian, X., Gao, Y., Kong, M., Zhao, L., Xing, E., Sun, Q., He, J., Lu, Y., & Feng, Z. (2023). GLP-1 Receptor Agonist Protects Palmitate-Induced Insulin Resistance in Skeletal Muscle Cells by Up-Regulating Sestrin2 to Promote Autophagy. *Scientific Reports*, 13(1), 1–10. <https://doi.org/10.1038/S41598-023-36602-6>.
- Tijjani, H., Olatunde, A., Adegunloye, A.P., & Ishola, A.A. (2022). *In silico* Insight into the Interaction of 4-aminoquinolines with Selected SARS-CoV-2 Structural and Nonstructural Proteins. *Coronavirus Drug Discovery*, 313-333.
- Timotius, K. H., Tjajindra, A., & Sudradjat, S. E. (2021). Potential Anti-Inflammation of *Physalis angulata* L. *International Journal of Herbal Medicine*, 9(5), 50–58.
- Tjajindra, A., Sari, A. K., Simamora, A., & Timotius, K. H. (2021). The Stem Infusate and Ethanol Extract of *Physalis angulata* Inhibitory Activities Against A-Glucosidase and Xanthine Oxidase. *Molecular and Cellular Biomedical Sciences*, 5(3), 115–120. <https://doi.org/10.21705/Mcbs.V5i3.211>.
- Trott, O., & Olson, A. J. (2009). AutoDock Vina: Improving the Speed and Accuracy of Docking with A New Scoring Function, Efficient Optimization, and Multithreading. *Journal of Computational Chemistry*, 31(2), NA-NA. <https://doi.org/10.1002/jcc.21334>.
- Ugboko, H. U., Nwinyi, O. C., Oranusi, S. U., Fatoki, T. H., & Omonhinmin, C. A. (2020). Antimicrobial Importance of Medicinal Plants in Nigeria. *The Scientific World Journal*, 2020, 1–10. <https://doi.org/10.1155/2020/7059323>.
- Ugurlu, S. Y., McDonald, D., Lei, H., Jones, A. M., Li, S., Tong, H. Y., Butler, M. S., & He, S. (2024). Cobdock: An Accurate and Practical Machine Learning-Based Consensus Blind docking Method. *Journal of Cheminformatics*, 16(1), 1-19. <https://doi.org/10.1186/s13321-023-00793-x>.
- Umaru, I.J., Ahuchaogu, C.E., & Ahmed, M.U. (2022). Chemical Constituents, Cytotoxicity and Hyperglycemic effect of the Leaves of *Solanum Nigrum* L.-Black Nightshade. *Clinical Genetic Research*, 1(1), 1-14. 10.31579/2834-8532/002
- Uttu, A. J., Sallau, M. S., Ibrahim, H., & Iyun, O. R. A. (2023). Isolation, Characterization, and Docking Studies of Campesterol and  $\beta$ -Sitosterol from *Strychnos innocua* (Delile) Root Bark. *Journal of Taibah University Medical Sciences*, 18(3), 566–578. <https://doi.org/10.1016/j.jtumed.2022.12.003>.
- Varma, A. K., Patil, R., Das, S., Stanley, A., Yadav, L., & Sudhakar, A. (2010). Optimized Hydrophobic Interactions and Hydrogen Bonding at the Target-Ligand Interface Leads the Pathways of Drug-Designing. *PLoS ONE*, 5(8). <https://doi.org/10.1371/journal.pone.0012029>.
- Venturino, I., Vurro, V., Bonfadini, S., Moschetta, M., Perotto, S., Sesti, V., Criante, L., Bertarelli, C., & Lanzani, G. (2023). Skeletal Muscle Cells Opto-Stimulation by Intramembrane Molecular Transducers. *Communications Biology*, 6(1), 1-11. <https://doi.org/10.1038/s42003-023-05538-y>.
- Wahyuningsih, M. S. H., Hamann, M. T., Mubarika, S., & Wahyuono, S. (2005). Phalerin, A New Benzophenoic Glucoside Isolated from the Methanol Extract of Mahkota Dewa (*Phaleria macrocarpa* (Scheff). *Boerl. Leaves*. 16(1), 51–57.



- Yuniyanti, M. M. (2023). *Bioassay guided Fractionation of Ciplukan (*Physalis angulata* L.) Monitored by Glucose Consumption Assay and Thin Layer Chromatography on Myoblast Cells. *Majalah Obat Tradisional*, 28(1), 22-30. <https://doi.org/10.22146/mot.79783>,*
- Wang, J., Huang, M., Yang, J., Ma, X., Zheng, S., Deng, S., Huang, Y., Yang, X., & Zhao, P. (2017). Anti-Diabetic Activity of Stigmasterol from Soybean Oil By Targeting the GLUT4 Glucose Transporter. *Food & Nutrition Research*, 61(1), 1-14. <https://doi.org/10.1080/16546628.2017.1364117>.
- Wang, L., Lu, S., Wang, L., Xin, M., Xu, Y., Wang, G., Chen, D., Chen, L., Liu, S., & Zhao, F. (2021). Anti-Inflammatory Effects of Three Withanolides Isolated from *Physalis angulata* L. in LPS-Activated RAW 264.7 Cells through Blocking NF- $\kappa$ B Signaling Pathway. *Journal of Ethnopharmacology*, 276, 1-11. <https://doi.org/10.1016/j.jep.2021.114186>.
- Wang, Y., Fan, A., Cohen, R. D., Dal Poggetto, G., Huang, Z., Yang, H., Martin, G. E., Sherer, E. C., Reibarkh, M., & Wang, X. (2023). Unequivocal Identification of Two-Bond Heteronuclear Correlations in Natural Products at Nanomole Scale by i-HMBC. *Nature Communications*, 14(1), 1-11. <https://doi.org/10.1038/s41467-023-37289-z>.
- Ward, M. G., Li, G., Barbosa-Lorenzi, V. C., & Hao, M. (2017). Stigmasterol Prevents Glucolipotoxicity Induced Defects in Glucose-Stimulated Insulin Secretion. *Scientific Reports*, 7(1), 1-13. <https://doi.org/10.1038/s41598-017-10209-0>.
- White, R.E. (2017). Role of ADME/PK in Drug Discovery, Safety Assessment, and Clinical Development. *Comprehensive Medicinal Chemistry III*, 1-33.
- Wong, C. Y., Al-Salami, H., & Dass, C. R. (2020). C2C12 Cell Model: Its Role in Understanding of Insulin Resistance at the *Molecular Level* and Pharmaceutical Development at the Preclinical Stage. *Journal of Pharmacy and Pharmacology*, 72(12), 1667–1693. <https://doi.org/10.1111/Jphp.13359>.
- Yang, Y.-Y., Qi, J.-J., Jiang, S.-Y., & Ye, L. (2024). Esculin Ameliorates Obesity-Induced Insulin Resistance by Improving Adipose Tissue Remodeling and Activating the IRS1/PI3K/AKT/GLUT4 Pathway. *Journal of Ethnopharmacology*, 319, 1–12. <https://doi.org/10.1016/J.Jep.2023.117251>.
- Yayli, N. & Baltaci, C. (1996). The Sterols of *Cyclamen coum*. *Turkish Journal of Chemistry*, 20(4), 329-334
- Yu, D., Dong, T., Zhang, L., Zhou, X., Wang, L., Yang, F., & Liu, T. (2023). Effects of Different Deodorization Methods on the Oxidation of Sterol Components in Rice Bran Oil. *Food Chemistry*, 404, 1–9. <https://doi.org/10.1016/J.Foodchem.2022.134568>.
- Yu, Y., & Chai, J. (2015). The Function of miRNAs and Their Potential as Therapeutic Targets in Burn-Induced Insulin Resistance (Review). *International Journal of Molecular Medicine*, 35(2), 305–310. <https://doi.org/10.3892/Ijmm.2014.2023>.
- Yuan, L., Zhang, F., Jia, S., Xie, J., & Shen, M. (2020). Differences between Phytosterols with Different Structures in Regulating Cholesterol Synthesis, Transport and Metabolism in Caco-2 Cells. *Journal of Functional Foods*, 65, 1-12. <https://doi.org/10.1016/j.jff.2019.103715>.
- Yudhani, R. D., Sari, Y., Nugrahaningsih, D. A. A., Sholikhah, E. N., Rochmanti, M., Purba, A. K. R., Khotimah, H., Nugraheny, D., & Mustofa, M. (2023). *In Vitro* Insulin Resistance Model: A Recent Update. *Journal of Obesity*, 2023, 1-13. <https://doi.org/10.1155/2023/1964732>.
- Zhang, Q. W., Lin, L. G., & Ye, W. C. (2018). Techniques for Extraction and Isolation of Natural Products: A Comprehensive Review. *Chinese Medicine*, 1–26. <https://doi.org/10.1186/S13020-018-0177-X>.
- Zhang, W., Bell, E. W., Yin, M., & Zhang, Y. (2020). EDock: Blind Protein-Ligand *Docking* by Replica-Exchange Monte Carlo Simulation. *Journal of Cheminformatics*, 12(1), 1–17. <https://doi.org/10.1186/s13321-020-00440-9>.



**Bioassay Guided Isolation Senyawa Aktif Herba Ciplukan (*Physalis angulata* L.) Termonitor Glucose Consumption Assay: Isolasi dan Identifikasi, Molecular Docking, dan Penelusuran Mekanisme**

**Aksinya  
pada Sel Myoblast**

Rita Rakhmawati, Prof. Dr. apt. Mae Sri Hartati Wahyuningsih, M.Si; Prof. Dr. apt. Mustofa, M.Kes; dr. Ahmad Hamim

Universitas Gadjah Mada, 2024. Diunduh dari <http://etd.repository.ugm.ac.id/>

- Zhang, X., Zhang, Z., Zou, X., Wang, Y., Qi, J., Han, S., Xin, J., Zheng, Z., Wei, L., Zhang, T., & Zhang, S. (2024). Unraveling the Mechanisms of Intervertebral Disc Degeneration: An Exploration of the p38 MAPK Signaling Pathway. *Frontiers in Cell and Developmental Biology*, 11, 1-17. <https://doi.org/10.3389/fcell.2023.1324561>.
- Zhao, P., Tian, D., Song, G., Ming, Q., Liu, J., Shen, J., Liu, Q. H., & Yang, X. (2019). Neferine Promotes GLUT4 Expression and Fusion with the Plasma Membrane to Induce Glucose Uptake in L6 Cells. *Frontiers In Pharmacology*, 10, 1–16. <https://doi.org/10.3389/Fphar.2019.00>