



DAFTAR PUSTAKA

- Adler, E., Hoon, M.A., Mueller, K.L., Chandrashekar, J., Ryba, N.J.P. & Zuker, C.S., 2000, A novel family of mammalian taste receptors, *Cell*, 100, 693–702.
- Aguilella, V.M., Mafé, S. & Manzanares, J.A., 2000, Double layer potential and degree of dissociation in charged lipid monolayers, *Chem Phys Lipids*, 105, 225–229.
- An, J.-H. & Dultz, S., 2007, Adsorption of tannic acid on chitosan-montmorillonite as a function of pH and surface charge properties, *Appl Clay Sci*, 36, 4, 256–264.
- Bagotsky, V.S., 2008, *Fundamentals of electrochemistry*, edisi 2nd, A John Wiley & Sons, inc.
- Bao, H., Ye, J., Zhao, X. & Zhang, Y., 2023, Conductive Polymer Nanoparticles as Solid Contact in Ion-Selective Electrodes Sensitive to Potassium Ions, *Molecules*, 28, 7, .
- Benjamin, O. & Gamrasni, D., 2016, Electronic Tongue as an Objective Evaluation Method for Taste Profile of Pomegranate Juice in Comparison with Sensory Panel and Chemical Analysis, *Food Anal Methods*, 9, 6, 1726–1735.
- Bobacka, J., 2006, Conducting Polymer-Based Solid-State Ion-Selective Electrodes, *Electroanalysis*, 18, 1, 7–18.
- Bobacka, J., 1999, Potential Stability of All-Solid-State Ion-Selective Electrodes Using Conducting Polymers as Ion-to-Electron Transducers, *Anal Chem*, 71, 21, 4932–4937.
- Bobacka, J., McCarrick, M., Lewenstam, A. & Ivaska, A., 1994, All solid-state poly(vinyl chloride) membrane ion-selective electrodes with poly(3-octylthiophene) solid internal contact, *Analyst*, 119, 9, 1985.
- Cadogan, Aodhmar., Gao, Zhiqiang., Lewenstam, Andrzej., Ivaska, Ari. & Diamond, Dermot., 1992, All-solid-state sodium-selective electrode based on a calixarene ionophore in a poly(vinyl chloride) membrane with a polypyrrole solid contact, *Anal Chem*, 64, 21, 2496–2501.
- Cattrall, R.W. & Freiser, Henry., 1971, Coated wire ion-selective electrodes, *Anal Chem*, 43, 13, 1905–1906.
- Chai, D., Sun, Y., Li, Z., Yang, H., Mao, S., Tang, J., Gong, W. & Zeng, X., 2022, A novel inorganic redox buffer of r-GO/Ag@AgCl/TMMCl utilized as an effective ion-to-electron transducer for a solid contact calcium ion-selective electrode, *Sens Actuators B Chem*, 367, 132055.
- Chandrashekar, J., Mueller, K.L., Hoon, M.A., Adler, E., Feng, L., Guo, W., Zuker, C.S. & Ryba, N.J.P., 2000, T2Rs function as bitter taste receptors, *Cell*, 100, 703–711.



- Chen, R., Hidekazu, I. & Toko, K., 2010, Development of sensor with high selectivity for saltiness and its application in taste evaluation of table salt, *Sensors and Materials*, 22, 6, 313–325.
- Crespo, G.A., Macho, S., Bobacka, J. & Rius, F.X., 2009, Transduction Mechanism of Carbon Nanotubes in Solid-Contact Ion-Selective Electrodes, *Anal Chem*, 81, 2, 676–681.
- Crespo, G.A., Macho, S. & Rius, F.X., 2008, Ion-Selective Electrodes Using Carbon Nanotubes as Ion-to-Electron Transducers, *Anal Chem*, 80, 4, 1316–1322.
- Duy Nguyen, L., Mau Dang, C. & Chanh Duc Doan, T., 2023, Highly stable ammonium ion-selective electrodes based on one-pot synthesized gold nanoparticle-reduced graphene oxide as ion-to-electron transducers, *Microchemical Journal*, 190, .
- Giamberardino, J., 2016, *Measurements Of Electrostatic Double Layer Potentials With Atomic Force Microscopy*. University of South Carolina.
- Goldman, D.E., 1943, Potential, Impedance, and Rectification in Membranes, *Journal of General Physiology*, 27, 37–60.
- Ha, J., Martin, S.M., Jeon, Y., Yoon, I.J., Brown, R.B., Nam, H. & Cha, G.S., 2005, A polymeric junction membrane for solid-state reference electrodes, *Anal Chim Acta*, 549, 1–2, 59–66.
- Han, W.-S., Park, M.-Y., Chung, K.-C., Cho, D.-H. & Hong, T.-K., 2001, All Solid State Hydrogen Ion Selective Electrode Based on a Tribenzylamine Neutral Carrier in a Poly(vinyl chloride) Membrane with a Poly(aniline) Solid Contact, *Electroanalysis*, 13, 11, 955–959.
- Hara, D., Fukagawa, T., Tahara, Y., Yasuura, M. & Toko, K., 2014, Examination of Amount of Astringent Substances Adsorbed Onto Lipid/Polymer Membrane Used in Taste Sensor, *Sens Lett*, 12, 6, 1172–1176.
- Harada, Y., Tahara, Y. & Toko, K., 2015, Study of the Relationship between Taste Sensor Response and the Amount of Epigallocatechin Gallate Adsorbed Onto a Lipid-Polymer Membrane, *Sensors*, 15, 3, 6241–6249.
- Hayashi, K., Yamanaka, M., Toko, K. & Yamafuji, K., 1990, Multichannel taste sensor using lipid membranes, *Sens Actuators B Chem*, 2, 3, 205–213.
- Hayashi, N., Chen, R., Ikezaki, H. & Ujihara, T., 2008, Evaluation of the umami taste intensity of green tea by a taste sensor, *J Agric Food Chem*, 56, 16, 7384–7387.
- Hayashi, N., Chen, R., Ikezaki, H., Yamaguchi, S., Maruyama, D., Yamaguchi, Y., Ujihara, T. & Kohata, K., 2006, Techniques for Universal Evaluation of Astringency of Green Tea Infusion by the Use of a Taste Sensor System, *Biosci Biotechnol Biochem*, 70, 3, 626–631.



- Hayashi, N., Ujihara, T. & Jin, S., 2022, Detection of catechins using a fluorescent molecule and its application toward the evaluation of astringent intensity, *Analyst*, 147, 20, 4480–4488.
- Hayashi, N., Ujihara, T. & Kohata, K., 2005, Reduction of Catechin Astringency by the Complexation of Gallate-Type Catechins with Pectin, *Biosci Biotechnol Biochem*, 69, 7, 1306–1310.
- He, M., Li, Y., Yu, X. & Yang, H., 2015, A Nitrate Ion-Selective Electrode Based on Tetradodecylammonium Bromide, *Sens Lett*, 13, 11, 986–991.
- Hu, J., Zou, X.U., Stein, A. & Bühlmann, P., 2014, Ion-Selective Electrodes with Colloid-Imprinted Mesoporous Carbon as Solid Contact, *Anal Chem*, 86, 14, 7111–7118.
- Iiyama, S., Kuga, H., Ezaki, S., Hayashi, K. & Toko, K., 2003, Peculiar change in membrane potential of taste sensor caused by umami substances, *Sens Actuators B Chem*, 91, 1–3, 191–194.
- Jaworska, E., Wójcik, M., Kisiel, A., Mieczkowski, J. & Michalska, A., 2011, Gold nanoparticles solid contact for ion-selective electrodes of highly stable potential readings, *Talanta*, 85, 4, 1986–1989.
- Kamcev, J., Sujanani, R., Jang, E.-S., Yan, N., Moe, N., Paul, D.R. & Freeman, B.D., 2018, Salt concentration dependence of ionic conductivity in ion exchange membranes, *J Memb Sci*, 547, 123–133.
- Kim, M.-Y., Lee, J.-W., Park, D.J., Lee, J.-Y., Myung, N.V., Kwon, S.H. & Lee, K.H., 2021, Highly stable potentiometric sensor with reduced graphene oxide aerogel as a solid contact for detection of nitrate and calcium ions, *Journal of Electroanalytical Chemistry*, 897, 115553.
- Kobayashi, Y., Habara, M., Ikezaki, H., Chen, R., Naito, Y. & Toko, K., 2010, Advanced Taste Sensors Based on Artificial Lipids with Global Selectivity to Basic Taste Qualities and High Correlation to Sensory Scores, *Sensors*, 10, 4, 3411–3443.
- Kobayashi, Y., Hamada, H., Yamaguchi, Y., Ikezaki, H. & Toko, K., 2009, Development of an artificial lipid-based membrane sensor with high selectivity and sensitivity to the bitterness of drugs and with high correlation with sensory score, *IEEEJ Transactions on Electrical and Electronic Engineering*, 4, 710–719.
- Kong, L., Hong, F., Luan, P., Chen, Y., Feng, Y. & Zhu, M., 2024, Novel competitive electrochemical impedance biosensor for the ultrasensitive detection of umami substances based on Pd/Cu-TCPP(Fe), *Food Chem*, 438, 137631.
- Kozma, J., Papp, S. & Gyurcsányi, R.E., 2022, TEMPO-Functionalized Carbon Nanotubes for Solid-Contact Ion-Selective Electrodes with Largely Improved Potential Reproducibility and Stability, *Anal Chem*, 94, 23, 8249–8257.



- Kumar, Y., Rawal, S., Joshi, B. & Hashmi, S.A., 2019, Background, fundamental understanding and progress in electrochemical capacitors, *Journal of Solid State Electrochemistry*, 23, 667–692.
- Lai, C.-Z., Fierke, M.A., Stein, A. & Bühlmann, P., 2007, Ion-Selective Electrodes with Three-Dimensionally Ordered Macroporous Carbon as the Solid Contact, *Anal Chem*, 79, 12, 4621–4626.
- Legin, A., Makarychev-Mikhailov, S., Kirsanov, D., Mortensen, J. & Vlasov, Y., 2004, Solvent polymeric membranes based on tridodecylmethylammonium chloride studied by potentiometry and electrochemical impedance spectroscopy, *Anal Chim Acta*, 514, 1, 107–113.
- Lejarazu-Larrañaga, A., Ortiz, J.M., Molina, S., Zhao, Y. & García-Calvo, E., 2020, Nitrate-Selective Anion Exchange Membranes Prepared using Discarded Reverse Osmosis Membranes as Support, *Membranes (Basel)*, 10, 12, 377.
- Lenar, N., Piech, R. & Paczosa-Bator, B., 2022, The New Reliable pH Sensor Based on Hydrous Iridium Dioxide and Its Composites, *Materials*, 16, 1, 192.
- Leung, K.Y. & McCrory, C.C.L., 2019, Effect and Prevention of Trace Ag⁺ Contamination from Ag/AgCl Reference Electrodes on CO₂ Reduction Product Distributions at Polycrystalline Copper Electrodes, *ACS Appl Energy Mater*, 2, 8283–8293.
- Li, M., Zhang, N., Cui, Z., Wang, W., Wang, C., Wang, D., Li, Minmin, Lu, W., Qing, G. & Liu, Y., 2022, Biomimetic ion nanochannels for sensing umami substances, *Biomaterials*, 282, 121418.
- Li, Y., Li, J. & Qin, W., 2022, All-Solid-State Polymeric Membrane Ion-Selective Electrodes Based on NiCo₂S₄ as a Solid Contact, *Anal Chem*, 94, 8, 3574–3580.
- Lim, S.Y., Rosmawati, D., Yatiman, N.H., Wong, J.E., Haron, H. & Poh, B.K., 2022, Umami detection threshold among children of different ethnicities and its correlation with various indices of obesity and blood pressure, *Curr Res Food Sci*, 5, 2204–2210.
- Lindfors, T., 2009, Light sensitivity and potential stability of electrically conducting polymers commonly used in solid contact ion-selective electrodes, *Journal of Solid State Electrochemistry*, 13, 1, 77–89.
- Liu, L., Shi, H., Yu, H., Zhou, R., Yin, J. & Luan, S., 2019, One-step hydrophobization of tannic acid for antibacterial coating on catheters to prevent catheter-associated infections, *Biomater Sci*, 7, 12, 5035–5043.
- Liu, Y., Zeng, X., Waterhouse, G.I.N., Jiang, X., Zhang, Z. & Yu, L., 2023, Potential stability improvement in solid-contact Pb²⁺ ion-selective electrodes by using polyaniline/montmorillonite composites as the ion-to-electron transducer, *Journal of Electroanalytical Chemistry*, 939, 117472.



- Ljubek, G. & Kraljić Roković, M., 2023, One-step Electrochemical Synthesis of PEDOT based Composites for Supercapacitor Applications, *Rudarsko-geološko-naftni zbornik*, 38, 1, 137–148.
- Lvovich, V.F., 2012, *Impedance Spectroscopy: Applications to Electrochemical and Dielectric Phenomena*, Wiley.
- Lyu, Y., Gan, S., Bao, Y., Zhong, L., Xu, J., Wang, W., Liu, Z., Ma, Y., Yang, G. & Niu, L., 2020, Solid-contact ion-selective electrodes: Response mechanisms, transducer materials and wearable sensors, *Membranes (Basel)*, 10, 6, 1–24.
- Malmivuo, J. & Plonsey, R., 1995, *Bioelectromagnetism Principles and Applications of Bioelectric*,
- Manjakkal, L., Pullanchiyodan, A., Yogeswaran, N., Hosseini, E.S. & Dahiya, R., 2020, A Wearable Supercapacitor Based on Conductive PEDOT:PSS-Coated Cloth and a Sweat Electrolyte, *Advanced Materials*, 32, 24, .
- Mazzaracchio, V., Serani, A., Fiore, L., Moscone, D. & Arduini, F., 2021, All-solid state ion-selective carbon black-modified printed electrode for sodium detection in sweat, *Electrochim Acta*, 394, 139050.
- Mevada, C. & Mukhopadhyay, M., 2021, Limitations and Recent Advances in High Mass Loading Asymmetric Supercapacitors Based on Pseudocapacitive Materials, *Ind Eng Chem Res*, 60, 3, 1096–1111.
- Meyerhof, W., Batram, C., Kuhn, C., Brockhoff, A., Chudoba, E., Bufe, B., Appendino, G. & Behrens, M., 2009, The molecular receptive ranges of human TAS2R bitter taste receptors, *Chem Senses*, 35, 157–170.
- Miranda, A.M., Ingram, M., Nuessle, T.M., Santorico, S.A. & Garneau, N.L., 2021, Factors affecting detection of a bimodal sour-savory mixture and inter-individual umami taste perception, *Food Qual Prefer*, 89, 104147.
- Mubita, T., Porada, S., Aerts, P. & van der Wal, A., 2020, Heterogeneous anion exchange membranes with nitrate selectivity and low electrical resistance, *J Memb Sci*, 607, 118000.
- Nakamoto, T., 2016, *Essentials of Machine Olfaction and Taste*, John Wiley & Sons Singapore Pte Ltd.
- Nasybulin, E., Wei, S., Kymissis, I. & Levon, K., 2012, Effect of solubilizing agent on properties of poly(3,4- ethylenedioxythiophene) (PEDOT) electrodeposited from aqueous solution, *Electrochim Acta*, 78, 638–643.
- Nelson, G., Chandrashekar, J., Hoon, M.A., Feng, L., Zhao, G., Ryba, N.J.P. & Zuker, C.S., 2002, An amino-acid taste receptor, *Nature*, 416, 199–202.
- Nelson, G., Hoon, M.A., Chandrashekar, J., Zhang, Y., Ryba, N.J.P. & Zuker, C.S., 2001, Mammalian Sweet Taste Receptors, *Cell*, 106, 381–390.



- Niederhoffer, T., Vanhoestenbergh, A. & Lancashire, H.T., 2023, Methods of poly(3,4)-ethylenedioxythiophene (PEDOT) electrodeposition on metal electrodes for neural stimulation and recording, *J Neural Eng*, 20, 1, 011002.
- Njomman, M.F., Nugroho, G., Chandra, S.D.P., Permana, Y., Suhadi, S., Mujiono, M., Hermawan, A.D. & Sugiono, S., 2017, The vulnerability of human sensory evaluation and the promising senses instrumentation, *British Food Journal*, 119, 10, 2145–2160.
- Oćwieja, M., Adamczyk, Z. & Morga, M., 2015, Adsorption of tannic acid on polyelectrolyte monolayers determined in situ by streaming potential measurements, *J Colloid Interface Sci*, 438, 249–258.
- Oohira, K. & Toko, K., 1996, Theory of electric characteristics of the lipid/PVC/DOPP membrane and PVC/DOPP membrane in response to taste stimuli, *Biophys Chem*, 61, 1, 29–35.
- Oohira, K., Toko, K., Akiyama, H., Yoshihara, H. & Yamafuji, K., 1995, Electric characteristics of hybrid polymer membranes composed of two lipid species, *J Physical Soc Japan*, 64, 9, 3554–3561.
- Ozer, T., 2022, Carbon composite thermoplastic electrodes integrated with mini-printed circuit board for wireless detection of calcium ions, *Analytical Sciences*, 38, 9, 1233–1243.
- Ozer, T. & Henry, C.S., 2022, All-solid-state potassium-selective sensor based on carbon black modified thermoplastic electrode, *Electrochim Acta*, 404, 139762.
- Paczosa-Bator, B., 2012, All-solid-state selective electrodes using carbon black, *Talanta*, 93, 424–427.
- Payens, Th.A.J., 1955, Ionized Monolayer, *Phillips Research Reports*, 10, 425–481.
- Ping, J., Wang, Y., Ying, Y. & Wu, J., 2012, Application of Electrochemically Reduced Graphene Oxide on Screen-Printed Ion-Selective Electrode, *Anal Chem*, 84, 7, 3473–3479.
- Purves, D. ed., Augustine, G.J. ed., Fitzpatrick, G. ed., Hall, W.C. ed., LaMantia, A.S. ed., McNamara, J.O. ed. & Williams, S.M. ed., 2004, *Neuroscience*, edisi 3rd, Sinauer Associates, Inc., Sunderland, Massachusetts, USA.
- Rashed, Md.A., Faisal, M., Alsaiani, M., Alsareii, S.A. & Harraz, F.A., 2021, MWCNT-Doped Polypyrrole-Carbon Black Modified Glassy Carbon Electrode for Efficient Electrochemical Sensing of Nitrite Ions, *Electrocatalysis*, 12, 6, 650–666.
- Roy, S., David-Pur, M. & Hanein, Y., 2017, Carbon Nanotube-Based Ion Selective Sensors for Wearable Applications, *ACS Appl Mater Interfaces*, 9, 40, 35169–35177.
- Sarisoy, A., Acosta, S., Rodríguez-Cabello, J.C., Czichowski, P., Kopp, A., Jockenhoevel, S. & Fernández-Colino, A., 2023, Bioglues Based on an Elastin-Like Recombinamer: Effect of Tannic Acid as an Additive on Tissue Adhesion and Cytocompatibility, *Int J Mol Sci*, 24, 7, 6776.



- Satoh-Kuriwada, S., Kawai, M., Iikubo, M., Sekine-Hayakawa, Y., Shoji, N., Uneyama, H. & Sasano, T., 2014, Development of an Umami Taste Sensitivity Test and Its Clinical Use F. Blachier, ed., *PLoS One*, 9, 4, e95177.
- Shao, Y., Ying, Y. & Ping, J., 2020, Recent advances in solid-contact ion-selective electrodes: Functional materials, transduction mechanisms, and development trends, *Chem Soc Rev*, 49, 13, 4405–4465.
- Sibug-Torres, S.M., Go, L.P. & Enriquez, E.P., 2020, Fabrication of a 3D-Printed Porous Junction for Ag|AgCl|gel-KCl Reference Electrode, *Chemosensors*, 8, 4, 130.
- Stebeleva, O.P., Kashkina, L. V. & Vshivkova, O.A., 2022, Structure and Morphology of Carbon-Black Particles Formed during the Evaporation of Aqueous Suspensions, *Nanobiotechnology Reports*, 17, 4, 489–494.
- Sthoer, A. & Tyrode, E., 2019, Interactions of Na⁺ Cations with a Highly Charged Fatty Acid Langmuir Monolayer: Molecular Description of the Phase Transition, *Journal of Physical Chemistry C*, 123, 37, 23037–23048.
- Sukma, L.P.P. & Qian, E.W., 2018, Fabrication of weak-acid functionalized mesoporous carbon solid acid from tannic acid and its use for saccharification of cellulose, *Environ Prog Sustain Energy*, 37, 2, 850–860.
- Suzuki, H., Shiroishi, H., Sasaki, S. & Karube, I., 1999, Microfabricated Liquid Junction Ag/AgCl Reference Electrode and Its Application to a One-Chip Potentiometric Sensor, *Anal Chem*, 71, 22, 5069–5075.
- Tahara, Y., Ikeda, A., Maehara, Y., Habara, M. & Toko, K., 2011, Development and Evaluation of a Miniaturized Taste Sensor Chip, *Sensors*, 11, 10, 9878–9886.
- Tahara, Y., Nakashi, K., Ji, K., Ikeda, A. & Toko, K., 2013, Development of a Portable Taste Sensor with a Lipid/Polymer Membrane, *Sensors*, 13, 1, 1076–1084.
- Tahara, Y., Sassa, F., Takigawa, R. & Kurihara, Y., 2023, Development of a microfluidic-based taste sensor using lipid polymer membrane, *Jpn J Appl Phys*, 62, SG, SG1014.
- Tahara, Y. & Toko, K., 2013, Electronic Tongues—A Review, *IEEE Sens J*, 13, 8, 3001–3011.
- Toko, K., 2023, Research and development of taste sensors as a novel analytical tool, *Proceedings of the Japan Academy, Series B*, 99, 6, PJA9906B-02.
- Toko, K. & Yamafuji, K., 1980, Influence of Monovalent and Divalent Cations on the Surface Area of Phosphatidylglycerol Monolayers, *Chem Phys Lipids*, 26, 79–99.
- Tyrode, E. & Corkery, R., 2018, Charging of Carboxylic Acid Monolayers with Monovalent Ions at Low Ionic Strengths: Molecular Insight Revealed by Vibrational Sum Frequency Spectroscopy, *Journal of Physical Chemistry C*, 122, 50, 28775–28786.



- Ujihara, T., Hayashi, N., Ishida, Y. & Ikezaki, H., 2023, Standardization of strawberry sourness and sweetness intensities using a taste sensor system and an invariant taste standard solution, *Biosci Biotechnol Biochem*, 87, 8, 890–897.
- Vardaxi, A., Kafetzi, M. & Pispas, S., 2022, Polymeric Nanostructures Containing Proteins and Peptides for Pharmaceutical Applications, *Polymers (Basel)*, 14, 4, 777.
- Vázquez, M., Bobacka, J., Ivaska, A. & Lewenstam, A., 2002, Influence of oxygen and carbon dioxide on the electrochemical stability of poly(3,4-ethylenedioxythiophene) used as ion-to-electron transducer in all-solid-state ion-selective electrodes, *Sens Actuators B Chem*, 82, 1, 7–13.
- Veder, J.P., De Marco, R., Patel, K., Si, P., Grygolowicz-Pawlak, E., James, M., Alam, M.T., Sohail, M., Lee, J., Pretsch, E. & Bakker, E., 2013, Evidence for a surface confined ion-to-electron transduction reaction in solid-contact ion-selective electrodes based on poly(3-octylthiophene), *Anal Chem*, 85, 21, 10495–10502.
- Vicentini, F.C., Raymundo-Pereira, P.A., Janegitz, B.C., Machado, S.A.S. & Fatibello-Filho, O., 2016, Nanostructured carbon black for simultaneous sensing in biological fluids, *Sens Actuators B Chem*, 227, 610–618.
- Wampler, W.A., Wei, C. & Rajeshwar, K., 1994, Electrocomposites of Polypyrrole and Carbon Black, *J Electrochem Soc*, 141, 2, L13–L15.
- Wang, X., Ruan, D., Wang, P. & Lu, Y., 2008, Pseudo-capacitance of ruthenium oxide/carbon black composites for electrochemical capacitors, *Journal of University of Science and Technology Beijing, Mineral, Metallurgy, Material*, 15, 6, 816–821.
- Wardak, C., Morawska, K., Paczosa-Bator, B. & Grabarczyk, M., 2023, Improved Lead Sensing Using a Solid-Contact Ion-Selective Electrode with Polymeric Membrane Modified with Carbon Nanofibers and Ionic Liquid Nanocomposite, *Materials*, 16, 3, 1003.
- Watanabe, K., Watanabe, T., Kimura, S., Ikezaki, H. & Toko, K., 2023, Electrical Properties of Taste Sensors with Positively Charged Lipid Membranes Composed of Amines and Ammonium Salts, *Sensors*, 23, 19, .
- Wu, X., Pei, W., Zhang, H., Chen, Y., Guo, X., Chen, H. & Wang, S., 2015, Sodium Dodecyl Sulfate doping PEDOT to enhance the performance of neural microelectrode, *Journal of Electroanalytical Chemistry*, 758, 26–32.
- Wu, X., Tahara, Y., Yatabe, R. & Toko, K., 2020, Taste sensor: Electronic tongue with lipid membranes, *Analytical Sciences*, 36, 2, 147–159.
- Wu, X. & Toko, K., 2023, Taste sensor with multiarray lipid/polymer membranes, *TrAC Trends in Analytical Chemistry*, 158, 116874.
- Wu, X., Yuan, Y., Tahara, Y., Habara, M., Ikezaki, H. & Toko, K., 2020, Reusability Enhancement of Taste Sensor Using Lipid Polymer Membranes by Surfactant Cleaning Treatment, *IEEE Sens J*, 20, 9, 4579–4586.



- Ye, J., Li, F., Gan, S., Jiang, Y., An, Q., Zhang, Q. & Niu, L., 2015, Using sp²-C dominant porous carbon sub-micrometer spheres as solid transducers in ion-selective electrodes, *Electrochem commun*, 50, 60–63.
- Yu, Y., Jiang, S., Cui, Z., Zhang, N., Li, M., Liu, J., Meng, H., Wang, S., Zhang, Y., Han, J., Sun, X., Zhao, W. & Liu, Y., 2023, Bimetallic bionic taste sensor for perception of the synergistic effect of umami substances, *Biosens Bioelectron*, 234, .
- Zdrachek, E. & Bakker, E., 2021, Ion-to-electron capacitance of single-walled carbon nanotube layers before and after ion-selective membrane deposition, *Microchimica Acta*, 188, 5, 149.
- Zhang, J., Zhao, X., Li, L., Chen, W., Zhao, Q., Su, G. & Zhao, M., 2023, Application of electronic tongue in umami detection and soy sauce refining process, *Food Chem X*, 18, 100652.
- Zoski, C.G., 2007, *Handbook of electrochemistry*,