

## DAFTAR PUSTAKA

- Abd El-Monem, A.M., Gharieb, M.M., Hussian, A.E.M., Doman, K.M. 2018. Effect of pH on phytochemical and antibacterial activities of *Spirulina platensis*. *International Journal of Applied Environmental Science*, 13(4): 340-349.
- Alberts, B., Johnson, A., Lewis, J. 2002. Molecular Biology of the Cell. 4th edition. Garland Science, New York. ISBN-10: 0-8153-3218-1.
- Andersen, R.A. 2005. Algal Culturing Techniques. Elsevier Academic Press, Burlington.
- Asthary, P.B., Setiawan, Y., Surachman, A., Saepulloh. 2016. Pertumbuhan Mikroalga *Spirulina platensis* dalam Efluen Industri Kertas. *Jurnal Selulosa*, 3(2): 98-102.
- Babu, M., Ashok, K., Senthil, J., Kalaiyarasu, T. 2020. Effect of pH on *Arthrospira platensis* Production. *Alochana Chakra Journal*, 9(5): 2298-2304.
- Bleakley, S., & Hayes, M. (2017). Algal proteins: Extraction, application, and challenges concerning production. *Foods*, 6(5), 33.
- Becker, E. W. (2007). Micro-algae as a source of protein. *Biotechnology Advances*, 25(2), 207-210.
- Benelhadj, S., Gharsallaoui, A., Degraeve, P., Attia, H., Ghorbel, D. 2016. Effect of pH on the Functional Properties of *Arthrospira (Spirulina) platensis* Protein Isolate. *Food Chemistry*, 194: 1056-1063.
- Bezerra, K. C. H., Fiaschitello, T. R., Labuto, G., Freeman, H. S., Fragoso, W. D., da Costa, S. M., da Costa, S. A. 2021. Reuse of water from real reactive monochromic and trichromic wastewater for new cotton dyes after efficient treatment using H<sub>2</sub>O<sub>2</sub> catalyzed by UV light. *Journal of Environmental Chemical Engineering*, 9:105731.
- Cardoso, L.G., Lombardi, A.T., de Jesus Silva, J.S., Lemos, P.V.F., Costa, J.A.V., de Souza, C.O., Druzian, J.I., Chinalia, F.A. 2021. Scaling-up production of *Spirulina* sp. LEB18 grown in aquaculture wastewater. *Aquaculture*, 544: 737045.
- Chaiklahan, R., Chirasuwan, N., Srinorasing, T., Attasat, S., Nopharatana, A., Bunnag, B. 2022. Enhanced biomass phycocyanin production of *Arthrospira (arht) platensis* by a cultivation management strategy: Light intensity and cell concentration. *Bioresource Technology*, 343: 126077.
- Chen, W., Xu, J., Yu, Q., Yuan, Z., Kong, X., Sun, Y., Wang, Z., Zhuang, X., Zhang, Y., Guo, Y. 2020. Structural insights reveal the effective *Spirulina platensis* cell wall dissociation methods for multi-output recovery. *Bioresource Technology*, 300: 122628.
- Chew, K.W., Chia, S.R., Show, P.L., Yap, Y.J., Ling, T.C., Chang, J.S. 2018. Effects of

- water culture medium, cultivation systems and growth modes for microalgae cultivation: A review. *Journal of the Taiwan Institute of Chemical Engineers*, 91: 333-343.
- Colla, L. M., Muccillo-Baisch, A. L., Costa, J. A. V., & Bertolin, T. E. (2006). Flocculation of *Spirulina* (*Arthrospira*) *platensis* using *Cassia obtusifolia* seed mucilage. *Bioresource Technology*, 97(18), 2190-2195.
- Deruyck, B., Nguyen, T.K.H., Praveenkumar, R. 2019. Low doses of the quarternary ammonium salt Cetyltrimethylammonium bromide can be used as a pesticide to control grazers in microalgal cultures. *Algal Research*, 41: 101570.
- Gershwin, M. E., & Belay, A. (2007). *Spirulina* in human nutrition and health. CRC Press.
- Haryati, R. 2008. Pertumbuhan dan Biomassa *Spirulina* sp Skala Laboratorium. *Universitas Diponegoro*, 10(1):19-22.
- Ilvarasi, A., Pandiaraj, D., Ali, D.M., Ilyas, M.H.M., Thajuddin, N. 2012. Evaluation of efficient extraction methods for recovery of photosynthetic pigments from microalgae. *Pakistan Journal of Biological Sciences*, 18: 883-888. <https://doi.org/10.3923/pjbs.2012.883.888>
- Ismail, M.M.S., El-Ayouty, Y.M., Piercey-Normore, M. 2016. Role of pH on Antioxidants Production by *Spirulina* (*Arthrospira*) *platensis*. *Brazilian Journal of Microbiology*, 24(2):220-229.
- Jangir, M.M. Chowdhury, S., Bhagavatula, V. 2021. Differential response of photosynthetic apparatus towards alkalie pH treatment in NIES-39 and PCC 7345 strains of *Arthrospira platensis*. *International Microbiology*, 24(2): 220-230.
- Jimoh, T.A., Cowan, K. 2017. Extracellular polymeric substance production in high rate algal oxidation ponds. *Water Science & Technology*, 10: 1-8.
- Johnson, A., White, B. 2020. Potential applications of *Navicula* sp. in bioremediation. *Environmental Science and Pollution Research*, 27(15), 18234-18245.
- Jung, C.H.G., Braune, S., Waldeck, P., Kupper, J.H., Petrick, I., Jung, F. 2021. Morphology and Growth of *Arthrospira platensis* during Cultivation in a Flat-Type Bioreactor. *Life*, 11(6), 536-541.
- Kawaroe, M., Partono, T., Sunuddin, A., Sari, D.W., Augustine, D. 2019. Mikroalga: Potensi dan Pemanfaatannya untuk Produksi Bio Bahan Bakar. *Perpustakaan Nasional, Indonesia*, ISBN: 978-979-493-295-7.
- Khandeparker, L., & LokaBharathi, P. A. (2018). Microalgae: Potential candidates for CO<sub>2</sub> mitigation and environmental applications. In *Microalgae in Health and Disease*

Prevention. *Academic Press*. 1: 111-126.

- Kociolek, J. P., Spaulding, S. A. 2000. Freshwater diatom biogeography. *Nova Hedwigia Beiheft*, 136, 255-265.
- Krammer, K., Lange-Bertalot, H. 2007. Bacillariophyceae. 1. Teil: *Naviculaceae*. *Süßwasserflora von Mitteleuropa*, 2(1), 1-876.
- Kulshreshtha, A., Zacharia, A. J., & Jarouliya, U. 2008. *Spirulina* in health care management. *Current Pharmaceutical Biotechnology*, 9(5), 400-405.
- Kurnia, D., Panjaitan, R.S. 2020. Kandungan kimia dari *Navicula* sp. dan bioaktivitasnya. *Indonesia Natural Research Pharmaceutical Journal*, 1:65-69. <https://doi.org/10.52447/inspj.v5i1.4049>
- Kurniawan, S.B., Ahmad, A., Imron, M.F., Abdullah, S.R.S., Othman, A.R., Hasan, H.A. 2022. Potential of microalgae cultivation using nutrient-rich wastewater and harvesting performance by biocoagulants/bioflocculants: Mechanism, multi-conversion of biomass into valuable products, and future challenges. *Journal of Cleaner Production*, 365: 1-24. <https://doi.org/10.1016/j.jclepro.2022.132806>
- Lange-Bertalot, H. 2001. *Navicula* sensu stricto. 10 Genera Separated from *Navicula* sensu lato. *Diatoms of Europe: Diatoms of the European Inland Waters and Comparable Habitats*. Frustulia, 2, 1-526.
- Liu, W., Wang, J., Liu, T. 2019. Low pH rather than high CO<sub>2</sub> concentration itself inhibits growth of *Arthrospira*. *Science of the Total Environment*, 666:573-579.
- Matsumoto, M., Yokouchi, H., Suzuki, N., Ohata, H. 2003. Saccharification of Marine Microalgae Using Marine Bacteria for Ethanol Production. *Applied Biochemistry and Biotechnology*, 105(1): 247-253.
- Matter, I., Bui, V., Jung, M., Yoon, S.J., Kim, Y., Lee, Y., Oh, Y. 2019. Flocculation harvesting techniques for microalgae: A Review. *Journal of Applied Sciences*, 15:1-27. <https://doi.org/10.3390/app9153069>
- Mehar, J., Sheck, A., Nethravathy, M.U., Sarada, R. Chauhan, V.S., Mudliar, S. 2019. Automation of Pilot-Scale Open Raceway Pond: A case Study of CO<sub>2</sub>-fed pH Control on *Spirulina* Biomass, Protein, and Phycocyanin Production. *Journal of CO<sub>2</sub> Utilization*, 33: 383-392.
- Meseck, S.L. 2007. Controlling the Growth of a Cyanobacterial Contaminant, *Synechoccus* sp., in a Culture of *Tetraselmis chui* (PLY429) by Varying pH: Implications for Outdoor Aquaculture Production. *Aquaculture*, 273(4): 566-572.
- Mostafa, S.S.M., Ali, L.K.M. 2009. Evaluation of humic substances on *Spirulina platensis*

- growth for preparation of fertilizers. Proceedings on Recent Technologies in Agriculture "Challenges in Agricultural Modernization". *Journal of Cairo University*, 3: 5-9.
- Nuhu, A.A. 2013. *Spirulina (Arthrospira)*: An important source of nutritional and medicinal compounds. *Journal of Marine Biology*, 1:1-9. <http://dx.doi.org/10.155/2013/325636>.
- Panda, R., Devi, A., Sahu, H. K., & Dash, R. R. (2019). Microalgae: A green algal approach towards wastewater treatment. In *Microalgae Cultivation for Biofuels Production*. Springer, 2: 277-295.
- Peng, L., Lan, C.Q., Zhang, Z., Sarch, C., Laporte, M. 2015. Control of Protozoa Contamination and Lipid Accumulation in *Neochloris oleoabundans* Culture: Effects of pH and Dissolved Inorganic Carbon. *Bioresource Technology*, 12(3-5): 394-499.
- Praharyawan, S., Putri, S.A. 2017. Optimasi efisiensi flokulasi pada proses panen mikroalga potensial penghasil biodiesel dengan flokulan ion magnesium. *BIOPROPAL INDUSTRI*, 2: 89-98.
- Ramaraj, R., Tsai, D.D., Chen, P.H. 2013. Chlorophyll is not accurate measurement for algal biomass. *Chiang Mai Journal of Science*, 10: 1-9.
- Raut, S., Sarode, D., Lele, S. (2019). Role of Microalgae in Wastewater Treatment and Bioenergy Production. In *Microalgae Cultivation for Biofuels Production*. Springer, 2: 247-275.
- Sharma, G., Kumar, M., Ali, M.I., Jasuja, N.D. 2014. Effect of carbon content, salinity, and pH on *Spirulina platensis* for phycocyanin, allophycocyanin and phycoerythrin accumulation. *Journal of Microbial & Biochemical Technology*, 4: 202-206. <https://doi.org/10.4172/1948-5948.1000144>
- Shetty, P., Gitau, M.M., Maróti, G. 2019. Salinity stress responses and adaptation mechanisms in eukaryotic green microalgae. *Cells*, 12: 1657. <https://doi.org/10.3390/cells8121657>
- Smith, J. D., Houghton, F. D., Lowry, D., Wallace, M. J. (2018). The role of bicarbonate in the regulation of pH in the human body. *Journal of Physiology*, 596(3), 381-382.
- Soni, R.A., Sudhakar, K., Rana, R.S. 2019. Comparative Study on The Growth Performance of *Spirulina platensis* on Modifying Culture Media. *Energy Reports*, 5:326-336.
- Suyono, E.A., Haryadi, W., Zusron, M., Nuhamunada, M., Rahayu, S., Nugroho, A.P. 2015. The effect of salinity on growth, dry weight and lipid content of the mixed microalgae culture isolated from Glagah as biodiesel substrate. *Journal of Life Sciences*. 9:230-233.
- Tan, I.S., Lam, M.K., Foo, H.C.Y., Lim, S., Lee, K.T. 2020. Advances of macroalgae

- biomass for the third generation of bioethanol production. *Chinese Journal of Chemical Engineering*, 2: 502-517. <https://doi.org/10.1016/j.cjche.2019.05.012>
- Tawila, Z.M.A., Ismail, S., Dadrasnia, A., Usman, M.M. 2018. Production and characterization of a biofloculant produced by *Bacillus salmalaya* 139SI-7 and its applications in wastewater treatment. *Molecules*, 23: 1-17.
- Usharani, G., Saranraj, P., Dixon, S.J., Trick, C.G. 2005. Extracellular Organic Compounds from the Ichthyotoxic Red Tide Alga *Heterosigma akashiro* Elevate Cytosolic Calcium and Induce Apoptosis in Sf9 Cells. *Harmful Algae*, 4(4): 788-799.
- Vadlamani, A., Viamajala, S. Pendyala, B., Varnasi, S. 2017. Cultivation of Microalgae at Extreme Alkaline pH Conditions: A Novel Approach for Biofuel Production. *ACS Sustainable Chemistry and Engineering*. 5(8): 7285-7293.
- Xia, L., Huang, R., Li, Y., Song, S. 2017. The effect of growth phase on the surface properties of three oleaginous microalgae (*Botryococcus* sp. FACGB-762, *Chlorella* sp. XJ-445 and *Desmodesmus bijugatus* XJ-231). *PLoS ONE*, 10: 1-8. <https://doi.org/10.1371/journal.pone.0186434>
- Zhu, Z., Jihong, J., Yun, F. 2020. Overcoming the biological contamination microalgae and cyanobacteria mass cultivations for photosynthetic biofuel production. *Molecules*, 22: 1-13. <https://doi.org/10.3390/molecules25225220>