



- Benet, L.Z., 1973, Biopharmaceutics as a basic for the design of drug product, Medical Chemistry : Drug design, Vol. IV, Academic Press, New York, 1 - 32.
- Bolhuis, G.K.; Lerk, C.F.; Zijlstra, H.T.; De Boer, A.H., 1975, Film formation by magnesium stearat during mixing and its effect on tableting, Pharm. Weekblad, 110, 317 - 325.
- Bolhuis, G.K. and Lerk, C.F., 1981, Ordered mixing with lubricant and glidant in tableting mixtures, J. Pharm. Pharmacol., 33, 790.
- Cartensen, J.T., 1973, Theory of Pharmaceutical system, Vol. II/Heterogeneous system, Academic Press, New York, London, 223 - 224.
- Cartensen, J.T., 1977, Pharmaceutics of solid and solid dosage forms, John Willey & Sons Inc., New York, London, Sydney, Toronto, 207 - 229.
- Chowan, Z.T., and Li, Hua Chi, 1985, Drug-excipient interaction resulting from powder mixing, I: Possible mechanism of interaction with starch and its effect on drug dissolution, Pharm. Technol., 34 - 98.
- Cooper and Gunn's, 1972, Tutorial Pharmacy, 6th Ed, Pitman Medical Publishing Co. Ltd., London, 200 - 210.
- Crook, M.J., and Ho, R., 1976, Ordered mixing in direct compression of tablets, Powder Technol., 14, 161-167.
- Departemen Kesehatan Republik Indonesia, 1979, Farmakope Indonesia, Ed. III, Jakarta, 6 - 8, 195 - 196.



UNIVERSITAS
GADJAH MADA

Pengaruh Ukuran Granul Magnesium Stearat Sebagai Bahan Pelicin Terhadap Pelarutan Tablet Campuran Interaktif Dekametason-Granul

Winarno, Dr. Sri Sulistyowati Soebagyo, Apt.; Drs. Soemarno, M.Sc., Apt.; Drs. Abdul Karim Zulkarnaen, Apt.
Universitas Gadjah Mada, 1988 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Finnholt, P., 1974, Influence of formulation on dissolution rate, Dissolution Technology, The Industrial Pharmaceutical Technology, Section the Academic of Pharmaceutical Science, Avenue, N.W., Washington, D.C., 110 - 144.
- Fudholi, A., 1982, Kontrol kecepatan pelarutan in vitro, Permasalahan dan alat, Medika, 8, 8, 570 - 575.
- Ganderton, David, 1969, The effect of distribution of magnesium stearat on the penetration of a tablet by water, J. Pharm. Pharmac., 21, Suppl., 9S - 18S.
- Gibaldi, M., and Fieldman, S., 1970, Mechanism of surfactant effect on drug absorption, J. Pharm. Sci., 59, 5, 579 - 589.
- Gunsel, W.C., and Kanig, J.L., 1976, The theory and practice of industrial pharmacy, 2nd Ed., Lea & Febiger, Philadelphia, 321 - 358.
- Hersey, J.A., 1975, Ordered mixing : A new concept in powder mixing practice, Powder Technol., 11, 41 - 44.
- Hersey, J.A., 1977, Preparation and properties of ordered mixtures, Aust. J. of Pharm. Sci., 6(1), 29 - 31.
- Hersey, J.A., 1979, The development and applicability of powder mixing theory, Int. J. Phar. Tech. & Prod. Mfr., (1), 6 - 13.
- Iran Loye, Y.A.; Parrot, E.L., 1978, Effect of compression force, particle size, and lubrication on dissolution rate, J. Pharm. Sci., 67 (4), 535 - 539.
- Johnson, C.A., 1966, Drug identification, The Pharmaceuti-



UNIVERSITAS
GADJAH MADA

Pengaruh Ukuran Granul Magnesium Stearat Sebagai Bahan Pelicin Terhadap Pelarutan Tablet Campuran Interaktif Dekametason-Granul
Winarno, Dr. Sri Sulhiyowati Soebagyo, Apt.; Drs. Soemarno, M.Sc., Apt.; Drs. Abdul Karim Zulkarnaen, Apt.
Universitas Gadjah Mada, 1988 | Diunduh dari <http://etd.repository.ugm.ac.id/>

cal Press, London, 93 - 94

- Khan, K.A., 1975, The concept of dissolution efficiency, J. Pharm. Pharmac., 27, 48 - 49.
- King, R.E., 1980, Tablet, Capsule and Pills, Remingtons Pharmaceutical Sciences, 16th Ed., Mack Publishing Company, Easton, Pennsylvania, 1553 - 1584.
- Lacey, P.M.C., 1954, Development in the theory of particle mixing, J. Appl. Chem., 4, 257 - 268.
- Lachman, L.; Lieberman, H.H.; Kanig, J.L., 1972, The theory and practice of industrial pharmacy, Lea and Febiger, Philadelphia, 321 - 329.
- Lai, F.K., and Hersey, J.A., 1979, A cautionary note on the use of ordered powder mixture in pharmaceutical dosage forms, J. Pharm. Pharmacol., 31, 800.
- Leeson, L.J., and Cartensen, J.T., 1974, Dissolution Technology, The Industrial Pharmaceutical Technology Section of the Academy of Pharmaceutical Science, Washington D.C., 118 - 119.
- Lowenthal, W., 1972, Mechanism of action of starch as a tablet disintegration V : Effect of starch grain deformation, J. Pharm. Sci., 61, 3, 455 - 461.
- Martin, A., 1983, Physical Pharmacy, 3th Ed., Lea and Febiger, Philadelphia, 339 - 441.
- Martinez, E.; Roman, F.; Garzon, A., 1982, Factor affecting rate of dissolution of prednisone from tablets, Drug Devel. Indust. Pharm., 8 (6), 949 - 964.
- Mc Ginity, J.W.; Chi-Tze KU; Bodmeier, R.; Harris, M.R.,



- 1985, Dissolution and uniformity properties of ordered mixes of micronized griseofulfin and a directly compressible excipient, Drug Devel. Indust. Pharm., 11 (4), 891 - 900.
- Nystrom, C. and Westerberg, M., 1986, The use of ordered mixtures for improving the dissolution rate of low solubility compounds, J. Pharm. Pharmacol., 38, 161 - 165.
- Parrot, E.L., 1971, Pharmaceutical Technology Fundamental Pharmaceutics, 3th printed, College of Pharmacy University of Iowa, 73 - 86, 158 - 169.
- Publishing Sciences Group Inc, 1977, AMA drug evaluation, 3th Ed., Littleton, Massachusetts, 516.
- Rai Adnyana, I Gst., 1988, Profil homogenitas dan kecepatan pelarutan deksametason dari campuran interaktif deksametason-granul dengan berbagai bahan pengikat, Skripsi, Fakultas Farmasi, UGM, Yogyakarta.
- Rippie, E.G., 1980, Powder, Remingtons Pharmaceutical Sciences, 16th Ed., Mack Publishing Company, Easton, Pennsylvania, 1535 - 1552.
- Society of Pharmacopoeia, 1973, The Pharmacopoeia of Japan, Part I, 8th Ed., Yakuji Nippo Ltd., 184.
- Sri Sulihtyowati Soebagyo, 1986, Investigation of drug homogeneity and segregation in ternary interactive drug system, Thesis, University of Queensland.
- Staniforth, J.N., 1981, Total mixing, Int. J. Pharm. Tech. & Prod. Mfr., 2 (1), 7 - 12.



UNIVERSITAS
GADJAH MADA

Pengaruh Ukuran Granul Magnesium Stearat Sebagai Bahan Pelicin Terhadap Pelarutan Tablet Campuran Interaktif Dekametason-Granul
Winarno, Dr. Sri Sulistyowati Soebagyo, Apt.; Drs. Soemarno, M.Sc., Apt.; Drs. Abdul Karim Zulkarnaen, Apt.
Universitas Gadjah Mada, 1988 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Staniforth, J.N., 1982, Advances in powder mixing and segregation in relation to pharmaceutical processing, Int. J. Pharm. Tech. & Prod. Mfr., 3(Suppl.), 1-12.
- Staniforth, J.N.; Rees, J.E., Lai, F.K., Hersey, J.A., 1982, Interparticle forces in binary and ternary ordered powder mixes, J. Pharm. Pharmacol., 34, 141-145.
- Stewart, P.J., 1981, Influences of magnesium stearat on the homogeneity of a prednisone-granule ordered mix, Drug Devel. Indust. Pharm., 7, 485 - 495.
- Stocham, J.D., 1977, What is particle size, Particle size analysis, Ann Arbor Science Publisher Inc, Michigan, 1 - 6.
- Strickland, W.A.; Eino Nelson; Busse, L.W.; Higuchi, T., 1956, The physics of tablet compression IX, J. Am. Pharm. Assoc. Sci., 45, 51 - 55.
- Wagner, J.G., 1971, Biopharmaceutics and relevant pharmacokinetics, 1st Ed., Drug Intelligence Publication, Hamilton, Illinois, 98 - 117.
- William, J.C., 1968/69, The mixing of dry powder, Powder Technol., 2, 13 - 20.
- Wurster, D.E., and Taylor, P.W., 1965, Dissolution rates, J. Pharm. Sci., 54 (2), 169 - 175.
- Yip, C.W., and Hersey, J.A., 1977, Powder in a Revolve Cube mixer, Aust. J. Pharm. Sci., 6 (2), 49 - 52.