

DAFTAR PUSTAKA

- Arafah, Y.F., Murni, I.K., & Rusmawatingtyas, D. (2020). Predictors of prolonged stay in the pediatric intensive care unit. *Paediatr. Indones. Indones.* 60 : 37–41.
- Ariano, R.E. (2006). Acute respiratory distress syndrome, 6th ed, Pharmacologi Self-Assessment Program. London : Blackwell Publishing Ltd.
- Assenzio, B., & Martin-conte, E.L. (2007). Cellular mechanisms of multiple organ failure during severe sepsis and septic shock. London : InTech Publisher.
- Azevedo, L.C.P., Park, M., Salluh, J.I.F., Rea-Neto, A., Souza-Dantas, V.C., Varaschin, P., *et al.* (2013). Clinical outcomes of patients requiring ventilatory support in Brazilian intensive care units: a multicenter, prospective, cohort study. *Crit. Care* 17 : 1–13.
- Baloglu, O., Nagy, M., Ezetendu, C., Latifi, S.Q., & Nazha, A. (2021). Simplified pediatric index of mortality 3 score by explainable machine learning algorithm. *Crit. Care Explor.* 3 : 1–6.
- Bullock, R., Chesnut, R.M., Clifton, G., Ghajar, J., Marion, D.W., Narayan, R.K., *et al.* (1996). Guidelines for the management of severe head injury. *Eur. J. Emerg. Med.* 2 : 109–127.
- Camarena-Vielma, L., Lona-Reyes, J.C., Vázquez-Bojórquez, M.S., Ramos-Gutiérrez, R.Y., Jiménez-Textcalpa, M.E., Alatorre-Rendón, F., *et al.* (2022). Implementation of the pediatric index of mortality 3 and the pediatric sequential organ failure assessment in an intensive care unit in Mexico. *Arch. Argent. Pediatr.* 120 : 332–335.
- Cameron, P., Jelinek, G., Everitt, I., Browne, G., & Raftos, J. (Eds.) (2012). Textbook of paediatric emergency medicine, 2nd ed. Sydney : Churchill Livingstone Elsevier Ltd.
- Cox, C.E. (2012). Persistent systemic inflammation in chronic critical illness. *Respir. Care* 56 : 859–866.
- Darwito (2020). Keputusan direktur utama RSUP Dr. Sardjito nomor HK.02.03/XI.4/2458/2020 tentang rencana strategis bisnis RSUP Dr. Sardjito tahun 2020 - 2024. Sleman, Indonesia : RSUP Dr. Sardjito.
- Dewi, G.A.N.Y.S., Wati, D.K., Utama, M.G.D.L., Suarta, K., Putra, I.G.N.S., & Sukmawati, M. (2020). Pediatric index of mortality 3 score as a predictor for the outcomes of critically ill patients. *Paediatr. Indones. Indones.* 60 : 328–333.
- Dewi, R. (2020). Pediatric sequential organ failure assessment score: modifikasi sistem skor pada sepsis anak. *J. Indones. Med. Assoc.* 70 : 32–37.
- Draper, E.S., & Feltbower, R. (2023). Paediatric intensive care audit network state of the nation report 2022: Summary report period January 2019 - December 2021. Leicester : PICANet.
- Duke, T., Lang, E., Argent, A., Brierley, J., Campbell, H., Dube, Q., *et al.* (2016). Updated guideline: paediatric emergency triage, assessment and treatment: Care of critically-ill children, World Health Organisation. Geneva : WHO Press.

- Ekawati, F.M., Claramita, M., Hort, K., Furler, J., Licqurish, S., & Gunn, J. (2017). Patients' experience of using primary care services in the context of Indonesian universal health coverage reforms. *Asia Pac. Fam. Med.* 1–10.
- Ekinci, F., Yildizdas, D., Horoz, O.O., Arslan, I., Ozkale, Y., Yontem, A., *et al.* (2022). Performance and analysis of four pediatric mortality prediction scores among critically ill children: A multicenter prospective observational study in four PICUs. *Arch. Pediatr.* 29 : 407–414.
- Eulmesekian, P.G., Pérez, A., Minces, P.G., & Ferrero, H. (2007). Validation of pediatric index of mortality 2 (PIM2) in a single pediatric intensive care unit of Argentina. *Pediatr. Crit. Care Med.* 8 : 54–57.
- Garland, A. (2005). Improving the ICU. *Chest* 127 : 2151–2164.
- Gulla, K., & Sachdev, A. (2016). Illness severity and organ dysfunction scoring in pediatric intensive care unit. *Indian J. Crit. Care Med.* 20 : 27–35.
- Handayani, P.W., Saladdin, I.R., Pinem, A.A., Azzahro, F., Hidayanto, A.N., & Ayuningtyas, D. (2018). Health referral system user acceptance model in Indonesia. *Heliyon*.
- Hawkins, R.B., Raymond, S.L., Stortz, J.A., Horiguchi, H., Brakenridge, S.C., Gardner, A., *et al.* (2018). Chronic critical illness and the persistent inflammation, immunosuppression, and catabolism syndrome. *Front. Immunol.* 9 : 1–9.
- Hort, K., Gilbert, K., Basnayaka, P., & Leslie, P.A. (2019). Strategies to strengthen referral from primary care to secondary care in low- and middle-income countries. New Delhi : World Health Organization Regional Office for South-East Asia.
- Hsu, C.C., Sun, C.Y., Tsai, C.Y., Chen, M.Y., Wang, S.Y., Hsu, J. Te, *et al.* (2021). Metabolism of proteins and amino acids in critical illness: From physiological alterations to relevant clinical practice. *J. Multidiscip. Healthc.* 14 : 1107–1117.
- Iida, Y., & Sakuma, K. (2017). Skeletal muscle dysfunction in critical illness. *Phys. Disabil. - Ther. Implic.* 143–168.
- Imamura, T., Nakagawa, S., Goldman, R.D., & Fujiwara, T. (2012). Validation of pediatric index of mortality 2 (PIM2) in a single pediatric intensive care unit in Japan. *Intensive Care Med.* 38 : 649–654.
- José, I., Gómez, A., González, C.B., Andrea, P., Palacio, M., Teresa, E., *et al.* (2017). Nutritional support of the critically ill pediatric patient : foundations and controversies. *Clin. Med. Insights Trauma Intensive Med.* 8 : 1–7.
- Jung, J.H., Sol, I.S., Kim, M.J., Kim, Y.H., Kim, K.W., & Sohn, M.H. (2018). Validation of pediatric index of mortality 3 for predicting mortality among patients admitted to a pediatric intensive care unit. *Acute Crit. Care* 33 : 170–177.
- Laoly, Y. (2018). Peraturan presiden Republik Indonesia nomor 82 tahun 2018 tentang jaminan kesehatan. Indonesia : Kementrian Hukum dan Hak Asasi Manusia.
- Latief, A., Pudjiadi, A.H., Kushartono, H., & Malisie, R.F. (Eds.) (2016). Buku panduan pelayanan emergensi, rawat intermediat dan rawat intensif anak, 1st ed, UKK ERIA IDAI. Jakarta : Badan Penerbit Ikatan Dokter Anak Indonesia.

- Lee, O.J., Jung, M., Kim, M., Yang, H.K., & Cho, J. (2017). Validation of the pediatric index of mortality 3 in a single pediatric intensive care unit in Korea. *J. Korean Med. Sci.* 32 : 365–370.
- Leteurtre, S., Dupré, M., Dorkenoo, A., Lampin, M.E., & Leclerc, F. (2011). Assessment of the pediatric index of mortality 2 with the PaO₂/FiO₂ ratio derived from the SpO₂/FiO₂ ratio: A prospective pilot study in a French pediatric intensive care unit. *Pediatr. Crit. Care Med.* 12 : 184–186.
- López, M.D.A., Boada, N., Fernández, A., Fernández, A.L., Ratto, M.E., Serrate, A.S., *et al.* (2018). Performance of the pediatric index of mortality 3 score in PICUs in Argentina: A prospective, national multicenter study. *Pediatr. Crit. Care Med.* 19 : 1–9.
- Malhotra, D., Nour, N., El Halik, M., & Zidan, M. (2019). Performance and analysis of pediatric index of mortality 3 score in a pediatric ICU in Latifa Hospital, Dubai, UAE. *Dubai Med. J.* 3 : 19–25.
- Melda, Triasih, R., & Nurnaningsih (2021). Modifying the PELOD-2 score to predict mortality in critically ill patients. *Pediatr. Indones.* 61 : 61–68.
- Moeloek, N.F. (2018). Peraturan menteri kesehatan Republik Indonesia nomor 47 tahun 2018 tentang pelayanan kegawatdaruratan. Indonesia : Kementerian Kesehatan.
- Ng, D.K., Miu, T.Y., Chiu, W.K., Hui, N.T., & Chan, C.H. (2011). Validation of pediatric index of mortality 2 in three pediatric intensive care units in Hong Kong. *Indian J. Pediatr.* 78 : 1491–1494.
- Pollack, M.M., Alexander, S.R., Clarke, N., Ruttimann, U.E., Tesselaar, H., & Bachulis, A.C. (1991). Improved outcomes from tertiary center pediatric intensive care: A statewide comparison of tertiary and nontertiary care facilities. *Crit. Care Med.* 19 : 1452–1454.
- Pollack, M.M., Ruttimann, U.E., & Wiley, J.S. (1985). Nutritional depletions in critically ill children: Associations with physiologic instability and increased quantity of care. *J. Parenter. Enter. Nutr.* 9 : 309–313.
- Preiser, J.C., Ichai, C., Orban, J.C., & Groeneveld, A.B.J. (2014). Metabolic response to the stress of critical illness. *Br. J. Anaesth.* 113 : 945–954.
- Qiu, J., Lu, X., Wang, K., Zhu, Y., Zuo, C., & Xiao, Z. (2017). Comparison of the pediatric risk of mortality, pediatric index of mortality, and pediatric index of mortality 2 models in a pediatric intensive care unit in China. *Med. (United States)* 96 : 1–7.
- Ray, S., Rogers, L., Pagel, C., Raman, S., Peters, M.J., & Ramnarayan, P. (2017). PaO₂/FiO₂ ratio derived from the SpO₂/FiO₂ ratio to improve mortality prediction using the pediatric index of mortality-3 score in transported intensive care admissions. *Pediatr. Crit. Care Med.* 18 : 131–136.
- Rice, T.W., Wheeler, A.P., Bernard, G.R., Hayden, D.L., Schoenfeld, D.A., & Ware, L.B. (2007). Comparison of the SpO₂/FiO₂ ratio and the PaO₂/FiO₂ ratio in patients with acute lung injury or ARDS. *Chest* 132 : 410–417.
- Robertson-steel, I. (2006). Evolution of triage systems. *Emerg. Med. J.* 23 : 154–156.
- Sadikin, B.G. (2021). Peraturan menteri kesehatan Republik Indonesia nomor 26 tahun 2021 tentang pedoman Indonesian Case Base Groups (INA-CBG) dalam

pelaksanaan jaminan kesehatan. Indonesia : Kementerian Kesehatan Republik Indonesia.

- Saidi, H., Ghafouri, H.B., Aghdam, H., Khanbabaie, G., & Ahmadi, A. (2021). Validation of pediatric index of mortality 3 in a single referral pediatric intensive care unit in Iran 9 : 0–4.
- Salim, H., B, S.I., & Nym, B.-H.I. (2016). Penggunaan skor pediatric logistic organ dysfunction harian sebagai prediktor mortalitas anak yang dirawat di unit perawatan intensif anak. *Sari Pediatr.* 16 : 143–148.
- Samuels, M., & Wieteska, S. (Eds.) (2016). *Advanced pediatric life support: A practical approach to emergencies*, 6th ed. Manchester : BMJ Publishing Group.
- Sankar, J., Gulla, K.M., Kumar, U.V., Lodha, R., & Kabra, S. (2018). Comparison of outcomes using pediatric index of mortality (PIM)-3 and PIM-2 models in a pediatric intensive care unit. *Indian J. Pediatr.* 05 : 972–974.
- Saraswati, D.D., Pudjiadi, A.H., Djer, M.M., Supriyatno, B., Syarif, D.R., & Kurniati, N. (2014). Faktor risiko yang berperan pada mortalitas sepsis. *Sari Pediatr.* 15 : 281–288.
- Sari, D.S.P., Saputra, I., Triratna, S., & Saleh, M.I. (2017). The pediatric index of mortality 3 score to predict mortality in a pediatric intensive care unit in Palembang, South Sumatera, Indonesia. *Paediatr. Indones.* 57 : 164–170.
- Sedyaningsih, E.R. (2011). Keputusan menteri kesehatan Republik Indonesia nomor 1995/MENKES/SK/XII/2010 tentang standar antropometri penilaian status gizi anak. Indonesia : Kementerian Kesehatan Republik Indonesia.
- Shann, F., Pearson, G., Slater, A., & Wilkinson, K. (1997). Paediatric index of mortality (PIM): A mortality prediction model for children in intensive care. *Intensive Care Med.* 23 : 201–207.
- Sidiartha, I.G.L. (2016). Insidensi malnutrisi rawat inap pada anak balita di Rumah Sakit Umum Pusat Sanglah Denpasar. *Sari Pediatr.* 9 : 381–385.
- Singer, P., Reintam, A., Berger, M.M., Alhazzani, W., Calder, P.C., Casaer, M.P., *et al.* (2019). ESPEN guideline on clinical nutrition in the intensive care unit. *Clin. Nutr.* 38 : 48–79.
- Siswishanto, R. (2021). Keputusan direktur utama RSUP Dr. Sardjito Yogyakarta Nomor HK.02.03/XI.1/24056/2021 tentang kebijakan sistem rujukan terintegrasi (SISRUTE) di RSUP Dr. Sardjito Yogyakarta. Indonesia : RSUP Dr. Sardjito.
- Slater, A., Shann, F., & McEniery, J. (2003a). The ANZPIC registry diagnostic codes: A system for coding reasons for admitting children to intensive care. *Intensive Care Med.* 29 : 271–277.
- Slater, A., Shann, F., & Pearson, G. (2003b). Pediatric index of mortality 2 : a revised version of the paediatric index of mortality. *Intensive Care Med.* 29 : 278–285.
- Slater, A., Straney, L., Alexander, J., Schell, D., & Millar, J. (2020). The effect of imputation of PaO₂/FiO₂ from SpO₂/FiO₂ on the performance of the pediatric index of mortality 3. *Pediatr. Crit. Care Med.* 21 : 520–525.
- Solomon, L.J., Naidoo, K.D., Appel, I., Doedens, L.G., Green, R.J., Long, M.A., *et al.* (2021). Pediatric index of mortality 3 - an evaluation of function among

- ICUs in South Africa. *Pediatr. Crit. Care Med.* 22 : 813–821.
- Straney, L., Clements, A., Parslow, R.C., Pearson, G., Shann, F., Alexander, J., *et al.* (2013). Paediatric index of mortality 3: an updated model for predicting mortality in pediatric intensive care. *Pediatr. Crit. Care Med.* 14 : 673–681.
- Sudarmadji, S., Wati, D.K., & Sidiartha, L. (2016). Faktor risiko pada lama rawat dan luaran pasien perawatan di unit perawatan intensif anak RSUP Sanglah Denpasar. *Sari Pediatr.* 17 : 455–462.
- Thomas, N.J., Shaffer, M.L., Willson, D.F., Shih, M.C., & Curley, M.A.Q. (2010). Defining acute lung disease in children with the oxygenation saturation index. *Pediatr. Crit. Care Med.* 11 : 12–17.
- Tyagi, P., Tullu, M., & Agrawal, M. (2018). Comparison of pediatric risk of mortality III, pediatric index of mortality 2, and pediatric index of mortality 3 in predicting mortality in a pediatric intensive care unit. *J. Pediatr. Intensive Care* 07 : 201–206.
- WHO (2013). Healthy systems for universal health coverage - A joint vision for healthy lives. Geneva : WHO Press.
- Wischmeyer, P.E. (2013). The evolution of nutrition in critical care: how much, how soon? *Crit. Care* 17 : 1–8.
- Wolfler, A., Osello, R., Gualino, J., Calderini, E., Vigna, G., Santuz, P., *et al.* (2016). The importance of mortality risk assessment: validation of the Pediatric Index of Mortality 3 score. *Pediatr. Crit. Care Med.* 17 : 251–256.
- Yeh, T.S., Pollack, M.M., Ruttimann, U.E., Holbrook, P.R., & Fields, A.I. (1984). Validation of a physiologic stability index for use in critically ill infants and children. *Pediatr. Res.* 18 : 445–451.
- Yuniar, I., Latief, A., Devaera, Y., & Fitrianti, S. (2014). Pemberian nutrisi pada pasien dengan penyakit kritis di ruang perawatan intensif anak RS. Cipto Mangunkusumo. *Sari Pediatr.* 16 : 254–259.