

## DAFTAR PUSTAKA

- Abubakar, A.R. and Haque, M., 2020. Preparation of medicinal plants: Basic extraction and fractionation procedures for experimental purposes. *Journal of Pharmacy and Bioallied Sciences*, 12(1): 1-10.
- Aprilianti, S.H., Purwestri, Y.A., Saragih, H.T. and Nuriliani, A., 2024. Extract of Black Rice (*Oryza sativa* L. ‘Sembada Hitam’) Bran Protect Cytotoxicity of Hydrogen Peroxide on Vero Cells in a Short Time Incubation: Black rice bran ‘Sembada Hitam’ protect cytotoxicity of H<sub>2</sub>O<sub>2</sub>. *Journal of Tropical Life Science*, 14(1): 1-12.
- Baldus, S., Eiserich, J.P., Brennan, M.L., Jackson, R.M., Alexander, C.B. and Freeman, B.A. 2002. Spatial mapping of pulmonary and vascular nitrotyrosine reveals the pivotal role of myeloperoxidase as a catalyst for tyrosine nitration in inflammatory diseases. *Free Radic Biol Med*, 33(7): 1010-1019.
- Bartosz, G., 2003. Generation of reactive oxygen species in biological systems. *Comments on Toxicology*, 9(1): 5-21.
- Brennan, M.L., Wu, W., Fu, X., Shen, Z., Song, W. and Frost, H. 2002. A tale of two controversies: defining both the role of peroxidases in nitrotyrosine formation in vivo using eosinophil peroxidase and myeloperoxidase-deficient mice, and the nature of peroxidase-generated reactive nitrogen species. *J Biol Chem*, 277: 17415 – 17427.
- Buettner, G. (2011). Superoxide Dismutase in Redox Biology: The Roles of Superoxide and Hydrogen Peroxide. *Anti-Cancer Agents in Medicinal Chemistry*, 11(4): 341–346.
- Buranaamnuay, K., 2021. The MTT assay application to measure the viability of spermatozoa: A variety of the assay protocols. *Open veterinary journal*, 11(2): 251-269.
- Buranasudja, V. Muangnoi, C., Sanookpan, K., Halim, H., Sritularak, B. and Rojsitthisak, P. 2022. Eriodictyol attenuates H<sub>2</sub>O<sub>2</sub>-induced oxidative damage in human dermal fibroblasts through enhanced capacity of antioxidant machinery. *Nutrients*, 14: 1-16.

- Butler, M., Spearman, M. And Braasch, K. Monitoring cell growth, viability, and apoptosis. *Methods Mol Biol*, 1104: 169-192.
- Cai, H. 2005. Hydrogen peroxide regulation of endothelial function: Origins, mechanisms, and consequences. *Cardiovascular Research*, 68: 26-36.
- Caidero, J.V and Jacinto, A. 2013. The role of transcription-independent damage signals in the initiation of epithelial wound healing. *Nt Rev Mol cell Biol*, 14: 249-262.
- Caito, S. W., & Aschner, M. (2015). Mitochondrial Redox Dysfunction and Environmental Exposures. *Antioxidants & Redox Signaling*, 23(6): 578–595.
- Chandramouli, B., Madhavi, L.M., Narendra, K. and Mallikarjuna, K. 2018. Phytochemical and antimicrobial investigations of methanolic seed extract of black rice (*Oryza sativa* L.) mentioned in an ancient palm leaf manuscript (Talapatra). *World Journal of Pharmaceutical Research SJIF Impact Factor*, 7(3): 598-616.
- Chang, Y., Li, H. and Guo, Z., 2014. Mesenchymal stem cell-like properties in fibroblasts. *Cellular Physiology and Biochemistry*, 34(3):703-714.
- Chasanah, S., N., and Pratiwi, R., 2019. "KADAR SERUM GLUTAMIC PYRUVATE TRANSAMINASE DARAH TIKUS (*Rattus norvegicus* Berkenhout, 1769) HIPERLIPIDEMIA DENGAN ASUPAN PELET NASI DAN BEKATUL BERAS HITAM PADI (*Oryza sativa* L.)“CEMPO IRENG”." *Cendekia Eksakta* 4(1).
- Chidawanyika, T and Supattapone, S. 2021. Hydrogen peroxide-induced cell death in mammalian cells. *Journal of Cellular Signaling*, 2(3): 206-211.
- Choi, M.J., Kim, H.Y. and Cho, E.J. 2012. Anti-aging effect of black rice against H<sub>2</sub>O<sub>2</sub>-induced prematur senescence. *Journal of Medicinal Plant Research*, 8(20): 3672-3680.
- Conara, F.C., Oktavya, G., Purwestri, Y.A. and Nuriliani, A., 2023. Effect of Black Rice Bran'Sembada Hitam'on T47D Breast Cancer Cells. *Journal of Tropical Life Science*, 13(3).
- Darvin, M.E., Lademann, J., von Hagen, J., Lohan, S.B., Kolmar, H., Meinke, M.C. and Jung, S., 2022. Carotenoids in human skin in vivo: Antioxidant and

photo-protectant role against external and internal stressors. *Antioxidants*, 11(8): 1451.

Farhad, H.A., 2021. An overview of Stress in cellular and molecular levels and the importance of studying responses to stresses in biology. *Research Journal of Biotechnology Vol*, 16: 258-282

Fasya, A.G., Dinasti, A.R., Syofiyah, M., Rahmawati, L.M., Millati, N., Safitri, D.A., Handoko, S., Hanapi, A., dan Ningsih, R. 2016. Ekstraksi, Hidrolisis dan Partisi Metabolit Sekunder dari Mikroalga *Chlorella* sp. *ALCHEMY Journal of Chemistry*, 5(1): 5-9.

Fatchiyah, F., Sari, D.R.T., Safitri, A. and Cairns, J.R., 2020. Phytochemical compound and nutritional value in black rice from Java Island, Indonesia. *Systematic Reviews in Pharmacy*, 11(7): 414-421.

Forman H.J. 2007. Use and abuse of exogenous H<sub>2</sub>O<sub>2</sub> in studies of signal transduction. *Free Radic Biol Med*, 42(7): 926-932.

Galieka, A., Kretowski, R., Nazaruk, J. and Cechowska, M. 2014. Anethole prevents hydrogen peroxide-induced apoptosis and collagen metabolism alterations in human skin fibroblasts. *Mol Cell Biochem*, 394: 217-224.

Ghasemi, M., Turnbull, T., Sebastian, S. and Kempson, I., 2021. The MTT assay: utility, limitations, pitfalls, and interpretation in bulk and single-cell analysis. *International journal of molecular sciences*, 22(23): 12827.

Grant Rowe, R., Keena, D., Sabeh, F., Willis, A.L. and Weiss, S.J., 2011. Pulmonary fibroblasts mobilize the membrane-tethered matrix metalloprotease, MT1-MMP, to destructively remodel and invade interstitial type I collagen barriers. *American Journal of Physiology-Lung Cellular and Molecular Physiology*, 301(5): L683-L692.

Gross, B.L., Skare, K.J. and Olsen, K.M. 2009. Novel Phr1 mutation and the evolution of phenol reaction variation in US weedy rice (*Oryza satia*). *New Phytol*, 184: 842-850.

Gulden, M., Jess, A., Kammann, J., Maser, E. and Seibert, H. 2010. Cytotoxic potency of H<sub>2</sub>O<sub>2</sub> in cell cultures: Impact of cell concentration and exposure time. *Free Radical Biology and Medicine*, 40: 1298-1305.

Guo, X., Chen, S., Liu, Z., Yang, C. and Chen, W., 2023. Catalytic oxidation of

methylene blue by using Ni-Fe bimetallic catalyst/NaClO system: Performance, kinetics, mechanism, and DFT calculations. *Separation and Purification Technology*, 306, p.122612.

Hernansanz-Agustín, P. and Enríquez, J.A., 2021. Generation of reactive oxygen species by mitochondria. *Antioxidants*, 10(3):415.

Hidayat, R. and Adnindya, M.R., 2021. The Potential of CO<sub>2</sub> Incubator" Sriwijaya CO<sub>2</sub> Incubator" Against Cell Culture Proliferation In Invitro Study As Smart Controlling-Based CO<sub>2</sub> Incubator For Cell Culture. *Bioscientia Medicina: Journal of Biomedicine and Translational Research*, 5(3):268-271.

Huang, Y.H., Wu, P.Y., Wen, K.C., Lin, C.Y. and Chiang, H.M. 2018. Protective effects and mechanisms of Terminalia catappa L. methenolic extract on hydrogen-peroxide-induced oxidative stress in human skin fibroblasts. *BMC Complementary and Alternative Medicine*, 18: 1-9.

Hoang, V.T., Stępniewski, G., Czarnecka, K.H., Kasztelanic, R., Long, V.C., Xuan, K.D., Shao, L., Śmietana, M. and Buczyński, R., 2019. Optical properties of buffers and cell culture media for optofluidic and sensing applications. *Applied Sciences*, 9(6): 1145.

Hopkins, R.Z., 2017. Hydrogen peroxide in biology and medicine: an overview. *Reactive Oxygen Species*, 3(7): 26-37.

Huo, R., Yang, L., Zhang, T. G., & Wei, J. Y. (2017). Human selenium-containing single-chain variable fragment with glutathione peroxidase activity protects NIH3T3 fibroblast against oxidative damage. *Molecular Biology*, 51(3), 426–431.

Kang, Y.J., Jung, S.W. and Lee, S.J., 2014. An optimal extraction solvent and purification adsorbent to produce anthocyanins from black rice (*Oryza sativa* cv. Heugjinjubyeo). *Food Science and Biotechnology*, 23: 97-106.

Kristamtini, K. and Wiranti, E.W., 2017. Clustering of 18 local black rice base on total anthocyanin. *Biology, Medicine, & Natural Product Chemistry*, 6(2): 47-51.

Kristamtini., Indrasari, S.D., Widayanti, S., Andriyanto, R. and Sumarno. 2018. Molecular, morphological, and biochemical identification of sembada

- merah and sembada hitam rice (*Oryza sativa* L.). *J Phys: Conf ser*, 5: 1-7.
- Kumar, N and Murali, R.D. 2020. Black rice: a novel ingredients in food processing. *Journal of Nutrition and Food Sciences*, 10(177): 1-7.
- Lee, J.J., Ng, S., Hsu, J., Liu, H., Chen, C., Huang, C. and Kuo, W. 2022. Galangin reverses H<sub>2</sub>O<sub>2</sub>-induced dermal fibroblast senescence via SIRT1-PGC-1 $\alpha$ /Nrf2 signaling. *International Journal of Molecular Sciences*, 23(3): 1-15.
- Leibiger, C., Kosyakova, N., Mkrtchyan, H., Gleib, M., Trifonov, V. and Liehr, T., 2013. First molecular cytogenetic high resolution characterization of the NIH 3T3 cell line by murine multicolor banding. *Journal of Histochemistry & Cytochemistry*, 61(4): 306-312.
- Lobo, V., Patil, A.P., and Chandra, N. 2010. Free radicals, antioxidants and functional foods: Impact on human health. *Pharmacogn Rev*, 4(8):181-126.
- Naito, Y. and Yoshikawa, T., 2002. Molecular and cellular mechanisms involved in *Helicobacter pylori*-induced inflammation and oxidative stress. *Free Radical Biology and Medicine*, 33(3): 323-336.
- Nuriliani, A., Conara, F.C., Oktavya, G., Hidayah, L.T.N. and Purwestri, Y.A., 2023. Ethanolic Extract of Black Rice ‘Sembada Hitam’ Bran Did not Show Cytotoxic Effect on HeLa Cell (Cervical Cancer Cell Line). *Bioma: Berkala Ilmiah Biologi*, 25(1): 49-59.
- Nurulita, N.A., Kusuma, A.M., Darsini, D., Delvia, W. and Yulianti, V.T., 2018. The cytoprotective and cell recovery properties of apple extracts on H<sub>2</sub>O<sub>2</sub> induced-NIH3T3 cells: an anti aging candidate. *Indonesian Journal of Cancer Chemoprevention*, 9(2):78-85.
- Oktavya, G., Purwestri, Y.A., Saragih, H.T.S.G. and Nuriliani, A. 2023. Ethanolic extract of black rice ‘Sembada Hitam’ bran protects the cytotoxic effect of H<sub>2</sub>O<sub>2</sub> on NIH3T3 cells. *Current Research in Nutrition and Food Sciences*, 11(1): 389-400
- Omelyanenko, N.P., Slutsky, L.I. and Mironov, S.P. 2014. *Connective Tissue: Histopathology, Biochemistry, Molecular Biology*. CRC Press: Boca Raton.
- Palungwachira, P., Tanchaen, S., Phruksaniyom, C., Klungsaeng, S., Srichan, R., Kikuchi, K. and Nararatwanchai, T. 2019. Antioxidants and anti-

- inflammatory properties of anthocyanins extracted from *Oryza sativa* L. in primary derma fibroblast. *Oxidative Medicine and Cellular Longevity*, 2019: 1-18.
- Park, S., Ranjbarvaziri, S., Lay, F.D., Zhao, P., Miller, M.J., Dhaliwal, J.S., Huertas-Vazquez, A., Wu, X., Qiao, R., Soffer, J.M. and Rau, C., 2018. Genetic regulation of fibroblast activation and proliferation in cardiac fibrosis. *Circulation*, 138(12): 1224-1235.
- Phaniendra, A., Jestadi, D.B. and Periyasamy, L. 2015. Free radicals: properties, sources, targets, and their implication in various diseases. *India J Clin Biochem*, 30: 11-26.
- Pizzino, G., Irrera, N., Cucinotta, M., Pallio, G., Mannino, F., Arcoraci, V., Squadrito, F., Altavilla, D. and Bitto, A., 2017. Oxidative stress: harms and benefits for human health. *Oxidative medicine and cellular longevity*, 2017(1): 8416763.
- Poljsak, B., Dahmane, R.G. and Godic, A. 2012. Intrinsic skin aging: the role of oxidative stress. *Acta Dermatovenereol Alp Pannonica Adriat*, 21: 33-36.
- Purwaningdyah, Y.G., Widyaningsih, T.D., dan Wijayanti, N. 2015. Efektivitas Ekstrak Biji Pepaya (*Carica papaya* L.) Sebagai Antidiare Pada Mencit yang Diinduksi *Salmonella typhimurium*. *Jurnal Pangan dan Agroindustri*, 3(4): 1283-1293.
- Prasad, B. J., Sharavanan, P.S. and Siravaj, R. 2019. Health Benefits of Black Rice- A Review. *Grain & Oil Science and Technology*, 2: 109-113.
- Qin, Y., Lee, Y., Seo, J., Kim, T., Shin, J.H. and Park, S.H., 2019. NIH3T3 Directs memory-fated CTL programming and represses high expression of PD-1 on antitumor CTLs. *Frontiers in immunology*, 10: 761.
- Rahimi, A.M., Cai, M. and Hoyer-Fender, S., 2022. Heterogeneity of the NIH3T3 fibroblast cell line. *Cells*, 11(17), p.2677.
- Rohanová, D., Boccaccini, A.R., Horkavcová, D., Bozděchová, P., Bezdička, P. and Častorálová, M., 2014. Is non-buffered DMEM solution a suitable medium for in vitro bioactivity tests?. *Journal of Materials Chemistry B*, 2(31): 5068-5076.
- Sies, H. 2017. 2014. Role of metabolic H<sub>2</sub>O<sub>2</sub> generation: redox signaling and

- oxidative stress. *Journal of Biological Chemistry*, 289(13): 8735-8741.
- Sies, H. 2017. Hydrogen peroxide as a central redox signaling molecule in physiological oxidative stress: oxidative eustress. *Redox Biology*, 11: 613-619.
- Sies, H., Berndt, C. and Jones D. P. 2017. Oxidative Stress. *The Annual Review of Biochemistry*, 86: 715-748.
- Sies, H., 2018. On the history of oxidative stress: Concept and some aspects of current development. *Current Opinion in Toxicology*, 7:122-126.
- Singh, M., McKenzie, K. and Ma, X., 2017. Effect of dimethyl sulfoxide on in vitro proliferation of skin fibroblast cells. *Journal of Biotech Research*, 8: 78.
- Suryanti, V., Riyatun., Suharyana, S., Sutarno. and Saputra, O. A. 2020. Antioxidant activity and compound constituents of gamma-irradiated black rice (*Oryza sativa* L.) var. cempo ireng indigenous of Indonesia. *Biodiversitas*, 21(9): 4205-4212.
- Suwarno. 2010. Meningkatkan produksi padi menuju ketahanan pangan yang lestari. *Pangan*, 19(3): 233-243.
- Thanuja, B and Parimalavalli, R. 2018. Role of black rice in health and diseases. *International Journal of Health Sciences and Research*, 8(2): 241-248.
- Widyaningtyas, L.A.M., Yudono, P. and Supriyatna. 2020. Identifikasi karakter morfologi dan agronomi penentu kehampaan malai padi (*Oryza sativa* L.). *Vegenaliak*, 9(2): 399-413.