



DAFTAR PUSTAKA

- [1] S. Brosnahan, A. Jonkman, M. Kugler, J. Munger, and D. Kaufman, “COVID-19 and Respiratory System Disorders: Current Knowledge, Future Clinical and Translational Research Questions,” *Arter. Thromb Vasc*, vol. 40, no. 11, pp. 2586–2597, 2020, doi: <https://doi.org/10.1161/atvaha.120.314515>.
- [2] E. Martínez Chamorro, A. Díez Tascón, L. Ibáñez Sanz, S. Ossaba Vélez, and S. Borruel Nacenta, “Radiologic diagnosis of patients with COVID-19,” *Radiología*, vol. 63, no. 1, pp. 56–73, 2021, doi: 10.1016/j.rx.2020.11.001.
- [3] I. den Bakker, *Python Deep Learning Cookbook*. Birmingha, UK: Packt Publishing Ltd., 2017.
- [4] K. Simonyan and A. Zisserman, “Very deep convolutional networks for large-scale image recognition,” *3rd Int. Conf. Learn. Represent. ICLR 2015 - Conf. Track Proc.*, pp. 1–14, 2015, doi: <https://doi.org/10.48550/arXiv.1409.1556>.
- [5] C. Sitaula and M. B. Hossain, “Attention-based VGG-16 model for COVID-19 chest X-ray image classification,” *Appl. Intell.*, vol. 19, pp. 2850–2863, 2021, doi: <https://doi.org/10.1007/s10489-020-02055-x>.
- [6] A. Sunyoto, Y. Pristyanto, A. Setyanto, F. Alarfaj, N. Almusallam, and M. Alreshoodi, “The Performance Evaluation of Transfer Learning VGG16 Algorithm on Various Chest X-ray Imaging Datasets for COVID-19 Classification,” *Int. J. Adv. Comput. Sci. Appl.*, vol. 13, no. 9, pp. 196–203, 2022, doi: 10.14569/IJACSA.2022.0130923.
- [7] R. Jain, P. Nagrath, G. Kataria, V. Sirish Kaushik, and D. Jude Hemanth, “Pneumonia detection in chest X-ray images using convolutional neural networks and transfer learning,” *Meas. J. Int. Meas. Confed.*, vol. 165, p.



108046, 2020, doi: 10.1016/j.measurement.2020.108046.

- [8] A. M. Ismael and A. Şengür, “Deep learning approaches for COVID-19 detection based on chest X-ray images,” *Expert Syst. Appl.*, vol. 164, 2021, doi: 10.1016/j.eswa.2020.114054.
- [9] X. Zhang *et al.*, “CXR-Net: A Multitask Deep Learning Network for Explainable and Accurate Diagnosis of COVID-19 Pneumonia from Chest X-ray Images,” *IEEE J. Biomed. Heal. Informatics*, vol. 27, no. 2, pp. 980–991, 2023, doi: 10.1109/JBHI.2022.3220813.
- [10] A. S. Pillai, “Multi-Label Chest X-Ray Classification via Deep Learning,” *J. Intell. Learn. Syst. Appl.*, vol. 14, no. 04, pp. 43–56, 2022, doi: 10.4236/jilsa.2022.144004.
- [11] B. Nigam, A. Nigam, R. Jain, S. Dodia, N. Arora, and B. Annappa, “COVID-19: Automatic detection from X-ray images by utilizing deep learning methods,” *Expert Syst. Appl.*, vol. 176, p. 114883, 2021, doi: 10.1016/j.eswa.2021.114883.
- [12] F. N. Iandola, S. Han, M. W. Moskewicz, K. Ashraf, W. J. Dally, and K. Keutzer, “SqueezeNet: AlexNet-level accuracy with 50x fewer parameters and <0.5MB model size,” *Arxiv*, pp. 1–13, 2016, [Online]. Available: <http://arxiv.org/abs/1602.07360>.
- [13] A. G. Howard *et al.*, “MobileNets: Efficient Convolutional Neural Networks for Mobile Vision Applications,” *Arxiv*, 2017, [Online]. Available: <http://arxiv.org/abs/1704.04861>.
- [14] X. Zhang, X. Zhou, M. Lin, and J. Sun, “ShuffleNet: An Extremely Efficient Convolutional Neural Network for Mobile Devices,” *Proc. IEEE Comput. Soc. Conf. Comput. Vis. Pattern Recognit.*, pp. 6848–6856, 2018, doi: 10.1109/CVPR.2018.00716.



- [15] M. Tan and Q. V. Le, “EfficientNet: Rethinking model scaling for convolutional neural networks,” *36th Int. Conf. Mach. Learn. ICML 2019*, vol. 2019-June, pp. 10691–10700, 2019, doi: <https://doi.org/10.48550/arXiv.1905.11946>.
- [16] M. M. Ahsan *et al.*, “Detecting SARS-CoV-2 from chest X-Ray using artificial intelligence,” *IEEE Access*, vol. 9, pp. 35501–35513, 2021, doi: 10.1109/ACCESS.2021.3061621.
- [17] O. S. Kareem and A. K. Al-Sulaifanie, “Classification of COVID-19 Cases from X-Ray Images Based on a Modified VGG-16 Model,” *Trait. du Signal*, vol. 39, no. 1, pp. 255–263, 2022, doi: 10.18280/ts.390126.
- [18] U. Michelucci, *Applied deep learning: A case-based approach to understanding deep neural networks*. 2018.
- [19] F. Hutter, L. Kotthof, and J. Vanschoren, *Automated Machine Learning - Methods, Systems, Challenges*. 2019.
- [20] H. Alibrahim and S. A. Ludwig, “Hyperparameter Optimization: Comparing Genetic Algorithm against Grid Search and Bayesian Optimization,” *2021 IEEE Congr. Evol. Comput. CEC 2021 - Proc.*, pp. 1551–1559, 2021, doi: 10.1109/CEC45853.2021.9504761.
- [21] S. Pattanayak, *Pro Deep Learning with TensorFlow: A Mathematical Approach to Advanced Artificial Intelligence in Python*. 2017.
- [22] T. Yu and H. Zhu, “Hyper-Parameter Optimization: A Review of Algorithms and Applications,” *Arxiv*, pp. 1–56, 2020, doi: <https://doi.org/10.48550/arXiv.2003.05689>.
- [23] V. Podgorelec, “Hyper-parameter Optimization of Convolutional Neural Networks for Classifying COVID-19 X-ray Images,” *Comput. Sci. Inf. Syst.* 19, vol. 19, no. 1, pp. 327–352, 2020, doi:



[https://doi.org/10.2298/CSIS210209056V.](https://doi.org/10.2298/CSIS210209056V)

- [24] J. Civit-Masot, F. Luna-Perejón, M. D. Morales, and A. Civit, “Deep learning system for COVID-19 diagnosis aid using X-ray pulmonary images,” *Appl. Sci.*, vol. 10, no. 13, 2020, doi: 10.3390/app10134640.
- [25] P. Lacerda and B. Barros, “Hyperparameter Optimization for COVID-19 Pneumonia Diagnosis Based on Chest CT,” *sensors*, vol. 21, p. 2174, 2021, doi: <https://doi.org/10.3390/s21062174>.
- [26] I. Hamdi, M. Ridzuan, and M. Yaqub, “Hyperparameter Optimization for COVID-19 Chest X-Ray Classification,” *Arxiv*, 2022, doi: <https://doi.org/10.48550/arXiv.2201.10885>.
- [27] S. D. Deb, R. K. Jha, R. Kumar, P. S. Tripathi, Y. Talera, and M. Kumar, “CoVSeverity-Net: an efficient deep learning model for COVID-19 severity estimation from Chest X-Ray images,” *Res. Biomed. Eng.*, vol. 2019, 2023, doi: 10.1007/s42600-022-00254-8.
- [28] F. Türk and Y. Kökver, “Detection of Lung Opacity and Treatment Planning with Three-Channel Fusion CNN Model,” *Arab. J. Sci. Eng.*, pp. 9–11, 2023, doi: 10.1007/s13369-023-07843-4.
- [29] S. Kim, B. Rim, S. Choi, A. Lee, S. Min, and M. Hong, “Deep Learning in Multi-Class Lung Diseases’ Classification on Chest X-ray Images,” *Diagnostics*, vol. 12, no. 4, 2022, doi: 10.3390/diagnostics12040915.
- [30] Z. P. Jiang, Y. Y. Liu, Z. E. Shao, and K. W. Huang, “An improved VGG16 model for pneumonia image classification,” *Appl. Sci.*, vol. 11, no. 23, 2021, doi: 10.3390/app112311185.
- [31] S. Roy, M. Tyagi, V. Bansal, and V. Jain, “SVD-CLAHE boosting and balanced loss function for Covid-19 detection from an imbalanced Chest X-Ray dataset,” *Comput. Biol. Med.*, vol. 150, p. 106092, 2022, doi:



10.1016/j.compbioimed.2022.106092.

- [32] P. Eusebi, “Diagnostic accuracy measures,” *Cerebrovasc. Dis.*, vol. 36, no. 4, pp. 267–272, 2013, doi: 10.1159/000353863.
- [33] D. Lu and Q. Weng, “A survey of image classification methods and techniques for improving classification performance,” *Int. J. Remote Sens.*, vol. 28, no. 5, pp. 823–870, 2007, doi: 10.1080/01431160600746456.
- [34] S. Kumar and H. Kumar, “Classification of COVID-19 X-ray images using transfer learning with visual geometrical groups and novel sequential convolutional neural networks,” *MethodsX*, vol. 11, no. December 2022, pp. 1–15, 2023, doi: 10.1016/j.mex.2023.102295.
- [35] H. Benbrahim, H. Hachimi, and A. Amine, “Deep transfer learning pipelines with apache spark and keras tensorflow combined with logistic regression to detect covid-19 in chest ct images,” *Walailak J. Sci. Technol.*, vol. 18, no. 11, pp. 1–14, 2021, doi: 10.48048/WJST.2021.13109.
- [36] M. Manav, M. Goyal, A. Kumar, A. Arya, H. Singh, and A. Yadav, “Deep learning approach for analyzing the COVID-19 chest x-rays,” *J. Med. Phys.*, vol. 46, no. 3, pp. 189–196, 2021, doi: 10.4103/jmp.JMP_22_21.
- [37] M. M. Taresh, N. Zhu, T. A. A. Ali, A. S. Hameed, and M. L. Mutar, “Transfer Learning to Detect COVID-19 Automatically from X-Ray Images Using Convolutional Neural Networks,” *Int. J. Biomed. Imaging*, vol. 2021, 2021, doi: 10.1155/2021/8828404.
- [38] S. Nefoussi, A. Amamra, and I. A. Amarouche, “A Comparative Study of Deep Learning Networks for COVID-19 Recognition in Chest X-ray Images,” *2020 2nd Int. Work. Human-Centric Smart Environ. Heal. Well-being*, pp. 237–241, 2021, doi: 10.1109/IHSH51661.2021.9378703.
- [39] K. Sahinbas and F. O. Catak, “Transfer learning-based convolutional neural



network for COVID-19 detection with X-ray images,” in *Data Science for COVID-19*, 2021, pp. 451–466, doi: <https://doi.org/10.1016/B978-0-12-824536-1.00003-4>.

- [40] S. Guefrechi, M. Ben Jabra, A. Ammar, A. Koubaa, and H. Hamam, “Deep learning based detection of COVID-19 from chest X-ray images,” *Multimed. Tools Appl.*, vol. 80, no. 21–23, pp. 31803–31820, 2021, doi: 10.1007/s11042-021-11192-5.
- [41] O. Russakovsky *et al.*, “ImageNet Large Scale Visual Recognition Challenge,” *Int. J. Comput. Vis.*, vol. 115, no. 3, pp. 211–252, 2015, doi: 10.1007/s11263-015-0816-y.
- [42] J. Deng, W. Dong, R. Socher, L.-J. Li, Kai Li, and Li Fei-Fei, “ImageNet: A large-scale hierarchical image database,” *2009 IEEE Conf. Comput. Vis. Pattern Recognit.*, pp. 248–255, 2010, doi: 10.1109/cvpr.2009.5206848.
- [43] P. W. Kariuki, P. K. Gikunda, and J. M. Wandeto, “Deep Transfer Learning Optimization Techniques for Medical Image Classification: A Review,” *Proc. - 2022 Int. Conf. Intell. Comput. Mach. Learn. 2ICML 2022*, pp. 7–15, 2023, doi: 10.1109/2ICML58251.2022.00013.
- [44] P. Kora *et al.*, “Transfer learning techniques for medical image analysis: A review,” *Biocybern. Biomed. Eng.*, vol. 42, no. 1, pp. 79–107, 2022, doi: 10.1016/j.bbe.2021.11.004.
- [45] I. D. Apostolopoulos and T. A. Mpesiana, “Covid-19: automatic detection from X-ray images utilizing transfer learning with convolutional neural networks,” *Phys. Eng. Sci. Med.*, vol. 43, no. 2, pp. 635–640, 2020, doi: 10.1007/s13246-020-00865-4.
- [46] S. E. M. A. ATASEVER, N. U. H. AZGINOGLU, D. S. TERZI, and R. TERZI, “A comprehensive survey of deep learning research on medical image analysis with focus on transfer learning,” *Clin. Imaging*, vol. 94, pp.



18–41, 2023, doi: 10.1016/j.clinimag.2022.11.003.

- [47] A. Sangalay, N. Srivastava, and S. Meena, “Coronavirus and Pneumonia Detection from X-Ray Images Harnessing Deep Learning and Transfer Learning Techniques,” *2021 9th Int. Conf. Reliab. Infocom Technol. Optim. (Trends Futur. Dir. ICRITO 2021)*, pp. 1–5, 2021, doi: 10.1109/ICRITO51393.2021.9596136.
- [48] Y. H. Bhosale and K. S. Patnaik, “PulDi-COVID: Chronic obstructive pulmonary (lung) diseases with COVID-19 classification using ensemble deep convolutional neural network from chest X-ray images to minimize severity and mortality rates,” *Biomed. Signal Process. Control*, vol. 81, p. 104445, 2023, doi: 10.1016/j.bspc.2022.104445.
- [49] S. ur Rehman, S. Tu, O. ur Rehman, Y. Huang, C. M. S. Magurawalage, and C. C. Chang, “Optimization of CNN through novel training strategy for visual classification problems,” *Entropy*, vol. 20, no. 4, pp. 1–10, 2018, doi: 10.3390/e20040290.
- [50] G. Jia, H. K. Lam, and Y. Xu, “Classification of COVID-19 chest X-Ray and CT images using a type of dynamic CNN modification method,” *Comput. Biol. Med.*, vol. 134, p. 104425, 2021, doi: 10.1016/j.combiomed.2021.104425.
- [51] R. ANAND, V. SOWMYA, VIJAYKRISHNAMENON, E. A. GOPALAKRISHNAN, and K. P. SOMAN, “Modified Vgg Deep Learning Architecture For Covid-19 Classification Using Bio-Medical Images,” *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 1084, no. 1, p. 012001, 2021, doi: 10.1088/1757-899x/1084/1/012001.
- [52] V. Shah, R. Keniya, A. Shridharani, M. Punjabi, J. Shah, and N. Mehendale, “Diagnosis of COVID-19 using CT scan images and deep learning techniques,” *Emerg. Radiol.*, vol. 28, no. 3, pp. 497–505, 2021, doi:



10.1007/s10140-020-01886-y.

- [53] A. Tiwari, T. S. Sharan, S. Sharma, and N. Sharma, “Deep learning-based automated multiclass classification of chest X-rays into Covid-19, normal, bacterial pneumonia and viral pneumonia,” *Cogent Eng.*, vol. 9, no. 1, 2022, doi: 10.1080/23311916.2022.2105559.
- [54] G. M. M. Alshmrani, Q. Ni, R. Jiang, H. Pervaiz, and N. M. Elshennawy, “A deep learning architecture for multi-class lung diseases classification using chest X-ray (CXR) images,” *Alexandria Eng. J.*, vol. 64, pp. 923–935, 2023, doi: 10.1016/j.aej.2022.10.053.
- [55] S. Pang *et al.*, “VGG16-T: A novel deep convolutional neural network with boosting to identify pathological type of lung cancer in early stage by ct images,” *Int. J. Comput. Intell. Syst.*, vol. 13, no. 1, pp. 771–780, 2020, doi: 10.2991/ijcis.d.200608.001.
- [56] S. Wadekar and D. K. Singh, “A modified convolutional neural network framework for categorizing lung cell histopathological image based on residual network,” *Healthc. Anal.*, vol. 4, no. May, p. 100224, 2023, doi: 10.1016/j.health.2023.100224.
- [57] H. Yang, J. Ni, J. Gao, Z. Han, and T. Luan, “A novel method for peanut variety identification and classification by Improved VGG16,” *Sci. Rep.*, vol. 11, no. 1, pp. 1–17, 2021, doi: 10.1038/s41598-021-95240-y.
- [58] M. Hamouda and M. S. Bouhlel, “Modified Convolutional Neural Networks Architecture for Hyperspectral Image Classification (Extra-Convolutional Neural Networks),” *IET Image Process.*, pp. 1–8, 2021, doi: <https://doi.org/10.1049/ipr2.12169>.
- [59] M. A. Amirabadi, M. H. Kahaei, and S. A. Nezamalhosseini, “Novel suboptimal approaches for hyperparameter tuning of deep neural network [under the shelf of optical communication],” *Phys. Commun.*, vol. 41, no.



MI, pp. 1–12, 2020, doi: 10.1016/j.phycom.2020.101057.

- [60] J. Bergstra, R. Bardenet, Y. Bengio, and B. Kégl, “Algorithms for hyperparameter optimization,” in *Advances in Neural Information Processing Systems 24: 25th Annual Conference on Neural Information Processing Systems 2011, NIPS 2011*, 2011, pp. 1–9.
- [61] N. Schilling, M. Wistuba, L. Drumond, and L. Schmidt-Thieme, “Hyperparameter optimization with factorized multilayer perceptrons,” *Lect. Notes Comput. Sci. (including Subser. Lect. Notes Artif. Intell. Lect. Notes Bioinformatics)*, vol. 9285, pp. 87–103, 2015, doi: 10.1007/978-3-319-23525-7_6.
- [62] A. P. Adedigba, S. A. Adeshina, O. E. Aina, and A. M. Aibinu, “Optimal hyperparameter selection of deep learning models for COVID-19 chest X-ray classification,” *Intell. Med.*, vol. 5, p. 100034, 2021, doi: 10.1016/j.ibmed.2021.100034.
- [63] T. Goel and R. Murugan, “OptCoNet : an optimized convolutional neural network for an automatic diagnosis of COVID-19,” *Appl. Intell.*, vol. 51, pp. 1351–1366, 2021, doi: <https://doi.org/10.1007/s10489-020-01904-z>.
- [64] D. Marinov and D. Karapetyan, “Hyperparameter optimisation with early termination of poor performers,” *2019 11th Comput. Sci. Electron. Eng. Conf. CEEC 2019 - Proc.*, pp. 160–163, 2019, doi: 10.1109/CEEC47804.2019.8974317.
- [65] A. A. Chowdhury, A. Das, K. K. S. Hoque, and D. Karmaker, “A Comparative Study of Hyperparameter Optimization Techniques for Deep Learning,” *Proc. Int. Jt. Conf. Adv. Comput. Intell.*, pp. 509–521, 2022, doi: 10.1007/978-981-19-0332-8_38.
- [66] J. Mu, “Breast Cancer Detection Using ResNet with Hyperparameter Tuning,” *2023 IEEE 3rd Int. Conf. Power, Electron. Comput. Appl. ICPECA*



2023, pp. 1245–1249, 2023, doi: 10.1109/ICPECA56706.2023.10076197.

- [67] A. K. Alkaff and B. Prasetyo, “Hyperparameter Optimization on CNN Using Hyperband on Tomato Leaf Disease Classification,” *Proc. - 2022 IEEE Int. Conf. Cybern. Comput. Intell. Cybern.* 2022, pp. 479–483, 2022, doi: 10.1109/CyberneticsCom55287.2022.9865317.
- [68] J. Hu, X. Feng, and Y. Zheng, “Number of Epochs of Each Model and Hyperband’s Classification Performance,” *Proc. - 2021 2nd Int. Semin. Artif. Intell. Netw. Inf. Technol. AINIT 2021*, pp. 500–503, 2021, doi: 10.1109/AINIT54228.2021.00102.
- [69] A. Abdellatif, H. Abdellatef, J. Kanesan, C. O. Chow, J. H. Chuah, and H. M. Ghani, “An Effective Heart Disease Detection and Severity Level Classification Model Using Machine Learning and Hyperparameter Optimization Methods,” *IEEE Access*, vol. 10, no. August, pp. 79974–79985, 2022, doi: 10.1109/ACCESS.2022.3191669.
- [70] NIEHS, “Lung Disease,” 2023. <https://www.niehs.nih.gov/health/topics/conditions/lung-disease> (accessed Feb. 26, 2024).
- [71] Penn Medicine, “Lung Disease,” 2022. <https://www.pennmedicine.org/for-patients-and-visitors/patient-information/conditions-treated-a-to-z/lung-disease> (accessed Feb. 26, 2024).
- [72] D. L. Pezzutti, V. Wadhwa, and M. S. Makary, “COVID-19 imaging: Diagnostic approaches, challenges, and evolving advances,” *World J. Radiol.*, vol. 13, no. 6, pp. 171–191, 2021, doi: 10.4329/wjr.v13.i6.171.
- [73] R. Aljondi and S. Alghamdi, “Diagnostic value of imaging modalities for COVID-19: Scoping review,” *J. Med. Internet Res.*, vol. 22, no. 8, 2020, doi: 10.2196/19673.



- [74] S. Inui *et al.*, “The role of chest imaging in the diagnosis, management, and monitoring of coronavirus disease 2019 (COVID-19),” *Insights Imaging*, vol. 12, no. 1, pp. 1–14, 2021, doi: 10.1186/s13244-021-01096-1.
- [75] F. Chollet, *Deep Learning with Python*. United States: Manning Publications Co., 2018.
- [76] N. K. Manaswi, *Deep Learning with Applications Using Python*. 2018.
- [77] H. Singh, *Practical Machine Learning and Image Processing*, New York. New York: Apress Media LLC, 2019.
- [78] W. S. Eka Putra, “Klasifikasi Citra Menggunakan Convolutional Neural Network (CNN) pada Caltech 101,” *J. Tek. ITS*, vol. 5, no. 1, 2016, doi: 10.12962/j23373539.v5i1.15696.
- [79] K. Shankar, Y. Zhang, Y. Liu, L. Wu, and C. H. Chen, “Hyperparameter Tuning Deep Learning for Diabetic Retinopathy Fundus Image Classification,” *IEEE Access*, vol. 8, pp. 118164–118173, 2020, doi: 10.1109/ACCESS.2020.3005152.
- [80] J. Brownlee, *Better Deep Learning : Train Faster, Reduce Overfitting, and Make Better Predictions*, V1.3. 2018.
- [81] L. Li, K. Jamieson, G. DeSalvo, A. Rostamizadeh, and A. Talwalkar, “Hyperband: A novel bandit-based approach to hyperparameter optimization,” *J. Mach. Learn. Res.*, vol. 18, pp. 1–52, 2018, doi: <https://doi.org/10.48550/arXiv.1603.06560>.
- [82] N. Srivastava, G. Hinton, A. Krizhevsky, I. Sutskever, and R. Salakhutdinov, “Dropout: A simple way to prevent neural networks from overfitting,” *J. Mach. Learn. Res.*, vol. 15, pp. 1929–1958, 2014.
- [83] L. Prechelt, “Early Stopping - But When?,” *Neural Networks: Tricks of the trade*, pp. 55–69, 2002, doi: 10.1007/3-540-49430-8_3.



- [84] J. Han, M. Kamber, and J. Pei, *Data Mining : Concepts and Techniques*, Third Edit. Morgan Kaufmann, 2012.
- [85] F. Zhuang *et al.*, “A Comprehensive Survey on Transfer Learning,” *Proc. IEEE*, vol. 109, no. 1, pp. 43–76, 2021, doi: 10.1109/JPROC.2020.3004555.
- [86] O. A. Montesinos López, A. Montesinos López, and J. Crossa, “Overfitting, Model Tuning, and Evaluation of Prediction Performance,” in *Multivariate Statistical Machine Learning Methods for Genomic Prediction*, 2022.
- [87] Ž. Vujović, “Classification Model Evaluation Metrics,” *Int. J. Adv. Comput. Sci. Appl.*, vol. 12, no. 6, pp. 599–606, 2021, doi: 10.14569/IJACSA.2021.0120670.
- [88] M. E. H. Chowdhury *et al.*, “Can AI Help in Screening Viral and COVID-19 Pneumonia?,” *IEEE Access*, vol. 8, pp. 132665–132676, 2020, doi: 10.1109/ACCESS.2020.3010287.
- [89] T. Rahman *et al.*, “Exploring the effect of image enhancement techniques on COVID-19 detection using chest X-ray images,” *Comput. Biol. Med.*, vol. 132, no. November 2020, 2021, doi: 10.1016/j.combiomed.2021.104319.
- [90] M. A. Morid, A. Borjali, and G. Del Fiòl, “A scoping review of transfer learning research on medical image analysis using ImageNet,” *Comput. Biol. Med.*, vol. 128, no. October 2020, 2021, doi: 10.1016/j.combiomed.2020.104115.
- [91] Z. Chen, A. Gupta, L. Zhou, and Y. S. Ong, “Scaling Multiobjective Evolution to Large Data With Minions: A Bayes-Informed Multitask Approach,” *IEEE Trans. Cybern.*, vol. 54, no. 2, pp. 1294–1307, 2024, doi: 10.1109/TCYB.2022.3214825.
- [92] K. Swersky, J. Snoek, and R. P. Adams, “Multi-task Bayesian optimization,” *Adv. Neural Inf. Process. Syst.*, vol. 26, pp. 1–9, 2013.



- [93] “COVID-QU-Ex Dataset,” *Kaggle*.
<https://www.kaggle.com/datasets/anasmohammedtahir/covidqu> (accessed Jun. 30, 2024).
- [94] “Cat and Dog,” *Kaggle*. <https://www.kaggle.com/datasets/tongpython/cat-and-dog/data> (accessed Jun. 30, 2024).