

DAFTAR PUSTAKA

- Abdollahpour, S., Ramezani, S., & Khosravi, A. (2015). Perceived social support among family in pregnant women. *International Journal of Pediatrics*, 3(5.1), 879–888.
- Adnan, Y., Rafat, J., Salma, R., & Santosh, K. (2023). Betty Neuman System Model: A Concept Analysis. *Insights on the Depression and Anxiety*, 7(1), 011–015. <https://doi.org/10.29328/journal.ida.1001036>
- Afiyanti, Y. (2020). Antenatal depression and its associated factors among pregnant women in Jakarta, Indonesia. *Enfermería Clínica*, 30, 96–101.
- Aktas, S., & Calik, K. Y. (2015). Factors affecting depression during pregnancy and the correlation between social support and pregnancy depression. *Iranian Red Crescent Medical Journal*, 17(9).
- Al Saraireh, F. A., Aloush, S. M., Al Azzam, M., & Al Bashtawy, M. (2018). The effectiveness of cognitive behavioral therapy versus psychoeducation in the management of depression among patients undergoing haemodialysis. *Issues in Mental Health Nursing*, 39(6), 514–518.
- Ali, N. S., Azam, I. S., Ali, B. S., Tabbusum, G., & Moin, S. S. (2012). Frequency and associated factors for anxiety and depression in pregnant women: a hospital-based cross-sectional study. *The Scientific World Journal*, 2012.
- Almida, E. N., Dahlia, Y., & Shammakh, A. A. (2023). Hubungan usia dan paritas terhadap kejadian baby blues syndrome pada ibu postpartum di Kecamatan Sambelia, Lombok Timur. *Nusantara Hasana Journal*, 2(11), 30–36.
- Altshuler, L. L., Cohen, L. S., Vitonis, A. F., Faraone, S. V, Harlow, B. L., Suri, R., Frieder, R., & Stowe, Z. N. (2008). The Pregnancy Depression Scale (PDS): a screening tool for depression in pregnancy. *Archives of Women's Mental Health*, 11(4), 277–285.
- Alves, S. P., Costa, T., Ribeiro, I., Néné, M., & Sequeira, C. (2023). Perinatal mental health counselling programme: A scoping review. *Patient Education and Counseling*, 106, 170–179.
- Amalia, E. H., & Azinar, M. (2017). Kehamilan tidak diinginkan pada remaja. *HIGEIA (Journal of Public Health Research and Development)*, 1(1), 1–7.
- Anchan, V., & Janardhana, N. (2020). Transformation of attitude through brief psychoeducation program for the husbands of women with postpartum psychiatric disorders. *Asian Journal of Psychiatry*, 51(August), 101841. <https://doi.org/10.1016/j.ajp.2019.101841>
- Annisa, N. H., & Natalia, O. (2023). Dukungan Suami dan Depresi Postpartum: Husband Support and Postpartum Depression. *Indonesian Journal of Midwifery*

(IJM), 6(1), 62–70.

- Arango, C., Díaz-Caneja, C. M., McGorry, P. D., Rapoport, J., Sommer, I. E., Vorstman, J. A., McDaid, D., Marín, O., Serrano-Drozdowskyj, E., & Freedman, R. (2018). Preventive strategies for mental health. *The Lancet Psychiatry*, 5(7), 591–604.
- Asselmann, E., Kunas, S. L., Wittchen, H.-U., & Martini, J. (2020). Maternal personality, social support, and changes in depressive, anxiety, and stress symptoms during pregnancy and after delivery: A prospective-longitudinal study. *Plos One*, 15(8), e0237609.
- Astuti, A. W., Hirst, J., & Bharj, K. K. (2019). Indonesian adolescents' experiences during pregnancy and early parenthood: a qualitative study. *Journal of Psychosomatic Obstetrics & Gynecology*, 41(4), 317–326. <https://doi.org/10.1080/0167482X.2019.1693538>
- Astuti, A. W., Hirst, J., & Bharj, K. K. (2020). Indonesian adolescents' experiences during pregnancy and early parenthood: a qualitative study. *Journal of Psychosomatic Obstetrics & Gynecology*, 41(4), 317–326.
- Austin, M.-P., Colton, J., Priest, S., Reilly, N., & Hadzi-Pavlovic, D. (2013). The antenatal risk questionnaire (ANRQ): acceptability and use for psychosocial risk assessment in the maternity setting. *Women and Birth*, 26(1), 17–25.
- Avalos, L. A., Flanagan, T., & Li, D.-K. (2019). Preventing perinatal depression to improve maternal and child health—a health care imperative. *JAMA Pediatrics*, 173(4), 313–314.
- Ayre, C., & Scally, A. J. (2014). Critical values for Lawshe's content validity ratio: revisiting the original methods of calculation. *Measurement and Evaluation in Counseling and Development*, 47(1), 79–86.
- Aytac, S. H., & Yazici, S. (2020). The effect of social support on pregnancy and postpartum depression. *International Journal of Caring Sciences*, 13(1), 746.
- Azevedo, W. F. de, Diniz, M. B., Fonseca, E. S. V. B. da, Azevedo, L. M. R. de, & Evangelista, C. B. (2015). Complications in adolescent pregnancy: systematic review of the literature. *Einstein (São Paulo)*, 13, 618–626.
- Barbu, R. M., Gavrilescu, C.-M., Cojocaru, E., Popescu, R. I., Ababei, D., & Bild, W. (2020). Hormonal effects of estrogen and progesterone in postpartum depression. *Bulletin of Integrative Psychiatry*, 26(3), 87–95.
- Baron, E. C., Hanlon, C., Mall, S., Honikman, S., Breuer, E., Kathree, T., Luitel, N. P., Nakku, J., Lund, C., & Medhin, G. (2016). Maternal mental health in primary care in five low-and middle-income countries: a situational analysis. *BMC Health Services Research*, 16(1), 1–16.
- Bayrampour, H., Hapsari, A. P., & Pavlovic, J. (2018). Barriers to addressing perinatal

mental health issues in midwifery settings. *Midwifery*, 59, 47–58.

Bedaso, A., Adams, J., Peng, W., & Sibbritt, D. (2021). The relationship between social support and mental health problems during pregnancy: a systematic review and meta-analysis. *Reproductive Health*, 18(1), 1–23.

Berman, E. A. (2017). *An exploratory sequential mixed methods approach to understanding researchers' data management practices at UVM: Integrated findings to develop research data services*.

Bernardo, L. A. S., de Araújo, F. R., & de Oliveira-Monteiro, N. R. (2020). Family Support and Teenage Pregnancy. *Trends in Psychology*, 28(3), 321–336.

Biaggi, A., Conroy, S., Pawlby, S., & Pariante, C. M. (2016). Identifying the women at risk of antenatal anxiety and depression: a systematic review. *Journal of Affective Disorders*, 191, 62–77.

Boobpamala, S., Kongvattananon, P., & Somprasert, C. (2019). Early Management of Depression in Adolescent Pregnancy: An Integrative Review. *The Journal of Behavioral Science*, 14(1), 97–113.

Buton, S., & Idris, F. P. (2021). Dampak Pernikahan Dini Terhadap Kehamilan Remaja Putri Suku Buton Di Desa Simi Kecamatan Waisama Kabupaten Buru Selatan. *Journal of Aafiyah Health Research (JAHR)*, 2(1), 25–41.

Callanan, F., Tuohy, T., Bright, A.-M., & Grelish, A. (2022). The effectiveness of psychological interventions for pregnant women with anxiety in the antenatal period: a systematic review. *Midwifery*, 104, 103169.

Campos-Páino, H., Moreno-Peral, P., Gómez-Gómez, I., Conejo-Cerón, S., Galán, S., Reyes-Martín, S., & Bellón, J. Á. (2023). Effectiveness of social support-based interventions in preventing depression in people without clinical depression: A systematic review and meta-analysis of randomized controlled trials. *International Journal of Social Psychiatry*, 69(2), 253–266.

Çankaya, S., & Şimşek, B. (2021). Effects of antenatal education on fear of birth, depression, anxiety, childbirth self-efficacy, and mode of delivery in primiparous pregnant women: A prospective randomized controlled study. *Clinical Nursing Research*, 30(6), 818–829.

Cankorur, V. S., Abas, M., Berksun, O., & Stewart, R. (2015). Social support and the incidence and persistence of depression between antenatal and postnatal examinations in Turkey: a cohort study. *BMJ Open*, 5(4).

Chaharrahifard, L., Motlagh, A. J., Akbari-Kamrani, M., Ataei, M., & Esmaelzadeh-Saeih, S. (2021). The effect of midwife-led psycho-education on parental stress, postpartum depression and parental competency in high risk pregnancy women: a randomized controlled trial. *Journal of Caring Sciences*, 10(2), 70.

Cho, H., Lee, K., Choi, E., Cho, H. N., Park, B., Suh, M., Rhee, Y., & Choi, K. S.

(2022). Association between social support and postpartum depression. *Scientific Reports*, 12(1), 3128.

Choe, K., Sung, B., Kang, Y., & Yoo, S. Y. (2016). Impact of Psychoeducation on Knowledge of and Attitude Toward Medications in Clients With Schizophrenia and Schizoaffective Disorders. *Perspectives in Psychiatric Care*, 52(2).

Cindrya, E. (2019). Pengetahuan tentang kehamilan remaja pada orangtua anak usia dini di desa muara burnai ii kabupaten oki sumatera selatan. *Raudhatul Athfal: Jurnal Pendidikan Islam Anak Usia Dini*, 3(1), 66–82.

Cluxton-Keller, F., & Hegel, M. T. (2022). A video-delivered family therapeutic intervention for perinatal women with clinically significant depressive symptoms and family conflict: indicators of feasibility and acceptability. *JMIR Formative Research*, 6(10), e41697.

Coates, D., & Foureur, M. (2019). The role and competence of midwives in supporting women with mental health concerns during the perinatal period: A scoping review. *Health & Social Care in the Community*, 27(4), e389–e405.

Cohen, J. (2013). *Statistical power analysis for the behavioral sciences*. Academic press.

Cohen, S., & McKay, G. (2020). Social support, stress and the buffering hypothesis: A theoretical analysis. In *Handbook of psychology and health, Volume IV* (pp. 253–267). Routledge.

Conceição, C., Pedro, J., & Martins, M. V. (2017). Effectiveness of a video intervention on fertility knowledge among university students: a randomised pre-test/post-test study. *The European Journal of Contraception & Reproductive Health Care*, 22(2), 107–113.

Cox, H., James, A., Day, C., & Reissland, N. (2020). Feasibility of a psychoeducational group intervention to improve parental reflective functioning and bonding in pregnancy: a randomised trial. *Journal of Reproductive and Infant Psychology*, 1–17.

Cragg, L., Davies, M., & Macdowall, W. (2013). *Health promotion theory*. McGraw-Hill Education (UK).

Creswell, J. W., & Clark, V. L. P. (2017). *Designing and conducting mixed methods research*. Sage publications.

Curry, S. J., Krist, A. H., Owens, D. K., Barry, M. J., Caughey, A. B., Davidson, K. W., Doubeni, C. A., Epling, J. W., Grossman, D. C., & Kemper, A. R. (2019). Interventions to prevent perinatal depression: US Preventive Services Task Force recommendation statement. *Jama*, 321(6), 580–587.

Dahlan. M. S. (2020). *Statistik-Untuk-Kedokteran-Dan-Kesehatan-Msopiyudin-Dahlan.Pdf*.

- Daley, A. J., Foster, L., Long, G., Palmer, C., Robinson, O., Walmsley, H., & Ward, R. (2015). The effectiveness of exercise for the prevention and treatment of antenatal depression: systematic review with meta-analysis. *BJOG: An International Journal of Obstetrics & Gynaecology*, 122(1), 57–62.
- De Fatima Moniz, M., Astuti, A. W., & Hakimi, M. (2024). Psychological Impact of Adolescent Pregnancy in Developing Countries: A Scoping Review. *Women, Midwives and Midwifery*, 4(2), 1–13.
- Del Rio Szupszynski, K. P., & de Ávila, A. C. (2021). The Transtheoretical Model of Behavior Change: Prochaska and DiClemente's Model. *Psychology of Substance Abuse: Psychotherapy, Clinical Management and Social Intervention*, 205–216.
- Diabelková, J., Rimárová, K., Dorko, E., Urdzík, P., Houžvičková, A., & Argalášová, L. (2023). Adolescent pregnancy outcomes and risk factors. *International Journal of Environmental Research and Public Health*, 20(5), 4113.
- Dijkers, M. P. (2021). Overview of reviews using the template for intervention description and replication (TIDieR) as a measure of trial intervention reporting quality. *Archives of Physical Medicine and Rehabilitation*, 102(8), 1623–1632.
- Dillon, M. E. (2014). Adolescent pregnancy and mental health. In *International Handbook of Adolescent Pregnancy* (pp. 79–102). Springer.
- Dimidjian, S., & Goodman, S. H. (2014). Preferences and attitudes toward approaches to depression relapse/recurrence prevention among pregnant women. *Behaviour Research and Therapy*, 54, 7–11.
- Dinkes, D. I. Y. (2018). Profil Kesehatan Provinsi DI Yogyakarta 2018. *Yogyakarta: Dinkes DI Yogyakarta*.
- Diotaiuti, P., Valente, G., Mancone, S., Falese, L., Corrado, S., Siqueira, T. C., & Andrade, A. (2022). A psychoeducational intervention in prenatal classes: Positive effects on anxiety, self-efficacy, and temporal focus in birth attendants. *International Journal of Environmental Research and Public Health*, 19(13), 7904.
- Djannah, S. N., Sulistyawati, S., Sukesni, T. W., Mulasari, S. A., & Tentama, F. (2020). Audio-Visual Media to Improve Sexual-Reproduction Health Knowledge among Adolescent. *International Journal of Evaluation and Research in Education*, 9(1), 138–143.
- Dol, J., Richardson, B., Grant, A., Aston, M., McMillan, D., Tomblin Murphy, G., & Campbell-Yeo, M. (2021). Influence of parity and infant age on maternal self-efficacy, social support, postpartum anxiety, and postpartum depression in the first six months in the Maritime Provinces, Canada. *Birth*, 48(3), 438–447. <https://doi.org/10.1111/birt.12553>
- Dowse, E., Chan, S., Ebert, L., Wynne, O., Thomas, S., Jones, D., Fealy, S., Evans, T.-J., & Oldmeadow, C. (2020). Impact of perinatal depression and anxiety on birth

outcomes: a retrospective data analysis. *Maternal and Child Health Journal*, 24, 718–726.

Dunn, D. S. (2001). *Statistics and data analysis for the behavioral sciences*. McGraw-hill.

Efendi, N. F. (2008). Pendidikan dalam keperawatan. Jakarta: Salemba Medika.

Elsenbruch, S., Benson, S., Rücke, M., Rose, M., Dudenhausen, J., Pincus-Knackstedt, M. K., Klapp, B. F., & Arck, P. C. (2007). Social support during pregnancy: effects on maternal depressive symptoms, smoking and pregnancy outcome. *Human Reproduction*, 22(3), 869–877.

Estiningtyas, E., Cahyaningtyas, A. Y., & Sugiharti, S. (2021). The effect of family support and social support on the incidence of postpartum depression. *Jurnal Ilkes (Jurnal Ilmu Kesehatan)*, 12(2), 485–495.

Fadzil, A., Balakrishnan, K., Razali, R., Sidi, H., Malapan, T., Japaraj, R. P., Midin, M., Nik Jaafar, N. R., Das, S., & Manaf, M. R. A. (2013). Risk factors for depression and anxiety among pregnant women in Hospital Tuanku Bainun, Ipoh, Malaysia. *Asia-Pacific Psychiatry*, 5, 7–13.

Field, T., Diego, M., Delgado, J., & Medina, L. (2013). Yoga and social support reduce prenatal depression, anxiety and cortisol. *Journal of Bodywork and Movement Therapies*, 17(4), 397–403.

Fonseca, A., & Canavarro, M. C. (2017). Women's intentions of informal and formal help-seeking for mental health problems during the perinatal period: The role of perceived encouragement from the partner. *Midwifery*, 50, 78–85.

Friedman, L. E., Gelaye, B., Sanchez, S. E., & Williams, M. A. (2020). Association of social support and antepartum depression among pregnant women. *Journal of Affective Disorders*, 264, 201–205.

Friman, M., Huck, J., & Olsson, L. E. (2017). Transtheoretical model of change during travel behavior interventions: An integrative review. *International Journal of Environmental Research and Public Health*, 14(6), 581.

Gartinah, T., & Damiati, N. (2015). *Faktor-faktor yang mempengaruhi sikap dan perilaku masyarakat dalam kepatuhan minum obat anti filaria di RW 2 Kelurahan Pondok Aren*. <http://repository.uinjkt.ac.id/dspace/handle/123456789/25660>

Gayatri, M., Gayatri, M., & Permata, J. (2021). Socioeconomic determinants of adolescent pregnancy in Indonesia: A population-based survey. *Ann. Trop. Med. Public Health*, 24, 24–186.

Gebregziabher, N. K., Netsereab, T. B., Fessaha, Y. G., Alaza, F. A., Ghebrehewet, N. K., & Sium, A. H. (2020). Prevalence and associated factors of postpartum depression among postpartum mothers in central region, Eritrea: a health facility based survey. *BMC Public Health*, 20, 1–10.

- Gebretatyos, H., Ghirmai, L., Amanuel, S., Gebreyohannes, G., Tsighe, Z., & Tesfamariam, E. H. (2020). Effect of health education on knowledge and attitude of menopause among middle-age teachers. *BMC Women's Health*, 20(1), 1–10. <https://doi.org/10.1186/s12905-020-01095-2>
- Gelaye, B., Rondon, M. B., Araya, R., & Williams, M. A. (2016). Epidemiology of maternal depression, risk factors, and child outcomes in low-income and middle-income countries. *The Lancet Psychiatry*, 3(10), 973–982.
- Ghimire, U., Papabathini, S. S., Kawuki, J., Obore, N., & Musa, T. H. (2021). Depression during pregnancy and the risk of low birth weight, preterm birth and intrauterine growth restriction-an updated meta-analysis. *Early Human Development*, 152, 105243.
- Gliner, J. A., Morgan, G. A., & Harmon, R. J. (2003). Pretest-posttest comparison group designs: analysis and interpretation. *Journal of the American Academy of Child & Adolescent Psychiatry*.
- Grech, J., Calleja, N., & Grech, J. (2022). Pregnant women's awareness, knowledge, and attitudes about perinatal depression. *Mental Health & Prevention*, 26, 200238.
- Halima, S., Supriyadi, S., & Deniati, E. N. (2022). Dukungan sosial terhadap kejadian baby blues di wilayah kerja Puskesmas Krejengan Kabupaten Probolinggo. *Sport Science and Health*, 4(3), 219–228.
- Hanum, S. M. F. (2015). Dampak psikologis pada kehamilan remaja (studi eksplorasi di desa watutulis prambon sidoarjo). *Jurnal Kebidanan Midwifery*, 1(2), 93–104.
- Hanum, S. M. F. (2016). Dampak psikologis pada kehamilan remaja (studi eksplorasi di desa watutulis prambon sidoarjo). *Jurnal Kebidanan Midwifery*, 1(2), 93–104.
- Hasanica, N., Ramic-Catak, A., Mujezinovic, A., Begagic, S., Galijasevic, K., & Oruc, M. (2020). The effectiveness of leaflets and posters as a health education method. *Materia Socio-Medica*, 32(2), 135.
- Hayden, S. (2012). The Neuman Systems Model by B. Neuman and J. Fawcett (Upper Saddle River, NJ: Pearson, 2011). *Nursing Science Quarterly*, 25(4), 378–380.
- Hazell Raine, K., Thorpe, K., & Boyce, P. (2021). Perinatal depression screening in Australia: A position paper. *Nursing & Health Sciences*, 23(1), 279–287.
- He, D., Ren, J., Luo, B., Xiang, J., Wang, G., Gu, L., & Chen, P. (2022). Women's psychological health, family function, and social support during their third trimester of pregnancy within the COVID-19 epidemic: a cross-sectional survey. *Disaster Medicine and Public Health Preparedness*, 16(5), 1822–1826.
- Hernandez, C. U. (1993). *The Neuman System Model: the relationship of job stress to absenteeism in nursing practice*. Barry University.
- Higgins, A., Downes, C., Monahan, M., Gill, A., Lamb, S. A., & Carroll, M. (2018). Barriers to midwives and nurses addressing mental health issues with women

during the perinatal period: The Mind Mothers study. *Journal of Clinical Nursing*, 27(9–10), 1872–1883.

Hight, N. J., Gemmill, A. W., & Milgrom, J. (2011). Depression in the perinatal period: awareness, attitudes and knowledge in the Australian population. *Australian & New Zealand Journal of Psychiatry*, 45(3), 223–231.

Hodgkinson, S., Beers, L., Southammakosane, C., & Lewin, A. (2014). Addressing the mental health needs of pregnant and parenting adolescents. *Pediatrics*, 133(1), 114–122. <https://doi.org/10.1542/peds.2013-0927>

Hoffmann, T. C., Glasziou, P. P., Boutron, I., Milne, R., Perera, R., Moher, D., Altman, D. G., Barbour, V., Macdonald, H., & Johnston, M. (2014). Better reporting of interventions: template for intervention description and replication (TIDieR) checklist and guide. *Bmj*, 348.

Hong, S. A., & Buntup, D. (2023). Maternal Depression during Pregnancy and Postpartum Period among the Association of Southeast Asian Nations (ASEAN) Countries: A Scoping Review. *International Journal of Environmental Research and Public Health*, 20(6), 5023.

Hu, Y., Wang, Y., Wen, S., Guo, X., Xu, L., Chen, B., Chen, P., Xu, X., & Wang, Y. (2019). Association between social and family support and antenatal depression: a hospital-based study in Chengdu, China. *BMC Pregnancy and Childbirth*, 19, 1–10.

Inan, F. S., & Üstün, B. (2018). Home-Based psychoeducational intervention for breast cancer survivors. *Cancer Nursing*, 41(3), 238–247.

Irwansyah, I., Ismail, D., & Hakimi, M. (2016). Kehamilan remaja dan kejadian stunting anak usia 6–23 bulan di Lombok Barat. *Berita Kedokteran Masyarakat*, 32(6), 209–216.

Islami, I., & Ediyono, S. (2022). Faktor risiko dan dampak terjadinya depresi antenatal. *Indonesia Jurnal Kebidanan*, 6(2), 85–90.

Jeong, H.-G., Lim, J.-S., Lee, M.-S., Kim, S.-H., Jung, I.-K., & Joe, S.-H. (2013). The association of psychosocial factors and obstetric history with depression in pregnant women: focus on the role of emotional support. *General Hospital Psychiatry*, 35(4), 354–358.

Jiao, N., Zhu, L., Chong, Y. S., Chan, W.-C. S., Luo, N., Wang, W., Hu, R., Chan, Y. H., & He, H.-G. (2019). Web-based versus home-based postnatal psychoeducational interventions for first-time mothers: A randomised controlled trial. *International Journal of Nursing Studies*, 99, 103385.

Kahija, Y. F. La. (2017). Penelitian fenomenologis jalan memahami pengalaman hidup. *Yogyakarta: Kanisius (Anggota IKAPI)*.

Karaçam, Z., Çakaloz, D. K., & Demir, R. (2021). The impact of adolescent pregnancy



UNIVERSITAS
GADJAH MADA

Pengaruh Intervensi Home - Based Psychoeducation Terhadap Perilaku Pencegahan Depresi Pada Ibu Hamil Usia Remaja

SARWINANTI, Widyawati, S.Kp., M.Kes., Ph.D.; Sri Warsini, S.Kep, Ns., M.Kes., Ph.D.; 6. Prof.dr. Mohammad Haki

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

on maternal and infant health in Turkey: Systematic review and meta-analysis. *Journal of Gynecology Obstetrics and Human Reproduction*, 50(4), 102093.

Karataşlı, V., Kanmaz, A. G., İnan, A. H., Budak, A., & Beyan, E. (2019). Maternal and neonatal outcomes of adolescent pregnancy. *Journal of Gynecology Obstetrics and Human Reproduction*, 48(5), 347–350.

Kariuki, E. W., Kuria, M. W., Were, F. N., & Ndetei, D. M. (2021). Effectiveness of a brief psychoeducational intervention on postnatal depression in the slums, Nairobi: a longitudinal study. *Archives of Women's Mental Health*, 24(3), 503–511. <https://doi.org/10.1007/s00737-020-01085-1>

Kemenkes RI. (2020). Pedoman Pelayanan Antenatal Terpadu 2020 Ed.3. In *Kementerian Kesehatan Republik Indonesia: Vol. III (Issue 3)*. <https://repository.kemkes.go.id/book/147>

Khan, M. N., Dherani, M., Chiumento, A., Atif, N., Bristow, K., Sikander, S., & Rahman, A. (2017). Evaluating feasibility and acceptability of a local psycho-educational intervention for pregnant women with common mental problems affected by armed conflict in Swat, Pakistan: a parallel randomized controlled feasibility trial. *International Journal of Social Psychiatry*, 63(8), 724–735.

Kim, H. J., & Kang, H. S. (2021). Effects of social support, pregnancy stress, and anxiety on health-related quality of life in pregnant women. *Korean Journal of Stress Research*, 29(2), 140–148.

Kim, T. H. M., Connolly, J. A., & Tamim, H. (2014). The effect of social support around pregnancy on postpartum depression among Canadian teen mothers and adult mothers in the maternity experiences survey. *BMC Pregnancy and Childbirth*, 14(1), 1–9.

King, A. J., Brophy, L. M., Fortune, T. L., & Byrne, L. (2020). Factors affecting mental health professionals' sharing of their lived experience in the workplace: A scoping review. *Psychiatric Services*, 71(10), 1047–1064.

Kirkpatrick, D. (2013). Kirkpatrick four levels. *Newnan: Kirkpatrick Partners*, 201, 22–23.

Kraft, M. A. (2020a). Interpreting effect sizes of education interventions. *Educational Researcher*, 49(4), 241–253.

Kraft, M. A. (2020b). Interpreting Effect Sizes of Education Interventions. *Educational Researcher*, 49(4), 241–253. <https://doi.org/10.3102/0013189X20912798>

Kurniawan, E. S., Ratep, N., Westa, W., & Denpasar, S. (2013). Factors lead to depression during antenatal care every trimester of pregnant mother. *E-Journal Mediaka Udayana*, 2(3), 502–514.

Kusumawati, Y. (2021). Pengembangan model promosi kesehatan mental pada ibu hamil dalam upaya pencegahan depresi maternal suatu penelitian Mixed



Methods. Disertasi, Universitas Gadjah Mada.

- Kusumawati, Y., Widyawati, W., & Dewi, F. S. T. (2021). Development and Validation of a Survey to Evaluate Mental Health Knowledge: The Case of Indonesian Pregnant Women. *Open Access Macedonian Journal of Medical Sciences*, 9(E).
- Kusumawati, Y., & Zulaekah, S. (2020). Pengetahuan Kesehatan Mental Ibu Hamil di Puskesmas Wilayah Kota Surakarta. *Proceeding of The URECOL*, 111–115.
- Laurenzi, C. A., Gordon, S., Abrahams, N., Du Toit, S., Bradshaw, M., Brand, A., Melendez-Torres, G. J., Tomlinson, M., Ross, D. A., & Servili, C. (2020). Psychosocial interventions targeting mental health in pregnant adolescents and adolescent parents: a systematic review. *Reproductive Health*, 17, 1–15.
- Lawson, T. G. (2021). Betty Neuman: systems model. *Nursing Theorists and Their Work E-Book: Nursing Theorists and Their Work E-Book*, 231.
- Lederman, R. P., & Weis, K. L. (2020). Methods of Assessment: Psychosocial Adaptation to Pregnancy Questionnaire Scales and Interview Schedules, and Interventions to Enhance Adaptation. In *Psychosocial Adaptation to Pregnancy* (pp. 297–348). Springer.
- Lee, J.-T., & Tsai, J.-L. (2012). Transtheoretical model-based postpartum sexual health education program improves women's sexual behaviors and sexual health. *The Journal of Sexual Medicine*, 9(4), 986–996.
- Lee, J. Y., Park, H.-A., & Min, Y. H. (2015). Transtheoretical model-based nursing intervention on lifestyle change: a review focused on intervention delivery methods. *Asian Nursing Research*, 9(2), 158–167.
- Lewis, A.J., et al. (2016). Prenatal maternal mental health and fetal growth restriction: a systematic review. *Journal of Developmental Origins of Health and Disease*.
- Li, Y., Long, Z., Cao, D., & Cao, F. (2017). Social support and depression across the perinatal period: a longitudinal study. *Journal of Clinical Nursing*, 26(17–18), 2776–2783.
- Li, Z., Liu, Y., Wang, J., Liu, J., Zhang, C., & Liu, Y. (2020). Effectiveness of cognitive behavioural therapy for perinatal depression: A systematic review and meta-analysis. *Journal of Clinical Nursing*, 29(17–18), 3170–3182. <https://doi.org/10.1111/jocn.15378>
- Lie, I., Arnesen, H., Sandvik, L., Hamilton, G., & Bunch, E. H. (2007). Effects of a home-based intervention program on anxiety and depression 6 months after coronary artery bypass grafting: a randomized controlled trial. *Journal of Psychosomatic Research*, 62(4), 411–418.
- Lieberman, K., Le, H. N., & Perry, D. F. (2014). A systematic review of perinatal depression interventions for adolescent mothers. *Journal of Adolescence*, 37(8),

1227e1235-1235. <https://doi.org/10.1016/j.adolescence.2014.08.004>

- Littlewood, E., Ali, S., Ansell, P., Dyson, L., Gascoyne, S., Hewitt, C., Keding, A., Mann, R., McMillan, D., & Morgan, D. (2016). Identification of depression in women during pregnancy and the early postnatal period using the Whooley questions and the Edinburgh Postnatal Depression Scale: protocol for the Born and Bred in Yorkshire: PeriNatal Depression Diagnostic Accuracy (BaBY PaN). *BMJ Open*, 6(6), e011223.
- Liu, S., Yan, Y., Gao, X., Xiang, S., Sha, T., Zeng, G., & He, Q. (2017). Risk factors for postpartum depression among Chinese women: path model analysis. *BMC Pregnancy and Childbirth*, 17(1), 1–7.
- Lord, J., & Sabin-Farrell, R. (2024). Assessing the use of the transtheoretical model to manage referrals in mental health services. *Mental Health Review Journal*, ahead-of-p(ahead-of-print). <https://doi.org/10.1108/MHRJ-04-2023-0019>
- Lucas, G., Olander, E. K., Ayers, S., & Salmon, D. (2019). No straight lines—young women's perceptions of their mental health and wellbeing during and after pregnancy: a systematic review and meta-ethnography. *BMC Women's Health*, 19(1), 1–17.
- Lukens, E. P., & McFarlane, W. R. (2006). Psychoeducation as evidence-based practice. *Foundations of Evidence-Based Social Work Practice*, 291, 205–225.
- Macleod, C. I., & Feltham-King, T. (2019). Adolescent Pregnancy. *Routledge International Handbook of Women's Sexual and Reproductive Health*.
- Mahayanti, A. (2015). *Pengaruh Psikoedukasi terhadap Pencegahan Depresi Postpartum di Rumah Sakit Panti Rapih Yogyakarta*. Universitas Gadjah Mada.
- Majd, M. A., Naghibi, A., KhalajAbadi-Farahani, F., Moosazadeh, M., & Khani, S. (2021). The effect of transtheoretical model-based education on reproductive age woman's decision making toward childbearing. *J Nurs Midwifery Sci*, 8(4), 238.
- Maliszewska, K., Świątkowska-Freund, M., Bidzan, M., & Preis, K. (2016). Relationship, social support, and personality as psychosocial determinants of the risk for postpartum blues. *Ginekologia Polska*, 87(6), 442–447.
- Målqvist, M., Clarke, K., Matsebula, T., Bergman, M., & Tomlinson, M. (2016). Screening for antepartum depression through community health outreach in Swaziland. *Journal of Community Health*, 41(5), 946–952.
- Mann, J. R., Mannan, J., Quiñones, L. A., Palmer, A. A., & Torres, M. (2010). Religion, spirituality, social support, and perceived stress in pregnant and postpartum Hispanic women. *Journal of Obstetric, Gynecologic & Neonatal Nursing*, 39(6), 645–657.
- Martín-Gómez, C., Moreno-Peral, P., Bellón, J. A., Conejo Cerón, S., Campos-Paino, H., Gómez-Gómez, I., Rigabert, A., Benítez, I., & Motrico, E. (2020).



Effectiveness of psychological, psychoeducational and psychosocial interventions to prevent postpartum depression in adolescent and adult mothers: Study protocol for a systematic review and meta-analysis of randomised controlled trials. *BMJ Open*, 10(5), 1–6. <https://doi.org/10.1136/bmjopen-2019-034424>

Martini, J., Petzoldt, J., Einsle, F., Beesdo-Baum, K., Höfler, M., & Wittchen, H.-U. (2015). Risk factors and course patterns of anxiety and depressive disorders during pregnancy and after delivery: a prospective-longitudinal study. *Journal of Affective Disorders*, 175, 385–395.

McKenzie, J. F., Neiger, B. L., & Thackeray, R. (2022). *Planning, implementing and evaluating health promotion programs*. Jones & Bartlett Learning.

Mendes, E. (2013). An application of the transtheoretical model to becoming vegan. *Social Work in Public Health*, 28(2), 142–149.

Merkus, P. J. F. M., Roukema, J., Verhaak, C. M., Loo, K. F. E. Van De, Vlenterie, R., & Nikkels, S. J. (2018). *Depression and anxiety during pregnancy : The influence of maternal characteristics*. January, 1–12. <https://doi.org/10.1111/birt.12343>

Míguez, M. C., & Vázquez, M. B. (2021). Risk factors for antenatal depression: A review. *World Journal of Psychiatry*, 11(7), 325.

Milgrom, J., & Gemmill, A. W. (2014). Best Practice & Research Clinical Obstetrics and Gynaecology Screening for perinatal depression. *Best Practice & Research Clinical Obstetrics & Gynaecology*, 28(1), 13–23. <https://doi.org/10.1016/j.bpobgyn.2013.08.014>

Missler, M., van Straten, A., Denissen, J., Donker, T., & Beijers, R. (2020). Effectiveness of a psycho-educational intervention for expecting parents to prevent postpartum parenting stress, depression and anxiety: a randomized controlled trial. *BMC Pregnancy and Childbirth*, 20(1), 1–18.

Mona A. Elnagar, EmanSeif Ashour, M. A. S. (2018). Perceived, Psychological Impact of Teenage Pregnancy among StudentsNo Title. *American Journal of Nursing Research*.

Moreira, A. C. A., Silva, M. J. da, Darder, J. J. T., Coutinho, J. F. V., Vasconcelos, M. I. O., & Marques, M. B. (2018). Effectiveness of an educational intervention on knowledge-attitude-practice of older adults' caregivers. *Revista Brasileira de Enfermagem*, 71, 1055–1062.

Moreno-Peral, P., Bellón, J. Á., Huibers, M. J. H., Mestre, J. M., García-López, L. J., Taubner, S., Rodriguez-Morejon, A., Bolinski, F., Sales, C. M. D., & Conejo-Ceron, S. (2020). Mediators in psychological and psychoeducational interventions for the prevention of depression and anxiety. A systematic review. *Clinical Psychology Review*, 76, 101813.

Morrow, R., Rodriguez, A., & King, N. (2015). Colaizzi's descriptive phenomenological method. *The Psychologist*, 28(8), 643–644.

- Murgiati, M., Wahyuni, R., Hayati, I., & Risnawati, R. (2023). Hubungan Paritas dan Usia Kehamilan dengan Tingkat Depresi Pada Ibu Hamil Di Wilayah Kerja Puskesmas Talisayan. *Jurnal Sehat Indonesia (JUSINDO)*, 5(01), 50–60.
- Mutahi, J., Larsen, A., Cuijpers, P., Peterson, S. S., Unutzer, J., McKay, M., John-Stewart, G., Jewell, T., Kinuthia, J., & Gohar, F. (2022). Mental health problems and service gaps experienced by pregnant adolescents and young women in Sub-Saharan Africa: a systematic review. *EClinicalMedicine*, 44.
- Mutti, S. (2020). Maintenance Phase of the Transtheoretical Model of Change. In *Encyclopedia of Behavioral Medicine* (pp. 1332–1333). Springer.
- Nagamma, T., Ashok, L., Konuri, A., & Chandrasekaran, V. (2020). Effectiveness of audio-visual and print media intervention on knowledge of cervical health among rural women in Southern India. *Nigerian Postgraduate Medical Journal*, 27(4), 343–347.
- Nakamura, A., van der Waerden, J., Melchior, M., Bolze, C., El-Khoury, F., & Pryor, L. (2019). Physical activity during pregnancy and postpartum depression: Systematic review and meta-analysis. *Journal of Affective Disorders*, 246, 29–41.
- Neuman, B. (1980). The Betty Neuman System Model: Applications in Nursing Education and Practice. *Appleton Century Crofts, New York*.
- Notoatmodjo, S. (2010). Teori-teori perilaku. Dalam: *Ilmu Perilaku Kesehatan*. Jakarta: PT Rineka Cipta, 74–76.
- Notoatmodjo, S. (2013). Sarwono S. *Pengetahuan Sikap Dan Perilaku Manusia*. Jakarta: Rineka Cipta.
- Novia, S. S., Rusydi, A. R., & Idris, F. P. (2023). Pengaruh Edukasi Melalui Video Terhadap Sikap Ibu Hamil Tentang Stunting Di Pos Kesehatan Desa Gorontalo Tahun 2022. *Window of Public Health Journal*, 4(1), 8–15.
- Okagbue, H. I., Adamu, P. I., Bishop, S. A., Oguntunde, P. E., Opanuga, A. A., & Akhmetshin, E. M. (2019). Systematic review of prevalence of antepartum depression during the trimesters of pregnancy. *Open Access Macedonian Journal of Medical Sciences*, 7(9), 1555.
- Organization, W. H. (2017). *Depression and other common mental disorders: global health estimates*. World Health Organization.
- Ormel, J., Jeronimus, B. F., Kotov, R., Riese, H., Bos, E. H., Hankin, B., Rosmalen, J. G. M., & Oldehinkel, A. J. (2013). Neuroticism and common mental disorders: meaning and utility of a complex relationship. *Clinical Psychology Review*, 33(5), 686–697.
- Osok, J., Kigamwa, P., Stoep, A. Vander, Huang, K.-Y., & Kumar, M. (2018). Depression and its psychosocial risk factors in pregnant Kenyan adolescents: a cross-sectional study in a community health Centre of Nairobi. *BMC Psychiatry*,

18, 1–10.

- Page, M. J., McKenzie, J. E., Bossuyt, P. M., Boutron, I., Hoffmann, T. C., Mulrow, C. D., Shamseer, L., Tetzlaff, J. M., Akl, E. A., & Brennan, S. E. (2021). The PRISMA 2020 statement: an updated guideline for reporting systematic reviews. *International Journal of Surgery*, 88, 105906.
- Papri, F. S., Khanam, Z., Ara, S., & Panna, M. B. (2016). Adolescent pregnancy: risk factors, outcome and prevention. *Chattogram Maa-O-Shishu Hospital Medical College Journal*, 15(1), 53–56.
- Park, S., Kim, J., Oh, J., & Ahn, S. (2020). Effects of psychoeducation on the mental health and relationships of pregnant couples: a systemic review and meta-analysis. *International Journal of Nursing Studies*, 104, 103439.
- Patafio, B., Miller, P., Baldwin, R., Taylor, N., & Hyder, S. (2021). A systematic mapping review of interventions to improve adolescent mental health literacy, attitudes and behaviours. *Early Intervention in Psychiatry*, 15(6), 1470–1501.
- Pennington, C. G. (2021). Applying the transtheoretical model of behavioral change to establish physical activity habits. *Journal of Education and Recreation Patterns*, 2(1).
- Pereira, A. T., Marques, M., Marques, C., Bento, E., Azevedo, J., Xavier, S., Soares, M. J., & Macedo, A. (2016). Perinatal depression screening, prevention and early intervention: Recent advances in Portugal. *International Journal of Clinical Neurosciences and Mental Health*, 3(2).
- Permenkes RI, N. 2. (2021). Pmk 21 Tahun 2021. *Asuhan Kebidanan Tentang Pelayanan Kesehatan Masa Sebelum Hamil, Masa Hamil, Persalinan, Dan Masa Sesudah Melahirkan, Penyelenggaraan Pelayanan Kontrasepsi, Serta Pelayanan Kesehatan Seksual*, 1–184.
- Peter, P. J., de Mola, C. L., de Matos, M. B., Coelho, F. M., Pinheiro, K. A., da Silva, R. A., Castelli, R. D., Pinheiro, R. T., & Quevedo, L. A. (2016). Association between perceived social support and anxiety in pregnant adolescents. *Brazilian Journal of Psychiatry*, 39, 21–27.
- Prandl, K. J., Rooney, R., & Bishop, B. J. (2012). Mental health of Australian Aboriginal women during pregnancy: identifying the gaps. *Archives of Women's Mental Health*, 15(3), 149–154.
- Prijatni, I. (2022). The Effectiveness Of A Transtheory Model Based Health Promotion (Promkes) On Pre-Eclampsion Prevention Behavior In Pregnant Women In The Jember Regional Puskesmas. *Journal of Social Science*, 165(August), 1157–1172.
- Prochaska, J. O., Redding, C. A., & Evers, K. E. (2015). The transtheoretical model and stages of change. *Health Behavior: Theory, Research, and Practice*, 97.
- Puspitasari, D., & Sunarsih, T. (2021). The Effectiveness of Education Video and

Booklet Media for Pregnant Mothers Knowledge on Preparation of Breastfeeding Practice. *International Conference on Health and Medical Sciences (AHMS 2020)*, 219–221.

- Putra, A. J. E., Nurrobi, R. M. Y. A. S., Prasetyo, D. M., Akbar, M. V., Oktaviana, N., Fatimah, A., Hikmahwati, W., Fibularis, A. P. K. R., Zahro, F. A., & Azwan, Z. A. (2020). Determinants of perinatal depression in Licin Banyuwangi 2019. *Journal of Community Medicine and Public Health Research*, 1(1).
- Raingruber, B. (2014). Health promotion theories. *Contemporary Health Promotion in Nursing Practice*, 53, 53–94.
- Räisänen, S., Lehto, S. M., Nielsen, H. S., Gissler, M., Kramer, M. R., & Heinonen, S. (2014). Risk factors for and perinatal outcomes of major depression during pregnancy: a population-based analysis during 2002–2010 in Finland. *BMJ Open*, 4(11), e004883.
- Ravaldi, C., Mosconi, L., Crescioli, G., Lombardo, G., Russo, I., Morese, A., Ricca, V., & Vannacci, A. (2024). Are midwives trained to recognise perinatal depression symptoms? Results of MAMA (MAternal Mood Assessment) cross-sectional survey in Italy. *Archives of Women's Mental Health*, 1–10.
- Ray, V. N. M., Samion, M., & Lukito, A. (2021). Hubungan Antara Pengetahuan, Sikap, Dan Perilaku Masyarakat Terhadap Pencegahan Pandemi Covid 19 Di Kota Tanjung Balai. *Jurnal Kedokteran STM (Sains Dan Teknologi Medik)*, 4(1), 39–45.
- Redinger, S., Norris, S. A., Pearson, R. M., Richter, L., & Rochat, T. (2018). First trimester antenatal depression and anxiety: prevalence and associated factors in an urban population in Soweto, South Africa. *Journal of Developmental Origins of Health and Disease*, 9(1), 30–40.
- Reid, K. M., & Taylor, M. G. (2015). Social support, stress, and maternal postpartum depression: A comparison of supportive relationships. *Social Science Research*, 54, 246–262.
- Rigabert, A., Motrico, E., Moreno-Peral, P., Resurrección, D. M., Conejo-Ceron, S., Cuijpers, P., Martín-Gómez, C., López-Del-Hoyo, Y., & Bellón, J. Á. (2020). Effectiveness of online psychological and psychoeducational interventions to prevent depression: Systematic review and meta-analysis of randomized controlled trials. *Clinical Psychology Review*, 82, 101931.
- Rusli, R. A., Meiyuntariningsih, T., & Warni, W. E. (2011). *Perbedaan Depresi Pasca Melahirkan pada Ibu Primipara Ditinjau dari Usia Ibu hamil*. 13(01), 21–31. <http://www.journal.unair.ac.id/filerPDF/artikel 3-13-1.pdf>
- Ryan, J., Mansell, T., Fransquet, P., & Saffery, R. (2017). Does maternal mental well-being in pregnancy impact the early human epigenome? *Epigenomics*, 9(3), 313–332.

- Santiago-Sanabria, L., Ibarra-Gussi, P. M., Rendón-Macías, M. E., Treviño-Villarreal, P., Islas-Tezpa, D., Porras-Ibarra, G. D., & Tienhoven, X. van. (2023). Postpartum depression: prevalence and associated risk factors in a sample of the Mexican population. *Ginecología y Obstetricia de México*, 91(4), 227–240.
- Sapnita, S., Hidayat, W., & Sinaga, T. R. (2022). Comparison Of Knowledge And Attitudes Of Pregnant Women About Stunting Using Booklet Media And Audiovisual Media Contents Of My Plate. *Jurnal Eduhealth*, 13(02), 1228–1235.
- Sari, I. P. (2023). The effective methods and medias used in health promotion about adolescent health production. *The Indonesian Journal of Public Health*, 18(3), 505–517.
- Sarwinanti, Widyawati, Warsini, S., Hakimi, M., & Ramdani, W. F. (2024). Identify mental health needs of adolescent pregnant women: a qualitative study. *International Journal of Adolescent Medicine and Health*, 1–9. <https://doi.org/10.1515/ijamh-2024-0028>
- Sasaki, N., Yasuma, N., Obikane, E., Narita, Z., Sekiya, J., Inagawa, T., Nakajima, A., Yamada, Y., Yamazaki, R., & Matsunaga, A. (2021). Psycho-educational interventions focused on maternal or infant sleep for pregnant women to prevent the onset of antenatal and postnatal depression: A systematic review. *Neuropsychopharmacology Reports*, 41(1), 2–13.
- Segre, L. S., Stuart, S., & O'Hara, M. W. (2004). Interpersonal Psychotherapy for Antenatal and Postpartum Depression. *Primary Psychiatry*.
- Services, U. S. D. of H. and H. (2018). *Theory at a glance: A guide for health promotion practice*. Lulu. com.
- Shimpuku, Y., Iida, M., Hirose, N., Tada, K., Tsuji, T., Kubota, A., Senba, Y., Nagamori, K., & Horiuchi, S. (2022). Prenatal education program decreases postpartum depression and increases maternal confidence: A longitudinal quasi-experimental study in urban Japan. *Women and Birth*, 35(5), e456–e463. <https://doi.org/10.1016/j.wombi.2021.11.004>
- Shorey, S., Chan, S. W. C., Chong, Y. S., & He, H. (2015). A randomized controlled trial of the effectiveness of a postnatal psychoeducation programme on self-efficacy, social support and postnatal depression among primiparas. *Journal of Advanced Nursing*, 71(6), 1260–1273.
- Siddhpuria, S., Breau, G., Lackie, M. E., Lavery, B. M., Ryan, D., Shulman, B., Kennedy, A. L., & Brotto, L. A. (2022). Women's preferences and design recommendations for a postpartum depression psychoeducation intervention: user involvement study. *JMIR Formative Research*, 6(6), e33411.
- Siegel, R. S., & Brandon, A. R. (2014). Adolescents, pregnancy, and mental health. *Journal of Pediatric and Adolescent Gynecology*, 27(3), 138–150. <https://doi.org/10.1016/j.jpag.2013.09.008>

- Simons-Morton, B., McLeroy, K., & Wendel, M. (2012). *Behavior theory in health promotion practice and research*. Jones & Bartlett Publishers.
- Sindi, D. P., Mediarti, D., & Hindun, S. (2022). The Effectiveness of Audiovisual About Danger Signs of Pregnancy With Pregnant Women's Knowledge. *Journal of Maternal and Child Health Sciences (JMCHS)*, 2(1), 165–196.
- Singh, V., Kumar, A., & Gupta, S. (2022). Mental health prevention and promotion—A narrative review. *Frontiers in Psychiatry*, 13, 898009.
- Skurzak, A., Kicia, M., Wiktor, K., Iwanowicz-Palus, G., & Wiktor, H. (2015). Social support for pregnant women. *Polish Journal of Public Health*, 125(3).
- Sockol, L. E., Epperson, C. N., & Barber, J. P. (2014). The relationship between maternal attitudes and symptoms of depression and anxiety among pregnant and postpartum first-time mothers. *Archives of Women's Mental Health*, 17(3), 199–212.
- Soedjito, H., Victoriana, E., & Ningrum, F. A. D. P. (2023). Psychoeducation to Reduces Anxiety in Primigravida Mothers at the Rumah Tumbuh Harapan Foundation. *Journal of Innovation and Community Engagement*, 4(3), 208–218.
- Soto-Chavarría, E., Hidalgo-Rasmussen, C., & Nieto, L. (2023). Quality of life, depressive symptoms, suicidal behavior and social support among pregnant adolescents in Mexico. *Clinical Medicine Insights: Psychiatry*, 14, 11795573231204016.
- Spencer, L., Pagell, F., Hallion, M. E., & Adams, T. B. (2002). Applying the transtheoretical model to tobacco cessation and prevention: a review of literature. *American Journal of Health Promotion*, 17(1), 7–71.
- Steardo Jr, L., Caivano, V., Sampogna, G., Di Cerbo, A., Fico, G., Zinno, F., Del Vecchio, V., Giallonardo, V., Torella, M., & Luciano, M. (2019). Psychoeducational intervention for perinatal depression: study protocol of a randomized controlled trial. *Frontiers in Psychiatry*, 10, 55.
- Steardo, L., Caivano, V., Sampogna, G., Di Cerbo, A., Fico, G., Zinno, F., Del Vecchio, V., Giallonardo, V., Torella, M., Luciano, M., & Fiorillo, A. (2019). Psychoeducational intervention for perinatal depression: Study protocol of a randomized controlled trial. *Frontiers in Psychiatry*, 10(FEB), 1–11. <https://doi.org/10.3389/fpsyg.2019.00055>
- Sufredini, F., Catling, C., Zugai, J., & Chang, S. (2022). The effects of social support on depression and anxiety in the perinatal period: A mixed-methods systematic review. *Journal of Affective Disorders*.
- Sugijati, S., Jamhariyah, J., & Priyatni, I. (2023). The Effectiveness of the Health Promotion Model (Promkes) Based on the Transtheory Model on Pre-Eclampsia Prevention Behavior in Pregnant Women. *Journal of Social Science*, 4(5), 1157–1172.

- Sugiyono, P. D. (2017). Metode Penelitian Bisnis: Pendekatan Kuantitatif, Kualitatif, Kombinasi, dan R&D. *Penerbit CV. Alfabeta: Bandung.*
- Sulistiani, S., Handayani, S., & Pratiwi, C. S. (2022). Factors Affecting The Risk Of Postpartum Depression. *Jurnal Health Sains*, 3(10), 1586–1595.
- Suto, M., Takehara, K., Yamane, Y., & Ota, E. (2017). Effects of prenatal childbirth education for partners of pregnant women on paternal postnatal mental health and couple relationship: A systematic review. *Journal of Affective Disorders*, 210, 115–121.
- Syam, A., Iskandar, I., Qasim, M., Kadir, A., & Usman, A. N. (2020). Identifying risk factors of prenatal depression among mothers in Indonesia. *Enfermería Clínica*, 30, 550–554.
- Syam, H., Ananda, R., & Fitriana, S. (2023). Comparison of the Effectiveness of Education Media: Video Animation and E-Booklet on Prevention of Unwanted Pregnancy of the Knowledge and Attitudes of Teenage Girls. *6th International Conference of Health Polytechnic Surabaya (ICoHPS 2023)*, 420–428.
- Takegata, M., Ohashi, Y., Haruna, M., & Kitamura, T. (2014). Theoretical framework for interpersonal psychotherapy in the prevention of postpartum depression: A commentary. *Int. J. Nurs. Health Sci*, 1, 37–40.
- Taylor, B. L., Nath, S., Sokolova, A. Y., Lewis, G., Howard, L. M., Johnson, S., & Sweeney, A. (2022). The relationship between social support in pregnancy and postnatal depression. *Social Psychiatry and Psychiatric Epidemiology*, 57(7), 1435–1444.
- Thomas, N., Komiti, A., & Judd, F. (2014). Pilot early intervention antenatal group program for pregnant women with anxiety and depression. *Archives of Women's Mental Health*, 17(6), 503–509.
- Todhunter, L., Hogan-Roy, M., & Pressman, E. K. (2022). Complications of pregnancy in adolescents. *Seminars in Reproductive Medicine*, 40(01/02), 98–106.
- Toohill, J., Fenwick, J., Gamble, J., Creedy, D. K., Buist, A., Turkstra, E., & Ryding, E. L. (2014). A Randomized Controlled Trial of a Psycho-Education Intervention by Midwives in Reducing Childbirth Fear in Pregnant Women. *Birth*, 41(4), 384–394. <https://doi.org/10.1111/birt.12136>
- Tridenti, G., & Vezzani, C. (2018). Pregnancy in Adolescence. In *Good Practice in Pediatric and Adolescent Gynecology* (pp. 239–259). Springer.
- Tsai, A. C., Scott, J. A., Hung, K. J., Zhu, J. Q., Matthews, L. T., Psaros, C., & Tomlinson, M. (2013). Reliability and validity of instruments for assessing perinatal depression in African settings: systematic review and meta-analysis. *PloS One*, 8(12), e82521.
- Tuong, W., Larsen, E. R., & Armstrong, A. W. (2014). Videos to influence: a

systematic review of effectiveness of video-based education in modifying health behaviors. *Journal of Behavioral Medicine*, 37, 218–233.

Ugarte, A. U., López-Peña, P., Vangeneberg, C. S., Royo, J. G. T., Ugarte, M. A. A., Compains, M. T. Z., Medrano, M. P. R., Toyos, N. M., Lamo, E. A., Dueñas, M. B. B., & González-Pinto, A. (2017). Psychoeducational preventive treatment for women at risk of postpartum depression: Study protocol for a randomized controlled trial, PROGEA. *BMC Psychiatry*, 17(1), 1–7. <https://doi.org/10.1186/s12888-016-1162-5>

Utarini, A. (2020). *Tak Kenal Maka Tak Sayang: Penelitian Kualitatif dalam Pelayanan Kesehatan*. UGM PRESS.

Veftisia, V., & Afriyani, L. D. (2021). Tingkat Kecemasan, Stress Dan Depresi Pada Ibu Hamil Trimester II Dan III di PMB Ibu Alam Kota Salatiga. *Indonesian Journal of Midwifery (IJM)*, 4(1), 62. <https://doi.org/10.35473/ijm.v4i1.893>

Vigod, S. N., Wilson, C. A., & Howard, L. M. (2016). Depression in pregnancy. *Bmj*, 352.

Visger, J. M. (2013). *Predictors of psychosocial adaptation to pregnancy among urban African-American primiparas*. Wayne State University.

Wang, K., Li, R., Li, Q., Li, Z., Li, N., Yang, Y., & Wang, J. (2023). Knowledge, attitude, and practice toward postpartum depression among the pregnant and lying-in women. *BMC Pregnancy and Childbirth*, 23(1), 762.

Wang, T.-H., Tzeng, Y.-L., Teng, Y.-K., Pai, L.-W., & Yeh, T.-P. (2022). Evaluation of psychological training for nurses and midwives to optimise care for women with perinatal depression: a systematic review and meta-analysis. *Midwifery*, 104, 103160.

Wang, X., Xu, H., Liu, X., Yan, J., Chen, C., & Li, Y. (2023). Evaluating the effect of psychoeducational interventions on prenatal attachment and anxiety/depression in pregnant women and partners: A systematic review and meta-analysis. *Journal of Affective Disorders*.

Whitworth, M., Cockerill, R., & Lamb, H. (2017). Antenatal management of teenage pregnancy. *Obstetrics, Gynaecology & Reproductive Medicine*, 27(2), 50–56.

Wong, S. P. W., Twynstra, J., Gilliland, J. A., Cook, J. L., & Seabrook, J. A. (2020). Risk factors and birth outcomes associated with teenage pregnancy: a Canadian sample. *Journal of Pediatric and Adolescent Gynecology*, 33(2), 153–159.

Wulandari, R. P., & Perwitasari, P. (2021). Hubungan Usia Ibu Dan Paritas Dengan Gejala Depresi Pada Kehamilan. *Journal of Midwifery and Reproduction*, 4(2), 81–85.

XIE, R., Yang, J., Liao, S., Xie, H., Walker, M., & Wen, S. W. (2010). Prenatal family support, postnatal family support and postpartum depression. *Australian and New*



Zealand Journal of Obstetrics and Gynaecology, 50(4), 340–345.

Yang, K., Wu, J., & Chen, X. (2022a). Risk factors of perinatal depression in women: a systematic review and meta-analysis. *BMC Psychiatry*, 22(1), 63.

Yang, K., Wu, J., & Chen, X. (2022b). Risk factors of perinatal depression in women: a systematic review and meta-analysis. *BMC Psychiatry*, 22(1), 1–11. <https://doi.org/10.1186/s12888-021-03684-3>

Ye, X., Yao, Z., Liu, W., Fan, Y., Xu, Y., & Chen, S. (2014). Path analysis to identify factors influencing health skills and behaviors in adolescents: a cross-sectional survey. *Plos One*, 9(8), e104406.

Yuen, W. S., Lo, H. C., Wong, W. N., & Ngai, F. W. (2022a). The effectiveness of psychoeducation interventions on prenatal attachment: A systematic review. *Midwifery*, 104(September 2021), 103184. <https://doi.org/10.1016/j.midw.2021.103184>

Yuen, W. S., Lo, H. C., Wong, W. N., & Ngai, F. W. (2022b). The effectiveness of psychoeducation interventions on prenatal attachment: A systematic review. *Midwifery*, 104, 103184.

Yuliwati, N., & Afiah, E. S. (2022). Monitoring Intervention Of Video Media Extension And Booklet To Improving Adolescent Reproductive Health Knowledge. *International Journal of Health and Pharmaceutical (IJHP)*, 2(4), 708–713.

Yusuff, A. S. M., Tang, L., Binns, C. W., & Lee, A. H. (2015). Prevalence and risk factors for postnatal depression in Sabah, Malaysia: A cohort study. *Women and Birth*, 28(1), 25–29.



UNIVERSITAS
GADJAH MADA

Pengaruh Intervensi Home - Based Psychoeducation Terhadap Perilaku Pencegahan Depresi Pada
Ibu Hamil
Usia Remaja

SARWINANTI, Widyawati, S.Kp., M.Kes., Ph.D.; Sri Warsini, S.Kep, Ns., M.Kes., Ph.D.; 6. Prof.dr. Mohammad Hakim

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>