UNIVERSITAS
GADJAH MADA
Pengaruh Terapi Luka Tekanan Negatif terhadap Fibroblast Growth Factor-2 (FGF2) Pada Model Luka Bakar Dermal Dalam pada Babi Yorkshire
TAJUL ANSHOR, Dr. dr. M. Rosadi Seswandhana, Sp. B., Sp. BP-RE., Subsp. L.B.L (K).; dr. Eko Purnomo, Ph.D, Sp
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abdullahi A., Amini-nik S, Jeschke M.G. 2014. Animal Models in Burn Research. *Cell Mol Life Sci*. 21 (17): 3241-3255

Australia and New Zealand Burn Association (ANZBA). 2016. *Emergency Management of Severe Burns (EMSB) 18th Edition*. Albany Creek

Barrientos S, Brem H, Stojadinovic O, Tomic-Canic M. 2014. Clinical application of growth factors and cytokines in wound healing. *Wound Repair Regen*. ;22(5):569-78. doi: 10.1111/wrr.12205. PMID: 24942811; PMCID: PMC4812574.

Breuing, C Andree, G Helo, J Slama, P Y Liu, E Eriksson. 1997. Growth Factors in the Repair of Partial Thickness Porcine Skin Wounds. *Plast Reconstruction Surgery Journal*. 100(3):657

Chen WY, Rogers AA, Lydon MJ. 1992. Characterization of biologic properties of wound fluid collected during early stages of wound healing. *J Invest Dermatol*. 99(5):559-64.

Ching, Y. H., Sutton, T. L., Pierpont, Y. N., Robson, M. C., & Payne, W. G. 2011. The use of growth factors and other humoral agents to accelerate and enhance burn wound healing. *Eplasty*, 11. 41.

Dieckmann-Schuppert, A., Schnittler, HJ. 1997. A simple assay for quantification of protein in tissue sections, cell cultures, and cell homogenates, and of protein immobilized on solid surfaces. *Cell Tissue Res* 288, 119–126. https://doi.org/10.1007/s004410050799

Enoch S & Leaper DJ. 2008. Basic science of wound healing. *Surgery (UK)* : 26(2):31-7

Gilaberte, Y., Prieto-Torres, L., Pastushenko, I., & Juarranz, Á. (2016). *Anatomy and Function of the Skin. Nanoscience in Dermatology*, 1–14.doi:10.1016/b978-0-12-802926-8.0000

Gill SE & Parks WC. 2008. Metalloproteinases and their inhibitors: regulators of wound healing. *Int J Biochem Cell Biol* ;40(6):1334-47.

Gonzalez, A. C., Costa, T. F., Andrade, Z. A., & Medrado, A. R. 2016. *Wound healing - A literature review*. Anais brasileiros de dermatologia, *91*(5), 614–620.

Gu TM, Niu XT, Guo H. 2000. Clinical observation on changes of Fibroblast Growth Factor-2 in burn wounds. *Zhongguo Xiu Fu Chong Jian Wai Ke Za Zhi* ;14(5):261-3.

Hong JP, Kim YW, Lee SK, Kim SH, Min KH. 2008. The effect of continuous release of recombinant human epidermal growth factor (rh-EGF) in chitosan film on full thickness excisional porcine wounds. *Ann Plast Surg*. 61:457–62. PubMed, Google Scholar

Huang, C., Leavitt, T., Bayer, L. R., & Orgill, D. P. 2014. Effect of negative pressure wound therapy on wound healing. *Current Problems in Surgery*, 51(7), 301–331.doi:10.1067/j.cpsurg.04.001

Jacob G Hodge 1, Ashley L Pistorio , Christopher A Neal , Hongyan Dai , Jennifer G Nelson-Brantley, Molly E Steed, Richard A Korentager, David S Zamierowski, Adam J Mellott. 2022. Novel insights into negative pressure wound healing from an in situ porcine perspective. *Wound Repair Regen Journal ;* 30(1):64-81.

Jeremy N. Marchant-Forde, Mette S. Herskin. 2018. Pigs as laboratory animals, Editor(s): Marek Špinka, *In Woodhead Publishing Series in Food Science, Technology and Nutrition, Advances in Pig Welfare, Woodhead Publishing*, 445-475,

Kaddoura I, Abu-Sittah G, Ibrahim A, Karamanoukian R, Papazian N.2017. Burn injury:

Pengaruh Terapi Luka Tekanan Negatif terhadap Fibroblast Growth Factor-2 (FGF2) Pada Model Luka Bakar Dermal Dalam pada Babi Yorkshire
TAJUL ANSHOR, Dr. dr. M. Rosadi Seswandhana, Sp. B., Sp. BP-RE., Subsp. L.B.L (K).; dr. Eko Purnomo, Ph.D, Sp
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

review of pathophysiology and therapeutic modalities in major burns. *Ann Burns Fire Disasters*. 30(2):95-102. PMID: 29021720

Kaddoura, I., Abu-Sittah, G., Ibrahim, A., Karamanoukian, R., & Papazian, N. 2017. Burn injury: review of pathophysiology and therapeutic modalities in major burns. *Annals of burnsand fire disasters*, 30(2), 95–102.

Kalangi, Sonny J. R. 2013. *Histofisiologi Kulit*. Jurnal Biomedik. Bagian Anatomi-Histologi Fakultas Kedokteran Universitas Sam Ratulangi Manado. Vol 5 . Nomor 3

Kantak NA, Mistry R, Varon DE, Halvorson EG. 2017. Negative Pressure Wound Therapy for Burns. *Clin Plast Surg*. 2017 Jul;44(3):671-677. doi: 10.1016/j.cps.2017.02.023. Epub Apr 7. PMID: 28576256.

Kemenkes RI. 2019. *Pedoman Nasional Pelayanan Kedokteran Tata Laksana Luka Bakar*. Jakarta

Klasen, H. 2000. A historical review of the use of silver in the treatment of burns. II. Renewed interest for silver. *Burns*, 26(2), 131–138

Koike, Y., Yozaki, M., Utani, A. 2020. Fibroblast growth factor 2 accelerates the epithelial–mesenchymal transition in keratinocytes during wound healing process. *Sci Rep* 10, 18545. https://doi.org/10.1038/s41598-020-75584-7

Komi-Kuramochi, A., Kawano, M., Oda, Y., Asada, M., Suzuki, M., Oki, J., & Imamura, T. 2005. Expression of Fibroblast Growth Factors and their receptors during full-thickness skin wound healing in young and aged mice. *J Endocrinol*, 186(2), 273-289.

Kopp, J., Wang, G. Y., Kulmburg, P., Schultze-Mosgau, S., Huan, J. N., Ying, K. 2004. Accelerated Wound Healing by in Vivo Application of Keratinocytes Overexpressing KGF. *Mol Ther*, 10(1): 86-96.

Kurniawan, I. D., Seswandhana, R., Anwar, S.L. 2021. Pengaruh Terapi Luka Tekanan Negatif Terhadap Angiogenesis Pada Model Luka Bakar Dermal Dalam Pada Babi Yorkshire. Universitas Gadjah Mada

Lin C, Qiao L, Zhang P. 2007. Comparison of the burn wound and diabetic ulcer wound. *Zhonghua Shao Shang Za Zhi.* ;23(5):339-41.

Ma B, Cheng DS, Xia ZF. 2007. Randomized, multicenter, double-blind, and placebo-controlled trial using topical recombinant human acidic Fibroblast Growth Factor for deep partial-thickness burns and skin graft donor site. *Wound Repair Regen*.;15:795–9.

Markiewicz-Gospodarek A, Kozioł M, Tobiasz M, Baj J, Radzikowska-Büchner E, Przekora. 2022. Burn Wound Healing: Clinical Complications, Medical Care, Treatment, and Dressing Types: The Current State of Knowledge for Clinical Practice. *Int J Environ Res Public Health.;*19(3):1338. doi: 10.3390/ijerph19031338. PMID: 35162360; PMCID: PMC8834952.

Medrado AR, Gonzalez AC, Costa TF, Andrade ZA. 2016. Wound healing - A literature review. *An Bras Dermatol*. 614-620.doi:10.1590/abd1806 4841.20164741. PMID: 27828635; PMCID: PMC5087220.

Netter, F. H. 2019. *Atlas of human anatomy (Seventh edition.).* Philadelphia, PA: Elsevier

Ni Made, I Kadek Saputra, Ni Luh Putu Eva Yanti. 2021. Gambaran Kejadian Luka Bakar dan Tingkat Pengetahuan Ibu Tentang Pertolongan Pertama Luka Bakar Pada Anak Usia Toddler. *Jurnal Harian Regional;* Fakultas Kedokteran Udayana

Pengaruh Terapi Luka Tekanan Negatif terhadap Fibroblast Growth Factor-2 (FGF2) Pada Model Luka Bakar Dermal Dalam pada Babi Yorkshire
TAJUL ANSHOR, Dr. dr. M. Rosadi Seswandhana, Sp. B., Sp. BP-RE., Subsp. L.B.L (K).; dr. Eko Purnomo, Ph.D, Sp
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Nikola Ambrozova, Jitka Ulrichova, Adela Galandakova. 2017. Models for the study of skin wound healing. The role of Nrf2 and NF-κB. *Biomed Pap Med Fac Univ Palacky Olomouc Czech Repub* ; 161:XX

Park CJ, Clark SG, Lichtensteiger CA, Jamison RD, Johnson AJ. 2009. Accelerated wound closure of pressure ulcers in aged mice by chitosan scaffolds with and without bFGF2. *Acta Biomater* ;5:1926–36. *PubMed, Google Scholar*

Park JW, Hwang SR, Yoon IS. 2017. Advanced Growth Factor Delivery Systems in Wound Management and Skin Regeneration. *Molecules*.;22(8):1259. doi: 10.3390/molecules22081259. PMID: 28749427; PMCID: PMC6152378.

Resadita, R., Seswandhana, M., R., Purnomo, E. 2022. The effect of NPWT in wound healing and bacterial count on deep dermal burn injury model: An experimental study. Ann Med Surg (Lond) ;75:103367. doi: 10.1016/j.amsu. 103367. PMID: 35386807; PMCID: PMC8977920.

Schreml S, Szeimies R-M, Prantl L, Landthaler M, Babilas P. 2010. Wound healing in the 21st century. *J Am Acad Dermatol* ;63(5):866-81

Serrano I, Díez-Marqués ML, Rodríguez-Puyol M, Herrero-Fresneda I, Dedhar S, Ruiz-Torres MP, Rodríguez-Puyol D. 2012. Integrin-linked kinase (ILK) modulates wound healing through regulation of hepatocyte growth factor (HGF). *Exp Cell Res*;318(19):2470-81.

Seswandhana, Rosadi, Teguh Aryandono, Ishandono Dachlan. 2022. Kajian pada Observasi Laju Epitelisasi, Kontraksi Luka, Migrasi Sel Punca Epidermal, Interleukin-33, Matrix Metalloproteinase-9, Transforming Growth Factor-β1, dan Keratinocyte Growth Factor. *ETD.* http://etd.repository.ugm.ac.id/

Sheu, S. H., Wang, W. L., Fu, Y. T., Lin, S. C., Lei, Y. C., Liao, J. H. 2014. The pig as an experimental model for mid-dermal burns research. *Burns*, 40: 1679-1688.

Singer, A. J., & Clark, R. A. F. 1999. Cutaneous Wound Healing. *New England Journal of Medicine,* 738–746.

Stephan, B., Brem, H., Stojadinovic, O., Tomic-Canic, M. (2014). Clinical application of growth factors and cytokines in wound healing. *Wound Repair Regen :* 22(5):569-78. doi: 10.1111/wrr.12205. PMID: 24942811; PMCID: PMC4812574

Sullivan, T. P., Eaglstein, W. H., Davis, S. C., & Mertz, P. 2001. The Pig As A Model For Human Wound Healing. *Wound Repair and Regeneration, 9(2), 66– 76.*

Tanaka, T., Panthee, N., Itoda, Y., Yamauchi, N., Fukayama, M., & Ono, M. 2016. Negative pressure wound therapy induces early wound healing by increased and accelerated expressionof vascular endothelial growth factor receptors. *European Journal of Plastic Surgery*, 39(4), 247–256.doi:10.1007/s00238-016-1200

Tatiana N. Demidova-Rice, Michael R. Hamblin, and Ira M. Herman. 2013. Acute and Impaired Wound Healing: Pathophysiology and Current Methods for Drug Delivery, Part 2: Role of Growth Factors in Normal and Pathological Wound Healing: Therapeutic Potential and Methods of Delivery. *Skin Wound Care*

Werner S, Grose R. 2003. Regulation of wound healing by growth factors and cytokines. *Physiol Rev* ;83(3):835-70

World Health Organization (WHO). 2018. *The Burn Wound in numbers*. Technical report

Pengaruh Terapi Luka Tekanan Negatif terhadap Fibroblast Growth Factor-2 (FGF2) Pada Model Luka Bakar Dermal Dalam pada Babi Yorkshire
TAJUL ANSHOR, Dr. dr. M. Rosadi Seswandhana, Sp. B., Sp. BP-RE., Subsp. L.B.L (K).; dr. Eko Purnomo, Ph.D, Sp
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

series

Xu, Y., Hong, Y., Xu, M., Ma, K., Fu, X., Zhang, M., and Wang, G. 2016. Role of Keratinocyte Growth Factor in the Differentiation of Sweat Gland-Like Cells From Human Umbilical Cord-Derived Mesenchymal Stem Cells. *Stem Cells Transl. Med.*, Vol 5:106–116

Yamakawa, S., & Hayashida, K. 2019. Advances in surgical applications of growth factors for wound healing. *Burns & Trauma, 7(1)*

Zhang Y, Wang T, He J, Dong J. 2016. Growth factor therapy in patients with partial-thickness burns:a systematic review and meta-analysis. *Int Wound J* ; 13:354–366