UNIVERSITAS GADJAH MADA
**Hubungan Kekuatan Genggam Tangan Preoperatif Dengan Status Fungsional Sendi Dan Kualitas Hidup Paska Operasi Total Knee Replacement Pada Pasien Lanjut Usia Di Rumah Sakit Ortopedi Prof Dr. R. Soeharso Surakarta**
Niluh Tantri Fitriyanti, Dr.dr.I Dewa Putu Pramantara S, Sp.PD., K.Ger . Dr.dr. Probosuseno, Sp.PD., K.Ger, SE,MM .
**Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/**

# DAFTAR PUSTAKA

A Report by The National Confidential Enquiry into Patient Outcome and Death (2010). An Age Old Problem. A review of the care received by elderly patients undergoing surgery.

Alfafta H., Alfafta M., Onchonga D., Hammoud S., Khatatbeg H., Zhang L., Boncz I., Lohner S., Molics B. 2022. Effect of The Knee Repalecemt Surgery on Activity Level Based on Activity Level Based on ActivPal : a systematic review and meta-analysis study. BMC Musculoskeletal Disorders.23: 576

Amarase, C., Tanavalee, A., Veerasethsiri, P., Ngarmukos, S., 2015. Outcome Measurements Following Total Knee Arthroplasty. The Thai Journal of Orthopaedic Surgery. 39(3)–(4): 35–42.

American Academy of Orthopaedic Surgeons. 2023. Total Knee Replacement. https://orthoinfo.aaos.org/en/treatment/total-knee-replacement

Attur M, Belitskaya-Lévy I, Oh C, Krasnokutsky S, Greenberg J, Samuels J, et al. 2012. Increased interleukin-1b gene expression in peripheral blood leukocytes is associated with increased pain and predicts risk for progression of symptomatic knee osteoarthritis. Arthritis Rheum. Jul;63(7):1908-17.

Ayers D.C., Franklin P.D., Trief P.M., Snyder R..P., and Freund D. 2004. Psychological attributes of preoperative total joint replacement patients. The Journal of atrhtroplasty Vol 19, supl 2:125-130

Ayers D.C., Yousef M. Yang W., Zheg H. 2023. Age Related Differences in pain, function, and quality of life following primary Total Knee Arthtroplasty : Results from a FORCE-TJR ( Function and Outcomes Research for Comparative Effectiveness in Total Joint Replacement) Cohort. The Journal of Arthtrhoplasty 38: s169-s176.

Batailler C., Lording T., Massari D., Braam., et al.2021. Predictive Models for clinical outcomes in Total Knee Arthroplasty : a systemativ Analysis. Arthroplasty Today(9): 1-15.

Baxter M. A., Wynn R. F., Jowitt S. N, Wraith J. E., Fairbairn L. J., Bellantuono I .2004. Study of telomere length reveals rapid aging of human marrow stromal cells following in vitro expansion. Stem Cells; 22 (5): 675-82

Bellamy, N., Hospital, V., Campus, S.S., 1996. MEASURING BENEFICIAL AND ADVERSE EVENTS IN CLINICAL TRIALS Department of Medicine , Epidemiology and Biostatistics , University of Western 141–148.

Berenbaum F., Osteoarthritis as an Inflammatory Disease (Osteoarthritis is not Osteoarthrosis!). Osteoarthritis and Cartilage 21: 16-21.

Berenbaum, F., 2013. Osteoarthritis as an inflammatory disease (osteoarthritis is not osteoarthrosis!). Osteoarthritis and Cartilage. 21(1): 16–21.

Bijlsma J.W.J, Berenbaum F., Lafeber F.P.J.G.2011. Osteoarthritis: an update with relevance for clinical practice. Lancet ,Jun 18;377(9783):2115-26.

Bohannon, 2019. Gripsteangth : an indispensable biomarker for older aduts. Clinical

Hubungan Kekuatan Genggam Tangan Preoperatif Dengan Status Fungsional Sendi Dan Kualitas Hidup Paska
Operasi Total Knee Replacement Pada Pasien Lanjut Usia Di Rumah Sakit Ortopedi Prof Dr. R. Soeharso
Surakarta
Niluh Tantri Fitriyanti, Dr.dr.I Dewa Putu Pramantara S, Sp.PD., K.Ger . Dr.dr. Probosuseno, Sp.PD., K.Ger, SE,MM .
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Interventions in Aging(14): 1681-1691.

Budhiparama C.N. 2020. Total Knee Athroplasty, The Asian Perspective on Patient Outcome, Implants and complications. Thesis. Leiden University Medical Center, Leiden,Netherlands.

Campisi J., Andersen j.K., Kapahi P., Melov S. 2011. Cellular senescence : a link between cancer and age related-degerative disesase. Seminars in cancer Biology. 21:354-359.

Carlisle, J.B., 2014 Pre-operative co-morbidity and postoperative survival in the elderly: beyond one lunar orbit. Anaesthesia; 69(Suppl. 1): 17–25

Chan O, Houwellingen A, Gussekloo J, Blom J, Elzen W., 2014. Comparison of Qiadriceps strength in their association with health outcomes in older adults in primary care. Age (36): 9714

Chan R., Leung J., Woo J., et al. 2014. Associations of dietary protein intake on subsequent decline in muscle mass and physical functions over four years in ambulant older Chinese people. J Nutr Health Aging;18(2):171–7

Chen L K, Liu L K, Woo J, Assantachai P, Auyeung T W, Bahyah K S, et al. 2014 Sarcopenia in Asia: consensus report of the Asian Working Group for sarcopenia. J. Am. Med. Dir. Assoc. 15 95–101

Chow W.B., Rosenthal.A.R., Ko.y.C., Esnaola F.N., 2012. Optimal Preoperative Assessment of thre Geriatric Surgical Patients : A Best Practises Guideline from the American College of Surgeons national Surgical Quakity Improvement Program and The American Geriatrics Society. J Am Coll Surg. 453-466.

Connor, 2007. Sex Differences in Osteoarthritis of the Hip and Knee. Journal of the American Academy of Orthpedic Surgeons(15) S22-S2

Cudejko T, van der Esch M, van der Leeden M, Roorda LD, Pallari J, Bennell KL, et al. Effect of Soft Braces on Pain and Physical Function in Patients With Knee Osteoarthritis: Systematic Review With Meta-Analyses. Arch Phys Med Rehabil. 2018;99(1):153–63

Culvenor A.G., Engen C.N., Øiestad B.E., Engebretsen L., Risberg M.A.2015. Defining the presence of radiographic knee osteoarthritis: a comparison between the Kellgren and Lawrence system and OARSI atlas criteria. Knee Surgery, Sports Traumatology, Arthroscopy;23(12):3532–9.

Dejica V. M., Mort J. S., Laverty S., Antoniou J., Zukor D. J., Tanzer M., et al. 2012. Increased type II collagen cleavage by cathepsin K and collagenase activities with aging and osteoarthritis in human articular cartilage. Arthritis Res Ther ; 14 (3): R113.

Di Monaco, M., Castiglioni, C., Bardesono, F., Milano, E., Massazza, G., 2020. The handgrip strength threshold of 16 kg discriminates successful rehabilitation: A prospective short-term study of 258 women with hip fracture. Archives of Gerontology and Geriatrics. 91(July): 104190.

Dombrowsky T.A., 2017. Relationship between engagement and Level of Functional Status in Older Adults. SAGE Open Medicine. Vol5: 1-9.

UNIVERSITAS GADJAH MADA
**Hubungan Kekuatan Genggam Tangan Preoperatif Dengan Status Fungsional Sendi Dan Kualitas Hidup Paska Operasi Total Knee Replacement Pada Pasien Lanjut Usia Di Rumah Sakit Ortopedi Prof Dr. R. Soeharso Surakarta**
Niluh Tantri Fitriyanti, Dr.dr.I Dewa Putu Pramantara S, Sp.PD., K.Ger . Dr.dr. Probosuseno, Sp.PD., K.Ger, SE,MM .
**Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/**

Easterlin M.C, Chang D.G, Talamini M, Chang D.C. 2013. Older age increases short-term surgical complications after primary knee arthroplasty. Clin Orthop Relat Res.;471(8):2611–20

Ejaz A, Laursen AC, Kappel A. 2014. Faster recovery without the use of a tourniquet in total knee arthroplasty Acta Orthopaedica 85 (4) 422–426

Escobar A., Qiuntnan J.M., Bilbao A., Lafuente I., Vidauretta I. 2007. Responsiveness and clinically important difference for the WOMAC and SF-36 after total knee replacement. Osteoarthtritis and Cartilage.15:237-280.

Falahati-Nini A., Riggs B. L., Atkinson E. J., O'Fallon W. M., Eastell R., Khosla S.2000. Relative contributions of testosterone and estrogen in regulating bone resorption and formation in normal elderly men. J Clinical Invest ; 106 (12): 1553-60

Forrest, K. Y. Z., Williams, A. M., Leeds, M. J., Robare, J. F., & Bechard, T. J. (2018). Patterns and Correlates of Grip Strength in Older Americans. Current aging science, 11(1), 63–70.

Franklin D.P., Li, W., Ayers C.D. 2008. Functional Outcome after Total Knee Replacement Varies with Patient Attributes. Clin Orthop Relat Res, 466 : 2597-2604.

Freire M.G, Cabo F.D, Studenski S.A. Ferucci L. 2014. The Neuromuscular junction : aging at the Crossroad between Nerve and Muscle. Frontiers in Aging Neuroscience.(6),208; 1-11

Fried,L.P., Walston,J.D. and Ferucci,L. 2009. Fraility in Hazzard's Geriatric Medicine anf Gerontology.6th ed.New York:Mc Graw Hill,pp:631-45.

Fu, K., Robbins, S.R., McDougall, J.J., 2018. Osteoarthritis: The genesis of pain. Rheumatology (United Kingdom). 57(October 2017): iv43–iv50.

Gargan S., Swandulla D. 2023. Fiber-type shifting in sarcopenia of old age: proteomic profiling of the contractile apparatus of skeletal muscle.International Jurnal of Biomolecular sciences.

Giesinger, J.M., Hamilton, D.F., Jost B., Behrend H., Giesinger K. 2015. WOMAC, EQ-5D and Knee Society Score Thresthold for Treatment Succes After Total Knee Arthroplasty. The Journal of Arthroplasty, 30: 215402158

Gomez A., Fernadez A.I.t., Gea M.L.S., Castrillon E.V. 2012. Dabigatran, rivaroxaban or apixaban versus enoxaparin for thromboprophylaxis after total hip or knee replacement : systematic review, meta-analysis, and indirect treatment comparisons. BMJ;334:e3675.

Gomez R., Conde J., Scotece M., Gómez-Reino J.J., Lago F., Gualillo O. 2011. What's new in our understanding of the role of adipokines in rheumatic diseases? Nat Rev Rheumatol; Sep;7(9):528-36.

Granicher P., Stoggi T., Fucentese S.F., and Swannburg J. 2020. Pre operative exercise in patients undergoing total knee arthroplasty: a pilot randomized controlled trial. Archies of Physiotherapy(10):13.

Griffith R., Beech F., Brown A., Dhesi J., Foo I., et al, 2014. Perioperative care of the Elderly.Guidelines. Association of Anesthetists of Great Britain and Ireland.

UNIVERSITAS GADJAH MADA
**Hubungan Kekuatan Genggam Tangan Preoperatif Dengan Status Fungsional Sendi Dan Kualitas Hidup Paska Operasi Total Knee Replacement Pada Pasien Lanjut Usia Di Rumah Sakit Ortopedi Prof Dr. R. Soeharso Surakarta**
Niluh Tantri Fitriyanti, Dr.dr.I Dewa Putu Pramantara S, Sp.PD., K.Ger . Dr.dr. Probosuseno, Sp.PD., K.Ger, SE,MM .
**Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/**

Anaesthesia;69(supl1):81-89.

Group, T.E., 1990. EuroQol - a new facility for the measurement of health-related quality of life. Health policy. 16(3): 199–208.

Gustavson AM, Wolfe P, Falvey JR, Eckhoff DG, Toth MJ, Stevens-Lapsley JE.2016. Men and women demonstrate differences in early functional recovery after total knee arthroplasty. Arch Phys Med Rehabilitation 97(7):1154–1162. https://doi.org/10.1016/j.apmr.2016.03.007 PMID: 27063363

Hall M, Castelein B, Wittoek R, Calders P, Van Ginckel A.2019. Diet-induced weight loss alone or combined with exercise in overweight or obese people with knee osteoarthritis: A systematic review and meta-analysis. Semin Arthritis Rheum.;48(5):765–77

Hamood, R.., Tirosh, M.., Fallach, N., Chodic, G., Eisenberg, E., and Lubovsk, O., 2021. Prevalence and Incidence of Ostheoarthritis : A Population-Based Retrospective Cohort Study. *J.Clin.Med* 2012,10, 4842. https://doi.ogr/10.3390/jcm10184282.

Han Z. H., Palnitkar S., Rao D. S., Nelson D., Parfitt A. M. 1997. Effects of ethnicity and age or menopause on the remodeling and turnover of iliac bone: implications for mechanisms of bone loss. J Bone Miner Res ; 12 (4): 498-508.

Hao G, Chen H, Ying Y, Wu M, Yang G, Jing C.2020.The relative handgrip strength and risk of cardiometabolic disorders: a prospective study. Front Physiol.;11:719.

Hart H.F, Stefanik J.J, Wyndow N, Machotka Z, Crossley K.M. 2017. The prevalence of radiographic and MRI-defined patellofemoral osteoarthritis and structural pathology: A systematic review and meta-analysis. Br J Sports Med ;51(16):1195–208

Hashimoto S., Hayatama K., Terauchi M., Saito K., Higuchi H., Chikuda H. 2019. Preoperative hand-grip strength can be a predictor of stair ascent and descent ability after total knee arthroplasty in female patients. Journal of Orthopaedic Science. https://doi.org/10.1016.j.jos.2019.03.003

Hawker GA et al .2000. Differnce between men and Women in the Rate of Use of Hip and Knee Arthroplasty. New Engl J Med 342: 1016–1022.

Henderson KG, Wallis JA, Snowdon DA. 2018. Active physiotherapy interventions following total knee arthroplasty in the hospital and inpatient rehabilitation settings: A systematic review and meta-analysis Physiotherapy 104 (1) 25–35

Hewlett-Smith N, Pope R, Hing W, Simas V, Furness J. Patient and surgical prognostic factors for inpatient functional recovery following THA and TKA: a prospective cohort study. Journal of Orthopaedic Surgery and Research (2020) 15:360

Higginson I, Carr AJ.2001. Measuring quality of life. Using quality of life measures in the clinical setting. BMJ.;322:1297–300.

Hong T, Wang H, Li G, Yao P, Ding Y. 2019. Systematic Review and Meta-Analysis

UNIVERSITAS GADJAH MADA
**Hubungan Kekuatan Genggam Tangan Preoperatif Dengan Status Fungsional Sendi Dan Kualitas Hidup Paska Operasi Total Knee Replacement Pada Pasien Lanjut Usia Di Rumah Sakit Ortopedi Prof Dr. R. Soeharso Surakarta**
Niluh Tantri Fitriyanti, Dr.dr.I Dewa Putu Pramantara S, Sp.PD., K.Ger . Dr.dr. Probosuseno, Sp.PD., K.Ger, SE,MM .
**Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/**

of 12 Randomized Controlled Trials Evaluating the Efficacy of Invasive Radiofrequency Treatment for Knee Pain and Function. Biomed Res Int;1–15.

Hu D, Onel E, Singla N. 2013 Pharmacokinetic profile of liposome bupivacaine injection following a single administration at the surgical site Clinical Drug Investigation 33 (2) 109–115

Huisman, M.G.., Van Leeuwen, B.L., Ugolini. G., Montroni, I., Spillotis. J., Stablini. C., *et al*. 2014. Time Up and Go: A Screening Tool for Predicting 30-day Morbidity in Onco-Geriatric Surgical Patients? A Multicenter Cohort-Study. PloSONE : 1-13.

Hunter D.J., and Bierma S.Z., 2019. Osteoarthritis. *Lancet*, 393, pp 1745-59.

Inggrid de Groot.2008.Functioning after Total Hip or Knee Arthroplasty (thesis). Erasmus Universiteit Rotterdam.

Isaacson J, Brotto M. 2014. Physiology of mechanotransduction: how do muscle and bone “talk” to one another? Clin Rev Bone Miner Metabol 12(2):77–85. https://doi.org/10.1007/s1201 8-013-9152-3

Janse A.J., Gemke R.J.B.J., Uiterwaal C.S.P.M, Tweel L., Kimpen J.L.L, Sinnema G. 2004. Quality of life : patients and doctors don’t alwaysa agre : a meta-analysis.Journal of clinical epidemiology(57) 7: 653-661

Jentoft J.C., Landi F., Topinkova E., Michel J.P. 2010 Understanding Sracopenia as a geriatric syndrome. Curr Opin Clin Nutr Metab care (13): 1-7.

Jørgensen, K.T., Pedersen, B. V., Nielsen, N.M., Hansen, A. V., Jacobsen, S., Frisch, M., 2011. Socio-demographic factors, reproductive history and risk of osteoarthritis in a cohort of 4.6 million Danish women and men. Osteoarthritis and Cartilage. 19(10): 1176–1182.

Juhl C, Christensen R, Roos EM, Zhang W, Lund H. 2014. Impact of exercise type and dose on pain and disability in knee osteoarthritis: a systematic review and metaregression analysis of randomized controlled trials. Arthritis Rheumatol 66:62236

Kai Fu, Sarah R. Robbins, and Jason J.McDougall., 2018. Osteoarthritis : the genesis of pain. Rheumatology, 57 : iv430- iv50

Karsten, S., Limena S. and Phandu M. 2019. Translation, adaptation and validation of Western Ontario and mcmaster universities osteoarthritis index (WOMAC) for Indonesia. The Journal of Indonesia Orthopedi & Traumatologi. Vol 2: 3; 17-27.

Kementrian Kesehatan Republik Indomesia.2016. Penyelenggaraan Pelayanan Kesehatan Geriatri di Rumah sakit.Peraturan Menteri Kesehatan Republik Indonesia nomor 79 Tahun 2014.

Kementrian Kesehatan Republik Indonesia. 2017. Instrumen Pengkajian Paripurna Pasien Geriatri.

Kemmler, W., Teschler, M., Goisser,S., Bbenek, M., Von Stengel, S., Bollheimer, L.C. *et al.* 2015. Prevalence of sarcopenia in Germany and the Cooresponding effect of osteoarthritis in females 70 years and older living in the community: results of the FORMOSA study. Clinical Intervention inAging.1565-

Hubungan Kekuatan Genggam Tangan Preoperatif Dengan Status Fungsional Sendi Dan Kualitas Hidup Paska
Operasi Total Knee Replacement Pada Pasien Lanjut Usia Di Rumah Sakit Ortopedi Prof Dr. R. Soeharso
Surakarta
Niluh Tantri Fitriyanti, Dr.dr.I Dewa Putu Pramantara S, Sp.PD., K.Ger . Dr.dr. Probosuseno, Sp.PD., K.Ger, SE,MM .
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

1573.,DOI:10.2147/CIA.S89585

Kim, J., 2021. Handgrip strength to predict the risk of all-cause and premature mortality in Korean adults: A 10-year cohort study. International Journal of Environmental Research and Public Health. 19(1).

Kim-Yong B., Choi H.S., Kang E.M., *et al*. 2021. Trend of Total Knee Arthroplasty According to Age Structural Changes in Korea from 2011 to 2018. International Journal of Environtmental Research and Publik Health.18., 13397

Klein H.G. 2010. How Safe is Blood? .Biological,38:100-104.

Krishnasamy P., Hall M., Robbins S.P. 2018. The Role of Skeletal muscle in the pathophysiology and management of Knee osteoarthritis. Rheumatology: 57:iv22-iv33.

Kurtz, S., Ong, K., Lau, E., Mowat, F., Halpern, M., 2007. Projections of primary and revision hip and knee arthroplasty in the United States from 2005 to 2030. Journal of Bone and Joint Surgery. 89(4): 780–785.

Lang T, Streeper T, Cawthon P, *et al*. 2010. Sarcopenia: etiology, clinical consequences, intervention, and assessment. Osteoporos Int;21(4):543–59.

LaporanNasional RISKESDAS 2018. Kementrian Kesehatan RI. Badan Penelitian dan Pengembangan Kesehatan.

Lee S.H., Gong H.S. 2020. Measurement and interpretation of handgrip Strength for Research on Sarcopenia and Osteoporosis. J Bome Metab,27 (2) : 85-96.

Li G, Qiao Y, Lu Y, *et al*.2021. Role of handgrip strength in predicting newonset diabetes: fndings from the survey of health, ageing and retirement in Europe. BMC Geriatr.;21(1):445.

Li G, Zhang Y, Tian L, Pan J.2021. Radiofrequency ablation reduces pain for knee osteoarthritis: A meta-analysis of randomized controlled trials. International Journal of Surgery;91:1–32

Liao C., Chen H C., Huang S.W. and Liou T.H. 2021. Ipact of sracopenia on rehabilitation outcomes after total knee replacement in older adults with knee osteoarthritis. Therapeutic Advances in Musculosceletal Disease.(13):1-12

Licatro F., Candore G., Lio D., Porcellini E., Romano G.C., Franceschi C. and Caruso C. 2005. Innate Immunity and Inflammation in Ageing : a key for understanding age- related disease. Immunity & Ageing.2:8;1-14.

Lim A.J., Thahir A. 2021. Perioperative management of Elderly Patients with Osteoarthritis requiring Total Knee Arthroplasty.2021. Journal of Perioperative Practise,Vol 31(6) 209-214.

Lluch E, Torres R, Nijs J, Van Oosterwijck J. 2014. Evidence for central sensitization in patients with osteoarthritis pain: a systematic literature review. Eur J Pain; 18: 1367–75.

Loeser R.F., Collins J.A., Diekman B.O. 2016. Ageing and the pathogenesis of osteoarthritis. Nature Reviw. Rheumatology.12; 412-420.

Long X Ma, Kuang M jie, Zhao J, Sun L, Lu B, Wang Y, et al. 2017. Efficacy and safety of intraarticular hyaluronic acid and corticosteroid for knee

Hubungan Kekuatan Genggam Tangan Preoperatif Dengan Status Fungsional Sendi Dan Kualitas Hidup Paska
Operasi Total Knee Replacement Pada Pasien Lanjut Usia Di Rumah Sakit Ortopedi Prof Dr. R. Soeharso
Surakarta
Niluh Tantri Fitriyanti, Dr.dr.I Dewa Putu Pramantara S, Sp.PD., K.Ger . Dr.dr. Probosuseno, Sp.PD., K.Ger, SE,MM .
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

osteoarthritis: A metaanalysis. International Journal of Surgery;39:95–103

Lotz M., Loeser R.F. 2012. Effects of aging on articular cartilage homeostasis. Bone.51 : 241-248

Mahoney F.I., Barthel D.W. 1965. Functional Evaluation : The Barthel Index. Maryland State Medical Journal;14: 56-61.

Mandalia V., Eyres K., Schranz P., Toms A.D. 2008. Evaluation of Patient with a pinful total knee replacement. J Bone Joint Surgery (Br); 90-B:256-71

Manner A.P., Bomber B., Hawken S. 2016. Surgical Management of Osteoarthritis of the Knee. Americn Academy of Orthopaedic Surgeons. www.orthoguidelines.org/smoakguideline.

Meessen J.M.T.A., Fiocco M., Tordoir R., Sjer A., Vendergaal S.H.M., Slagbloom P.E., Vlieland T.P.M., Nellisen R.G.H.H. 2020. Association of handgrip strength with patient-reported outcome measures after total hip and knee arthroplasty. Rheumatology International.40: 565-571.

Messier S.P, Mihalko S.L., Legault C., Miller G., Nicolas B.J., Devita P., *et al*. 2013. Effects of Intensive Diet and Exercise on Knee Joint Load, Inflammation, and Clinical Outcomes Among Overweight and Obese Adults with Knee Osteoarthritis. the IDEA Randomized Clinical Trial. JAMA;310(12): 1263-1237.

Mitnitski, A.B., Song, X. and Rockwood, K., 2004. The estimation of relative fitness and frailty in community-dwelling older adults using self-report data. *The Journals of Gerontology Series A: Biological Sciences and Medical Sciences*, *59*(6), pp.M627-M632

Mizner R.L., Petterson S.C., Stevens J.E., Axe M.J., Mackler L.S. 2005. Preoperative Quadriceps Strength Predicts Functional hasiAbility One Year After Total Knee Arthroplasty. J Rheumatol; 32 : 1533-9.

Mustari A.S., Santoso B., Maylasari I., Sinang R. 2021. Statistik Penduduk Lanjut Usia 2021. Badan Pusat Statistik Indonesia.

Neogi T.2013. The epidemiology and impact of pain in osteoarthritis. Osteoarthritis Cartilage; 21: 1145–53.

Niccolli T., Patridge L., 2012. Ageing as a Risk Factor for Disease. Current Biology.22, R741-R752.

Nieminen M.T., Casula V., Nevalainen M.T., Saarakkala S.2019. Osteoarthritis year in review 2018: imaging. Osteoarthritis Cartilage ;27(3):401–11.

Njoto, E.N., 2014. Mengenali Depresi pada Usia Lanjut Penggunaan Geriatric Depression Scale (GDS) untuk Menunjang Diagnosis. *Cermin Dunia Kedokteran*, *41*(6), pp.472- 474.

Ntuk UE, Celis-Morales CA, Mackay DF, Sattar N, Pell JP, Gill JMR.2017.Association between grip strength and diabetes prevalence in black, South-Asian, and white European ethnic groups: a cross-sectional analysis of 418 656 participants in the UK Biobank study. Diabet Med.;34(8):1120–8

Ohura T., Higahsi T., Ishizaki T, Nakayama T. 2014. Assessment of the validity and

Hubungan Kekuatan Genggam Tangan Preoperatif Dengan Status Fungsional Sendi Dan Kualitas Hidup Paska
Operasi Total Knee Replacement Pada Pasien Lanjut Usia Di Rumah Sakit Ortopedi Prof Dr. R. Soeharso
Surakarta
Niluh Tantri Fitriyanti, Dr.dr.I Dewa Putu Pramantara S, Sp.PD., K.Ger . Dr.dr. Probosuseno, Sp.PD., K.Ger, SE,MM .
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Internal Consistency of a Performance Evaluation Tool Based on the Japanese Version of the Modified Barthel Index for Elderly People Living at Home. J.Phys Ther Sci. 26: 1971-1974

Palazzo C, Ravaud J-F, Papelard A, Ravaud P, Poiraudeau S. 2014. The burden of musculoskeletal conditions. PLoS ONE;9:e90633.

Partridge, J., Harari, D., Martin, F., Dhesi, J., 2014. The impact of preoperative comprehensive geriatric assessment on postoperative outcomes in older patients undergoing scheduled surgery: a systematic review. Anaesthesia, 69:(Suppl. 1): 8–16.

Pearson S., Morwa I., and Madden G.,J., 2000. Clinical Pathway Management of Total Knee Arthroplasty : a Restrospective Comparative Study. Aust.N.J.Surg. 70 : 351-354.

Perhimpunan Dokter Spesialis Saraf Indonesia. 2015. Paduan Praktek Klinik Diagnosis dan Penatalaksanaan Demensia.

Persy V., D'Haese P., 2009. Vascular calcification and bone disease: the calcification paradox. Trends Mol Med; 15 (9): 405-16.

Poon M.C.Y., Lam C.C.S., Ng S.H.W., Louie, F.T.M., 2017. Functional Outcomes of Patients with Total Knee Replacement. Electronic Presentations of Services Priorities and Programmes on Hospital Authority Convention. Hongkong 2017.

Porto J.M., Nakaishi A.P., Olievera L.M.C., Freire R.C., Spilla S.B., Carvalho D.C. 2019. Relatiosnhip between grip strength and global muscle strength in community-dwelling older people. Archieves of Gerontology and Geriatrics.82: 2730278.

Pottie P., Presle N., Terlain B., Netter P., Mainard D., Berenbaum F. 2006. Obesity and osteoarthritis: more complex than predicted!. Ann Rheum Dis. Nov 1;65(11):1403-5.

Prince J.M., Wo F., Guo Y., Robledo L.M.G., O'Donnel M., Sullivan R., Yusuf S. 2014. The Burden of Disease in Older People and Implication for Health Policy and Practise.

Puenpatom R.A., Victor T.W. 2009. Increased prevalence of metabolic syndrome in individuals with osteoarthritis: an analysis of NHANES III data. Postgrad Med, Nov;121(6):9e20

Pusdatin 2022. Lansia Berdaya, Bangsa Sejahtera. Kemenkes RI.

Rahman A.B., Narhari P., Sharifudin M.A., Shokri A.A. 2020. Western Ontario and McMaster Universities (WOMAC) Osteoarthritis Index as an Assessment to Indicate Total Knee Arthroplasty in Patients with Primary Knee Osteoarthritis. IMJM, vol 10 (3) : 49 – 53.

Ramasamy S. K., Kusumbe A. P., Adams R. H.. 2014. Regulation of tissue morphogenesis by endothelial cell-derived signals. Trends Cell Biol; 25 (3): 148-57

Ramos, A., Fonseca, C., Pinho,L., Lopes, M., Brites,R. and Henques, A., 2022. Assessment of Functioning in Older Adults Hospitalized in Long-Term Care

Hubungan Kekuatan Genggam Tangan Preoperatif Dengan Status Fungsional Sendi Dan Kualitas Hidup Paska
Operasi Total Knee Replacement Pada Pasien Lanjut Usia Di Rumah Sakit Ortopedi Prof Dr. R. Soeharso
Surakarta
Niluh Tantri Fitriyanti, Dr.dr.I Dewa Putu Pramantara S, Sp.PD., K.Ger . Dr.dr. Probosuseno, Sp.PD., K.Ger, SE,MM .
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

in Portugal : Analysis of a Big Data. Frontiers in Medicine. 9: 1-9.

Reichmann W. M., MaillferetJj.F., Hunter D.J., Katz J.N., Conaghan P.G., Losina E. 2011. Responsiveness to change and realibity of measurement of radiographic joint space width in osteoarthritis of the knee : a systematic review. Osteoparthritia and Cartilage.19; 550-56.

Rekomendasi Perhimpunan Reumatologi Indonesia. 2021. Diagnosis dan Pengelolaan Oateoartritis ( Lutut,Tangan dan Panggul).

Reynold, L., Beckman, J., Kurz,A., 2008. Perioperative complications of Hypothermia. Best Practise & Research Clinical Anesthesiology.; 22(4): 645-657.

Roberts S., Colombiers P., Sowman A., Mennan C., Rofling J.D., Guicheux J., Edwards J.R. 2016. Aging in the Musculoskeletal System. Acta Orthopaedica :87 (eSupl 363): 15-25.

Rolfson, O., Wissig, S., Maasakkers ,L., Stowell, C., Ackerman, I., Ayers, D., *et al.*, 2016. Defining an International Standard Set of Outcome Measures for Patients with Hip or Knee Osteoarthritis : Consensus of The International Consortiu for Health Outcomes Measurement Hip and Knee Osteoarthritis Working Group. Arthritis Care and Research. 68(11): 1631-1639.

Rolland Y. Czerwinski S., Van Kan A., Morley J.E., Cesari M., Onder G., Woo J., Baumgartner R., Pillard f., Boirie Y., Chumlea W.M.C, Vellas B. 2008. Sarcopenia: its assessment, etiologic, pathogenesis, consequences and future perspectives. Journal of Nutrition, Health and Aging, 12 (7):433-450.

Samuel, D., Wilson, K., Martin, H., Allen, R., Aihie Sayer, A., Stokes, M., 2009. Relationship between hand grip and quadriceps strength in young and older people 14–15.

Sanchez Mayo B, Rodriguez-Mansilla J, Gonzalez Sanchez B. 2015. Recovery from total knee arthroplasty through continuous passive motion] An Sist Sanit Navar 38 (2) 297–310

Sastroasmoro, S. and Ismael, S., 2011. Dasar-dasar metodologi penelitian klinis. *Jakarta: sagung seto*, *55*.

Scarpignato C, Lanas A, Blandizzi C, Lems W.F, Hermann M, Hunt R.H. 2015. Safe prescribing of non-steroidal anti-inflammatory drugs in patients with osteoarthritis - an expert consensus addressing benefits as well as gastrointestinal and cardiovascular risks. BMC Med;13(1).

Schatz, C., Klein, N., Marx, A., Buschner, P., 2022. Preoperative predictors of health-related quality of life changes (EQ-5D and EQ VAS) after total hip and knee replacement: a systematic review. BMC Musculoskeletal Disorders. 23(1): 1–13.

Sebbag, E., Felten, R., Sagez, F., Sibilia, J., Deviliers, H., Arnaud, L., 2019. The World Wide Burder of musciloskeletal diseases : a systematic analysis of the World Health Organization Burden of Disease Database. *Ann Rheuma Dis*. (0), p 1-5.

Selakovic, I., Raspopovic, E.D., Denic, L.M., Marusic, V., Circovic, A., Kadija, M.,

Hubungan Kekuatan Genggam Tangan Preoperatif Dengan Status Fungsional Sendi Dan Kualitas Hidup Paska
Operasi Total Knee Replacement Pada Pasien Lanjut Usia Di Rumah Sakit Ortopedi Prof Dr. R. Soeharso
Surakarta
Niluh Tantri Fitriyanti, Dr.dr.I Dewa Putu Pramantara S, Sp.PD., K.Ger . Dr.dr. Probosuseno, Sp.PD., K.Ger, SE,MM .
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

*et al*. 2019. Can eraly assessment of handgrip strength in older hip fracture patients predict functional outcome?. Plos One.14(8) e0213223. https://doi.org/10.1371/journal.pone.0213223.

Sellam J, Berenbaum F.2010. The role of synovitis in pathophysiology and clinical symptoms of osteoarthritis. Nat Rev Rheumatol. Nov;6(11):625-35.

Setiati S, Kuntjoro H, Esthika D, Istanti R. 2011. Predictors and scoring system for health-realted quality of life in an Indonesian community dwelling eldery population. Acta Med Indonesia (43): 237-242

Setiati S., Harimukti K., Govinda A., 2014. Proses menua dan implikasi kliniknya, Dalam: Setiati, S., Alwi, I., Sudoyo, A.W., Simardibrata, M., Seriyahadi, B., Syam, A.F., editor. Buku Ajar Ilmu Penyakit Dalam. Edisi VI, Jilid III. Jakarta: FKUI, pp 3669-3673.

Setiati S., Wiraguna A. 2018. Correlation of handgrip strength with quality if life un elderly patients. Journal of Physics : Conf. Series 1073. Doi:10.10088/1742-6596/1073/042033

Shanbag, P.S., Solano, M.,A., Botros,M.,A., Khanuja, H.,S., 2019. Treating Preoperative Anemia to improve Patient Outcomes after Othropedic Surgeru. J Am Acad Orthop; 27: e1077-1 1085.

Shumnalieva, R., Kotov, G., Monov, S., 2023. Obesity-Related Knee Osteoarthritis—Current Concepts. Life. 13(8).

Silverwood, et al. 2014. Current evidence on risk factors for knee osteoarthritis in older adults: a systematic review and meta-analysis. Osteoarthritis and Cartilage23 : 507-513.

Singh J.A., Gabriel S., Lewallen D. 2008. The Impact of Gender, Age and Preoperative Pain Severity on Pain After TKA. Clin Orthop Relat Res,446 : 2717-2723.a

Siu, A., T., Y., Poulton, T., Ismail, H., Riedel, B., Dhessi, J., 2021. Prehabilitation in the Older People : Current Development. Currents Anesthesiology Report; 11: 373-380.

Sizer S.C, Cherian J.J, Elmallah R.D. 2015. Predicting blood loss in total knee and hip arthroplasty Orthopedic Clinics of North America 46 (4) 445–459

Skou S.T., Roos E.M., Laursen M.M., Rathleff M.S., Nielsen A.L., Rasmussen S., Simonsen O. 2018. Total Knee Replacement and Non-surgical treatment of knee osteoarthritis : 2- year outcome from two parallel randomized controlled trials. Osteoarthritis and cartilage.26: 1170-1180.

Smith, N.H., Pope, R., Furness, J., Simas, V., Hing W. 2020. Prognostik factors for inpatient functional recovery following total hip and knee arthroplasty : a systematic review. Acta Orthopedica;91(3): 313-318.

Soffin EM, YaDeau JT 2016 Enhanced recovery after surgery for primary hip and knee arthroplasty: A review of the evidence The British Journal of Anaesthesia 117 (suppl3) iii62–iii72

Sohn D.H., Sokolove J., Sharpe O., Erhart J.C., Chandra P.E., Lahey L.J., et al. 2012. Plasma proteins present in osteoarthritic synovial fluid can stimulate cytokine

Hubungan Kekuatan Genggam Tangan Preoperatif Dengan Status Fungsional Sendi Dan Kualitas Hidup Paska
Operasi Total Knee Replacement Pada Pasien Lanjut Usia Di Rumah Sakit Ortopedi Prof Dr. R. Soeharso
Surakarta
Niluh Tantri Fitriyanti, Dr.dr.I Dewa Putu Pramantara S, Sp.PD., K.Ger . Dr.dr. Probosuseno, Sp.PD., K.Ger, SE,MM .
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

production via Toll-like receptor 4. Arthritis Res Ther;14(1):R7

Southampton University, UK. https://www.uhs.nhs.uk/Media/South ampton-Clinical-Research/Procedures/BRCProcedures/Procedure-formeasuring-gripstrength-using-the-JAMAR-dynamometer.pdf. Accessed 28 Aug 2023

Strankvist V, Larsson A., Paulsen M., Nyberg L., Vikman I., Lindberg A., Gustafsson T., Roijezon U. 2021. Handgrip Strength is strongly associated with lower limb strength but only weakly with postural control in community- dwellning older adults. Archives of Gerontology and Geriatrics.94: 104354

Sumargono E., Anastasia M., Surya,N.D., Hanka V.S., *et al*,. 2021. Epidemiology of Primary Knee Replacemnt in St.Carolus hospital from 2016-2020 : a descriptive study. The Journal of Indonesian Orthopeadic & Traumatology, Vol.4., Number 1., April : 18-22.

Szilagyi, I.A., Waarsing, J.H., Schiphof, D., Van Meurs, J.B.J., Bierma-Zeinstra, S.M.A., 2022. Towards sex-specific osteoarthritis risk models: Evaluation of risk factors for knee osteoarthritis in males and females. Rheumatology (United Kingdom). 61(2): 648–657.

Tagliaferri, C., Wittrant, Y., Davicco, M.J., Walrand, S., Coxam, V., 2015. Muscle and bone, two interconnected tissues. Ageing Research Reviews. 21: 55–70.

The WHOQOL Group. 1998.The World Health Organization Quality of Life Assessment (WHOQOL): development and general psychometric properties. Soc Sci Med(46):1569-85.

Thompson D.D.2007. Aging and Sarcopenia.Jouenal of musculoskeletal &neuronal intteractions,7(4). Pp 344-345.doi:10.1152/jappphysiol.00347.2003

Tsai SY, Chi LY, Lee CH, Chou P. Health-related quality of life as a predictor of mortality among community-dwelling older persons. Eur J Epid. 2007;22:19-26The EuroQol Group. 1990. EuroQol- a new facility for the measurement of health-realted quality of life. Helath Policy,18:199-208.

Tubach, F., Ravaud, P., Baron, G., Falissard, B., Logeart, I., Bellamy, N. 2005. Evaluation of clinically relevant changes in patient reported outcomes in knee and hip osteoarthritis : the minimal clinically important improvement. Ann Rheum Dis;64: 29-33.

Unnanuntana A., Nepal S., Jarusriwanna A. 2018. Validity and responsiveness of Barthel Index for Measuring Functional Recover after Hemiarthroplasty for Femoral Neck Fracture. Archives of Orthopaedic and Taruma Surgery. DOI :10.1007/s00402-018-3020-z

Vaisya, R., Misra, A., Vaish, A., Ursino, N., D'Ambrosi, R., 2024. Hand grip strength as a proposed new vital sign of health: a narrative review of evidences. Journal of Health, Population and Nutrition. 43(1): 1–14.

Van Der Kooi, A.L.L.F., Snijder, M.B., Peters, R.J.G., Van Valkengoed, I.G.M., 2015. The association of handgrip strength and type 2 diabetes mellitus in six ethnic groups: An analysis of the HELIUS study. PLoS ONE. 10(9): 1–11.

Vellas, B., Guigoz, Y., Garry, P.J., Nourhashemi, F., Bennahum, D., et al., 1999. The Mini Nutritional Assessment (MNA) and its use in grading the nutritional

Hubungan Kekuatan Genggam Tangan Preoperatif Dengan Status Fungsional Sendi Dan Kualitas Hidup Paska
Operasi Total Knee Replacement Pada Pasien Lanjut Usia Di Rumah Sakit Ortopedi Prof Dr. R. Soeharso
Surakarta
Niluh Tantri Fitriyanti, Dr.dr.I Dewa Putu Pramantara S, Sp.PD., K.Ger . Dr.dr. Probosuseno, Sp.PD., K.Ger, SE,MM .
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

state of elderly patients. *Nutrition*, *15*(2), pp.116-122.

Veronese N., Punzi L., Sieber C., Bauer J., Reginster J.2018. Sarcopenic Osteoarthritis : a new entity in geriatric medicine?.European Geriatric Medicine. https://doi.org/10.1007/s41999-018-0034-6

Villars B., Abellan G, Soto M.E., Rolland Y., Guigoz Y., Morley J.E., Chumlea W., Salva A.,Garry P. 2006. Overview of the MA-Its History and Challenges. The Journal of Nuytrient, Helath and Aging.Vol 6: 456-465.

Wade D.T, Collin C. 1988. The Barthel index: a standard measure of physical disability? International Disabilities Studies 10(2):64–6

Walker, L.C., Clement, N.D., Deehan, D.J., 2019. Predicting the Outcome of Total Knee Arthroplasty Using the WOMAC Score: A Review of the Literature. Journal of Knee Surgery. 32(8): 736–741.

Wang A., Rand K., Yang Z., Brooks R. and Busshbatch. 2022. The Remarkably frequent use of EQ-5D in non-economic research. Tge European Journal of Health Economics (23): 1007-1014.

Wang H, Li C, Zhang Y, Jia Y, Zhu Y, Sun R, *et al*. 2013. The infuence of inpatient comprehensive geriatric care on elderly patients with hip fractures: a meta-analysis of randomized controlled trials. Int J Clin Exp Med. 2015;8(11):19815–30

Weber T.J. 2016. Battle of the Sex Steroids in The Male Skeleton : and the Winner is….The Journal of Clinical Investigation, Vol 126(3): 829-32.

Wiraguna, A., Setiati, S., 2018. Correlation of handgrip strength with quality of life in elderly patients. Journal of Physics: Conference Series. 1073(4).

Woo, J., 2017. Sarcopenia. Clinics in Geriatric Medicine. 33(3): 305–314.

World Health Organization (WHO) 2019. Department of Economic and Social Affairs, Population Division.World Population Ageing 2019.

World Health Organization (WHO) 2019. Global Health Estimates 2019: Global Health Estimates: Life expectancy and leading causes of death and disability. https://www.who.int/data/gho/data/themes/mortality-and-global-health-estimates. Diakses pada 1 May 2021.

Xu, G.G., Satpappan, S.S. Jaipul,J., *et al*.2008. A Review of Clinical Pathway Data of 1663 Total Knee Arthroplasties in a Tertiary Institution in Singapore. 2008. Ann Acad Med Singapore 2008 ; 37: 924-8.

Yale New Heaven Health Services Corporation 2022 Procedure Spesific Complication Measurement Updates and Spesific Report. Elective Primary Total Hip Arrthrpalsty (THA) and/or Total Knee Replacement (THR) – Version11.0. - Center for Outcomes Research and Evaluation.April 2022.

Yapp L.Z., Scott C.E., Howie C.R., MacDonald D.J., Simpson A.H.R., Clement N.D. 2022. Meaningfull values of the EQ-5D-3L in patients undergoing primary knee arthroplasty. Bone Joit Res; 11(9): 619-628.

Yen-Feng Lai, Pei-Chao Lin, Chung-Hwan Chen, Jyu-Lin Chen and Hsin-Tien Hsu. 2019. Current Status and Changes in Pain and Activities of Daily Living in Elderly Patient with Osteoarthritis Before and After Unilateral Total Knee

UNIVERSITAS
GADJAH MADA
**Hubungan Kekuatan Genggam Tangan Preoperatif Dengan Status Fungsional Sendi Dan Kualitas Hidup Paska Operasi Total Knee Replacement Pada Pasien Lanjut Usia Di Rumah Sakit Ortopedi Prof Dr. R. Soeharso Surakarta**
Niluh Tantri Fitriyanti, Dr.dr.I Dewa Putu Pramantara S, Sp.PD., K.Ger . Dr.dr. Probosuseno, Sp.PD., K.Ger, SE,MM .
**Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/**

Replacement Surgery. J.Clin.Med,8,221; doi : 10.3390/jcm8020221.

Yeniay, O., Tekgul,Z.T., Okur,O., Koroglu, N., 2019. Unexpectedly prolonged fasting and its consequences on elderly patients undergoing spinal anesthetics.A prospectives observational study. Acta Bras; 33(3): e201900309

Yusuf E., Nelissen R.G., Ioan-Facsinay A., Stojanovic-Susulic V., DeGroot J., van Osch G., et al. 2010 . Association between weight or body mass index and hand osteoarthritis: a systematic review. Ann Rheum Dis.Apr;69(4):761-5.

Zeng C, Lane N.E, Hunter D.J, Wei J, Choi H.K, McAlindon T.E, et al. 2019. Intra-articular corticosteroids and the risk of knee osteoarthritis progression: results from the Osteoarthritis Initiative. Osteoarthritis Cartilage;27(6):855–62