

DAFTAR PUSTAKA

- Ackerman, A.B., 1975, Structure and Function of the Skin ,
Dermatology, Vol I, WB. Saunders Company, Toronto, 1-63.
- Banker, G.S. dan Rhodes, C.T., 1979, Modern Pharmaceutics,
Marcell Decker Inc., New York, 263 - 298.
- Barker, D.Y., De Kay, H.G., Christian, L.E., 1956, A Study
of the Effect of Nonionik Emulsifying Agent on the Re-
lease of Medicament from Hidrophilic Ointment Bases ,
Jornal of The American Pharm. Assoc., Vol 45, 527 - 529.
- Barr, M, 1962, Percutaneous Absorption, Journal Pharm. Sci.,
51, 395 - 407.
- Barret dkk., 1965, The Effect of Particle Size and Vehicle
on the Percutaneous Absorption of Fluocinolone Acetoni-
de, British Journal of Dermatology, 77, 576 - 578.
- Barry, W.B., 1983, Dermatological Formulation, Vol.XVIII,
Marcel Dekker inc, New York, 1 - 233.
- Billups, N.F dan Patel, N.K., 1970, Experiment in Physical
Pharmacy V in vitro Release of Medicament from Oitment
Bases, American Journal of Pharmaceutical Education,
190 - 196.
- Bottari, F. dkk., 1974, Influence of Drug Concentration on
In Vitro Release of Salicylic Acid from Ointment Bases,
Journal Pharm. Sci., 11, 1779 - 1783.
- Bottari, F. dkk., 1977, Release of Drug from Ointment Bases
II, : In Vitro Release of Benzocaine from Suspension -
type Aquaeous Gels, Journal Pharm. Sci., Vol.66, 7 ,
926 - 931.
- Carneiro dan Junquiera, 1980, Histologi Dasar, Edisi 3, EGC
Penerbit Buku Kedokteran, Jakarta, 378 - 391.

- Delonca, H. dkk., 1977, Methode D'Etude In Vitro Des Preparations Cutaneous Semi-Solides Comparations In Vitro - In Vivo, Pharm. Acta. Helv., Vol 52, 3, 56.
- Departemen Kesehatan R.I., 1979, Farmakope Indonesia, Edisi 3 Jakarta, 293 - 294.
- Flynn, G.L., Yalkowsky, S.H., Roseman, T.J., 1974, Mass Transport Phenomena and Models : Theoretical Concepts, Journal Pharm. Sci., Vol. 63, 479 - 510.
- Gan, S. dkk., 1981, Farmakologi dan Terapi, Edisi 2, Fakultas Kedokteran Univ. Indonesia, Jakarta, 358 - 377.
- Higuchi, T., 1961, Rate Release of Medicaments from Ointment Bases Containing Drugs in Suspension, Journal Pharm. Sci., Vol. 50, 10, 874 - 876.
- Higuchi, W.I., 1962, Analysis of Data on the Medicament Release from Ointments, Journal Pharm. Sci., Vol. 51, 8, 802 - 804.
- Higuchi, W.I., 1967, Diffusional Models Useful in Biopharmaceutics Drug Release Rate Processes, Journal Pharm. Sci. Vol. 56, 3, 315 - 324.
- Hollabenninger dan Loth, V.H., 1979, Untersuchungen der Arzneistoffliberation aus Salben, Die Pharmazeutische Industrie, Vol. 41, 789 - 796.
- Katz, M., 1973, Design of Topical Drug Products : Pharmaceutical, Drug Design, Vol. IV, Academic Press, London, 93 - 99.
- Martin, A., Swarbrick, J., Cammarata, A., 1970, Physical Pharmacy, 2nd Ed, 399 - 414.
- Mullins, J.D., 1980, Medicated Application, Remington Pharmaceutical Science, 16th Ed, Mack Publishing Company, Easton, Pennsylvania, 1518 - 1526.
- Nakano, M. dan Patel, K., 1970, Effect of Molecular Interaction on Permeation of Organic Molecular through Dimethyl Polysiloxane Membran, Journal of Pharm. Sci., Vol 59, 1, 77 - 81.

- Oetari, S., 1987, Pengaruh Surfaktan Non-ionik yang Dicapur pada Basis Salep Hidrofil (USP) Terhadap Pelepasan Asam Salisilat secara In Vitro, Tesis, Fakultas Pasca Sarjana, Universitas Gadjah Mada, Yogyakarta.
- Ong, T.H dan Manoukian, E., 1988, Release of Lonapalene from Two-Phase Emulsion-Type Ointment Systems, Pharmaceutical Research, Vol.5, 1, 16 - 20.
- Parrot, E.L., 1971, Pharmaceutical Technology, 3rd Ed, Burgess Publishing Company, 158 - 169, 364 - 381.
- Poulsen, B.J. dkk., Effect of Topical Vehicle Composition on the In Vitro Release Fluocinolone Acetonide and Acetate esters, Journal Pharm. Sci., 57, 928 - 923.
- Rogayah, E., 1984, Penelitian Difusi Hidrokortison dari Sediaan Krim M/A Melalui Kertas Whatman No.1 yang Telah Diimpregnasi dengan Cairan Spangler yang Cairan Spangler yang telah Dimodifikasi, Tugas Akhir, Fakultas MIPA Jurusan Farmasi, Institut Teknologi Bandung.
- Ritschel, W.A., 1976, Handbook of Basic Pharmacokinetics, 1st Ed, Drug Intelligence Publication Inc, Hamilton, 30 - 48.
- Shahi, J. dan Zatz, J.L., 1978, Effect of Formulation Factors on Penetrating of Hidrocortisone through Mouse Skin, Journal Pharm. Sci., Vol.67, 6, 789 - 792.
- Stolar, M.E., Rossi, G.V., Barr, M., 1960, The Effect of Various Ointment Bases on The Percutaneous Absorption of Salicylate II, Journal of The American Pharmaceutical Association, Vol. 49, 3, 148 - 152.
- Teguh, S.U., 1987, Pengaruh Surfaktan Non-ionik Terhadap Profil Difusi Asam Salisilat dari Basis Salep Vaselinum Album Secara In Vitro, Skripsi, Fakultas Farmasi, Universitas Gadjah Mada, Yogyakarta.

United States Pharmacopeial Convention Inc., 1980, United States Pharmacopeia XX, 15th ed, Twinbrook Parkway, Rockville, 564, 716, 1026.

Walters, K.A., 1986, Percutaneous Absorption and Transdermal Therapy, Pharmaceutical Technology, March, 30 - 42.

Wilson, C.O., Gisvold, R.F., Doerge, 1977, Steroid and Therapeutically Related Compounds, Textbook of Organic and Pharmaceutical Chemistry, Toppan Co. Ltd, Tokyo , 716.