

- Abd Al-Khodir, Y. A., & Albayati, T. M. (2020). Employing sodium hydroxide in desulfurization of the actual heavy crude oil: Theoretical optimization and experimental evaluation. *Process Safety and Environmental Protection*, 136, 334–342. <https://doi.org/10.1016/j.psep.2020.01.036>
- Awe, S. A., Samuelsson, C., & Sandström, Å. (2010). Dissolution kinetics of tetraedrite mineral in alkaline sulphide media. *Hydrometallurgy*, 103(1–4), 167–172. <https://doi.org/10.1016/j.hydromet.2010.03.014>
- Boyd, D. A. (2016). Sulfur and its role in modern materials science. *Angewandte Chemie*, 128(50), 15712–15729. <https://doi.org/10.1002/ange.201604615>
- Budhiraja, P., & Fares, A. A. (2008). Studies of scale formation and optimization of antiscalant dosing in multi-effect thermal desalination units. *Desalination*, 220(1–3), 313–325. <https://doi.org/10.1016/j.desal.2007.01.036>
- Chen, Y., Wang, J., & Flanagan, D. R. (2017). Fundamental of diffusion and dissolution. In *Developing Solid Oral Dosage Forms: Pharmaceutical Theory and Practice: Second Edition* (pp. 253–270). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-802447-8.00009-1>
- Demirkiran, N., & Özdemir, G. D. T. (2019a). A Kinetic Model for Dissolution of Zinc Oxide Powder Obtained from Waste Alkaline Batteries in Sodium Hydroxide Solutions. *Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science*, 50(1), 491–501. <https://doi.org/10.1007/s11663-018-1469-3>
- Demirkiran, N., & Özdemir, G. D. T. (2019b). A Kinetic Model for Dissolution of Zinc Oxide Powder Obtained from Waste Alkaline Batteries in Sodium Hydroxide Solutions. *Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science*, 50(1), 491–501. <https://doi.org/10.1007/s11663-018-1469-3>
- Dent, M., Jakubczyk, E., Zhang, T., & Lekakou, C. (2022). Kinetics of sulphur dissolution in lithium-sulphur batteries. *JPhys Energy*, 4(2). <https://doi.org/10.1088/2515-7655/ac521d>
- Doherty, W., & Rackemann, D. (2014). *Enhanced performance of caustic soda used for the removal of scale in sugar mill evaporators*. <http://eprints.qut.edu.au/>
- Du, Y., Chang, Y. A., Huang, B., Gong, W., Jin, Z., Xu, H., Yuan, Z., Liu, Y., He, Y., & Xie, F. Y. (2003). Diffusion coefficients of some solutes in fcc and liquid Al: Critical evaluation and correlation. *Materials Science and Engineering A*, 363(1–2), 140–151. [https://doi.org/10.1016/S0921-5093\(03\)00624-5](https://doi.org/10.1016/S0921-5093(03)00624-5)
- Ehsani, M. R., Rezvani, G., & Eghbali, F. (2004a). *Desulfurization of High Sulfur Coal Using Sodium Hydroxide*.
- Ehsani, M. R., Rezvani, G., & Eghbali, F. (2004b). *Desulfurization of High Sulfur Coal Using Sodium Hydroxide*.

- Epstein, N. (1983). Thinking about heat transfer fouling: A  $5 \times 5$  matrix. *Heat Transfer Engineering*, 4(1), 43–56. <https://doi.org/10.1080/01457638108939594>
- Fber, C., Free, Z., & Process, V. (1993). *United States Patent (19) Parekh et al. 54) Manufacture of regenerated.*
- Griskey, R. G. (2005). Frontmatter. In *Transport Phenomena and Unit Operations* (pp. i–xi). John Wiley & Sons, Inc. <https://doi.org/10.1002/0471722057.fmatter>
- Gruber, C., Kutuzov, I., & Ganor, J. (2016). The combined effect of temperature and pH on albite dissolution rate under far-from-equilibrium conditions. *Geochimica et Cosmochimica Acta*, 186, 154–167. <https://doi.org/10.1016/j.gca.2016.04.046>
- Hartler Nils, Libert Jan, & Teder Ants. (1967). *Rate of sulfur dissolution in aqueous sodium sulfide.*
- Kalliski, M., Voglauer, B., Seyfriedsberger, G., Jasch, C., Röder, T., & Engell, S. (2017). Resource efficient operation of an evaporator network in the viscose fiber production. In *Computer Aided Chemical Engineering* (Vol. 40, pp. 1735–1740). Elsevier B.V. <https://doi.org/10.1016/B978-0-444-63965-3.50291-9>
- Komunjer, L., Suboti, B., Siroki, M., & Ron, S. (1991). *Kinetics of zeolite dissolution: Part 1. Dissolution of zeolite A in hot sodium hydroxide.*
- Koolen, J. L. A. (Jan L. A. ). (2001). *Design of simple and robust process plants.* Wiley-VCH.
- Kudva, A., & Sahu, G. (2020). *AdChE-2020-Mathematical Modelling for Evaluation of Multi-Stage Flash Evaporator for Concentrating  $Na_2SO_4$ ,  $H_2SO_4$ ,  $ZnSO_4$  and  $H_2O$  Mixture.* <https://ssrn.com/abstract=3707575>
- Leib, T. M., & Pereira, C. Joseph. (2008). *Perry's chemical engineers' handbook. Section 7, Reaction kinetics.* McGraw-Hill.
- Levenspiel, O. (1999). *Chemical reaction engineering* (John Wiley & Sons, Ed.; 3rd Edition).
- Mendes, I. S. F., Prates, A., & Evtuguin, D. V. (2021). Production of rayon fibres from cellulosic pulps: State of the art and current developments. In *Carbohydrate Polymers* (Vol. 273). Elsevier Ltd. <https://doi.org/10.1016/j.carbpol.2021.118466>
- Mozdyniewicz, D. J., Nieminen, K., & Sixta, H. (2013). Alkaline steeping of dissolving pulp. Part I: Cellulose degradation kinetics. *Cellulose*, 20(3), 1437–1451. <https://doi.org/10.1007/s10570-013-9926-2>
- Mukherjee, S., & Borthakur, P. C. (2001). *Chemical demineralization/desulphurization of high sulphur coal using sodium hydroxide and acid solutions.*
- Müller-Steinhagen, H., Malayeri, M. R., & Watkinson, A. P. (2011). Heat exchanger fouling: Mitigation and cleaning strategies. *Heat Transfer Engineering*, 32(3–4), 189–196. <https://doi.org/10.1080/01457632.2010.503108>
- Nantong Sunshine. (2008). *Nantong Sunshine Graphite Equipment Technology Co.,Ltd.*
- N.N.Greenwood. (1997). *Chemistry of the elements* (2nd Edition). Pergamon Press plc.



Paul, A., Laurila, T., Vuorinen, V., Sergiy, ., & Thermodynamics, V. D. (2014). *Diffusion and the Kirkendall Effect in Solids*.

Ray, S., & Das, G. (2020). Evaporators. In *Process Equipment and Plant Design* (pp. 161–202). Elsevier. <https://doi.org/10.1016/B978-0-12-814885-3.00006-3>

Rozalen, M., Huertas, F. J., & Brady, P. V. (2009). Experimental study of the effect of pH and temperature on the kinetics of montmorillonite dissolution. *Geochimica et Cosmochimica Acta*, 73(13), 3752–3766. <https://doi.org/10.1016/j.gca.2009.03.026>

Sachde, D. J. (2020). *Caustic scrubbing of molten sulfur vent streams*. [www.sulphurmagazine.com](http://www.sulphurmagazine.com)

Sample, Jr. (1975). *Method removing elemen sulfur in sour gas well*).

Sarkar, A., Mukhopadhyay, A. R., & Ghosh, S. K. (2014). Developing a model for process improvement using multiple regression technique: A case example. *TQM Journal*, 26(6), 625–638. <https://doi.org/10.1108/TQM-12-2012-0105>

Tian, J. yu, Chen, Z. lin, Yang, Y. ling, Liang, H., Nan, J., & Li, G. bai. (2010). Consecutive chemical cleaning of fouled PVC membrane using NaOH and ethanol during ultrafiltration of river water. *Water Research*, 44(1), 59–68. <https://doi.org/10.1016/j.watres.2009.08.053>

Tian, X., Xie, L., Li, Y., Liu, Y., Ma, S., Kong, D., & Zhu, X. (2022). Green process for recovering indium and other precious metals from high-sulphur hot filter residues via sodium-hydroxide hydrothermal treatment. *Process Safety and Environmental Protection*, 162, 426–434. <https://doi.org/10.1016/j.psep.2022.03.087>

WILKES, A. G. (2001). The viscose process. In *Regenerated Cellulose Fibres* (pp. 37–61). Elsevier. <https://doi.org/10.1533/9781855737587.37>

Wilson, D. I. (2005). Challenges in cleaning: Recent developments and future prospects. *Heat Transfer Engineering*, 26(1), 51–59. <https://doi.org/10.1080/01457630590890175>