

DAFTAR PUSTAKA

- Abdullah, A.S., Shofiyani, A., Syahbanu, I., and Hadari Nawawi, J.H., 2017, Pemanfaatan Limbah Daun Nanas (*Ananas Comosus*) sebagai Bahan Dasar Arang Aktif Untuk Adsorpsi Fe(II), 6, 66–74.
- Alaqrabeh, M., Al, P., and Abdullah, H. Bin, 2021, Adsorption Phenomena: Definition, Mechanisms, and Adsorption Types: Short Review, *RHAZES: Green and Applied Chemistry*, 13, 43–51.
- Astuti, W., Sulistyaningsih, T., Kusumastuti, E., Thomas, G.Y.R.S., and Kusnadi, R.Y., 2019, Thermal conversion of pineapple crown leaf waste to magnetized activated carbon for dye removal, *Bioresour Technol*, 287, 121426.
- Banerjee, S., Patti, A.F., Ranganathan, V., and Arora, A., 2019, Hemicellulose based biorefinery from pineapple peel waste: Xylan extraction and its conversion into xylooligosaccharides, *Food and Bioproducts Processing*, 117, 38–50.
- Basharat, Sumaira, Rehman, R., Mahmud, T., Basharat, Sara, and Mitu, L., 2020a, Tartaric Acid-Modified *Holarrhena antidysenterica* and *Citrullus colocynthis* Biowaste for Efficient Eradication of Crystal Violet Dye from Water, *J Chem*, 2020, 8862167.
- Basharat, Sumaira, Rehman, R., Mahmud, T., Basharat, Sara, and Mitu, L., 2020b, Tartaric Acid-Modified *Holarrhena antidysenterica* and *Citrullus colocynthis* Biowaste for Efficient Eradication of Crystal Violet Dye from Water, *J Chem*, 2020, .
- Berean, K., Ou, J.Z., Nour, M., Latham, K., McSweeney, C., Paull, D., Halim, A., Kentish, S., Doherty, C.M., Hill, A.J., and Kalantar-Zadeh, K., 2014, The effect of crosslinking temperature on the permeability of PDMS membranes: Evidence of extraordinary CO₂ and CH₄ gas permeation, *Sep Purif Technol*, 122, 96–104.
- Bhattacharya, D., Germinario, L.T., and Winter, W.T., 2008, Isolation, preparation and characterization of cellulose microfibers obtained from bagasse, *Carbohydr Polym*, 73, 371–377.

- Bolis, V., 2013, Fundamentals in Adsorption at the Solid-Gas Interface. Concepts and Thermodynamics,. In, *Springer Series in Materials Science*. Springer Science and Business Media Deutschland GmbH, pp. 3–50.
- BPS, 2024, Laju Pertumbuhan PDB Seri 2024 - Tabel Statistik - Badan Pusat Statistik Indonesia, *Badan Pusat Statistik*,.
- Chen, X., Liu, L., Luo, Z., Shen, J., Ni, Q., and Yao, J., 2018, Facile Preparation of a Cellulose-based Bioadsorbent Modified by hPEI in Heterogeneous System for High-efficiency Removal of Multiple Yypes of Dyes, *React Funct Polym*, 125, 77–83.
- Cherian, B.M., Leão, A.L., de Souza, S.F., Thomas, S., Pothan, L.A., and Kottaisamy, M., 2010, Isolation of nanocellulose from pineapple leaf fibres by steam explosion, *Carbohydr Polym*, 81, 720–725.
- Committee, J.Formulary., 2015, British National Formulary (BNF) 69., Pharmaceutical Press.
- FAO, 2019, Food loss and waste - Framing the issues, *The State of the World*, 1–19.
- Ge, H., Huang, H., Xu, M., and Chen, Q., 2016, Cellulose/poly(ethylene imine) Composites as Efficient and Reusable Adsorbents for Heavy Metal Ions, *Cellulose*, 23, 2527–2537.
- Güzel, F., Saygili, H., Saygili, G.A., and Koyuncu, F., 2014, Decolorisation of aqueous crystal violet solution by a new nanoporous carbon: Equilibrium and kinetic approach, *Journal of Industrial and Engineering Chemistry*, 20, 3375–3386.
- Hardianti, D., Hardi, J., Soekarno Hatta Km, J., and Bumi Tadulako Tondo Palu, K., 2018, The Recovery of Remazol Yellow Using Chitosan Gel Cross-Linked With Glutaraldehyde, *KOVALEN*, 4, 254–261.
- Hossain, M.A. and Hassan, Md.T., 2013, Kinetic and Thermodynamic Studies of the Adsorption of Crystal Violet on Used Black Tea Leaves, *Orbital: The Electronic Journal of Chemsitry*, 5, 22–32.

- Irawati, H., Hidayat Aprilita, N., Sugiharto, E., Kimia, D., Matematika, F., Ilmu, D., and Alam, P., 2018, Adsorpsi Zat Warna Kristal Violet Menggunakan Limbah Kulit Singkong (*Manihot esculenta*), *Berkala MIPA*, 25, .
- El Kaim Billah, R., Islam, M.A., Nazal, M.K., Bahsis, L., Soufiane, A., Abdellaoui, Y., and Achak, M., 2024, A Novel Glutaraldehyde Cross-linked Chitosan@acid-activated Bentonite Composite for Effective Pb (II) and Cr (VI) Adsorption: Experimental and Theoretical Studies, *Sep Purif Technol*, 334, 126094.
- Kim, G.M., Wang, Z., Kang, S. Bin, and Won, S.W., 2019, Polyethylenimine-crosslinked chitin flake as a biosorbent for removal of Acid Blue 25, *Korean Journal of Chemical Engineering*, 36, 1455–1465.
- Kinney, T.J., Masiello, C.A., Dugan, B., Hockaday, W.C., Dean, M.R., Zygourakis, K., and Barnes, R.T., 2012, Hydrologic properties of biochars produced at different temperatures, *Biomass Bioenergy*, 41, 34–43.
- Kiswanto, Rahayu, L.N., and Wintah, 2019, Pengolahan Limbah Cair Batik menggunakan Metode Nanofiltrasi di Kota Pekalongan Jawa Tengah, *JURNAL LITBANG KOTA PEKALONGAN* , 17, 72–82.
- Linde, D., Ayuso-Fernández, I., Laloux, M., Aguiar-Cervera, J.E., de Lacey, A.L., Ruiz-Dueñas, F.J., and Martínez, A.T., 2021, Comparing Ligninolytic Capabilities Of Bacterial And Fungal Dye-Decolorizing Peroxidases And Class-II Peroxidase-Catalases, *Int J Mol Sci*, 22, 1–23.
- Liu, C.F., Ren, J.L., Xu, F., Liu, J.J., Sun, J.X., and Sun, R.C., 2006, Isolation and Characterization of Cellulose Obtained from Ultrasonic Irradiated Sugarcane Bagasse, *J Agric Food Chem*, 54, 5742–5748.
- Lungu, C.N., Diudea, M. V., Putz, M. V., and Grudziński, I.P., 2016, Linear and Branched PEIs (Polyethylenimines) and Their Property Space, *International Journal of Molecular Sciences* 2016, Vol. 17, Page 555, 17, 555.
- Mandal, A. and Chakrabarty, D., 2011, Isolation of nanocellulose from waste sugarcane bagasse (SCB) and its characterization, *Carbohydr Polym*, 86, 1291–1299.

- Mani, S. and Bharagava, R.N., 2016, Exposure to Crystal Violet, its Toxic, Genotoxic and Carcinogenic Effects on Environment and its Degradation and Detoxification for Environmental Safety,. In, *Reviews of Environmental Contamination and Toxicology*. Springer New York LLC, pp. 71–104.
- Mansor, A.M., Lim, J.S., Ani, F.N., Hashim, H., and Ho, W.S., 2019, Characteristics Of Cellulose, Hemicellulose And Lignin Of MD2 Pineapple Biomass, *Chem Eng Trans*, 72, 79–84.
- Menkiti, M.C., Aniagor, C.O., Agu, C.M., and Ugonabo, V.I., 2018, Effective Adsorption of Crystal Violet Dye from an Aqueous Solution Using Lignin-Rich Isolate from Elephant Grass, *Water Conservation Science and Engineering*, 3, 33–46.
- Milovanovic, S., Markovic, D., Aksentijevic, K., Stojanovic, D.B., Ivanovic, J., and Zizovic, I., 2016, Application of cellulose acetate for controlled release of thymol, *Carbohydr Polym*, 147, 344–353.
- Miri, S.S.N. and Narimo, 2022, Review : Kajian Persamaan Isoterm Langmuir dan Freundlich pada Adsorpsi Logam Berat Fe (II) dengan Zeolit dan Karbon Aktif dari Biomassa Review : Equation Study of Langmuir and Freundlich Isotherms on Adsorption of Heavy Metal Fe (II) with Zeolite and Activated Carbon from Biomass, *Jurnal Kimia dan Rekayasa*, 2, .
- Mosoarca, G., Vancea, C., Popa, S., Dan, M., and Boran, S., 2022, Crystal Violet Adsorption on Eco-Friendly Lignocellulosic Material Obtained from Motherwort (*Leonurus cardiaca* L.) Biomass, *Polymers (Basel)*, 14, .
- Muhammad, S.A. and Shahid, R.M., 2017, Removal of Dye from Textile Wastewater by Electrolytic Treatment, *NFC IEFR Journal of Engineering and Scientific Research*, 5, .
- Mulyadi, I., 2019, Isolasi dan Karakterisasi Selulosa : Riview, *Jurnal Saintika Unpam : Jurnal Sains dan Matematika Unpam*, 1, 177–182.
- Nafisah, A.R., Rahmawati, D., Tarmidzi, F.M., Studi, P., Pangan, T., Sains, J., Kemaritman, D., and Kalimantan, T., 2022, Synthesis of Cellulose Nanofiber from Palm Oil Empty Fruit Bunches Using Acid Hydrolysis Method, .

- Naibaho, M., Muliani, F., and Fairus, 2023, Proyeksi Jumlah Penduduk dan Analisis Faktor yang Mempengaruhi Pertumbuhan Penduduk Kabupaten Samosir, *JURNAL ILMIAH MATEMATIKA DAN TERAPAN*, 20, 56–65.
- Nashiruddin, N.I., Mansor, A.F., Rahman, R.A., Ilias, R.M., and Yussof, H.W., 2020, Process Parameter Optimization of Pretreated Pineapple Leaves Fiber for Enhancement of Sugar Recovery, *Ind Crops Prod*, 152, 112514.
- Nieva, A.D., Avena, L.G.S., Pascual, M.A.M., and Pamintuan, K.R.S., 2020, Characterization of Powdered Pineapple (*Ananas comosus*) Crown Leaves as Adsorbent for Crystal Violet in Aqueous Solutions, *IOP Conf Ser Earth Environ Sci*, 563, .
- Octaviani, V., Kadaria, U., and Asbanu, G.C., 2024, Pemanfaatan Daun Nanas Sebagai Biosorben Untuk Perbaikan Kualitas Air Gambut, *Jurnal Teknologi Lingkungan Lahan Basah*, 12, 458.
- Pangesti, A.D., Cahyanintyas, B., Yulfan, R.M., and Chusniyah, T., 2023, Social Media Campaign: Thrifting sebagai Pencegahan Limbah Tekstil Fast Fashion, *Jurnal Flourishing*, 3, 17–21.
- Pereira, P.H.F., Ornaghi, H.L., Arantes, V., and Cioffi, M.O.H., 2021, Effect of chemical treatment of pineapple crown fiber in the production, chemical composition, crystalline structure, thermal stability and thermal degradation kinetic properties of cellulosic materials, *Carbohydr Res*, 499, 108227.
- Poletto, M., Ornaghi Júnior, H.L., and Zattera, A.J., 2014, Native cellulose: Structure, characterization and thermal properties, *Materials*, 7, 6105–6119.
- Pratama, O.Y. (Okky), Darjito, D. (Darjito), and Tjahjanto, R.T. (Rachmat), 2015, Pengaruh PH dan Waktu Kontak pada Adsorpsi Zn(II) Menggunakan Kitin Terikat Silang Glutaraldehid, *Jurnal Ilmu Kimia Universitas Brawijaya*, 1, 741–747.
- Purwaningsih, H., Irawadi, T.T., Mas'ud, Z.A., and Fauzi, A.M., 2012, Rekayasa Biopolimer Jerami Padi dengan Teknik Kopolimerisasi Cangkok dan Taut Silang, *Jurnal Kimia VALENSI*, 2, .

- Putri, K.N.A., Keereerak, A., and Chinpa, W., 2020, Novel cellulose-based biosorbent from lemongrass leaf combined with cellulose acetate for adsorption of crystal violet, *Int J Biol Macromol*, 156, 762–772.
- Rachmawati, L.A., 2023, Adsorpsi Kristal Violet Menggunakan Karbon Kulit Manggis: Optimasi dengan BBD-RSM,.
- Ramadhan, M.D., Iriany, Misran, E., and Turmuzi, M., 2021, Studi Model Isoterm Adsorpsi Kristal Violet oleh Biosorben Kulit Ubi Kayu (*Manihot esculenta*), *Jurnal Teknik Kimia USU*, 10, 38–44.
- Ramdani, D., majuki, marjuki, and Chuzaemi, S., 2017, Pengaruh perbedaan jenis pelarut dalam proses ekstraksi buah mengkudu (*Morinda citrifolia* L.) pada pakan terhadap viabilitas protozoa dan produksi gas in-vitro, *Jurnal Ilmu-Ilmu peternakan*, 27, 54–62.
- Ratnaningsih, T., Ira Prasetyaningrum Jurusan Teknik Kimia, dan, and Teknologi Industri, F., 2008, Biokonversi Selulosa Dari Limbah Tongkol Jagung Menjadi Glukosa Menggunakan Jamur *Aspergillus Niger* Bioconversion Of Cellulose From Corn Cob To Glucose Using *Aspergillus Niger*, *Jurnal Purifikasi*, 7, 27–33.
- Saha, P. Das, Chakraborty, S., and Chowdhury, S., 2012, Batch and continuous (fixed-bed column) biosorption of crystal violet by *Artocarpus heterophyllus* (jackfruit) leaf powder, *Colloids Surf B Biointerfaces*, 92, 262–270.
- Santhi, M., Arnata, I.W., and Wrsiati, L.P., 2022, Isolasi Selulosa Dari Serat Sabut Kelapa (*Cocos Nucifera* L.) Pada Variasi Suhu Dan Waktu Proses Bleaching Dengan Asam Perasetat,.
- Sarma, G.K., Sen Gupta, S., and Bhattacharyya, K.G., 2016, Adsorption of Crystal violet on raw and acid-treated montmorillonite, K10, in aqueous suspension, *J Environ Manage*, 171, 1–10.
- Sausan, F.W., Rahma Puspitasari, A., and Yanuarita, D., 2021, Studi Literatur Pengolahan Warna pada Limbah Cair Industri Tekstil Menggunakan Metode Proses Adsorpsi, Filtrasi, dan Elektrolisis, 214–230.

- Sills, D.L. and Gossett, J.M., 2012, Using FTIR to predict saccharification from enzymatic hydrolysis of alkali-pretreated biomasses, *Biotechnol Bioeng*, 109, 353–362.
- Silvia, V., Pinem, J.A., and Irianty, R.S., 2016, Sintesis Membran Selulosa Asetat untuk Desalinasi Air Payau, *Jurnal Online Mahasiswa Fakultas Teknik Universitas Riau*, 3, 1–9.
- Sudarmawan, W.S., Suprijanto, J., and Riniatsih, I., 2020, Abu Cangkring Kerang *Anadara granosa*, Linnaeus 1758 (Bivalvia: Arcidae) sebagai Adsorben Logam Berat dalam Air Laut, *J Mar Res*, 9, 237–244.
- Sumiati, T., Yuningtyas, S., and Haloho, L.E.B., 2023, Delignifikasi Lignoselulosa Daun Nanas sebagai Sumber Alfa Selulosa, *Jurnal Farmamedika (Pharmamedika Journal)*, 8, 130–137.
- Sun, Shaoni, Sun, Shaolong, Cao, X., and Sun, R., 2016, The role of pretreatment in improving the enzymatic hydrolysis of lignocellulosic materials, *Bioresour Technol*, 199, 49–58.
- Supriyanto, R., Puteri Anggraini, S., Bahri, S., and Rilyanti, M., 2021, Fotodegradasi Pewarna Tekstil Kristal Violet Terkatalis ZnO/Zeolit Y Secara Spektrofotometri Uv-Vis, *ANALIT: ANALYTICAL AND ENVIRONMENTAL CHEMISTRY*, 6, 33–45.
- Suryadi Ismadji, Felycia Edi Soetaredjo, Shella Permatasari Santoso, Jindrayani Nyoo Putro, Maria Yuliana, Wenny Irawaty, Sandy Budi Hartono, and Valentino Bervia Lunardi, 2021, Seri Buku Teknik Kimia Universitas Katolik Widya Mandala Surabaya Adsorpsi Pada Fase Cair,.
- Suseno, Darmawan, P., and Mahayana, A., 2022, Penentuan Laju Alir Optimum Pada Penghilangan Warna Air Limbah Industri Tekstil Menggunakan Metode Elektrooksidasi Dengan Sistem Kontinyu, *JURNAL KIMIA DAN REKAYASA*, 3, 27–32.
- Sutirman, Z.A., Sanagi, M.M., Abd Karim, K.J., Naim, A.A., and Wan Ibrahim, W.A., 2018, Chitosan-based adsorbents for the removal of metal ions from aqueous solutions, *Malaysian Journal of Analytical Sciences*, 22, 839–850.

- Taihuttu, B., Kayadoe, V., and Mariwy, A., 2018, Studi Kinetika Adsorpsi Ion Fe (III) Menggunakan Limbah Ampas Sagu, *Molluca Journal of Chemistry Education*, 9, 9–19.
- Takabi, A.S., Shirani, M., and Semnani, A., 2021, Apple stem as a high performance cellulose based biosorbent for low cost and eco-friendly adsorption of crystal violet from aqueous solutions using experimental design: Mechanism, kinetic and thermodynamics, *Environ Technol Innov*, 24, 101947.
- Tangtubtim, S. and Saikrasun, S., 2019, Effective Removals of Copper (II) and Lead (II) Cations from Aqueous Solutions by Polyethyleneimine-Immobilized Pineapple Fiber, *Bioresour Technol Rep*, 7, .
- Wang, Z., Kang, S. Bin, Yun, H.J., and Won, S.W., 2021, Polyethylenimine-crosslinked Chitin Biosorbent for Efficient Recovery of Pd(II) from Acidic Solution: Characterization and Adsorption Mechanism, *Carbohydrate Polymer Technologies and Applications*, 2, .
- Wardalia and Rusdi, 2017, Pengaruh Waktu Karbonisasi pada Adsorben Cangkang Kacang Tanah Terhadap Degradasi Zat Warna Methyl Violet,.
- Wong, S., Tumari, H.H., Ngadi, N., Mohamed, N.B., Hassan, O., Mat, R., and Saidina Amin, N.A., 2019, Adsorption of anionic dyes on spent tea leaves modified with polyethyleneimine (PEI-STL), *J Clean Prod*, 206, 394–406.
- Yahayaa, N.K.E.M., Muhamad, F.P.M.L., Ismail, A., Alugbenga, S.B., and Mohd, A.A., 2011, (PDF) Adsorptive Removal of Cu(II) Using Activated Carbon Prepared from Rice Husk by ZnCl₂ Activation and Subsequent Gasification with CO₂, *IJET-IJENS*, 11, 77–89.
- Yosefina Keon, D., Yulianti, I.M., and Jati, W.N., 2018, Kemampuan Selulosa Daun Mahkota Nanas (*Ananas comosus*) Sebagai Bioadsorben Logam Tembaga (Cu) Ability of Cellulose by Pineapple Crown Leaf (*Ananas comosus*) Cellulose as Bio-adsorbent of Heavy Metal Copper (Cu),.
- Zein, R., Marliani, I.T., Emriadi, E., Ramadhani, P., and Fauzia, S., 2023, Potensi Biosorben Kulit Batang Sagu (*Metroxylon sago*) untuk Penyerapan Zat Warna Crystal Violet: Studi Isoterm, Kinetika, Termodinamika, dan Aplikasi, *Journal of The Indonesian Society of Integrated Chemistry*, 15, 83–98.

- Zhou, Y., Min, Y., Qiao, H., Huang, Q., Wang, E., and Ma, T., 2015, Improved removal of malachite green from aqueous solution using chemically modified cellulose by anhydride, *Int J Biol Macromol*, 74, 271–277.
- Zhou, Z., Lin, S., Yue, T., and Lee, T.C., 2014, Adsorption of Food Dyes from Aqueous Solution by Glutaraldehyde Cross-linked Magnetic Chitosan Nanoparticles, *J Food Eng*, 126, 133–141.