



DAFTAR PUSTAKA

- Ahmed, S.S., Abd El-Hafez, H.A., Mohsen, M., El-Balomy, A.A., Elkhamisyi, E.T. and El-Ashmawy. M. (2023) ‘Is Vitamin B12 Deficiency a Risk Factor for Gastroparesis in Patients with Type 2 Diabetes?’, *Diabetology and Metabolic Syndrome*, 15(1), pp. 1–11. Available at: <https://doi.org/10.1186/S13098-023-01005-0>.
- Alam, U., Asghar. O. and Malik, R.A. (2010) ‘Diabetic Gastroparesis: Therapeutic Options’, *Diabetes Ther*, 1(1), pp. 32–43. Available at: <https://doi.org/10.1007/s13300-010-0010-8>.
- Almogbel, R.A., Alhussan, F.A., Ainasser, S.A. and Algeffari, M.A. (2016) ‘Prevalence and Risk Factors of Gastroparesis-related Symptoms Among Patients with Type 2 Diabetes’, *International Journal of Health Sciences*, 10(3), pp. 397–404.
- American Diabetes Association (2022) ‘Classification and Diagnosis of Diabetes: Standards of Medical Care in Diabetes—2022’, *Diabetes Care*, 45, pp. S17–S38. Available at: <https://doi.org/10.2337/dc22-S002>.
- Antunes, C., Aleem, A. and Curtis, S.A. (2023) ‘Gastroesophageal Reflux Disease’.
- Asghar, Shoaib., Asghar, Sohaib., Shahid, S., Sajjad. H., Nasir, J.A. and Usman, M. (2023) ‘Gastroparesis-Related Symptoms in Patients With Type 2 Diabetes Mellitus: Early Detection, Risk Factors, and Prevalence’, *Cureus*, 1(3). Available at: <https://doi.org/10.7759/cureus.35787>.
- Aswath, G.S. Foris, L.A., Aswath, A.K. and Patel, K. (2023) ‘Diabetic Gastroparesis’, *Music Educators Journal* [Preprint].
- Bharucha, A.E. Camilleri, M., Forstrom, L.A. and Zinsmeister, A. R. (2009) ‘Relationship Between Clinical Features and Gastric Emptying Disturbances in Diabetes Mellitus’, *Clinical Endocrinology*, 70(3), pp. 415–420. Available at: <https://doi.org/10.1111/j.1365-2265.2008.03351.x>.
- Bharucha, A.E., Kudva, Y., Basu, A., Camilleri, M., Low, P.A., Vella, A. et al. (2015) ‘Relationship between glycemic control and gastric emptying in poorly controlled type 2 diabetes’, *Clinical Gastroenterology and Hepatology*, 13(3), pp. 466-476.e1. Available at: <https://doi.org/10.1016/j.cgh.2014.06.034>.
- Boye, K.S., Thieu, V.T., Lage, M.J., Miller, H., and Paczkowski, R. (2022) ‘The Association Between Sustained HbA1c Control and Long-Term Complications Among Individuals with Type 2 Diabetes: A Retrospective Study’, *Advances in Therapy*, 39(5), pp. 2208–2221. Available at: <https://doi.org/10.1007/s12325-022-02106-4>.
- Bukhari, A.A. and Alsayari, M.M. (2021) ‘Prevalence of Gastroparesis Symptoms in Diabetic Patients in the Western Region of Saudi Arabia, 2019’, *Diabetes*, 70(Supplement_1). Available at: <https://doi.org/10.2337/db21-415-p>.
- Cakir, M., Altunbas, H. and Karayalcin, U. (2002) ‘Hyperglycemia: An Independent Marker of In-Hospital Mortality in Patients with Undiagnosed Diabetes’, *Journal of Clinical Endocrinology and Metabolism*, 87(3), pp. 978–982. Available at: <https://doi.org/10.1210/jc.2002-020995>.



- Camilleri, M. (2007) ‘Diabetic Gastroparesis’, *The New England journal of medicine*, 356(8), pp. 820–829. Available at: <https://doi.org/10.1007/s13300-018-0475-4>.
- Carter, E.T. (2007) ‘Hypokalemia’, *Pediatric Emergency Medicine*, pp. 793–795. Available at: <https://doi.org/10.1016/B978-141600087-7.50116-1>.
- Ditchwald, S. 2024. Gastroparesis as an early sign of sepsis (abstract). ClinicalTrial: Meir Medical Center.
- Dong, K., Yu, X.J., Li, B., Wen, E.G., Xiong, W. and Guan, Q.L. (2006) ‘Advances in mechanisms of postsurgical gastroparesis syndrome and its diagnosis and treatment’, *Chinese Journal of Digestive Diseases*, 7(2), pp. 76–82. Available at: <https://doi.org/10.1111/j.1443-9573.2006.00255.x>.
- Dorling, J., Tume, L., Arch, B., Woolfall, K., Latten, L., Roper, L. et al. (2020) ‘Gastric residual volume measurement in British neonatal intensive care units: A survey of practice’, *BMJ Paediatrics Open*, 4(1), p. 601. Available at: <https://doi.org/10.1136/bmjpo-2019-000601>.
- Dungan, K.M., Braithwaite, S.S. and Preiser, J.C. (2009) ‘Stress Hyperglycaemia’, *Lancet*, 373(9677), pp. 1798–1807. Available at: [https://doi.org/10.1016/S0140-6736\(09\)60553-5](https://doi.org/10.1016/S0140-6736(09)60553-5).
- Gaschen, Frédéric. (2016). *August's Consultations in Feline Internal Medicine, Volume 7 // Disorders of Esophageal, Gastric, and Intestinal Motility in Cats*. , (), 117–128. doi:10.1016/b978-0-323-22652-3.00011-6
- Gourcerol, G., Melchior, C., Wuesteberghs, F., Desprez, C., Prevost, G., Grosjean, J. et al. (2022) ‘Delayed gastric emptying as an independent predictor of mortality in gastroparesis’, *Alimentary Pharmacology and Therapeutics*, 55(7), pp. 867–875. Available at: <https://doi.org/10.1111/apt.16827>.
- Gumaste, V. V., Egbuna, I. and Goldman, A. (2010) *Diabetes is Not an Independent Predictor of Gastroparesis in Symptomatic Patients Referred for Gastric Emptying Studies*, *J Gastrointestin Liver Dis. Annals of Gastroenterology*, 23(2), pp. 126–132.
- Halland, M. and Bharucha, A.E. (2016) ‘Relationship Between Control of Glycemia and Gastric Emptying Disturbances in Diabetes Mellitus’, *Clinical Gastroenterology and Hepatology*. W.B. Saunders, pp. 929–936. Available at: <https://doi.org/10.1016/j.cgh.2015.11.021>.
- Hasler, W.L., Wilson, L.A., Nguyen, L.A., Snape, W.J., Abell, T.L., Koch, K.L. et al. (2019) ‘Opioid Use and Potency Are Associated With Clinical Features, Quality of Life, and Use of Resources in Patients With Gastroparesis’, *Clinical Gastroenterology and Hepatology*, 17(7), pp. 1285-1294.e1. Available at: <https://doi.org/10.1016/j.cgh.2018.10.013>.
- Hunt, M.E., Yates, J.R., Vega, H., Heidel, R.E. and Buehler, J.M. (2020) ‘Effects on Postoperative Gastrointestinal Motility After Neuromuscular Blockade Reversal With Sugammadex Versus Neostigmine/Glycopyrrolate in Colorectal Surgery Patients’, *Annals of Pharmacotherapy*, 54(12), pp. 1165–1174. Available at: <https://doi.org/10.1177/1060028020929061>.
- International Diabetes Federation (2021) ‘Diabetes around the world 2021’, 2021, pp. 1–2.



- Jalleh, R. et al. (2019) "Diabetic Gastroparesis and Glycaemic Control," *Current Diabetes Reports*, 19(12), p. 153. Available at: <https://doi.org/10.1007/s11892-019-1281-8>.
- Jehangir, A. and Parkman, H.P. (2017) *Abstracts 1220 Reflux Symptoms in Patients With Gastroparesis: Prevalence, Severity, and Correlation With Gas-troparesis Symptoms and Gastric Retention Presidential Poster Award*. Available at: www.nature.com/ajg, Accessed May 25,2024.
- Jin, Q.H., Shen, H.X., Wang, H., Shou, Q.Y. and Liu, Q. (2013) 'Curcumin improves expression of SCF/c-kit through attenuating oxidative stress and NF- κ B activation in gastric tissues of diabetic gastroparesis rats', *Diabetology and Metabolic Syndrome*, 5(1). Available at: <https://doi.org/10.1186/1758-5996-5-12>.
- Kementrian Kesehatan RI (2018) *Riskesdas 2018*. Jakarta.
- Krishnasamy, S. and Abell, T.L. (2018) 'Diabetic Gastroparesis: Principles and Current Trends in Management', *Diabetes Therapy*, 9. Available at: <https://doi.org/10.1007/s13300-018-0454-9>.
- Kurniawan, A.H., Suwandi, B.H. and Kholili, U. (2019) 'Diabetic Gastroenteropathy: A Complication of Diabetes Mellitus', *Acta Medica Indonesiana*, 51(3), p. 263.
- Lee, J., Park, H.L., Park, S.Y., Lim, C.H., Kim, M.H., Lee, J.M. et al. (2024) 'Gastroparesis might not be uncommon in patients with diabetes mellitus in a real-world clinical setting: a cohort study', *BMC Gastroenterology*, 24(1). Available at: <https://doi.org/10.1186/s12876-023-03106-6>.
- Li, L., Wang, L., Long, R., Song, L and Yue, R. (2023) 'Prevalence of Gastroparesis in Diabetic Patients: a Systematic Review and Meta-analysis', *Scientific Reports*, 13(1), p. 14015. Available at: <https://doi.org/10.1038/s41598-023-41112-6>.
- Lindner, M., Padar, M., Mandul, M., Christopher, K.B., Blaser, A. R., Gratz, H.C. et al. (2023) 'Current practice of gastric residual volume measurements and related outcomes of critically ill patients: A secondary analysis of the intestinal-specific organ function assessment study', *Journal of Parenteral and Enteral Nutrition*, 47(5), pp. 614–623. Available at: <https://doi.org/10.1002/jpen.2502>.
- McCallum RW, Berkowitz DM, Lerner E. Gastric emptying in patients with gastroesophageal reflux. *Gastroenterology*. 1981;80:285-91.
- Maleki, D., Locke, G.R., Cammilleri, M., Zinsmeister, A.R., Yawn. B.P., Leibson, C. et al. (2000) 'Gastrointestinal tract symptoms among persons with diabetes mellitus in the community', *Archives of Internal Medicine*, 160(18), pp. 2808–2816. Available at: <https://doi.org/10.1001/archinte.160.18.2808>.
- Mihai, B.M., Mihai, C., Prelipcean, C.C., Grigorescu, E.D., Dranga, M., Drug, V. et al. (2018) 'Bidirectional relationship between gastric emptying and plasma glucose control in normoglycemic individuals and diabetic patients', *Journal of Diabetes Research* [Preprint]. Available at: <https://doi.org/10.1155/2018/1736959>.



- Minasyan, H. (2017) ‘Sepsis and septic shock: Pathogenesis and treatment perspectives’, *Journal of Critical Care*, 40, pp. 229–242. Available at: <https://doi.org/10.1016/J.JCRC.2017.04.015>.
- Monnet, X., Lai, C., Tascon, G.O. and Backer, D.D. (2023) ‘Evidence for a personalized early start of norepinephrine in septic shock’, *Critical Care*, 27(1). Available at: <https://doi.org/10.1186/s13054-023-04593-5>.
- Murphy, D.B., Sutton, J.A.L.F.P. and Murphy, M.B. (2017) ‘Opioid-induced delay in gastric emptying: a peripheral mechanism in humans’, *Pain Medicine*, 18, pp. 1837–1863. Available at: <https://doi.org/10.1093/pmw/pnw255>.
- Pannemans, J., Carbone, F. and Tack, J. (2020) ‘Opioids in Gastroparesis: Bystander or Cause?’, *Clinical Gastroenterology and Hepatology*. W.B. Saunders, pp. 998–999. Available at: <https://doi.org/10.1016/j.cgh.2019.08.040>.
- Parkman, H. P., Natta, M.V., Yamada, G., Grover, M., McCallum, R.W., Sarosiek, I. et al. (2021) ‘Body weight in patients with idiopathic gastroparesis’, *Neurogastroenterology and Motility*, 33(2), p. 13974. Available at: <https://doi.org/10.1111/nmo.13974>.
- Pellegrini, C.A. (2001) ‘Delayed gastric emptying in patients with abnormal gastroesophageal reflux’, *Annals of Surgery*, 234(2), pp. 147–148. Available at: <https://doi.org/10.1097/00000658-200108000-00003>.
- Perkeni (2021) *Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia 2021*. PB. PERKENI.
- Rao, J.N. (2013) ‘Estrogens and gastroparesis: A clinical relevance’, *Digestive Diseases and Sciences*, 58(6), pp. 1449–1451. Available at: <https://doi.org/10.1007/s10620-013-2683-0>.
- Rayner, C.K., Hebbard, G.S. and Horowitz, M. (2012). *Physiology of the Gastrointestinal Tract // Physiology of the Antral Pump and Gastric Emptying*. , (), 959–976. doi:10.1016/B978-0-12-382026-6.00035-X
- Reddy, S., Ramsubeik, K., Vega, K.J., Federico, J. and Palacio, C. (2010) ‘Do HbA1C Levels Correlate With Delayed Gastric Emptying in Diabetic Patients?’, *Journal of Neurogastroenterology and Motility*, 16(4), pp. 414–417. Available at: <https://doi.org/10.5056/jnm.2010.16.4.414>.
- Rodrigues, M.L.C. and Motta, M.E.F.A. (2012) ‘Mechanisms and Factors Associated with Gastrointestinal Symptoms in Patients with Diabetes Mellitus’, *Jornal de Pediatria. J Pediatr (Rio J)*, pp. 17–24. Available at: <https://doi.org/10.2223/JPED.2153>.
- Ronnie Fass, F. Mc Callum R.W, Parkman H.P, (2009) *Clinical Roundtable Monograph : Treatment Challenges in the Management of Gastroparesis-Related GERD*. *Gastroenterol Hepatol (N Y)*. Oct;5(10 Suppl 18):4-16. PMID: 37967396; PMCID: PMC2886367. Available at: www.cmeuniversity.com.
- Sastroasmoro, S dan Ismael, S. 2014. Dasar-dasar Metodologi Penelitian Klinis. Jakarta: Sagungseto. Ed 5th. 17. pp 352-387
- Setiati, S., Idrus, A. and Sudoyono, A.W. (2014) ‘Buku Ajar Ilmu Penyakit Dalam Edisi Keenam Jilid I’. Jakarta: Interna Publishing.



- Singer, P., Blaser, A.R., Berger, M.M., Alhazzani, W., Calder, P.C., Caesar, M.P. *et al.* (2019) ‘ESPEN guideline on clinical nutrition in the intensive care unit’, *Clinical Nutrition*, 38(1), pp. 48–79. Available at: <https://doi.org/10.1016/j.clnu.2018.08.037>.
- Stojek, M. and Jasiński, T. (2021) ‘Gastroparesis in the intensive care unit’, *Anaesthesiology Intensive Therapy*, 53(5), pp. 450–455. Available at: <https://doi.org/10.5114/ait.2021.110959>.
- Sun, Y., Tao, Q., Wu, X., Zhang, L., Liu, Q. and Wang, L. (2021) ‘The Utility of Exosomes in Diagnosis and Therapy of Diabetes Mellitus and Associated Complications’, *Frontiers in Endocrinology*. Available at: <https://doi.org/10.3389/fendo.2021.756581>.
- Vella, A., Bock, G., Giesler, P.D., Burton, D.B., Serra, D.B., Saylan, M.L. *et al.* (2007) ‘Effects of Dipeptidyl Peptidase-4 Inhibition on Gastrointestinal Function, Meal Appearance, and Glucose Metabolism in Type 2 Diabetes’, *Diabetes*, 56, pp. 1475–1480. Available at: <https://doi.org/10.2337/db07-0136>.
- Verdich, C., Madsen, J.L., Toubro, S., Buemann, B., Holst, J.J. and Astruo, A. (2000) ‘Effect of obesity and major weight reduction on gastric emptying’, *International Journal of Obesity*, 24(7), pp. 899–905. Available at: <https://doi.org/10.1038/sj.ijo.0801250>.
- Wang, X. (2008) ‘Increased prevalence of symptoms of gastroesophageal reflux diseases in type 2 diabetics with neuropathy’, *World Journal of Gastroenterology*, 14(5), p. 709. Available at: <https://doi.org/10.3748/wjg.14.709>.
- WHO (2023a) *Diabetes*. Available at: <https://www.who.int/news-room/fact-sheets/detail/diabetes>. Accessed October 11, 2023.
- WHO (2023b) *Prevalence of obesity among adults, BMI >= 30 (age-standardized estimate) (%)*. Available at: [https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-obesity-among-adults-bmi--30-\(age-standardized-estimate\)-\(--\)](https://www.who.int/data/gho/data/indicators/indicator-details/GHO/prevalence-of-obesity-among-adults-bmi--30-(age-standardized-estimate)-(--)). Accessed January 28, 2024.
- Yasuda, H., Kondo, N., Yamamoto, R., Asami, S., Abe, T., Tsujimoto, H. *et al.* (2021) ‘Monitoring of gastric residual volume during enteral nutrition’, *Cochrane Database of Systematic Reviews* [Preprint], (9). Available at: <https://doi.org/10.1002/14651858.CD013335.pub2>.
- Yuan, H.L., Zhang, X., Chu, W.W., Lin, G.B. and Xu, C.X. (2024) ‘Risk factor analysis and nomogram for predicting gastroparesis in patients with type 2 diabetes mellitus’, *Heliyon*, 10(4). Available at: <https://doi.org/10.1016/j.heliyon.2024.e26221>.
- Zhang, Z.-Y., Miao, L.F., Qian, L.L., Wang, N., Miao, M., Zhang, Y.M. *et al.* (2019) ‘Molecular Mechanisms of Glucose Fluctuations on Diabetic Complications’, *Molecular Mechanisms of Glucose Fluctuations on Diabetic Complications. Front. Endocrinol.*, 10, p. 640. Available at: <https://doi.org/10.3389/fendo.2019.00640>.
- Zheng, T. and Camilleri. M. (2022) *Gastroparesis., Handbook of Gastrointestinal Motility and Disorders of Gut-Brain Interactions, Second Edition*. 8. Pp 99-



UNIVERSITAS
GADJAH MADA

Identifikasi faktor Risiko terjadinya Gangguan Pengosongan Lambung pada Pasien Diabetes Mellitus di

Ruang Intensif RSUP Dr. Sardjito Yogyakarta

Budi Okta Priyatna, dr. Akhmad Yun Jufan M.Sc., Sp.An-TI, Subsp. T.I(K).; Dr. dr. Sudadi, Sp.An-TI, Subsp. N. An(K)

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

118. StatPearls. Available at: <https://doi.org/10.1016/B978-0-443-13911-6.00033-5>.