

DAFTAR PUSTAKA

- Ahmed, W., & Laimoud, M. (2021). The Value of Combining Carbon Dioxide Gap and Oxygen-Derived Variables with Lactate Clearance in Predicting Mortality after Resuscitation of Septic Shock Patients. *Critical Care Research and Practice*, 2021. <https://doi.org/10.1155/2021/6918940>
- Andersen, L. W. (2017). Lactate Elevation during and after Major Cardiac Surgery in Adults: A Review of Etiology, Prognostic Value, and Management. *Anesthesia and Analgesia*, 125(3), 743–752. <https://doi.org/10.1213/ANE.0000000000001928>
- Aydemir, N. A., Harmanda, B., Karac, A. R., Erdem, A., Yurtseven, N., Sasmaze, A., & Yekeler, I. (2012). Randomized comparison between mild and moderate hypothermic cardiopulmonary bypass for neonatal arterial switch operation. *European Journal of Cardio-Thoracic Surgery*, 41(3), 581–586. <https://doi.org/10.1093/ejcts/ezr002>
- BPJS Kesehatan. (2021). *Laporan Pengelolaan Program dan Keuangan BPJS Kesehatan Tahun 2021*.
- Caputo, M., Pike, K., Baos, S., Sheehan, K., Selway, K., Ellis, L., Stoica, S., Parry, A., Clayton, G., Culliford, L., Angelini, G. D., Pandey, R., & Rogers, C. A. (2019). Normothermic versus hypothermic cardiopulmonary bypass in low-risk paediatric heart surgery: A randomised controlled trial. *Heart*, 105(6), 455–464. <https://doi.org/10.1136/heartjnl-2018-313567>

- Castro Teixeira, F. de, Lima Fernandes, T. E. de, Silva Leal, K. C. da, Barros Ribeiro, K. R., Vieira Dantas, D., & Neves Dantas, R. A. (2024). Factors associated with increased lactate levels in cardiac surgeries: scoping review. In *Revista Brasileira de Enfermagem* (Vol. 77, Issue 1). Associacao Brasileira de Enfermagem. <https://doi.org/10.1590/0034-7167-2023-0117>
- Cheng, X. qi, Zhang, J. yan, Wu, H., Zuo, Y. mei, Tang, L. li, Zhao, Q., & Gu, E. wei. (2020). Outcomes of individualized goal-directed therapy based on cerebral oxygen balance in high-risk patients undergoing cardiac surgery: A randomized controlled trial. *Journal of Clinical Anesthesia*, 67. <https://doi.org/10.1016/j.jclinane.2020.110032>
- Coulson, T., & Falter, F. (2020). Principles of Cardiopulmonary Bypass. In *Core Topics in Cardiac Anaesthesia* (pp. 30–44). Cambridge University Press. <https://doi.org/10.1017/9781108297783.005>
- Cousin, V. L., Joye, R., Wacker, J., Beghetti, M., & Polito, A. (2023). Use of CO2-Derived Variables in Cardiac Intensive Care Unit: Pathophysiology and Clinical Implications. In *Journal of Cardiovascular Development and Disease* (Vol. 10, Issue 5). MDPI. <https://doi.org/10.3390/jcdd10050208>
- De Oliveira, B., Prasanna, M., Lemyze, M., Tronchon, L., Thevenin, D., & Mallat, J. (2018). A comparison between measured and calculated central venous oxygen saturation in critically ill patients. *PLoS ONE*, 13(11). <https://doi.org/10.1371/journal.pone.0206868>

Dijoy, L., John, B. :, Dean, S., Bistrick, C., & Sistino, J. J. (2015). The History of Goal-Directed Therapy and Relevance to Cardiopulmonary Bypass. *The Journal of ExtraCorporeal Technology*, 47, 9094.

Esper, S. A., Subramaniam, K., & Tanaka, K. A. (2014). Pathophysiology of cardiopulmonary bypass: Current strategies for the prevention and treatment of anemia, coagulopathy, and organ dysfunction. In *Seminars in Cardiothoracic and Vascular Anesthesia* (Vol. 18, Issue 2, pp. 161–176). SAGE Publications Inc. <https://doi.org/10.1177/1089253214532375>

Fabbro, M., & Jain, P. (2017). Hemodilution on Cardiopulmonary Bypass and Its Impact on TEG Patterns and Coagulation: Is the Evidence Dilute? In *Journal of Cardiothoracic and Vascular Anesthesia* (Vol. 31, Issue 5, pp. 1564–1566). W.B. Saunders. <https://doi.org/10.1053/j.jvca.2017.06.007>

Futier, E., Robin, E., Jabaudon, M., Guerin, R., Petit, A., Bazin, J. E., Constantin, J. M., & Vallet, B. (2010). Central venous O2saturation and venous-to-arterial CO2difference as complementary tools for goal-directed therapy during high-risk surgery. *Critical Care*, 14(5). <https://doi.org/10.1186/cc9310>

Gocoł, R., Hudziak, D., Bis, J., Mendrala, K., Morkisz, Ł., Podsiadło, P., Kosiński, S., Piątek, J., & Darocha, T. (2021). The role of deep hypothermia in cardiac surgery. In *International Journal of Environmental Research and Public Health* (Vol. 18, Issue 13). MDPI AG. <https://doi.org/10.3390/ijerph18137061>

- Gravlee, G., Shaw, A., & Bartels, K. (2019). Cardiopulmonary Bypass: Equipment, Circuits, and Pathophysiology. In *Hensley's practical approach to cardiothoracic anesthesia* (6th ed.). Wolters Kluwer.
- Habicher, M., Von Heymann, C., Spies, C. D., Wernecke, K. D., & Sander, M. (2015). Central venous-arterial pCO₂ difference identifies microcirculatory hypoperfusion in cardiac surgical patients with normal central venous oxygen saturation: A retrospective analysis. *Journal of Cardiothoracic and Vascular Anesthesia*, 29(3), 646–655. <https://doi.org/10.1053/j.jvca.2014.09.006>
- Haider, A., Khwaja, I. A., Qureshi, A. B., Khan, I., Majeed, K. A., Yousaf, M. S., Zaneb, H., Rehman, A., Rabbani, I., Tahir, S. K., & Rehman, H. (2022). Effectiveness of Mild to Moderate Hypothermic Cardiopulmonary Bypass on Early Clinical Outcomes. *Journal of Cardiovascular Development and Disease*, 9(5). <https://doi.org/10.3390/jcdd9050151>
- Hessel, A., & Shann, G. (2015). Blood pump, circuitry, and cannulation techniques in cardiopulmonary bypass. In *Cardiopulmonary bypass and mechanical support principle and practice* (4th ed., pp. 23–141). Woter Kluwer.
- Hu, B. B. Y., Laine, G. A., Wang, S., & Solis, R. T. (2012). Combined central venous oxygen saturation and lactate as markers of occult hypoperfusion and outcome following cardiac surgery. *Journal of Cardiothoracic and Vascular Anesthesia*, 26(1), 52–57. <https://doi.org/10.1053/j.jvca.2011.07.021>
- Huette, P., Ellouze, O., Abou-Arab, O., & Guinot, P. G. (2019a). Venous-to-arterial pCO₂ difference in high-risk surgical patients. In *Journal of Thoracic Disease*

(Vol. 11, pp. S1551–S1557). AME Publishing Company.

<https://doi.org/10.21037/jtd.2019.01.109>

Huette, P., Ellouze, O., Abou-Arab, O., & Guinot, P. G. (2019b). Venous-to-arterial pCO₂ difference in high-risk surgical patients. In *Journal of Thoracic Disease*

(Vol. 11, pp. S1551–S1557). AME Publishing Company.

<https://doi.org/10.21037/jtd.2019.01.109>

Kementrian Kesehatan Republik Indonesia. (2019). Riset Kesehatan Dasar 2018.

Badan Penelitian Dan Pengembangan Kesehatan.

Koning, N. J., Simon, L. E., Asfar, P., Baufreton, C., & Boer, C. (2014). Systemic microvascular shunting through hyperdynamic capillaries after acute physiological disturbances following cardiopulmonary bypass. *Am J Physiol Heart Circ Physiol*, 307, 967–975.

<https://doi.org/10.1152/ajpheart.00397.2014>.-Previously

Kusumajaya, R., Advani, N., Yanuarso, P. B., & Effendy, Z. (2021). Biomarkers in low cardiac output syndrome after open cardiac surgery in children.

Paediatrica Indonesiana(Paediatrica Indonesiana), 61(4), 223–228.

<https://doi.org/10.14238/pi61.4.2021.223-8>

Lee, Y., Kim, S., Hwang, H., Sohn, S., Choi, J., & Kim, K. (2021). Perfusion parameters during cardiopulmonary bypass as a predictor of acute kidney injury after aortic valve replacement. *Acute and Critical Care*, 36(3), 242–248.

Lequeux, P. Y., Bouckaert, Y., Sekkat, H., Van Der Linden, P., Stefanidis, C., Huynh,

C. H., Bejjani, G., & Bredas, P. (2010). Continuous mixed venous and central

venous oxygen saturation in cardiac surgery with cardiopulmonary bypass.

European Journal of Anaesthesiology, 27(3), 295–299.

<https://doi.org/10.1097/EJA.0b013e3283315ad0>

Liakopoulos, O. J., Ho, J. K., Yezbick, A., Sanchez, E., Naddell, C., Buckberg, G.

D., Crowley, R., & Mahajan, A. (2007). An experimental and clinical evaluation of a novel central venous catheter with integrated oximetry for pediatric patients undergoing cardiac surgery. *Anesthesia and Analgesia*, 105(6), 1598–1604. <https://doi.org/10.1213/01.ane.0000287657.08434.dc>

Ltaief, Z., Schneider, A. G., & Liaudet, L. (2021). Pathophysiology and clinical implications of the veno-arterial PCO₂ gap. In *Critical Care* (Vol. 25, Issue 1).

BioMed Central Ltd. <https://doi.org/10.1186/s13054-021-03671-w>

Mazzeffi, M., Zivot, J., Buchman, T., & Halkos, M. (2014). In-hospital mortality after cardiac surgery: Patient characteristics, timing, and association with postoperative length of intensive care unit and hospital stay. *Annals of Thoracic Surgery*,

97(4), 1220–1225.

<https://doi.org/10.1016/j.athoracsur.2013.10.040>

Nebout, S., & Pirracchio, R. (2012a). Should we monitor ScVO₂ in critically ill patients? In *Cardiology Research and Practice* (Vol. 1, Issue 1).

<https://doi.org/10.1155/2012/370697>

Nebout, S., & Pirracchio, R. (2012b). Should we monitor ScVO₂ in critically ill patients? In *Cardiology Research and Practice* (Vol. 1, Issue 1).

<https://doi.org/10.1155/2012/370697>

Pope, J. V., Jones, A. E., Gaieski, D. F., Arnold, R. C., Trzeciak, S., & Shapiro, N.

I. (2010). Multicenter Study of Central Venous Oxygen Saturation (ScvO₂) as a Predictor of Mortality in Patients With Sepsis. *Annals of Emergency Medicine*, 55(1). <https://doi.org/10.1016/j.annemergmed.2009.08.014>

Portran, P., Jacquet-Lagrece, M., Schweizer, R., Fornier, W., Chardonnal, L., Pozzi,

M., Fischer, M. O., & Fellahi, J. L. (2020). Improving the prognostic value of Δ PCO₂ following cardiac surgery: a prospective pilot study. *Journal of Clinical Monitoring and Computing*, 34(3), 515–523. <https://doi.org/10.1007/s10877-019-00352-6>

Pratomo, B. Y., Sudadi, S., Setianto, B. Y., Novenanto, T. T., Raksawardana, Y. K.,

Rayhan, A., & Kurniawaty, J. (2024). Intraoperative Goal-Directed Perfusion in Cardiac Surgery with Cardiopulmonary Bypass: The Roles of Delivery Oxygen Index and Cardiac Index. *Annals of Thoracic and Cardiovascular Surgery*, 30(1), ra.23-00188. <https://doi.org/10.5761/atcs.ra.23-00188>

Ranucci, M., De Toffol, B., Isgrò, G., Romitti, F., Conti, D., & Vicentini, M. (2006).

Hyperlactatemia during cardiopulmonary bypass: Determinants and impact on postoperative outcome. *Critical Care*, 10. <https://doi.org/10.1186/cc5113>

Ranucci, M., Johnson, I., Willcox, T., Baker, R. A., Boer, C., Baumann, A., Justison,

G. A., de Somer, F., Exton, P., Agarwal, S., Parke, R., Newland, R. F., Haumann, R. G., Buchwald, D., Weitzel, N., Venkateswaran, R., Ambroggi, F., & Pistuddi, V. (2018). Goal-directed perfusion to reduce acute kidney injury:

- A randomized trial. *Journal of Thoracic and Cardiovascular Surgery*, 156(5), 1918-1927.e2. <https://doi.org/10.1016/j.jtcvs.2018.04.045>
- Reid, M. (2013). Central venous oxygen saturation: Analysis, clinical use and effects on mortality. *Nursing in Critical Care*, 18(5), 245–250. <https://doi.org/10.1111/nicc.12028>
- Rodriguez, Z., & Khalid, N. (2023). Pulmonary Artery Catheterization. *StatPearls*.
- Rodríguez-Scarpetta, M. A., Sepúlveda-Tobón, A. M., Lozada-Ramos, H., Álzate-Sánchez, R. A., & Daza-Arana, J. E. (2023). Central Oxygen Venous Saturation and Mortality in Patients Undergoing Coronary Artery Bypass Grafting. *Therapeutics and Clinical Risk Management*, 19, 447–454. <https://doi.org/10.2147/TCRM.S407454>
- Roth, G. A., Abate, D., Abate, K. H., Abay, S. M., Abbafati, C., Abbasi, N., Abbastabar, H., Abd-Allah, F., Abdela, J., Abdelalim, A., Abdollahpour, I., Abdulkader, R. S., Abebe, H. T., Abebe, M., Abebe, Z., Abejie, A. N., Abera, S. F., Abil, O. Z., Abraha, H. N., ... Murray, C. J. L. (2018). Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980–2017: a systematic analysis for the Global Burden of Disease Study 2017. *The Lancet*, 392(10159), 1736–1788. [https://doi.org/10.1016/S0140-6736\(18\)32203-7](https://doi.org/10.1016/S0140-6736(18)32203-7)
- Sarkar, M., & Prabhu, V. (2017). Basics of cardiopulmonary bypass. In *Indian Journal of Anaesthesia* (Vol. 61, Issue 9, pp. 760–767). Indian Society of Anaesthetists. https://doi.org/10.4103/ija.IJA_379_17

- Scarola, C. (2010). *Cardiopulmonary Bypass and Biocompatibility: A Review*.
- Sofia Costa De Sá, C., José, H., & Machado, S. (2022). *Carbon Dioxide gap: a review of prognostic value and therapeutic effectiveness Estudante candidata ao grau de Mestre em Medicina*.
- Stammers, A. H., Miller, R., Francis, S. G., Fuzesi, L., Nostro, A., & Tesdahl, E. (2017). Goal-Directed Perfusion Methodology for Determining Oxygenator Performance during Clinical Cardiopulmonary Bypass. *The Journal of Extracorporeal Technology*, 49(2), 81–92. <https://doi.org/10.1051/ject/201749081>
- Šušak, S., Redžek, A., Rosić, M., Velicki, L., & Okiljević, B. (2016). Development of cardiopulmonary bypass – A historical review. In *Srpski Arhiv za Celokupno Lekarstvo* (Vol. 144, Issues 11–12, pp. 670–675). Serbia Medical Society. <https://doi.org/10.2298/SARH1612670S>
- Svenmarker, S., Häggmark, S., Östman, M., Holmgren, A., & Näslund, U. (2013). Central venous oxygen saturation during cardiopulmonary bypass predicts 3-year survival. *Interactive Cardiovascular and Thoracic Surgery*, 16(1), 21–26. <https://doi.org/10.1093/icvts/ivs363>
- Trekova, N., Dementyeva, I., Dzemeshevich, S., & YeT, A. (1994). Blood oxygen transport function in cardiopulmonary bypass surgery for acquired heart valvular diseases. *Int Surg*, 79(1), 60–64.
- Tribuddharat, S., Sathitkarnmanee, T., Ngamsangsirisup, K., & Nongnuang, K. (2021). Efficacy of intraoperative hemodynamic optimization using flotracer/ev1000 platform for early goal-directed therapy to improve

postoperative outcomes in patients undergoing coronary artery bypass graft with cardiopulmonary bypass: A randomized controlled trial. *Medical Devices: Evidence and Research*, 14, 201–209.
<https://doi.org/10.2147/MDER.S316033>

Vaduganathan, M., Mensah, G. A., Turco, J. V., Fuster, V., & Roth, G. A. (2022). The Global Burden of Cardiovascular Diseases and Risk: A Compass for Future Health. In *Journal of the American College of Cardiology* (Vol. 80, Issue 25, pp. 2361–2371). Elsevier Inc.
<https://doi.org/10.1016/j.jacc.2022.11.005>

World Heart Federation. (2023). *World Heart Report 2023: Confronting the World's Number One Killer*.

Zhang, X., Zhang, W., Lou, H., Luo, C., Du, Q., Meng, Y., Wu, X., & Zhang, M. (2021). Risk factors for prolonged intensive care unit stays in patients after cardiac surgery with cardiopulmonary bypass: A retrospective observational study. *International Journal of Nursing Sciences*, 8(4), 388–393.
<https://doi.org/10.1016/j.ijnss.2021.09.002>