

DAFTAR PUSTAKA

- Abdullah, M. H., Andre, O., Riyanto, W., Puspita, D., Budi, I., and Wulan, S., 2021, Optimization of Esterification and Transesterification Process for Biodiesel Production from Used Cooking Oil, *J. Res. Technol.*, 7(2), 207–216.
- Abusweireh, R. S., Rajamohan, N., and Vasseghian, Y., 2022, Enhanced production of biodiesel using nanomaterials: A detailed review on the mechanism and influencing factors, *Fuel*, 319, 123862.
- Alhassan, F. H., Rashid, U., and Taufiq-Yap, Y. H., 2015, Synthesis of waste cooking oil-based biodiesel via effectual recyclable bi-functional $\text{Fe}_2\text{O}_3\text{-MnO-SO}_4^{2-}/\text{ZrO}_2$ nanoparticle solid catalyst, *Fuel*, 142, 38–45.
- Al-Rubaye, A. F., Hameed, I. H., and Kadhim, M. J., 2017, A Review: Uses of Gas Chromatography-Mass Spectrometry (GC-MS) Technique for Analysis of Bioactive Natural Compounds of Some Plants, *Int. J. Toxicol. Pharm. Res.*, 9(01), 81-25.
- Al-Saadi, A., Mathan, B., and He, Y., 2020, Esterification and transesterification over $\text{SrO-ZnO/Al}_2\text{O}_3$ as a novel bifunctional catalyst for biodiesel production, *Renew. Energy*, 158, 388–399.
- Amenaghawon, A. N., Obahiagbon, K., Isesele, V., and Usman, F., 2022, Optimized biodiesel production from waste cooking oil using a functionalized bio-based heterogeneous catalyst, *Clean. Eng. Technol.*, 8, 100501.
- Amira, Olaniyi, P., Babalola, O., and Mary, O. A., 2014, Physicochemical Properties of Palm Kernel Oil, *Curr. Res. J. Biol.*, 6(5), 205–207.
- Aneu, 2022, Preparasi dan Karakterisasi Katalis SO_4/SiO_2 dan KF/SiO_2 serta Aplikasinya pada Sintesis Biodiesel dari Limbah Minyak Sawit, *Disertasi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Anonim, 2015, *Peraturan Menteri Energi dan Sumber Daya Mineral Republik Indonesia No. 12 tentang Perubahan Ketiga atas Peraturan Menteri Energi dan Sumber Daya Mineral Nomor 32 Tahun 2008 tentang Penyediaan, Pemanfaatan, dan Tata Niaga Bahan Bakar Nabati (Biofuel) sebagai Bahan Bakar Lain.*
- Anuradha, S., Raj, J. A., Vijayaraghavan, R., and Viswanathan, B., 2014, Sulphated $\text{Fe}_2\text{O}_3\text{-TiO}_2$ catalysed transesterification of soybean oil to biodiesel, *Indian J. Chem.*, 53A, 1493-1499.
- Ariani, B., and Wahyudi, D., 2022, Numerical Comparison of B20 Biodiesel and Petroleum Diesel in terms of Performance, Combustion, and Emission at Constant Speed, *IOP Conf. Ser.: Earth Environ. Sci.*, 1(1095), 01201.
- Ashok, A., Ratnaji, T., John Kennedy, L., Judith Vijaya, J., and Gnana Pragash, R., 2021, Magnetically recoverable Mg substituted zinc ferrite nanocatalyst for

- biodiesel production: Process optimization, kinetic and thermodynamic analysis, *Renew. Energy*, 163, 480–494.
- Badan Standarisasi Nasional, 2015, SNI 7431:2015, *Mutu dan Metode Uji Minyak Nabati Murni untuk Bahan Bakar Motor Diesel Putaran Sedang*, BSN, Jakarta.
- Banković-Ilić, I. B., Miladinović, M. R., Stamenković, O. S., and Veljković, V. B., 2017, Application of nano CaO-based catalysts in biodiesel synthesis, *Renew. Sustain. Energy Rev.*, 72, 746–760.
- Boz, N., Degirmenbasi, N., and Kalyon, D. M., 2015, Esterification and transesterification of waste cooking oil over Amberlyst 15 and modified Amberlyst 15 catalysts, *Appl. Catal. B: Environ.*, 165, 723–730.
- Castro, L. da S., Barañano, A. G., Pinheiro, C. J. G., Menini, L., and Pinheiro, P. F., 2019, Biodiesel production from cotton oil using heterogeneous CaO catalysts from eggshells prepared at different calcination temperatures, *Green Process. Synth.*, 8(1), 235–244.
- Chanakaewsomboon, I., Tongurai, C., Photaworn, S., Kungsanant, S., and Nikhom, R., 2020, Investigation of saponification mechanisms in biodiesel production: Microscopic visualization of the effects of FFA, water and the amount of alkaline catalyst, *J. Environ. Chem. Eng.*, 8, 103538.
- Dechapinan, S., Judprasong, K., On-Nom, N., and Tangsuphoom, N., 2017, Calcium from Pacific White Shrimp (*Litopenaeus vannamei*) Shells: Properties and Function as Fortificant in Soy Milk, *FABJ*, 3(5), 176–195.
- Degfie, T. A., Mamo, T. T., and Mekonnen, Y. S., 2019, Optimized Biodiesel Production from Waste Cooking Oil (WCO) using Calcium Oxide (CaO) Nano-catalyst, *Sci. Rep.*, 9, 18982.
- Díaz, L., Escalante, D., Rodríguez, K. E., Kuzmina, Y., and González, L. A., 2022, Response surface methodology for continuous biodiesel production from *Jatropha curcas* oil using Li/pumice as catalyst in a packed-bed reactor assisted with diethyl ether as cosolvent, *Chem. Eng. Process.*, 179, 109065.
- El yaakouby, I., Rhrissi, I., Abouliatim, Y., Hlaibi, M., and Kamil, N., 2023, Moroccan sardine scales as a novel and renewable source of heterogeneous catalyst for biodiesel production using palm fatty acid distillate, *Renew. Energy*, 217, 119223.
- Esmaeili, H., 2022, A critical review on the economic aspects and life cycle assessment of biodiesel production using heterogeneous nanocatalysts, *Fuel Process. Technol.*, 230, 107224.
- Ezzah-Mahmudah, S., Lokman, I. M., Saiman, M. I., and Taufiq-Yap, Y. H., 2016, Synthesis and characterization of Fe₂O₃/CaO derived from Anadara Granosa for methyl ester production, *Energy Conv. Manag.*, 126, 124–131.

- Gonzaga, V. E., Romero, R., Gómez-Espinosa, R. M., Romero, A., Martínez, S. L., and Natividad, R., 2021, Biodiesel Production from Waste Cooking Oil Catalyzed by a Bifunctional Catalyst, *ACS Omega*, 6(37), 24092–24105.
- Fadhil, A. B., Aziz, A. M., and Al-Tamer, M. H., 2016, Biodiesel production from *Silybum marianum* L. seed oil with high FFA content using sulfonated carbon catalyst for esterification and base catalyst for transesterification, *Energy Conv. Manag.*, 108, 255–265.
- Farooq, M., Ramli, A., dan Naeem, A., 2015, Biodiesel production from low FFA waste cooking oil using heterogeneous catalyst derived from chicken bones, *Renew. Energy*, 76, 362-368.
- Fitriana, N., Handayani, L., dan Nurhayati, N., 2019, Penambahan nanokalsium cangkang tiram (*Crassostrea gigas*) pada pakan dengan dosis berbeda terhadap pertumbuhan udang galah (*Macrobrachium rosenbergii*), *Acta Aquatica: Aquat. Sci. J.*, 6(2), 80-85.
- Fu, J., Chen, L., Lv, P., Yang, L., and Yuan, Z., 2015, Free fatty acids esterification for biodiesel production using self-synthesized macroporous cation exchange resin as solid acid catalyst, *Fuel*, 154, 1–8.
- Gaber, A., Abdel- Rahim, M. A., Abdel-Latief, A. Y., and Abdel-Salam, M. N., 2014, Influence of calcination temperature on the structure and porosity of nanocrystalline SnO₂ synthesized by a conventional precipitation method, *Int. J. Electrochem. Sci.*, 9(1), 81–95.
- Galván-Ruiz, M., Hernández, J., Baños, L., Noriega-Montes, J., and Rodríguez-García, M. E., 2009, Characterization of Calcium Carbonate, Calcium Oxide, and Calcium Hydroxide as Starting Point to the Improvement of Lime for Their Use in Construction, *J. Mater. Civ. Eng.*, 21(11), 694–698.
- Gao, Y., Wei, J., Yuan, J., Zhang, X., Li, F., and Xiang, J., 2017, Transcriptome analysis on the exoskeleton formation in early developmental stages and reconstruction scenario in growth-moulting in *Litopenaeus vannamei*, *Sci. Rep.*, 7, 1098.
- Gebremariam, S. N., and Marchetti, J. M., 2018, Techno-economic feasibility of producing biodiesel from acidic oil using sulfuric acid and calcium oxide as catalysts, *Energy Conv. Manag.*, 171, 1712–1720.
- Guo, W., Zhu, Y., Han, Y., Wei, Y., and Luo, B., 2017, Separation mechanism of fatty acids from waste cooking oil and its flotation performance in iron ore desilicization, *Minerals*, 7(12), 244.
- Halkos, G. E., and Gkampoura, E. C., 2020, Reviewing usage, potentials, and limitations of renewable energy sources, *Energies*, 13(11), 2906.
- Hartanti, E. R., Vivin, S., dan Ayu, N., 2022, Persentase Kandungan Kalsium Oksida (CaO) Pada Katalis Limbah Kulit Udang, *Conf. Proc. on Waste Treat*

Tech., 1(5), 10–13.

Hasan, M., Jahan, R., Alam, M., Khatun, M., and Al-Reza, S., 2016, Study on Physicochemical Properties of Edible Oils Available in Bangladeshi Local Market, *Arch. Curr. Res. Int.*, 6(1), 1–6.

Helwani, Z., Zahrina, I., Yelmida, Neonufa, G., Syamsuddin, Y., Rahmasari, A., Othman, M. R., and Idroes, R., 2023, Production of high-performance biodiesel with a high oxidation stability through a fractionation method using urea, *S. Afr. J. Chem. Eng.* 45, 162–171.

Ijeoma, K., and Prisca, U., 2015, Characterization of the Chemical Properties of Some Selected Refined Vegetable Oils Commonly Sold in Nigeria, *Br. J. Appl. Sci. Technol.*, 5(6), 538–546.

Istadi, I., Anggoro, D. D., Buchori, L., Rahmawati, D. A., and Intaningrum, D., 2015, Active Acid Catalyst of Sulphated Zinc Oxide for Transesterification of Soybean Oil with Methanol to Biodiesel, *Procedia Environ. Sci.*, 23, 385–393.

Jamil, F., Al-Muhateb, A. H., Myint, M. T. Z., Al-Hinai, M., Al-Haj, L., Baawain, M., Al-Abri, M., Kumar, G., and Atabani, A. E., 2018, Biodiesel production by valorizing waste Phoenix dactylifera L. Kernel oil in the presence of synthesized heterogeneous metallic oxide catalyst (Mn@MgO-ZrO₂), *Energy Conv. Manag.*, 155, 128–137.

Jindapon, W., and Ngamcharussrivichai, C., 2018, Heterogeneously catalyzed transesterification of palm oil with methanol to produce biodiesel over calcined dolomite: The role of magnesium oxide, *Energy Conv. Manag.*, 171, 1311–1321.

Karkal, S. S., Rathod, D. R., Jamadar, A. S., Suresh, P. V., Kumar, H. N. P., and Kudre, T. G., 2024, Fenneropeanus indicus Shrimp Shell and Fishmeal Oil: A Novel Feedstock for Biodiesel Production and Bio Derived Heterogeneous Catalyst Development, *Catal. Lett.*, 154(4), 1521–1536.

Khan, H. M., Ali, C. H., Iqbal, T., Yasin, S., Sulaiman, M., Mahmood, H., Raashid, M., Pasha, M., and Mu, B., 2019, Current scenario and potential of biodiesel production from waste cooking oil in Pakistan: An overview, *Chin. J. Chem. Eng.*, 27(10), 2238–2250.

Khawaja, A. S., Zaheer, M. A., Ahmad, A., Mirani, A. A., and Ali, Z., 2023, Advances in limitations and opportunities of clean biofuel production to promote decarbonization, *Fuel*, 342, 127662.

La Ore, M.S., Wijaya, K., Trisunaryanti, W., Saputri, W. D., Herald, E., Yuwana, N. W., Hariani, P. L., Budiman, A., and Sudiono, S., 2020, The synthesis of SO₄/ZrO₂ and Zr/CaO catalysts via hydrothermal treatment and their application for conversion of low-grade coconut oil into biodiesel, *J. Environ. Chem. Eng.*, 8(5).

- Lee, H. V., Juan, J. C., Taufiq-Yap, Y. H., Kong, P. S., and Rahman, N. A., 2015, Advancement in heterogeneous base catalyzed technology: An efficient production of biodiesel fuels, *Renew. Energy*, 7(3), 032701.
- Lemos, D., and Weissman, D., 2021, Moulting in the grow-out of farmed shrimp: a review, *Rev. Aquac.* 13(1), 5–17.
- Li, E., Xu, C., Wang, X., Wang, S., Zhao, Q., Zhang, M., Qin, J. G., and Chen, L., 2018, Gut Microbiota and its Modulation for Healthy Farming of Pacific White Shrimp *Litopenaeus vannamei*, *Rev. Fish. Sci. Aquac.*, 26(3), 381–399.
- Li, H., Fang, Z., Smith, R. L., and Yang, S., 2016, Efficient valorization of biomass to biofuels with bifunctional solid catalytic materials, *Prog. Energ. Combust. Sci.*, 55, 98–194.
- Lin, Y. C., Amesho, K. T. T., Chen, C. E., Cheng, P. C., and Chou, F. C., 2020, A cleaner process for green biodiesel synthesis from waste cooking oil using recycled waste oyster shells as a sustainable base heterogeneous catalyst under the microwave heating system, *Sustain. Chem. Pharm.*, 17, 100310.
- Liu, F., Ma, X., Li, H., Wang, Y., Cui, P., Guo, M., Yaxin, H., Lu, W., Zhou, S., and Yu, M., 2020, Dilute sulfonic acid post functionalized metal organic framework as a heterogeneous acid catalyst for esterification to produce biodiesel, *Fuel*, 266, 117149.
- Lowe, B., Gardy, J., and Hassanpour, A., 2022, The Role of Sulfated Materials for Biodiesel Production from Cheap Raw Materials, *Catalysts*, 12(2), 223.
- Lugo-Méndez, H., Sánchez-Domínguez, M., Sales-Cruz, M., Olivares-Hernández, R., Lugo-Leyte, R., and Torres-Aldaco, A., 2021, Synthesis of biodiesel from coconut oil and characterization of its blends, *Fuel*, 295, 120595.
- Mansir, N., Teo, S. H., Rabi, I., and Taufiq-Yap, Y. H., 2018, Effective biodiesel synthesis from waste cooking oil and biomass residue solid green catalyst. *Chem. Eng. J.*, 347, 137–144.
- Marinković, D. M., Stanković, M. V., Veličković, A. V., Avramović, J. M., Miladinović, M. R., Stamenković, O. O., Veljković, V. B., and Jovanović, D. M., 2016, Calcium oxide as a promising heterogeneous catalyst for biodiesel production: Current state and perspectives, *Renew. Sustain. Energy Rev.*, 56, 1387–1408.
- Maulidiyah, Nurdin, M., Fatma, F., Natsir, M., and Wibowo, D., 2017, Characterization of methyl ester compound of biodiesel from industrial liquid waste of crude palm oil processing, *Anal. Chem. Res.*, 12, 1–9.
- Mayasari, F., Dalimi, R., and Purwanto, W. W., 2019, Projection of biodiesel production in Indonesia to achieve national mandatory blending in 2025 using system dynamics modeling, *Int. J. Energy Econ. Policy*, 9(6), 421–429.
- Melero, J. A., Iglesias, J., and Morales, G., 2009, Heterogeneous acid catalysts for

- biodiesel production: Current status and future challenges, *Green Chem.*, 11(9), 1285–1308.
- Mel'gunov, M. S., 2023, Application of the simple Bayesian classifier for the N₂ (77 K) adsorption/desorption hysteresis loop recognition, *Adsorption*, 29, 199–208.
- Mishra, V. K., and Goswami, R., 2018, A review of production, properties and advantages of biodiesel, *Biofuels*, 9(2), 273–289.
- Mozartha, M., 2015, Hidroksiapatit Larut dalam Larutan Asam, Rasio Ca-P, *Cakradonya. Dent. J.*, 2(7), 807–868.
- Núñez-Gómez, D., Rodrigues, C., Lapolli, F. R., and Lobo-Recio, M. A., 2021, Physicochemical Characterization of White Shrimp (*Litopenaeus vannamei*) Waste as a Low-Cost Chitinous Biomaterial, *J. Polym. Environ.*, 29(2), 576–587.
- Nurhayati, Amri, T. A., Annisa, N. F., and Syafitri, F., 2020, The Synthesis of Biodiesel from Crude Palm Oil (CPO) using CaO Heterogeneous Catalyst Impregnated H₂SO₄, Variation of Stirring Speed and Mole Ratio of Oil to Methanol, *J. Phys. Conf. Ser.*, 1655, 012106.
- Ooi, H. K., Koh, X. N., Ong, H. C., Lee, H. V., Mastuli, M. S., Taufiq-Yap, Y. H., Alharthi, F. A., Alghamdi, A. A., and Mijan, N. A., 2021, Progress on modified calcium oxide derived waste-shell catalysts for biodiesel production, *Catalysts*, 11(2), 1–26.
- Pan, Z., Lou, Y., Yang, G., Ni, X., Chen, M., Xu, H., Miao, X., Liu, J., Hu, C., and Huang, Q., 2013, Preparation of calcium sulfate dihydrate and calcium sulfate hemihydrate with controllable crystal morphology by using ethanol additive, *Ceram. Int.*, 39(5), 5495–5502.
- Perrin, J., Vielzeuf, D., Laporte, D., Ricolleau, A., Rossman, G. R., and Floquet, N., 2016, Raman characterization of synthetic magnesian calcites, *Am. Miner.*, 101(11), 2525–2538.
- Photaworn, S., Tongurai, C., and Kungsanunt, S., 2017, Process development of two-step esterification plus catalyst solution recycling on waste vegetable oil possessing high free fatty acid, *Chem. Eng. Process.: Process Intensif.*, 118, 1–8.
- Poonanan, A., Prukpaiboon, A., Dim, P. E., and Termtanun, M., 2021, Using shrimp shells as based catalysts for FAME production from palm oil feedstock, *J. Met. Mater. Miner.*, 31(2), 78–83.
- Pratika, R. A., Wijaya, K., and Trisunaryanti, W., 2021, Hydrothermal treatment of SO₄/TiO₂ and TiO₂/CaO as heterogeneous catalysts for the conversion of Jatropha oil into biodiesel, *J. Environ. Chem. Eng.*, 9(6), 106547.
- Rahadianti, E. S., Yerizam, Y., and Martha, M., 2018, Biodiesel Production from

Waste Cooking Oil, *Indones. J. Fundamental Appl. Chem.*, 3(3), 77–82.

- Rasweefali, M. K., Sabu, S., Muhammed Azad, K. S., Raseel Rahman, M. K., Sunooj, K. V., Sasidharan, A., and Anoop, K. K., 2022, Influence of deproteinization and demineralization process sequences on the physicochemical and structural characteristics of chitin isolated from Deep-sea mud shrimp (*Solenocera hextii*), *Adv. Biomarker Sci. Technol.*, 4, 12–27.
- Rezania, S., Oryani, B., Park, J., Hashemi, B., Yadav, K. K., Kwon, E. E., Hur, J., and Cho, J., 2019, Review on transesterification of non-edible sources for biodiesel production with a focus on economic aspects, fuel properties and by-product applications, *Energy Conv. Manag.* 201, 112155.
- Ruatpuia, J. V. L., Changmai, B., Pathak, A., Alghamdi, L. A., Kress, T., Halder, G., Wheatley, A. E. H., and Rokhum, S. L., 2023, Green biodiesel production from *Jatropha curcas* oil using a carbon-based solid acid catalyst: A process optimization study, *Renew. Energy*, 206, 597–608.
- Sahar, Sadaf, S., Iqbal, J., Ullah, I., Bhatti, H. N., Nouren, S., Habib-ur-Rehman, Nisar, J., and Iqbal, M., 2018, Biodiesel production from waste cooking oil: An efficient technique to convert waste into biodiesel, *Sustain. Cities Soc.*, 41, 220–226.
- Sahu, G., Saha, S., Khuman, Y. S. C., Datta, S., and Chavan, P. D., 2020, Transesterification of *Jatropha curcas* Oil by using K Impregnated CaO Heterogeneous Catalyst, *J. Sci. Ind. Res.*, 79, 1080-1086.
- Schreiber, M. W., Rodriguez-Niño, D., Gutiérrez, O. Y., and Lercher, J. A., 2016, Hydrodeoxygenation of fatty acid esters catalyzed by Ni on nano-sized MFI type zeolites, *Catal. Sci. Technol.*, 6(22), 7976–7984.
- Sentanuhady, J., Hasan, W. H., and Muflikhun, M. A., 2022, Recent Progress on the Implementation of Renewable Biodiesel Fuel for Automotive and Power Plants: Raw Materials Perspective, *Adv. Mater. Sci. Eng.*, 5452942, 1-19.
- Sharma, P., Usman, M., Salama, E. S., Redina, M., Thakur, N., and Li, X., 2021, Evaluation of various waste cooking oils for biodiesel production: A comprehensive analysis of feedstock, *Waste Manag.*, 136, 219–229.
- Simpem, I. N., Winaya, I. N. S., Subagia, I. D. G. A., and Suyasa, I. W. B., 2022, Green Nano-Composite of CaO/K-Sulfated TiO₂ and Its Potential as a Single-Step Reaction Solid Catalyst for Biofuel Production, *First Asian PGPR Indones. Chapter Int. e-Conf. 2021*, 2022, 382-392.
- Singh, D., Sharma, D., Soni, S. L., Sharma, S., Kumar Sharma, P., and Jhalani, A., 2020, A review on feedstocks, production processes, and yield for different generations of biodiesel, *Fuel*, 262, 116553.
- Sultan, M., Miyazaki, T., and Koyama, S., 2018, Optimization of adsorption isotherm types for desiccant air-conditioning applications, *Renew. Energy*,

121, 441–450.

- Sun, Y., Sage, V., and Sun, Z., 2017, An enhanced process of using direct fluidized bed calcination of shrimp shell for biodiesel catalyst preparation, *Chem. Eng. Res. Des.*, 126, 142–152.
- Syazwani, O. N., Lokman Ibrahim, M., Wahyudiono, Kanda, H., Goto, M., and Taufiq-Yap, Y. H., 2017, Esterification of high free fatty acids in supercritical methanol using sulfated angel wing shells as catalyst, *J. Supercrit. Fluids*, 124, 1–9.
- Syazwani, O. N., Rashid, U., and Taufiq Yap, Y. H., 2015, Low-cost solid catalyst derived from waste *Cyrtopleura costata* (Angel Wing Shell) for biodiesel production using microalgae oil, *Energy Conv. Manag.*, 101, 749–756.
- Syazwani, O. N., Rashid, U., Mastuli, M. S., and Taufiq-Yap, Y. H., 2019, Esterification of palm fatty acid distillate (PFAD) to biodiesel using Bi-functional catalyst synthesized from waste angel wing shell (*Cyrtopleura costata*), *Renew. Energy*, 131, 187–196.
- Tang, Z. E., Lim, S., Pang, Y. L., Ong, H. C., and Lee, K. T., 2018, Synthesis of biomass as heterogeneous catalyst for application in biodiesel production: State of the art and fundamental review, *Renew. Sustain. Energy Rev.*, 92, 235–253.
- Teo, S. H., Islam, A., Masoumi, H. R. F., Taufiq-Yap, Y. H., Janaun, J., Chan, E. S., and khaleque, M. A., 2017, Effective synthesis of biodiesel from *Jatropha curcas* oil using betaine assisted nanoparticle heterogeneous catalyst from eggshell of *Gallus domesticus*, *Renew. Energy*, 111, 892–905.
- Teo, S. H., Rashid, U., and Taufiq-Yap, Y. H., 2014, Green nano-catalyst for methanolysis of non-edible *Jatropha* oil, *Energy Conv. Manag.*, 87, 618–627.
- Triyono, Trisunaryanti, W., Aksanti, S. I., and Purbonegoro, J., 2024, High performance of a base catalyst from *Moringa* leaves ash for biodiesel conversion of low-grade Bali Malapari oil, *React. Kinet. Mech. Catal.*, 137, 2037–2063.
- Ullah, Z., Bustam, M. A., and Man, Z., 2014, Characterization of Waste Palm Cooking Oil for Biodiesel Production, *Int. J. Chem. Eng. Appl.*, 5(2), 134–137.
- Wang, H., Li, H., Wang, Y., and Yan, F., 2015. Preparation of macroporous ceramic from metakaolinite-based geopolymer by calcination, *Ceram. Int.*, 41(9), 11177–11183.
- Win, T. T., and Khine, M. M., 2017, Synthesis and Characterization of CaO and KF Doped CaO (KF/CaO) Derived from Chicken Eggshell Waste as Heterogeneous Catalyst in Biodiesel Production, *Am. Sci. Res. J. Eng.*, 38(2), 134–151.



- Zakaria, K. A., Yatim, N. I., Ali, N., Lananan, F., and Kasan, N. A., 2024, Extracting valuable compounds from shrimp shell waste: recovery of high-quality as calcium-centric resources for hydroxyapatite production, *J. Aust. Ceram. Soc.*, 1-11.
- Zhao, B., O'Connor, D., Zhang, J., Peng, T., Shen, Z., Tsang, D. C. W., and Hou, D., 2018, Effect of pyrolysis temperature, heating rate, and residence time on rapeseed stem derived biochar, *J. Clean. Prod.*, 174, 977–987.