

## DAFTAR PUSTAKA

- [1] M. Arsenovic, S. Sladojevic, D. Stefanovic, and A. Anderla, "Deep neural network ensemble architecture for eye movements classification," in *2018 17th International Symposium INFOTEH-JAHORINA (INFOTEH)*. IEEE, pp. 1–4. [Online]. Available: <https://ieeexplore.ieee.org/document/8345537/>
- [2] H. O. Edughele, Y. Zhang, F. Muhammad-Sukki, Q.-T. Vien, H. Morris-Cafiero, and M. Opoku Agyeman, "Eye-tracking assistive technologies for individuals with amyotrophic lateral sclerosis," *IEEE Access*, vol. 10, pp. 41 952–41 972, 2022.
- [3] M. O. Bagus Wibowo, S. A. Ishaq Alfarozi, and S. Wibirama, "Pros and cons of fixation and smooth pursuit interaction in assistive technology: A review," in *2022 8th International Conference on Science and Technology (ICST)*. IEEE, pp. 1–6. [Online]. Available: <https://ieeexplore.ieee.org/document/10136260/>
- [4] C. Rotariu, H. Costin, R. G. Bozomitu, G. Petroiu-Andruseac, T. I. Ursache, and C. D. Cojocaru, "New assistive technology for communicating with disabled people based on gaze interaction," in *2019 E-Health and Bioengineering Conference (EHB)*. IEEE, 2019, pp. 1–4.
- [5] S. Wibirama, S. Murnani, N. A. Setiawan, and H. Nurlatifa, "A survey of event detection methods for eye movements classification in smooth-pursuit-based interactive applications," in *2020 International Symposium on Community-centric Systems (CcS)*. IEEE, pp. 1–6. [Online]. Available: <https://ieeexplore.ieee.org/document/9231384/>
- [6] M. Alfaroby E., S. Wibirama, and I. Ardiyanto, "Accuracy improvement of object selection in gaze gesture application using deep learning," in *2020 12th International Conference on Information Technology and Electrical Engineering (ICITEE)*. IEEE, pp. 307–311. [Online]. Available: <https://ieeexplore.ieee.org/document/9271771/>
- [7] R. Patnoorkar, S. Chaudhary, S. Pandey, P. Shekhar Pandey, R. Balyan, and M. Kumar, "Assistive technology intervention in dyslexia disorder," in *2023 International Conference on Artificial Intelligence and Smart Communication (AISC)*, 2023, pp. 343–347.
- [8] S. Farmalkes, "Peningkatan akses, kemandirian dan mutu kefarmasian dan alat kesehatan guna mencapai tujuan peningkatan sumber daya kesehatan," 2021. [Online]. Available: <https://farmalkes.kemkes.go.id>
- [9] Wibirama. coviDisplayPRO: Smart public display berbasis kendali gerakan mata untuk edukasi kesehatan dan pencegahan

- covid-19. [Online]. Available: <https://pdki-indonesia.dgip.go.id/detail/0d24aa9497b9147a0ba5d00a1d3e2f8f0b03d3bfbff2f2fcf4bbd5f193745dae%3Fnomor=EC00202111459?type=copyright&keyword=coviDisplayPRO>
- [10] D. A. Suryakusuma, Harisno, A. Wicaksono, R. Hartanto, and S. Wibirama, "Implementing design thinking in the development of digital signage user interface for public health education," in *2022 8th International Conference on Science and Technology (ICST)*, vol. 1, 2022, pp. 1–6.
- [11] S. Wibirama, S. Murnani, I. D. Sukowati, and R. Ferdiana, "Gaze-controlled digital signage for public health education during covid-19 pandemic," in *2021 9th International Conference on Information and Communication Technology (ICoICT)*. IEEE, pp. 7–12. [Online]. Available: <https://ieeexplore.ieee.org/document/9527531/>
- [12] D. H. Koh, S. Munikrishne Gowda, and O. V. Komogortsev, "Real time eye movement identification protocol," in *CHI '10 Extended Abstracts on Human Factors in Computing Systems*. ACM, pp. 3499–3504. [Online]. Available: <https://dl.acm.org/doi/10.1145/1753846.1754008>
- [13] H. Nurlatifa, S. Wibirama, and R. Hartanto, "A study of event detection methods in eye-tracking based on its properties," in *2020 6th International Conference on Science and Technology (ICST)*, vol. 1. IEEE, 2020, pp. 1–6.
- [14] A. Nuraini, S. Murnani, I. Ardiyanto, and S. Wibirama, "Machine learning in gaze-based interaction: A survey of eye movements events detection," in *2021 International Conference on Computer System, Information Technology, and Electrical Engineering (COSITE)*, 2021, pp. 150–155.
- [15] M. A. Fikri, P. I. Santosa, and S. Wibirama, "A review on opportunities and challenges of machine learning and deep learning for eye movements classification," in *2021 IEEE International Biomedical Instrumentation and Technology Conference (IBITeC)*. IEEE, pp. 65–70. [Online]. Available: <https://ieeexplore.ieee.org/document/9649434/>
- [16] A. Hyrskykari, H. Istance, and S. Vickers, "Gaze gestures or dwell-based interaction?" in *Proceedings of the Symposium on Eye Tracking Research and Applications*, 2012, pp. 229–232.
- [17] P. Majaranta and K.-J. R  ih  , "Twenty years of eye typing: systems and design issues," in *Proceedings of the 2002 symposium on Eye tracking research & applications*, 2002, pp. 15–22.
- [18] S. Murnani, N. A. Setiawan, and S. Wibirama, "Spontaneous gaze interaction based on smooth pursuit eye movement using difference gaze pattern method," vol. 7, no. 1, pp. 8–14. [Online]. Available: <https://cst.kipmi.or.id/journal/article/view/739>



- [19] G. V. Paramei, M. Bertamini, B. Bridgeman, and N. J. Wade, “Eye movements: Spatial and temporal aspects,” pp. 31–32, 2010.
- [20] O. V. Komogortsev and A. Karpov, “Automated classification and scoring of smooth pursuit eye movements in the presence of fixations and saccades,” vol. 45, no. 1, pp. 203–215. [Online]. Available: <http://link.springer.com/10.3758/s13428-012-0234-9>
- [21] D. B. Liston, A. E. Krukowski, and L. S. Stone, “Saccade detection during smooth tracking,” vol. 34, no. 2, pp. 171–176. [Online]. Available: <https://linkinghub.elsevier.com/retrieve/pii/S0141938212000777>
- [22] H. Nurlatifa, R. Hartanto, and S. Wibirama, “Spontaneous gaze-based application using 2d correlation and velocity threshold identification,” in *2021 5th International Conference on Informatics and Computational Sciences (ICICoS)*. IEEE, pp. 75–80. [Online]. Available: <https://ieeexplore.ieee.org/document/9651863/>
- [23] H. Nurlatifa, R. Hartanto, A. Ataka, and S. Wibirama, “Optimum object selection methods for spontaneous gaze-based interaction with linear and circular trajectories,” *Results in Engineering*, vol. 21, p. 101769, 2024.
- [24] M. Vidal, A. Bulling, and H. Gellersen, “Detection of smooth pursuits using eye movement shape features,” in *Proceedings of the Symposium on Eye Tracking Research and Applications*. ACM, pp. 177–180. [Online]. Available: <https://dl.acm.org/doi/10.1145/2168556.2168586>
- [25] J. Pekkanen and O. Lappi, “A new and general approach to signal denoising and eye movement classification based on segmented linear regression,” vol. 7, no. 1, p. 17726. [Online]. Available: <http://www.nature.com/articles/s41598-017-17983-x>
- [26] S. Wibirama, S. Murnani, and N. A. Setiawan, “Spontaneous gaze gesture interaction in the presence of noises and various types of eye movements,” in *ACM Symposium on Eye Tracking Research and Applications*. ACM, pp. 1–5. [Online]. Available: <https://dl.acm.org/doi/10.1145/3379156.3391363>
- [27] Y. Zhu, Y. Yan, and O. Komogortsev, “Hierarchical HMM for eye movement classification.” [Online]. Available: <http://arxiv.org/abs/2008.07961>
- [28] R. Zemblys, D. C. Niehorster, O. Komogortsev, and K. Holmqvist, “Using machine learning to detect events in eye-tracking data,” vol. 50, no. 1, pp. 160–181. [Online]. Available: <http://link.springer.com/10.3758/s13428-017-0860-3>
- [29] T. Santini, W. Fuhl, T. Kübler, and E. Kasneci, “Bayesian identification of fixations, saccades, and smooth pursuits,” in *Proceedings of the Ninth Biennial ACM Symposium on Eye Tracking Research & Applications*, 2016, pp. 163–170.



- [30] C. Elmadjian, C. Gonzales, and C. H. Morimoto, "Eye movement classification with temporal convolutional networks," in *Pattern Recognition. ICPR International Workshops and Challenges*, A. Del Bimbo, R. Cucchiara, S. Sclaroff, G. M. Farinella, T. Mei, M. Bertini, H. J. Escalante, and R. Vezzani, Eds. Springer International Publishing, vol. 12663, pp. 390–404, series Title: Lecture Notes in Computer Science. [Online]. Available: [http://link.springer.com/10.1007/978-3-030-68796-0\\_28](http://link.springer.com/10.1007/978-3-030-68796-0_28)
- [31] S. Hoppe and A. Bulling, "End-to-end eye movement detection using convolutional neural networks," *arXiv preprint arXiv:1609.02452*, 2016.
- [32] R. Zemblys, D. C. Niehorster, and K. Holmqvist, "gazeNet: End-to-end eye-movement event detection with deep neural networks," vol. 51, no. 2, pp. 840–864. [Online]. Available: <http://link.springer.com/10.3758/s13428-018-1133-5>
- [33] M. Startsev, I. Agtzidis, and M. Dorr, "1d CNN with BLSTM for automated classification of fixations, saccades, and smooth pursuits," vol. 51, no. 2, pp. 556–572. [Online]. Available: <http://link.springer.com/10.3758/s13428-018-1144-2>
- [34] J. Goltz, M. Grossberg, and R. Etemadpour, "Exploring simple neural network architectures for eye movement classification," in *Proceedings of the 11th ACM symposium on eye tracking research & Applications*, 2019, pp. 1–5.
- [35] K. Anusree and J. Amudha, "Eye movement event detection with deep neural networks," in *Computational Vision and Bio-Inspired Computing: ICCVBIC 2019*. Springer, 2020, pp. 921–930.
- [36] Q. Wen, T. Zhou, C. Zhang, W. Chen, Z. Ma, J. Yan, and L. Sun, "Transformers in time series: A survey." [Online]. Available: <http://arxiv.org/abs/2202.07125>
- [37] J. Xie, J. Zhang, J. Sun, Z. Ma, L. Qin, G. Li, H. Zhou, and Y. Zhan, "A transformer-based approach combining deep learning network and spatial-temporal information for raw EEG classification," vol. 30, p. 11.
- [38] L. Huang, F. Mao, K. Zhang, and Z. Li, "Spatial-temporal convolutional transformer network for multivariate time series forecasting," *Sensors*, vol. 22, no. 3, 2022. [Online]. Available: <https://www.mdpi.com/1424-8220/22/3/841>
- [39] G. Zerveas, S. Jayaraman, D. Patel, A. Bhamidipaty, and C. Eickhoff, "A transformer-based framework for multivariate time series representation learning." [Online]. Available: <http://arxiv.org/abs/2010.02803>



- [40] C.-H. H. Yang, Y.-Y. Tsai, and P.-Y. Chen, "Voice2series: Reprogramming acoustic models for time series classification." [Online]. Available: <http://arxiv.org/abs/2106.09296>
- [41] A. T. Khan, A. R. Khan, S. Li, S. Bakhsh, A. Mehmood, and J. Zaib, "Optimally configured gated recurrent unit using hyperband for the long-term forecasting of photovoltaic plant," *Renewable Energy Focus*, vol. 39, pp. 49–58, 2021. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S1755008421000375>
- [42] K. Eggenberger, M. Feurer, F. Hutter, J. Bergstra, J. Snoek, H. Hoos, K. Leyton-Brown *et al.*, "Towards an empirical foundation for assessing bayesian optimization of hyperparameters," in *NIPS workshop on Bayesian Optimization in Theory and Practice*, vol. 10, no. 3, 2013.
- [43] L. Li, K. Jamieson, G. DeSalvo, A. Rostamizadeh, and A. Talwalkar, "Hyperband: A novel bandit-based approach to hyperparameter optimization," 2018.
- [44] O. V. Komogortsev and A. Karpov, "Automated classification and scoring of smooth pursuit eye movements in the presence of fixations and saccades," *Behavior research methods*, vol. 45, pp. 203–215, 2013.
- [45] M. A. Fikri, I. K. A. Putra, and S. Wibirama, "Object selection using LSTM networks for spontaneous gaze-based interaction," in *2022 14th International Conference on Information Technology and Electrical Engineering (ICITEE)*. IEEE, pp. 1–5. [Online]. Available: <https://ieeexplore.ieee.org/document/9954104/>
- [46] M. Azizjon, A. Jumabek, and W. Kim, "1d cnn based network intrusion detection with normalization on imbalanced data," in *2020 international conference on artificial intelligence in information and communication (ICAIIIC)*. IEEE, 2020, pp. 218–224.
- [47] J. Zhu, H. Chen, and W. Ye, "Classification of human activities based on radar signals using 1d-cnn and lstm," in *2020 IEEE International Symposium on Circuits and Systems (ISCAS)*. IEEE, 2020, pp. 1–5.
- [48] S. Deepika and G. Murugesan, "A novel approach for human computer interface based on eye movements for disabled people," in *2015 IEEE International Conference on Electrical, Computer and Communication Technologies (ICECCT)*, 2015, pp. 1–3.
- [49] R. Andersson, L. Larsson, K. Holmqvist, M. Stridh, and M. Nyström, "One algorithm to rule them all? an evaluation and discussion of ten eye movement event-detection algorithms," vol. 49, no. 2, pp. 616–637. [Online]. Available: <http://link.springer.com/10.3758/s13428-016-0738-9>



- [50] I. Syarif, A. Prugel-Bennett, and G. Wills, “Svm parameter optimization using grid search and genetic algorithm to improve classification performance,” *TELKOMNIKA (Telecommunication Computing Electronics and Control)*, vol. 14, no. 4, pp. 1502–1509, 2016.
- [51] M. Injadat, F. Salo, A. B. Nassif, A. Essex, and A. Shami, “Bayesian optimization with machine learning algorithms towards anomaly detection,” in *2018 IEEE Global Communications Conference (GLOBECOM)*, 2018, pp. 1–6.
- [52] S. N. S. S. Anwar, A. Abd Aziz, and S. H. Adil, “Development of real-time eye tracking algorithm,” in *2021 4th International Conference on Computing & Information Sciences (ICCIS)*. IEEE, 2021, pp. 1–6.
- [53] C. Gou, Y. Wu, K. Wang, K. Wang, F.-Y. Wang, and Q. Ji, “A joint cascaded framework for simultaneous eye detection and eye state estimation,” *Pattern Recognition*, vol. 67, pp. 23–31, 2017.
- [54] N. V. Valtakari, I. T. Hooge, C. Viktorsson, P. Nyström, T. Falck-Ytter, and R. S. Hessels, “Eye tracking in human interaction: Possibilities and limitations,” *Behavior Research Methods*, pp. 1–17, 2021.
- [55] I. H. Sarker, “Deep learning: a comprehensive overview on techniques, taxonomy, applications and research directions,” *SN Computer Science*, vol. 2, no. 6, p. 420, 2021.
- [56] L. Alzubaidi, J. Zhang, A. J. Humaidi, A. Al-Dujaili, Y. Duan, O. Al-Shamma, J. Santamaría, M. A. Fadhel, M. Al-Amidie, and L. Farhan, “Review of deep learning: concepts, cnn architectures, challenges, applications, future directions,” *Journal of big Data*, vol. 8, pp. 1–74, 2021.
- [57] A. W. Kiwelekar, G. S. Mahamunkar, L. D. Netak, and V. B. Nikam, “Deep learning techniques for geospatial data analysis,” *Machine Learning Paradigms: Advances in Deep Learning-based Technological Applications*, pp. 63–81, 2020.
- [58] R. C. Staudemeyer and E. R. Morris, “Understanding lstm—a tutorial into long short-term memory recurrent neural networks,” *arXiv preprint arXiv:1909.09586*, 2019.
- [59] M. Kuipers and R. Prasad, “Journey of artificial intelligence,” *Wireless Personal Communications*, vol. 123, 04 2022.
- [60] W. Wang, G. Wen, and Z. Zheng, “Design of deep learning mixed language short text sentiment classification system based on cnn algorithm,” in *2022 IEEE 2nd International Conference on Mobile Networks and Wireless Communications (ICMNBC)*, 2022, pp. 1–5.



- [61] R. C. Staudemeyer and E. R. Morris, "Understanding LSTM - a tutorial into long short-term memory recurrent neural networks," *CoRR*, vol. abs/1909.09586, 2019. [Online]. Available: <http://arxiv.org/abs/1909.09586>
- [62] A. Graves, G. Wayne, and I. Danihelka, "Neural turing machines," *CoRR*, vol. abs/1410.5401, 2014. [Online]. Available: <http://arxiv.org/abs/1410.5401>
- [63] T. Hastie, R. Tibshirani, J. H. Friedman, and J. H. Friedman, *The elements of statistical learning: data mining, inference, and prediction*. Springer, 2009, vol. 2.
- [64] S. Ruder, "An overview of gradient descent optimization algorithms," *CoRR*, vol. abs/1609.04747, 2016. [Online]. Available: <http://arxiv.org/abs/1609.04747>
- [65] K. Janocha and W. M. Czarnecki, "On loss functions for deep neural networks in classification," *CoRR*, vol. abs/1702.05659, 2017. [Online]. Available: <http://arxiv.org/abs/1702.05659>
- [66] Y. Tian, D. Su, S. Lauria, and X. Liu, "Recent advances on loss functions in deep learning for computer vision," *Neurocomputing*, vol. 497, pp. 129–158, 2022. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0925231222005239>
- [67] U. Ruby and V. Yendapalli, "Binary cross entropy with deep learning technique for image classification," *Int. J. Adv. Trends Comput. Sci. Eng.*, vol. 9, no. 10, 2020.
- [68] D. P. Kingma and J. Ba, "Adam: A method for stochastic optimization," *arXiv preprint arXiv:1412.6980*, 2014.
- [69] T. Leen and G. Orr, "Optimal stochastic search and adaptive momentum," *Advances in neural information processing systems*, vol. 6, 1993.
- [70] Y. Dauphin, H. De Vries, and Y. Bengio, "Equilibrated adaptive learning rates for non-convex optimization," *Advances in neural information processing systems*, vol. 28, 2015.
- [71] S. Bock, J. Goppold, and M. Weiß, "An improvement of the convergence proof of the adam-optimizer," *arXiv preprint arXiv:1804.10587*, 2018.
- [72] H. Ismail Fawaz, G. Forestier, J. Weber, L. Idoumghar, and P.-A. Muller, "Deep learning for time series classification: a review," vol. 33, no. 4, pp. 917–963. [Online]. Available: <https://link.springer.com/10.1007/s10618-019-00619-1>



- [73] Y. Luan and S. Lin, “Research on text classification based on CNN and LSTM,” in *2019 IEEE International Conference on Artificial Intelligence and Computer Applications (ICAICA)*. IEEE, pp. 352–355. [Online]. Available: <https://ieeexplore.ieee.org/document/8873454/>
- [74] A. Vaswani, N. Shazeer, N. Parmar, J. Uszkoreit, L. Jones, A. N. Gomez, L. Kaiser, and I. Polosukhin, “Attention is all you need.” [Online]. Available: <http://arxiv.org/abs/1706.03762>
- [75] “An unknown pattern detection method for time series data based on convolutional neural network,” p. 5.
- [76] B. Qian, Y. Xiao, Z. Zheng, M. Zhou, W. Zhuang, S. Li, and Q. Ma, “Dynamic multi-scale convolutional neural network for time series classification,” vol. 8, pp. 109 732–109 746. [Online]. Available: <https://ieeexplore.ieee.org/document/9115645/>
- [77] M. Ibrahim, K. M. Badran, and A. E. Hussien, “Artificial intelligence-based approach for univariate time-series anomaly detection using hybrid cnn-bilstm model,” in *2022 13th International Conference on Electrical Engineering (ICEENG)*. IEEE, 2022, pp. 129–133.
- [78] S. Bai, J. Z. Kolter, and V. Koltun, “An empirical evaluation of generic convolutional and recurrent networks for sequence modeling,” 2018.
- [79] L. Liu and Y.-W. Si, “1d convolutional neural networks for chart pattern classification in financial time series,” vol. 78, no. 12, pp. 14 191–14 214. [Online]. Available: <https://link.springer.com/10.1007/s11227-022-04431-5>
- [80] J. F. Torres, D. Hadjout, A. Sebaa, F. Martínez-Álvarez, and A. Troncoso, “Deep learning for time series forecasting: a survey,” *Big Data*, vol. 9, no. 1, pp. 3–21, 2021.
- [81] L. Yang, H. Wu, M. Ding, and R. Bi, “Short-term load forecasting with bilstm networks considering feature selection in new energy grids [j],” *Power System Automation*, vol. 45, no. 03, pp. 166–173, 2021.
- [82] X. Li and X. Zheng, “A study of the bilstm model based on woa optimized attention mechanism for power load forecasting,” in *2023 IEEE International Conference on Sensors, Electronics and Computer Engineering (ICSECE)*. IEEE, 2023, pp. 237–242.
- [83] M. Subramanian, V. Rajalakshmi *et al.*, “Deep learning approaches for melody generation: An evaluation using lstm, bilstm and gru models,” in *2023 14th International Conference on Computing Communication and Networking Technologies (ICCCNT)*. IEEE, 2023, pp. 1–6.



- [84] S. Cornegruta, R. Bakewell, S. Withey, and G. Montana, “Modelling radiological language with bidirectional long short-term memory networks,” *arXiv preprint arXiv:1609.08409*, 2016.
- [85] B. Bischl, M. Binder, M. Lang, T. Pielok, J. Richter, S. Coors, J. Thomas, T. Ullmann, M. Becker, A.-L. Boulesteix *et al.*, “Hyperparameter optimization: Foundations, algorithms, best practices, and open challenges,” *Wiley Interdisciplinary Reviews: Data Mining and Knowledge Discovery*, vol. 13, no. 2, p. e1484, 2023.
- [86] E. Elgeldawi, A. Sayed, A. R. Galal, and A. M. Zaki, “Hyperparameter tuning for machine learning algorithms used for arabic sentiment analysis,” *Informatics*, vol. 8, no. 4, 2021. [Online]. Available: <https://www.mdpi.com/2227-9709/8/4/79>
- [87] T. Yu and H. Zhu, “Hyper-parameter optimization: A review of algorithms and applications,” *arXiv preprint arXiv:2003.05689*, 2020.
- [88] Y. Li, Y. Shen, H. Jiang, W. Zhang, J. Li, J. Liu, C. Zhang, and B. Cui, “Hyper-tune: towards efficient hyper-parameter tuning at scale,” *arXiv preprint arXiv:2201.06834*, 2022.
- [89] N. Nafti, O. Besbes, A. B. Abdallah, and M. H. Bedoui, “Hyperparameters optimization of deep learning models for unsupervised lung cancer detection,” in *2023 International Conference on Cyberworlds (CW)*, 2023, pp. 260–263.
- [90] M. Feurer and F. Hutter, “Hyperparameter optimization,” *Automated machine learning: Methods, systems, challenges*, pp. 3–33, 2019.
- [91] L. Li, K. Jamieson, G. DeSalvo, A. Rostamizadeh, and A. Talwalkar, “Hyperband: A novel bandit-based approach to hyperparameter optimization,” *The journal of machine learning research*, vol. 18, no. 1, pp. 6765–6816, 2017.
- [92] K. Jamieson and A. Talwalkar, “Non-stochastic best arm identification and hyperparameter optimization,” 2015.
- [93] J. Wang, J. Xu, and X. Wang, “Combination of hyperband and bayesian optimization for hyperparameter optimization in deep learning,” 2018.
- [94] P. Mishra, C. M. Pandey, U. Singh, A. Gupta, C. Sahu, and A. Keshri, “Descriptive statistics and normality tests for statistical data,” *Annals of cardiac anaesthesia*, vol. 22, no. 1, p. 67, 2019.
- [95] Q. Zhang, Z. Yan, X. Li, B. Gao, R. Ma, X. Li, and J. Kang, “Fault diagnosis method of transformer based on anova and svm,” in *2022 IEEE/IAS Industrial and Commercial Power System Asia (ICPS Asia)*, 2022, pp. 1–5.



- [96] S. Sakamoto, A. Lala, T. Oda, V. Kolici, L. Barolli, and F. Xhafa, “Analysis of wmn-hc simulation system data using friedman test,” in *2015 Ninth International Conference on Complex, Intelligent, and Software Intensive Systems*, 2015, pp. 254–259.
- [97] K. Saplıoğlu and Y. S. Güçlü, “Combination of wilcoxon test and scatter diagram for trend analysis of hydrological data,” *Journal of Hydrology*, vol. 612, p. 128132, 2022. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0022169422007077>
- [98] C. Elmadjian, C. Gonzales, R. L. d. Costa, and C. H. Morimoto, “Online eye-movement classification with temporal convolutional networks,” *Behavior Research Methods*, vol. 55, no. 7, pp. 3602–3620, 2023.
- [99] J. M. Ashfaque and A. Iqbal, “Introduction to support vector machines and kernel methods,” *publication at <https://www.researchgate.net/publication/332370436>*, 2019.
- [100] T. Shin. Understanding the confusion matrix and how to implement it in python. [Online]. Available: <https://towardsdatascience.com/>
- [101] A. Santilli, S. Severino, E. Postolache, V. Maiorca, M. Mancusi, R. Marin, and E. Rodolà, “Accelerating transformer inference for translation via parallel decoding,” *arXiv preprint arXiv:2305.10427*, 2023.
- [102] Bhaskar. How to achieve a 9ms inference time for transformer models. [Online]. Available: <https://getstream.io/blog/optimize-transformer-inference/>