

DAFTAR PUSTAKA

- Abdalla, A. A., & Mann, L. K. (1963). Bulb development in the onion (*Allium cepa* L.) and the effect of storage temperature. *Hilgardia*, 35(5), 85–112. <https://doi.org/10.3733/hilg.v35n05p085>
- Abdel-Farid, I. B., Hye, K. K., Young, H. C., & Verpoorte, R. (2007). Metabolic characterization of Brassica rapa leaves by NMR spectroscopy. *Journal of Agricultural and Food Chemistry*, 55(19), 7936–7943. <https://doi.org/10.1021/jf071294b>
- Afifah, E. N. (2018). Analisis ketahanan empat kultivar tomat (*Solanum lycopersicum* L.) terhadap nematoda puru akar (*Meloidogyne incognita*) dengan pendekatan metabolomik. Tesis. Universitas Gadjah Mada.
- Ali, K., Maltese, F., Fortes, A. M., Pais, M. S., Choi, Y. H., & Verpoorte, R. (2011). Monitoring biochemical changes during grape berry development in Portuguese cultivars by NMR spectroscopy. *Food Chemistry*, 124(4), 1760–1769. <https://doi.org/10.1016/j.foodchem.2010.08.015>
- Ami, E. J., Islam, M. T., & Farooque, A. (2013). Effect of vernalization on seed production of onion. *Agriculture, Forestry and Fisheries*, 2(6), 212–217. <https://doi.org/10.11648/j.aff.20130206.12>
- Askari-Khorasgani, O., & Pessarakli, M. (2019). Agricultural management and environmental requirements for production of true shallot seeds – a review. *Advances in Plants & Agriculture Research*, 9(2), 318–322. <https://doi.org/10.15406/apar.2019.09.00441>
- Atif, M. J., Ahanger, M. A., Amin, B., Ghani, M. I., Ali, M., & Cheng, Z. (2020). Mechanism of allium crops bulb enlargement in response to photoperiod: A review. *International Journal of Molecular Sciences*, 21(4). <https://doi.org/10.3390/ijms21041325>
- Azmi, C., Hidayat, I. M., & Wiguna, G. (2011). Pengaruh varietas dan ukuran umbi terhadap produktivitas bawang merah. *Jurnal Hortikultura*, 21(3), 206–213. <https://doi.org/10.21082/jhort.v21n3.2011.p206-213>
- Babenko, L. M., Smirnov, O. E., Romanenko, K. O., Trunova, O. K., & Kosakivska, I. V. (2019). Phenolic compounds in plants: Biogenesis and functions. *Ukrainian Biochemical Journal*, 91(3), 5–18. <https://doi.org/10.15407/ubj91.03.005>
- Baqir, H. A. (2019). Effect of some amino acid on tillering and yield of three bread wheat cultivars. *Iraqi Journal of Agriculture Sciences*, 50(Special Issue), 20–30.
- Baqir, H. A., Zeboon, N. H., & Al-Behadili, A. A. J. (2019). The role and importance of amino acids within plants: A review. *Plant Archives*, 19(January), 1402–1410.
- Barbier, F. F., Lunn, J. E., & Beveridge, C. A. (2015). Ready, steady, go! A sugar hit starts the race to shoot branching. *Current Opinion in Plant Biology*, 25, 39–45. <https://doi.org/10.1016/j.pbi.2015.04.004>
- Barbier, F., Péron, T., Lecerf, M., & Barrière, Q. (2015). *Sucrose is an early modulator of the key hormonal mechanisms controlling bud outgrowth in Rosa hybrida*.

66(9), 2569–2582. <https://doi.org/10.1093/jxb/erv047>

- Barmawi, M. (2007). Pola segregasi dan heritabilitas sifat ketahanan kedelai terhadap *Cowpea mild mottle* populasi Wilis X Mlg2521. *J. HPT Tropika*, 7(1), 48–52.
- Basuki, R. (2009). Analisis tingkat preferensi petani Brebes terhadap karakteristik hasil dan kualitas bawang merah varietas lokal asal dataran medium dan tinggi. *Jurnal Hortikultura*, 19(4), 85502. <https://doi.org/10.21082/jhort.v19n4.2009.p>
- Basundari, F. R. A., Sulistyaningsih, E., Murti, R. H., & Nuringtyas, T. R. (2021). Metabolite profile of two *Allium cepa* L. Aggregatum group cultivars by nuclear magnetic resonance. *Biodiversitas*, 22(8), 3127–3135. <https://doi.org/10.13057/biodiv/d2208xx>
- Bernier, G., Havelange, A., Houssa, C., Petitjean, A., Bernier, G., Havelange, A., Houssa, C., Petitjean, A., & Lejeune, P. (1993). Physiological signals that induce flowering. *The Plant Cell*, 5(10), 1147–1155.
- Böttcher, C., Krähmer, A., Stürtz, M., Widder, S., & Schulz, H. (2018). Effect of cultivar and cultivation year on the metabolite profile of onion bulbs (*Allium cepa* L.). *Journal of Agricultural and Food Chemistry*, 66(12), 3229–3238. <https://doi.org/10.1021/acs.jafc.8b00254>
- Brewster, J. L. (2008). Physiology of crop growth and bulbing. In H. D. Rabinowitch & J. L. Brewster (Eds.), *Onion and Allied Crops. Volume I: Botany, Physiology, and Genetics: Vol. 2nd ed* (2nd editio, p. 455). CRC.
- Brewster, J. L., & Butler, H. A. (1989). Effects of nitrogen supply on bulb development in onion *Allium cepa* L. *Journal of Experimental Botany*, 40(10), 1155–1162. <https://doi.org/10.1093/jxb/40.10.1155>
- Brewster, J. L., & Rabinowitch, H. D. (1990). Onions and allied crops Vol. III. Biochemistry, food science, and minor crops. In J. L. Brewster & H. D. Rabinowitch (Eds.), *Onions and allied crops Vol. III. Biochemistry, food science, and minor crop*. CRC Press.
- Celep, F., Koyuncu, M., Fritsch, R. M., Kahraman, A., & Doan, M. (2012). Taxonomic importance of seed morphology in *Allium* (*Amaryllidaceae*). *Systematic Botany*, 37(4), 893–912. <https://doi.org/10.1600/036364412X656563>
- Chen, Q., Wang, Y., Zhang, Z., Liu, X., Li, C., & Ma, F. (2022). Arginine increases tolerance to nitrogen deficiency in *Malus hupehensis* via alterations in photosynthetic capacity and amino acids metabolism. *Frontiers in Plant Science*, 12(January), 1–16. <https://doi.org/10.3389/fpls.2021.772086>
- Chen, X., Hao, R., Chen, W., Jia, H., Qin, S., Wang, Q., Zhang, D., Han, Z., & Li, Y. (2024). Effect of choline amino acid ionic liquids on maize seed germination and endogenous plant hormone levels. *RSC Advances*, 14(1), 382–389. <https://doi.org/10.1039/d3ra07433a>
- Currah, L., & Proctor, F. J. (1990). Onions in tropical regions. In *Natural Resources Institute* (Issue 35). <https://gala.gre.ac.uk/id/eprint/11067/1/Doc-0126.pdf>
- D'Angelo, C. J., & Goldman, I. L. (2018). Temporal aspects of vernalization and flowering in long-day storage onion. *Journal of the American Society for Horticultural Science*, 143(6), 446–453. <https://doi.org/10.21273/JASHS04495-18>

- De Hertogh, A. A., Aung, L. H., & Benschop, M. (1983). The Tulip: Botany, Usage, Growth, and Development. In J. Janick (Ed.), *Horticultural Reviews*. The AVI Publishing Company, Inc.
- de Klerk, G. J., Guan, H., Huisman, P., & Marinova, S. (2011). Effects of phenolic compounds on adventitious root formation and oxidative decarboxylation of applied indoleacetic acid in Malus "Jork 9." *Plant Growth Regulation*, 63(2), 175–185. <https://doi.org/10.1007/s10725-010-9555-9>
- Degewione, A., Alamerew, S., & Tabor, G. (2011). Genetic variability and association of bulb yield and related traits in shallot (*Allium cepa* var. *Aggregatum* DON.) in Ethiopia. *International Journal of Agricultural Research*, 6(7), 517–536. <https://doi.org/10.3923/ijar.2011.517.538>
- DeMason, D. A. (2018). Morphology and anatomy of Allium. In H. D. Rabinowitch & J. L. Brewster (Eds.), *Onions Allied Crops Volume I: Botany, Physiology, and Genetics* (p. 288). CRC Press.
- Devy, N. F., Setiyani, R., Hardiyanto, & Puspitasari. (2020). Performance of shallot (*Allium cepa* var. *ascalonicum*) derived from true seed under a dry condition area. *IOP Conference Series: Earth and Environmental Science*, 458(1). <https://doi.org/10.1088/1755-1315/458/1/012008>
- Domagalska, M. A., & Leyser, O. (2011). Signal integration in the control of shoot branching. *Nature Reviews Molecular Cell Biology*, 12(4), 211–221. <https://doi.org/10.1038/nrm3088>
- Dong, X., Gao, Y., Chen, W., Wang, W., Gong, L., Liu, X., & Luo, J. (2015). Spatiotemporal distribution of phenolamides and the genetics of natural variation of hydroxycinnamoyl spermidine in rice. *Molecular Plant*, 8(1), 111–121. <https://doi.org/10.1016/j.molp.2014.11.003>
- Farrés, M., Platikanov, S., Tsakovski, S., & Tauler, R. (2015). Comparison of the variable importance in projection (VIP) and of the selectivity ratio (SR) methods for variable selection and interpretation. *Journal of Chemometrics*, 29(10), 528–536. <https://doi.org/10.1002/cem.2736>
- Fauziah, R. (2017). *Budidaya bawang merah (Allium cepa var. Aggregatum) pada lahan kering menggunakan irigasi spray hose pada berbagai volume irigasi dan frekuensi irigasi*. Institut Pertanian Bogor.
- Fioreze, S. L., Castoldi, G., Pivetta, L. A., Pivetta, L. G., Fernandes, D. M., & Büll, L. T. (2012). Tillering of two wheat genotypes as affected by phosphorus levels. *Acta Scientiarum. Agronomy*, 34(3), 331–338. <https://doi.org/10.4025/actasciagron.v34i3.13326>
- Freitas, I. S., Trennepohl, B. I., Acioly, T. M. S., Conceição, V. J., Mello, S. C., Neto, D. D., Kluge, R. A., & Azevedo, R. A. (2022). Exogenous application of L-arginine improves protein content and increases yield of *Pereskia aculeata* Mill. grown in soilless media container. *Horticulturae*, 8(2). <https://doi.org/10.3390/horticulturae8020142>
- Galili, G., Avin-Wittenberg, T., Angelovici, R., & Fernie, A. R. (2014). The role of photosynthesis and amino acid metabolism in the energy status during seed development. *Frontiers in Plant Science*, 5(September), 1–6. <https://doi.org/10.3389/fpls.2014.00447>

- Gauthier, L., Atanasova-Penichon, V., Chéreau, S., & Richard-Forget, F. (2015). Metabolomics to decipher the chemical defense of cereals against *Fusarium graminearum* and deoxynivalenol accumulation. In *International Journal of Molecular Sciences* (Vol. 16, Issue 10). <https://doi.org/10.3390/ijms161024839>
- Getachew, T., Gizachew, A., & Fekadu, G. M. (2022). Genetic diversity of shallot (*Allium cepa* var *Aggregatum*) segregating population from Ethiopia using multivariate analysis. *Ethiop J. Crop Sci.*, *10*(1), 67–80.
- Glubsheva, T., Dumacheva, E., Grigorenko, S., Zyateva, E., & Tarasenko, E. (2021). Mobility of carbohydrates in tulip bulbs. *BIO Web Conferences*. <https://doi.org/https://doi.org/10.1051/bioconf/20213004001> 5.
- Gondek, K., & Mierzwa-Hersztek, M. (2021). Effect of soil-applied l-tryptophan on the amount of biomass and nitrogen and sulfur utilization by maize. *Agronomy*, *11*(12). <https://doi.org/10.3390/agronomy11122582>
- Greenwell, Z. L., & Ruter, J. M. (2018). Effect of glutamine and arginine on growth of *Hibiscus moscheutos* “in vitro” *Ornamental Horticulture*, *24*(4), 393–399. <https://doi.org/10.14295/oh.v24i4.1198>
- Gunaeni, N., Karyadi, A. K., & Adiyoga, W. (2019). Deteksi penyakit virus pada bawang merah asal Kabupaten Brebes dan Cirebon dan Daerah Pencarnya Menggunakan Teknik RT-PCR. *Jurnal Hortikultura*, *28*(2), 229. <https://doi.org/10.21082/jhort.v28n2.2018.p229-238>
- Hakim, T., Luta, D. A., & Sitepu, D. S. (2022). Teknologi true shallot seed dan pemanfaatan limbah pertanian pada pertumbuhan produksi bawang merah (*Allium ascalonicum* L.). *Seminar Nasional UNIBA Surakarta*, 251–264. <http://journal.uniba.ac.id/index.php/PSD/article/view/368>
- Hansen, S. L. (2001). Content of free amino acids in onion (*Allium cepa* L.) as influenced by the stage of development at harvest and long-term storage. *Acta Agriculturae Scandinavica Section B: Soil and Plant Science*, *51*(2), 77–83. <https://doi.org/10.1080/090647101753483796>
- Hao, F., Liu, X., Zhou, B., Tian, Z., Zhou, L., Zong, H., Qi, J., He, J., Zhang, Y., Zeng, P., Li, Q., Wang, K., Xia, K., Guo, X., Li, L., Shao, W., Zhang, B., Li, S., Yang, H., ... Cai, J. (2023). Chromosome-level genomes of three *Allium* crops and their trait evolution. *Nature Genetics*, *55*(11), 1976–1986. <https://doi.org/10.1038/s41588-023-01546-0>
- Hendrawati, O., Yao, Q., Kim, H. K., Linthorst, H. J. M., Erkelens, C., Lefeber, A. W. M., Choi, Y. H., & Verpoorte, R. (2006). Metabolic differentiation of *Arabidopsis* treated with methyl jasmonate using nuclear magnetic resonance spectroscopy. *Plant Science*, *170*(6), 1118–1124. <https://doi.org/10.1016/j.plantsci.2006.01.017>
- Herawati, R., Purwoko, B., & Dewi, I. (2009). Keragaman genetik dan karakter agronomi galur haploid ganda padi gogo dengan sifat-sifat tipe baru hasil kultur antera. *Jurnal Agronomi Indonesia*, *37*(2), 87–94. <https://doi.org/10.24831/jai.v37i2.1399>
- Hilman, Y., Rosliani, R., & Palupi, E. R. (2016). Pengaruh ketinggian tempat terhadap pembungaan, produksi, dan mutu benih botani bawang merah. *Jurnal Hortikultura*, *24*(2), 154. <https://doi.org/10.21082/jhort.v24n2.2014.p154-161>

- Hong, J., Yang, L., Zhang, D., & Shi, J. (2016). Plant metabolomics: An indispensable system biology tool for plant science. *International Journal of Molecular Sciences*, 17(6). <https://doi.org/10.3390/ijms17060767>
- Hyun, D. Y., Kim, O. T., Bang, K. H., Kim, Y. C., Yoo, N. H., Kim, C. W., & Lee, J. H. (2009). Genetic and molecular studies for regulation of bolting time of onion (*Allium cepa* L.). *Journal of Plant Biology*, 52(6), 602–608. <https://doi.org/10.1007/s12374-009-9078-y>
- Ingle, R. A. (2011). Histidine biosynthesis. In *The Arabidopsis Book* (9th ed., Vol. 9, Issue 9). The American Society of Plant Biologists. <https://doi.org/10.1199/tab.0141>
- Irsyad, E. P., Yoesdiarti, A., & Miftah, H. (2018). Analisis persepsi dan preferensi konsumen terhadap kualitas sayuran komersial di pasar modern. *Jurnal Agibisains*, 4(2), 1–7.
- Jeyakumar, J. M. J., Ali, A., Wang, W. M., & Thiruvengadam, M. (2020). Characterizing the role of the miR156-SPL network in plant development and stress response. *Plants*, 9(9), 1–15. <https://doi.org/10.3390/plants9091206>
- Jo, S., Song, Y., Jeong, J. H., Hwang, J., & Kim, Y. (2020). Geographical discrimination of *Allium* species (garlic and onion) using ¹H NMR spectroscopy with multivariate analysis. *International Journal of Food Properties*, 23(1), 241–254. <https://doi.org/10.1080/10942912.2020.1722160>
- Kahane, R., La De Serve, B. T., & Rancillac, M. (1992). Bulbing in long-day onion (*Allium cepa* L.) cultured in vitro: comparison between sugar feeding and light induction. *Annals of Botany*, 69(6), 551–555. <https://doi.org/10.1093/oxfordjournals.aob.a088385>
- Kamada-Nobusada, T., Makita, N., Kojima, M., & Sakakibara, H. (2013). Nitrogen-dependent regulation of de novo cytokinin biosynthesis in rice: The role of glutamine metabolism as an additional signal. *Plant and Cell Physiology*, 54(11), 1881–1893. <https://doi.org/10.1093/pcp/pct127>
- Kan, C. C., Chung, T. Y., Juo, Y. A., & Hsieh, M. H. (2015). Glutamine rapidly induces the expression of key transcription factor genes involved in nitrogen and stress responses in rice roots. *BMC Genomics*, 16(1), 1–15. <https://doi.org/10.1186/s12864-015-1892-7>
- Keurentjes, J. J. B., Fu, J., De Vos, C. H. R., Lommen, A., Hall, R. D., Bino, R. J., Van Der Plas, L. H. W., Jansen, R. C., Vreugdenhil, D., & Koornneef, M. (2006). The genetics of plant metabolism. *Nature Genetics*, 38(7), 842–849. <https://doi.org/10.1038/ng1815>
- Khokhar, K. M. (2017). Environmental and genotypic effects on bulb development in onion—a review. *Journal of Horticultural Science and Biotechnology*, 92(5), 448–454. <https://doi.org/10.1080/14620316.2017.1314199>
- Kim, H. K., Choi, Y. H., & Verpoorte, R. (2006). Metabolomic analysis of *Catharanthus roseus* using NMR and principal component analysis. *Biotechnology in Agriculture and Forestry*, 57, 261–276. https://doi.org/10.1007/3-540-29782-0_19
- Kim, H. K., Choi, Y. H., & Verpoorte, R. (2010). NMR-based metabolomic analysis of plants. *Nature Protocols*, 5(3), 536–549. <https://doi.org/10.1038/nprot.2009.237>

- Kondo, S., Tomiyama, H., Opio, P., Komiya, R., Saito, T., Okawa, K., Ohara, H., Matsuura, H., Lang, Y., & Igarashi, D. (2021). I-Isoleucine (Ile) promotes anthocyanin accumulation in apples. *Journal of Plant Growth Regulation*, 40(2), 541–549. <https://doi.org/10.1007/s00344-020-10117-0>
- Koprna, R., Humplík, J. F., Špíšek, Z., Bryksová, M., Zatloukal, M., Mik, V., Novák, O., Nisler, J., & Doležal, K. (2021). Improvement of tillering and grain yield by application of cytokinin derivatives in wheat and barley. *Agronomy*, 11(1). <https://doi.org/10.3390/AGRONOMY11010067>
- Krontal, Y., Kamenetsky, R., & Rabinowitch, H. D. (1998). Lateral development and florigenesis of a tropical shallot: A comparison with bulb onion. *International Journal of Plant Sciences*, 159(1), 57–64. <https://doi.org/10.1086/297521>
- Kruger, N. J., Troncoso-Ponce, M. A., & Ratcliffe, R. G. (2008). 1H NMR metabolite fingerprinting and metabolomic analysis of perchloric acid extracts from plant tissues. *Nature Protocols*, 3(6), 1001–1012. <https://doi.org/10.1038/nprot.2008.64>
- Lachowicz, S., Kolniak-Ostek, J., Oszmiański, J., & Wiśniewski, R. (2017). Comparison of phenolic content and antioxidant capacity of bear garlic (*Allium ursinum* L.) in different maturity stages. *Journal of Food Processing and Preservation*, 41(1). <https://doi.org/10.1111/jfpp.12921>
- Le Saos. (2002). In vitro Bulb Development in Shallot Effects of Anti gibberellins, Sucrose and Light. *Annals of Botany*, 89, 419–425. <https://doi.org/10.1093/aob/mcf063>
- Le Saos, F. ., Hourmant, A., Esnault, F., & Chauvin, J. E. (2002). In vitro bulb development in shallot (*Allium cepa* L. Aggregatum Group): effects of anti-gibberellins, sucrose and light. *Annals of Botany*, 89, 419–425. <https://doi.org/10.1093/aob/mcf063>
- Leiss, K. A., Choi, Y. H., Abdel-Farid, I. B., Verpoorte, R., & Klinkhamer, P. G. L. (2009). NMR metabolomics of thrips (*Frankliniella occidentalis*) resistance in senecio hybrids. *Journal of Chemical Ecology*, 35(2), 219–229. <https://doi.org/10.1007/s10886-008-9586-0>
- Leiss, K. A., Choi, Y. H., Verpoorte, R., & Klinkhamer, P. G. L. (2011). An overview of NMR-based metabolomics to identify secondary plant compounds involved in host plant resistance. *Phytochemistry Reviews*, 10(2), 205–216. <https://doi.org/10.1007/s11101-010-9175-z>
- Lercari, B. (1982). The effect of far-red light on the photoperiodic regulation of carbohydrate accumulation in *Allium cepa* L. *Physiologia Plantarum*, 54(4), 475–479. <https://doi.org/10.1111/j.1399-3054.1982.tb00711.x>
- Li, Q., Deng, M., Xiong, Y., Coombes, A., & Zhao, W. (2014). Morphological and photosynthetic response to high and low irradiance of *Aeschynanthus longicaulis*. *Scientific World Journal*, 2014. <https://doi.org/10.1155/2014/347461>
- Li, S., Peng, F., Xiao, Y., Gong, Q., Bao, Z., Li, Y., & Wu, X. (2020). Mechanisms of high concentration valine-mediated inhibition of peach tree shoot growth. *Frontiers in Plant Science*, 11(October), 1–13. <https://doi.org/10.3389/fpls.2020.603067>
- Li, W., Huang, D., Wang, B., Hou, X., Zhang, R., Yan, M., & Liao, W. (2022). Changes

- of starch and sucrose content and related gene expression during the growth and development of Lanzhou lily bulb. *PLoS ONE*, 17(1 January), 1–12. <https://doi.org/10.1371/journal.pone.0262506>
- Litwack, G. (2018). Nucleic Acids and Molecular Genetics. In *Human Biochemistry* (pp. 257–317). Elsevier Inc. <https://doi.org/10.1016/b978-0-12-383864-3.00010-7>
- Luo, L., Zhang, Y., & Xu, G. (2020). How does nitrogen shape plant architecture? *Journal of Experimental Botany*, 71(15), 4415–4427. <https://doi.org/10.1093/jxb/eraa187>
- Lv, X., Zhang, M., Li, X., Ye, R., & Wang, X. (2018). Transcriptome profiles reveal the crucial roles of auxin and cytokinin in the “shoot branching” of *cremastra appendiculata*. *International Journal of Molecular Sciences*, 19(11), 1–21. <https://doi.org/10.3390/ijms19113354>
- Ma, D., Li, Y., Zhang, J., Wang, C., Qin, H., Ding, H., Xie, Y., & Guo, T. (2016). Accumulation of phenolic compounds and expression profiles of phenolic acid biosynthesis-related genes in developing grains of white, purple, and red wheat. *Frontiers in Plant Science*, 7(APR2016), 1–11. <https://doi.org/10.3389/fpls.2016.00528>
- Maeda, H., & Dudareva, N. (2012). The shikimate pathway and aromatic amino acid biosynthesis in plants. *Annual Review of Plant Biology*, 63, 73–105. <https://doi.org/10.1146/annurev-arplant-042811-105439>
- Mahji, P. K. (2020). Heritability and its genetic worth for plant breeding. In P. Saidaiah (Ed.), *Advances in Genetics and Plant Breeding* (Volume 6, Issue August, pp. 69–75). AkiNik Publications. <https://doi.org/10.22271/ed.book.936>
- Mahmud, I., & Kramer, H. H. (1951). Segregation for Yield, Height, and Maturity Following a Soybean Cross 1. *Agronomy Journal*, 43(12), 605–609. <https://doi.org/10.2134/agronj1951.00021962004300120005x>
- Maltese, F., van der Koy, F., & Verpoorte, R. (2009). Solvent derived artifacts in natural products chemistry. *Natural Product Communications*, 4(3), 447–454.
- Marlin, M., Maharijaya, A., Purwito, A., & Sobir, S. (2019). Secondary metabolites change under vernalization and its relation to flowering competency in shallot (*Allium cepa* var. *aggregatum*). *Rasayan Journal of Chemistry*, 12(3), 1418–1425. <https://doi.org/10.31788/RJC.2019.1235356>
- Mason, M. G., Ross, J. J., Babst, B. A., Wienclaw, B. N., & Beveridge, C. A. (2014). Sugar demand, not auxin, is the initial regulator of apical dominance. *Proceedings of the National Academy of Sciences of the United States of America*, 111(16), 6092–6097. <https://doi.org/10.1073/pnas.1322045111>
- Meng, L. S., Bao, Q. X., Mu, X. R., Tong, C., Cao, X. Y., Huang, J. J., Xue, L. N., Liu, C. Y., Fei, Y., & Loake, G. J. (2021). Glucose- and sucrose-signaling modules regulate the *Arabidopsis* juvenile-to-adult phase transition. *Cell Reports*, 36(2), 109348. <https://doi.org/10.1016/j.celrep.2021.109348>
- Mertz, I. T., Christians, N. E., & Thoms, A. W. (2019). Branched-chain amino acids for use as a nitrogen source on creeping bentgrass. *HortTechnology*, 29(6), 833–837. <https://doi.org/10.21273/HORTTECH04423-19>

- Moreno-Pachon, N. M. (2017). *Mechanisms of vegetative propagation bulbs: a molecular approach*. Wageningen University and Research. <https://doi.org/10.3390/agriculture12020156>
- Moreno-Pachon, N. M., Mutimawurugo, M. C., Heynen, E., Sergeeva, L., Benders, A., Bliilou, I., Hilhorst, H. W. M., & Immink, R. G. H. (2018). Role of *Tulipa gesneriana* TEOSINTE BRANCHED1 (*TgTB1*) in the control of axillary bud outgrowth in bulbs. *Plant Reproduction*, 31(2), 145–157. <https://doi.org/10.1007/s00497-017-0316-z>
- Nongpiur, R., Soni, P., Karan, R., Singla-Pareek, S. L., & Pareek, A. (2012). Histidine kinases in plants: Cross talk between hormone and stress responses. *Plant Signaling and Behavior*, 7(10), 1230–1237.
- Nurtjahjaningsih, I. L. G., Sulistyawati, P., Widayatmoko, A., & Rimbawanto, A. (2012). Karakteristik pembungaan dan sistem perkawinan nyamplung (*Calophyllum inophyllum*) pada hutan tanaman di Watusipat, Gunung Kidul. *Jurnal Pemuliaan Tanaman Hutan*, 6(2), 65–80. <http://ejournal.forda-mof.org/ejournal-litbang/index.php/JPTH/article/view/1689>
- Oku, S., Ueno, K., Tsuruta, Y., Jitsuyama, Y., Suzuki, T., Onodera, S., Maeda, T., & Shimura, H. (2019). Sugar accumulation and activities of enzymes involved in fructan dynamics from seedling to bulb formation in onion (*Allium cepa* L.). *Scientia Horticulturae*, 247(November 2018), 147–155. <https://doi.org/10.1016/j.scienta.2018.12.013>
- Palupi, E., Rosliani, R., & Hilman, Y. (2015). Peningkatan produksi dan mutu benih botani bawang merah (*True Shallot Seed*) dengan introduksi serangga penyerbuk. *Jurnal Hortikultura*, 25(1), 26–36.
- Pangestuti, R., & Sulistyaningsih, E. (2011). Potensi penggunaan true seed shallot (TSS) sebagai sumber benih bawang merah di Indonesia. *Prosiding Semiloka Nasional "Dukungan Agro-Inovasi Untuk Pemberdayaan Petani," August 2011*, 258–266.
- Pangestuti, R., Sulistyaningsih, E., Kurniasih, B., Murti, R. H., Harper, S., & Subandiyah, S. (2022). Phenological growth stage of tropical shallot (*Allium cepa* L. Aggregatum group) planted from seed in lowland area based on the BBCH scale. *Annals of Applied Biology*, June, 1–10. <https://doi.org/10.1111/aab.12799>
- Podwyszyńska, M. (2012). The mechanisms of in vitro storage organ formation in ornamental geophytes. *Floriculture and Ornamental Biotechnology*, 6(SPEC.ISS.1), 9–23.
- Poehlman, J. M., & Sleper, D. A. (1995). *Breeding Field Crops* (4th ed.). Iowa State University Press.
- Price, E. J., Drapal, M., Perez-Fons, L., Amah, D., Bhattacharjee, R., Heider, B., Rouard, M., Swennen, R., Becerra Lopez-Lavalle, L. A., & Fraser, P. D. (2020). Metabolite database for root, tuber, and banana crops to facilitate modern breeding in understudied crops. *Plant Journal*, 101(6), 1258–1268. <https://doi.org/10.1111/tpj.14649>
- Putrasamedja, S. (2011). Pengaruh pembentukan jumlah anakan pada bawang merah generasi ke-3 yang berasal dari umbi TSS. *Agronomika*, 11(2), 211–216.
- Putri, F., Aziz, S. A., Andarwulan, N., Melati, M., & Suwanto, S. (2021). Leaf pigment,

phenolic content, and production of green shallot of five different shallot varieties. *Planta Tropika: Jurnal Agrosains*, 9(1), 48–57. <https://doi.org/10.18196/pt.v9i1.8045>

- Qosim, W. A., Nurmala, T., Ismail, A., & Jannah, S. (2018). Estimasi heritabilitas dengan metode regresi tetua-turunan (*parent-offspring regression*) pada tiga populasi hanjeli (*Coix lacryma-jobi* L.). *Zuriat*, 29(2), 104. <https://doi.org/10.24198/zuriat.v29i2.20756>
- Rabinowitch, H. D. (2021a). Advances in plant breeding strategies: vegetable crops. In J. M. Al-Khayri, S. M. Jain, & D. V. Johnson (Eds.), *Advances in Plant Breeding Strategies: Cereals* (Volume 8; Vol. 5, pp. 1–603). Springer Nature Switzerland. <https://doi.org/10.1007/978-3-030-23108-8>
- Rabinowitch, H. D. (2021b). Shallot (*Allium cepa* L. Aggregatum Group) Breeding. In J. M. Khayri, S. M. Jain, & D. V. Johnson (Eds.), *Advances in Plant Breeding Strategies: Vegetable Crops* (Vol. 8, pp. 239–273). Springer Nature Switzerland. https://doi.org/10.1007/978-3-030-66965-2_6
- Rabinowitch, H. D., & Brewster, J. L. (2018). Cultural Systems and Agronomic Practices in Temperate Climates. In H. D. Rabinowitch & J. L. Brewster (Eds.), *Onions and Allied Crops* (Volume II). CRC Press. <https://doi.org/10.1201/9781351075152-1>
- Rabinowitch, H. D., & Kamenetsky, R. (2002). Shallot. In H. D. Rabinowitch & L. Currah (Eds.), *Allium crop science: recent advances* (pp. 409–430). CABI Publishing. <https://doi.org/10.1079/9780851995106.0000>
- Rameau, C., Bertheloot, J., Leduc, N., Andrieu, B., Foucher, F., & Sakr, S. (2015). Multiple Pathways Regulate Shoot Branching. *Frontiers in Plant Science*, 5(JAN). <https://doi.org/10.3389/fpls.2014.00741>
- Ren, F., Reilly, K., Gaffney, M., Kerry, J. P., Hossain, M., & Rai, D. K. (2017). Evaluation of polyphenolic content and antioxidant activity in two onion varieties grown under organic and conventional production systems. *J. Sci. Food Agric*, 97, 2982–2990. <https://doi.org/10.1002/jsfa.8138>
- Ren, F., & Zhou, S. (2021). Phenolic components and health beneficial properties of onions. *Agriculture (Switzerland)*, 11(9). <https://doi.org/10.3390/agriculture11090872>
- Ricke, S. C., Dittoe, D. K., & Richardson, K. E. (2020). Formic acid as an antimicrobial for poultry production: A review. *Frontiers in Veterinary Science*, 7(September), 1–13. <https://doi.org/10.3389/fvets.2020.00563>
- Ritota, M., Casciani, L., Han, B. Z., Cozzolino, S., Leita, L., Sequi, P., & Valentini, M. (2012). Traceability of Italian garlic (*Allium sativum* L.) by means of HRMAS-NMR spectroscopy and multivariate data analysis. *Food Chemistry*, 135(2), 684–693. <https://doi.org/10.1016/j.foodchem.2012.05.032>
- Rodrigues, A. S., Almeida, D. P. F., Simal-Gándara, J., & Pérez-Gregorio, M. R. (2017). Onions: A source of flavonoids. In *Flavonoids - From Biosynthesis to Human Health* (pp. 439–471). <https://doi.org/10.5772/intechopen.69896>
- Roldan, M., Engel, B., de Vos, R. C. H., Vereijken, P., Astola, L., Groenenboom, M., van de Geest, H., Bovy, A., Molenaar, J., van Eeuwijk, F., & Hall, R. (2014). Metabolomics reveals organ-specific metabolic rearrangements during early

tomato seedling development. *Metabolomics*, 10(5), 958–974.
<https://doi.org/10.1007/s11306-014-0625-2>

Romero-González, R. R. (2011). *A metabolomics approach to thrips resistance in tomato*. <https://openaccess.leidenuniv.nl/handle/1887/17920>

Rosa, R., Hajko, L., Franczuk, J., Zaniewicz-Bajkowska, A., Andrejiová, A., & Mezeyová, I. (2023). Effect of l-tryptophan and l-glutamic acid on carrot yield and its quality. *Agronomy*, 13(2), 1–23. <https://doi.org/10.3390/agronomy13020562>

Rosliani, R. (2013). Peningkatan produksi dan mutu benih botani (true shallot seed) bawang merah (*Allium cepa* var. *ascalonicum*) dengan BAP dan boron, serta serangga penyerbuk. In *Thesis*. Institut Pertanian Bogor.

Rosliani, R., Hilman, Y., Hidayat, I. M., & Sulastrini, I. (2016). Teknik Produksi Umbi Mini Bawang Merah Asal Biji (True Shallot Seed) Dengan Jenis Media Tanam dan Dosis NPK yang Tepat di Dataran Rendah. *Jurnal Hortikultura*, 24(3), 239. <https://doi.org/10.21082/jhort.v24n3.2014.p238-248>

Rosliani, R., Palupi, E. R., & Hilman, Y. (2013). Pengaruh benzilaminopurin dan boron terhadap pembungaan, viabilitas serbuk sari, produksi, dan mutu benih bawang merah di dataran rendah. *Jurnal Hortikultura*, 23(4), 339. <https://doi.org/10.21082/jhort.v23n4.2013.p339-349>

Rosliani, R., Waluyo, N., Yufdy, M. P., Harmanto, Silastrini, Handayani, T., Sembiring, A., Gunaeni, N., Gaswanto, R., Rahayu, A., & Efendi, A. M. (2022). Benih Biji Bawang Merah (True Seed of Shallot) di Indonesia. In M. P. Yufdy, L. Prabaningrum, & R. Rosliani (Eds.), *IAARD PReSS* (1st ed., Vol. 01). IAARD Press - Badan Penelitian dan Pengembangan Pertanian.

Ruan, Y. L., Jin, Y., Yang, Y. J., Li, G. J., & Boyer, J. S. (2010). Sugar input, metabolism, and signaling mediated by invertase: roles in development, yield potential, and response to drought and heat. *Molecular Plant*, 3(6), 942–955. <https://doi.org/10.1093/mp/ssq044>

Saviano, G., Paris, D., Melck, D., Fantasma, F., Motta, A., & Iorizzi, M. (2019). Metabolite variation in three edible Italian *Allium cepa* L. by NMR-based metabolomics: a comparative study in fresh and stored bulbs. *Metabolomics*, 15(8). <https://doi.org/10.1007/s11306-019-1566-6>

Sayurandi, & Aidi-daslin. (2011). Heterosis and Heritability of F1 Progenies Resulted from Rubber Crossing of Far Genetic Relationship. *Jurnal Penelitian Karet*, 29(1), 1–15.

Schripsema, J., & Dagnino, D. (2018). Two-Phase Extraction for Comprehensive Analysis of the Plant Metabolome by NMR. In G. Theodoridis (Ed.), *Metabolic Profiling: Methods and Protocols, Methods in Molecular Biology* (Vol. 1738, pp. 195–202). Springer Science+Business Media, LLC. <https://doi.org/10.1007/978-1-4939-7643-0>

Shah, A., & Smith, D. L. (2020). Flavonoids in agriculture: Chemistry and roles in, biotic and abiotic stress responses, and microbial associations. *Agronomy*, 10(8). <https://doi.org/10.3390/agronomy10081209>

Shu, P., Min, D., Ai, W., Li, J., Zhou, J., Li, Z., Zhang, X., Shi, Z., Sun, Y., Jiang, Y., Li, F., Li, X., & Guo, Y. (2020). L-Arginine treatment attenuates postharvest decay and maintains quality of strawberry fruit by promoting nitric oxide synthase

- pathway. *Postharvest Biology and Technology*, 168(May), 111253. <https://doi.org/10.1016/j.postharvbio.2020.111253>
- Silva, K. F. O. e., Melo, B. C. V., Moreira, T. B., & Williams, T. C. R. (2021). Darkness and low-light alter reserve mobilization during the initial growth of soybean (*Glycine max* (L.) Merrill). *Theoretical and Experimental Plant Physiology*, 33(1), 55–68. <https://doi.org/10.1007/s40626-020-00194-7>
- Sinaga, R., Waluyo, N., Rahayu, A., & Rosliani, R. (2021). Growth and yield of shallots (*Allium cepa* var *aggregatum* L.) under different seed bulbs storage period. *E3S Web of Conferences*, 306, 01043. <https://doi.org/10.1051/e3sconf/202130601043>
- Song, H. H., Ryu, H. W., Lee, K. J., Jeong, I. Y., Kim, D. S., & Oh, S. R. (2014). Metabolomics investigation of flavonoid synthesis in soybean leaves depending on the growth stage. *Metabolomics*, 10(5), 833–841. <https://doi.org/10.1007/s11306-014-0640-3>
- Song, X., Tan, L., Wang, M., Ren, C., Guo, C., Yang, B., Ren, Y., Cao, Z., Li, Y., & Pei, J. (2021). Myricetin: A review of the most recent research. *Biomedicine and Pharmacotherapy*, 134. <https://doi.org/10.1016/j.biopha.2020.111017>
- Steer, B. T., & Darbyshire, B. (1979). Some Aspects of Carbon Metabolism and Translocation in Onions A. *New Phytologist*, 83(1), 59–68.
- Sulastri, N., & Dahlan, M. (2016). Kajian heritabilitas pada hasil persilangan kacang tunggak (*Vigna unguilata* (L.) Walp.) varieties with long beans (*Vigna sesquipedalis* (L.) Fruwirth). *Crop Agro*, 2(Juli 2016), 56–64.
- Sulistyaningsih, E., Aoyagi, Y., & Tashiro, Y. (2006). Flower bud culture of shallot (*Allium cepa* L. *aggregatum* group) with cytogenetic analysis of resulting gynogenic plants and somaclones. *Plant Cell, Tissue and Organ Culture*, 86(2), 249–255. <https://doi.org/10.1007/s11240-006-9114-2>
- Sulistyaningsih, E., Pangestuti, R., & Rosliani, R. (2020). Growth and yield of five prospective shallot selected accessions. *Ilmu Pertanian*, 5(2), 92–97.
- Sumarni, N., & Hidayat, A. (2005). *Budidaya Bawang Merah* (No. 3). Balai Penelitian Tanaman Sayuran.
- Sumarni, N., Sopha, G. A., & Gaswanto, R. (2012). Respons Tanaman Bawang Merah Asal Biji True Shallot Seeds terhadap Kerapatan Tanaman pada Musim Hujan. *Jurnal Hortikultura*, 22(1), 23. <https://doi.org/10.21082/jhort.v22n1.2012.p23-28>
- Sun, M., Li, S., Yu, H., Gong, Q., Zhang, B., Liu, G., Xiao, Y., & Peng, F. (2023). Effects of valine and urea on carbon and nitrogen accumulation and lignin content in peach trees. *Plants*, 12(8). <https://doi.org/10.3390/plants12081596>
- Suwandi, G., Sopha, & Hermanto, C. (2016). *Petunjuk Teknis Proliga Bawang Merah 40 T/Ha Asal TSS (True Shallot Seed)*. Balai Penelitian Tanaman Sayuran, Pusat Penelitian dan Pengembangan Hortikultura; Badan Penelitian dan Pengembangan Pertanian, Kementerian Pertanian.
- Tabeta, H., Watanabe, S., Fukuda, K., Gunji, S., Asaoka, M., Hirai, M. Y., Seo, M., Tsukaya, H., & Ferjani, A. (2021). An auxin signaling network translates low-sugar-state input into compensated cell enlargement in the *fugu5* cotyledon.

PLoS Genetics, 17(8), 1–23. <https://doi.org/10.1371/journal.pgen.1009674>

- Talaat, I. M., Khattab, H. I., & Ahmed, A. M. (2013). Changes in growth, hormones levels and essential oil content of *Ammi visnaga* plants treated with some bioregulators. *Nusantara Bioscience*, 5(2), 57–64. <https://doi.org/10.13057/nusbiosci/n050202>
- Tarpley, L., Duran, A. L., Kebrom, T. H., & Sumner, L. W. (2005). Biomarker metabolites capturing the metabolite variance present in a rice plant developmental period. *BMC Plant Biology*, 5, 1–12. <https://doi.org/10.1186/1471-2229-5-8>
- Theowidavitya, B., & Muttaqin, M. (2019). Analisis Metabolomik pada Interaksi Padi dan Bakteri. *Jurnal Sumberdaya Hayati*, 5(1), 18–24. <https://doi.org/10.29244/jsdh.5.1>
- Triba, M. N., Le Moyec, L., Amathieu, R., Goossens, C., Bouchemal, N., Nahon, P., Rutledge, D. N., & Savarin, P. (2015). PLS/OPLS models in metabolomics: The impact of permutation of dataset rows on the K-fold cross-validation quality parameters. *Molecular BioSystems*, 11(1), 13–19. <https://doi.org/10.1039/c4mb00414k>
- Trovato, M., Funck, D., Forlani, G., Okumoto, S., & Amir, R. (2021). Editorial: Amino acids in plants: regulation and functions in development and stress defense. *Frontiers in Plant Science*, 12(October), 1–5. <https://doi.org/10.3389/fpls.2021.772810>
- Van Den Brink, L., & Basuki, R. S. (2012). Production of true seed shallots in Indonesia. *Acta Horticulturae*, 958, 115–120. <https://doi.org/10.17660/ActaHortic.2012.958.12>
- Waldie, T., & Leyser, O. (2018). Cytokinin targets auxin transport to promote shoot branching. *Plant Physiology*, 177(2), 803–818. <https://doi.org/10.1104/pp.17.01691>
- Wang, Y., Lu, J., Ren, T., Hussain, S., Guo, C., Wang, S., Cong, R., & Li, X. (2017). Effects of nitrogen and tiller type on grain yield and physiological responses in rice. *AoB PLANTS*, 9(2). <https://doi.org/10.1093/aobpla/plx012>
- Yofananda, O., Sobir, Wijaya, C. H., & Lioe, H. N. (2021). Variability and relationship of six Indonesian shallots (*Allium cepa* var. *ascalonicum*) cultivars based on amino acid profiles and fried shallot's sensory characteristics. *Biodiversitas*, 22(8), 3327–3332. <https://doi.org/10.13057/biodiv/d220828>
- Young, H. C., Tapias, E. C., Hye, K. K., Lefeber, A. W. M., Erkelens, C., Verhoeven, J. T. J., Brzin, J., Zel, J., & Verpoorte, R. (2004). Metabolic discrimination of *Catharanthus roseus* leaves infected by phytoplasma using ¹H-NMR spectroscopy and multivariate data analysis. *Plant Physiology*, 135(4), 2398–2410. <https://doi.org/10.1104/pp.104.041012>
- Zhang, C., Zhang, H., Zhan, Z., Liu, B., Chen, Z., & Liang, Y. (2016). Transcriptome analysis of sucrose metabolism during bulb swelling and development in onion (*Allium cepa* L.). *Frontiers in Plant Science*, 7(September), 1–11. <https://doi.org/10.3389/fpls.2016.01425>
- Zhang, L., Fang, W., Chen, F., & Song, A. (2022). The role of transcription factors in the regulation of plant shoot branching. *Plants*, 11(15).

<https://doi.org/10.3390/plants11151997>

Zhang, Y., & Fernie, A. R. (2018). On the role of the tricarboxylic acid cycle in plant productivity. *Journal of Integrative Plant Biology*, 60(12), 1199–1216. <https://doi.org/10.1111/jipb.12690>

Zheng, R. R., Wu, Y., & Xia, Y. P. (2012). Chlorocholine chloride and paclobutrazol treatments promote carbohydrate accumulation in bulbs of *Lilium* oriental hybrids “Sorbonne.” *Journal of Zhejiang University: Science B*, 13(2), 136–144. <https://doi.org/10.1631/jzus.B1000425>