

DAFTAR PUSTAKA

- Abebe Diriba, T., Geda, B., & Jabessa Wayessa, Z. (2022). Premature rupture of membrane and associated factors among pregnant women admitted to maternity wards of public hospitals in West Guji Zone, Ethiopia, 2021. *International Journal of Africa Nursing Sciences*, 17. <https://doi.org/10.1016/j.ijans.2022.100440>
- ACOG Practice Bulletin Summary. (2020a) Clinical Management Guidelines for Obstetrician-Gynecologists Prelabor Rupture of Membranes < Should tocolytics be considered for patients with preterm prelabor rupture of membranes? *Obstetrics & Gynecology* . <https://doi.org/10.1097/AOG>
- ACOG Practice Bulletins. (2020b). Prelabor Rupture of Membranes. *Obstetrics & Gynecology*, 135(3), e80–e97. <https://doi.org/10.1097/AOG.00000000000003700>
- Afari, M. E., & Bhat, T. (2016). Neutrophil to lymphocyte ratio (NLR) and cardiovascular diseases: An update. *Expert Review of Cardiovascular Therapy*, 14(5), 573–577. <https://doi.org/10.1586/14779072.2016.1154788>
- Ahmad, D. S., Esmadi, M., & Steinmann, W. C. (2013). Idiopathic CD4 Lymphocytopenia: Spectrum of opportunistic infections, malignancies, and autoimmune diseases. *Avicenna Journal of Medicine*, 03(02), 37–47. <https://doi.org/10.4103/2231-0770.114121>
- Aslan, M. M., Yeler, M. T., Yuvacı, H. U., Cerci, I. A., Cevrioğlu, A. S., & Ozden, S. (2020). Can the neutrophil-to-lymphocyte ratio (NLR) predicts fetal loss in preeclampsia with severe features? *Pregnancy Hypertension*, 22, 14–16. <https://doi.org/10.1016/j.preghy.2020.07.005>
- Assefa, N. E., Berhe, H., Girma, F., Berhe, K., Berhe, Y. Z., Gebrehet, G., Werid, W. M., Berhe, A., Rufae, H. B., & Welu, G. (2018). Risk factors of premature rupture of membranes in public hospitals at Mekele city, Tigray, a case control study 11 Medical and Health Sciences 1117 Public Health and Health Services 11 Medical and Health Sciences 1114 Paediatrics and Reproductive Medicine. *BMC Pregnancy and Childbirth*, 18(1). <https://doi.org/10.1186/s12884-018-2016-6>
- Azab, B., Camacho-Rivera, M., & Taioli, E. (2014). Average values and racial differences of neutrophil lymphocyte ratio among a nationally representative sample of United States subjects. *PLoS ONE*, 9(11). <https://doi.org/10.1371/journal.pone.0112361>
- Badihian, N., Riahi, R., Goli, P., Badihian, S., Poursafa, P., & Kelishadi, R. (2021). Prenatal and perinatal factors associated with developing multiple sclerosis later in life: A systematic review and meta-analysis. In *Autoimmunity Reviews* (Vol. 20, Issue 6). Elsevier B.V. <https://doi.org/10.1016/j.autrev.2021.102823>
- Bahadır, A., Baltacı, D., Türker, Y., Türker, Y., Iliev, D., Öztürk, S., Deler, M. H., & Sarıgüzel, Y. C. (2015). Is the neutrophil-to-lymphocyte ratio indicative of inflammatory state in patients with obesity and metabolic

- syndrome? *Anadolu Kardiyoloji Dergisi*, 15(10), 816–822.
<https://doi.org/10.5152/akd.2014.5787>
- Balciuniene, G., Kvederaite-Budre, G., Gulbinienė, V., Dumalakiene, I., Viliene, R., Pilypiene, I., Drasutiene, G. S., & Ramasauskaite, D. (2021). Neutrophil–lymphocyte ratio for the prediction of histological chorioamnionitis in cases of preterm premature rupture of membranes: a case-control study. *BMC Pregnancy and Childbirth*, 21(1).
<https://doi.org/10.1186/s12884-021-04101-z>
- Balta, S., Ozturk, C., Balta, I., Demirkol, S., Demir, M., Celik, T., & Iyisoy, A. (2016). The Neutrophil-Lymphocyte Ratio and Inflammation. In *Angiology* (Vol. 67, Issue 3, pp. 298–299). SAGE Publications Inc.
<https://doi.org/10.1177/0003319715615252>
- Barenbrug, L., Groen, M. te, Hoentjen, F., van Drongelen, J., Reek, J. M. P. A. van den, Joosten, I., de Jong, E. M. G. J., & van der Molen, R. G. (2021). Pregnancy and neonatal outcomes in women with immune mediated inflammatory diseases exposed to anti-tumor necrosis factor- α during pregnancy: A systemic review and meta-analysis. In *Journal of Autoimmunity* (Vol. 122). Academic Press.
<https://doi.org/10.1016/j.jaut.2021.102676>
- Bellieni, C. (2016). The Best Age for Pregnancy and Undue Pressures. In *Journal of Family and Reproductive Health* 3 (Vol. 10, Issue 3).
<http://jfrh.tums.ac.ir>
- Bouvier, D., Forest, J. C., Blanchon, L., Bujold, E., Pereira, B., Bernard, N., Gallot, D., Sapin, V., & Giguère, Y. (2019). Risk factors and outcomes of preterm premature rupture of membranes in a cohort of 6968 pregnant women prospectively recruited. *Journal of Clinical Medicine*, 8(11). <https://doi.org/10.3390/jcm8111987>
- Canzoneri, B. J., Lewis, D. F., Groome, L., & Wang, Y. (2009). Increased neutrophil numbers account for leukocytosis in women with preeclampsia. *American Journal of Perinatology*, 26(10), 729–732.
<https://doi.org/10.1055/s-0029-1223285>
- Challis, J. R. (1980). Endocrinology of parturition. *Mead Johnson Symposium on Perinatal and Developmental Medicine*, 15, 8–15.
<https://doi.org/10.4103/2230-8210.107841>
- Cunningham FG, Leveno KJ, Dashe JS, Hoffman BL, Spong CY, Casey BM, editors. Williams obstetrics. 26th edition. New York: McGraw Hill Medical; 2022.
- Chien, Edward, Brian M Mercer, 2020 , *Preterm Premature Rupture Of Membranes*. United States Of America: Elsevier
- Cho, H. Y., Jung, I., Kwon, J. Y., Kim, S. J., Park, Y. W., & Kim, Y. H. (2017). The Delta Neutrophil Index as a predictive marker of histological chorioamnionitis in patients with preterm premature rupture of membranes: A retrospective study. *PLoS ONE*, 12(3).
<https://doi.org/10.1371/journal.pone.0173382>
- DIII Keperawatan, D., Yapenas, A., & Selatan, S. (n.d.). *Risiko Usia dan Paritas Ibu Hamil terhadap Kejadian Ketuban Pecah Dini Risk of Age*

and Parity Pregnant Women on Premature Rupture Membranes Artikel history.

- Forget, P., Khalifa, C., Defour, J. P., Latinne, D., van Pel, M. C., & de Kock, M. (2017). What is the normal value of the neutrophil-to-lymphocyte ratio? *BMC Research Notes*, 10(1), 1–4. <https://doi.org/10.1186/s13104-016-2335-5>
- Furuncuoğlu, Y., Tulgar, S., Dogan, A. N., Cakar, S., Tulgar, Y. K., & Cakiroglu, B. (n.d.). *How obesity affects the neutrophil/lymphocyte and platelet/lymphocyte ratio, systemic immune-inflammatory index and platelet indices: a retrospective study.*
- Grantz, K., Williams, A. Seeni, I., Robledo, C., Li, S., Ouidir, M., Nobles, C., & Mendola, P. (2019). Obstetric and neonatal complications among women with autoimmune disease. *Journal of Autoimmunity*, 103. <https://doi.org/10.1016/j.jaut.2019.05.015>
- Gruber, T. M., & Mechsner, S. (2021). Pathogenesis of endometriosis: The origin of pain and subfertility. In *Cells* (Vol. 10, Issue 6). MDPI. <https://doi.org/10.3390/cells10061381>
- Huang, Z., Fu, Z., Huang, W., & Huang, K. (2020a). Prognostic value of neutrophil-to-lymphocyte ratio in sepsis: A meta-analysis. In *American Journal of Emergency Medicine* (Vol. 38, Issue 3, pp. 641–647). W.B. Saunders. <https://doi.org/10.1016/j.ajem.2019.10.023>
- Huang, Z., Fu, Z., Huang, W., & Huang, K. (2020b). Prognostic value of neutrophil-to-lymphocyte ratio in sepsis: A meta-analysis. In *American Journal of Emergency Medicine* (Vol. 38, Issue 3, pp. 641–647). W.B. Saunders. <https://doi.org/10.1016/j.ajem.2019.10.023>
- Jang, I. Y., Jung, H. J., Sung, J. H., Choi, S. J., Oh, S. Y., Kim, J. S., & Roh, C. R. (2022). Do the Causes of Spontaneous Preterm Delivery Affect Placental Inflammatory Pathology and Neonatal Outcomes? *Diagnostics*, 12(9). <https://doi.org/10.3390/diagnostics1209126>
- Kansu-Celik, H., Tasci, Y., Karakaya, B. K., Cinar, M., Candar, T., & Caglar, G. S. (2019). Maternal serum advanced glycation end products level as an early marker for predicting preterm labor/PPROM: a prospective preliminary study. *Journal of Maternal-Fetal and Neonatal Medicine*, 32(16), 2758–2762. <https://doi.org/10.1080/14767058.2018.1449202>
- Karakaya, S., Altay, M., Kaplan Efe, F., Karadağ, İ., Ünsal, O., Bulur, O., Eser, M., & Taner Ertuğrul, D. (2019). The neutrophil-lymphocyte ratio and its relationship with insulin resistance in obes. *Turkish Journal of Medical Sciences*, 49(1), 245–248. <https://doi.org/10.3906/sag-1804-68>
- Kozlowski, P., Knippel, A., & Stressig, R. (2008). Individual risk of fetal loss following routine second trimester amniocentesis: A controlled study of 20 460 cases. *Ultraschall in Der Medizin*, 29(2), 165–172. <https://doi.org/10.1055/s-2007-963217>
- Kumar, N., Nandula, P., Menden, H., Jarzembowski, J., & Sampath, V. (2017). Placental TLR/NLR expression signatures are altered with gestational age and inflammation. *Journal of Maternal-Fetal and*

- Neonatal Medicine*, 30(13), 1588–1595.
<https://doi.org/10.1080/14767058.2016.1214705>
- Kurtul, B. E., & Ozer, P. A. (2016). The Relationship between Neutrophil-to-lymphocyte Ratio and Age-related Macular Degeneration. *Korean Journal of Ophthalmology : KJO*, 30(5), 377–381.
<https://doi.org/10.3341/kjo.2016.30.5.377>
- Lakshmi, M. P. A. S., & Sravani, V. L. (2021). Role of neutrophil-lymphocyte ratio in determining the outcomes of preterm premature rupture of membranes. *International Journal of Reproduction, Contraception, Obstetrics and Gynecology*, 10(4), 1617.
<https://doi.org/10.18203/2320-1770.ijrcog20211147>
- Lee, J. H., Park, C. W., Moon, K. C., Park, J. S., & Jun, J. K. (2021a). Neutrophil to lymphocyte ratio in maternal blood: A clue to suspect amnionitis. *Journal of Clinical Medicine*, 10(12).
<https://doi.org/10.3390/jcm10122673>
- Lee, W. L., Chang, W. H., & Wang, P. H. (2021). Risk factors associated with preterm premature rupture of membranes (PPROM). In *Taiwanese Journal of Obstetrics and Gynecology* (Vol. 60, Issue 5, pp. 805–806). Elsevier Ltd. <https://doi.org/10.1016/j.tjog.2021.07.004>
- Luo, G., Guo, M., Liu, Z., Xiao, Z., Jin, K., Long, J., Liu, L., Liu, C., Xu, J., Ni, Q., & Yu, X. (2015). Blood Neutrophil–Lymphocyte Ratio Predicts Survival in Patients with Advanced Pancreatic Cancer Treated with Chemotherapy. *Annals of Surgical Oncology*, 22(2), 670–676.
<https://doi.org/10.1245/s10434-014-4021-y>
- Lynch, T. A., Malshe, A., Colihan, S., Meyers, J., Li, D., Holloman, C., Soto-Torres, E., & Olson-Chen, C. (2020). Impact of Maternal Obesity on Perinatal Outcomes in Preterm Prelabor Rupture of Membranes ≥ 34 Weeks. *American Journal of Perinatology*, 37(5), 467–474.
<https://doi.org/10.1055/s-0039-1698833>
- Medina, T. M., & Hill, D. A. (2006). *Preterm Premature Rupture of Membranes: Diagnosis and Management*. www.aafp.org/afpsort.xml.
- Mei-Dan, E., Hutchison, Z., Osmond, M., Pakenham, S., Ng, E., Green, J., & Nevo, O. (2020). Preterm Premature Rupture of Membranes in Twins: Comparison of Rupture in the Presenting Versus Non-presenting Sac. *Journal of Obstetrics and Gynaecology Canada*, 42(2), 163–168.
<https://doi.org/10.1016/j.jogc.2019.06.016>
- Meller, C. H., Carducci, M. E., Cernadas, J. M. C., & Otaño, L. (2018a). Preterm premature rupture of membranes. In *Archivos Argentinos de Pediatría* (Vol. 116, Issue 4, pp. e575–e581). Sociedad Argentina de Pediatría. <https://doi.org/10.5546/aap.2018.eng.e575>
- Meller, C. H., Carducci, M. E., Cernadas, J. M. C., & Otaño, L. (2018b). Preterm premature rupture of membranes. In *Archivos Argentinos de Pediatría* (Vol. 116, Issue 4, pp. e575–e581). Sociedad Argentina de Pediatría. <https://doi.org/10.5546/aap.2018.eng.e575>

- Menon, R. (2014). Oxidative stress damage as a detrimental factor in preterm birth pathology. In *Frontiers in Immunology* (Vol. 5, Issue NOV). Frontiers Media S.A. <https://doi.org/10.3389/fimmu.2014.00567>
- Menon, R., Behnia, F., Poletti, J., & Richardson, L. S. (2020). Novel pathways of inflammation in human fetal membranes associated with preterm birth and preterm pre-labor rupture of the membranes. In *Seminars in Immunopathology* (Vol. 42, Issue 4, pp. 431–450). Springer Science and Business Media Deutschland GmbH. <https://doi.org/10.1007/s00281-020-00808-x>
- Menon, R., & Richardson, L. S. (2017). Preterm prelabor rupture of the membranes: A disease of the fetal membranes. *Seminars in Perinatology*, 41(7), 409–419. <https://doi.org/10.1053/j.semperi.2017.07.012>
- NICE. Preterm Labour and Birth .National Institute for Health and Care Excellence.2015:1-27
- Niehues, T. (2018). C-reactive protein and other biomarkers—the sense and non-sense of using inflammation biomarkers for the diagnosis of severe bacterial infection. *LymphoSign Journal*, 5(2), 35–47. <https://doi.org/10.14785/lymphosign-2018-0001>
- Noor, S., Fawwad Nazar, A., Bashir, R., & Sultana, R. (2007). *Prevalence of PPROM and its outcome PREVALANCE OF PPROM AND ITS OUTCOME*. <https://www.researchgate.net/publication/23162252>
- Oylumlu, M., Ozler, A., Yildiz, A., Oylumlu, M., Acet, H., Polat, N., Soyuncu, H. E., Yuksel, M., & Ertas, F. (2014). New inflammatory markers in pre-eclampsia: Echocardiographic epicardial fat thickness and neutrophil to lymphocyte ratio. *Clinical and Experimental Hypertension*, 36(7), 503–507. <https://doi.org/10.3109/10641963.2013.863324>
- Ozel, A., Alici Davutoglu, E., Yurtkal, A., & Madazli, R. (2020a). How do platelet-to-lymphocyte ratio and neutrophil-to-lymphocyte ratio change in women with preterm premature rupture of membranes, and threaten preterm labour? *Journal of Obstetrics and Gynaecology*, 40(2), 195–199. <https://doi.org/10.1080/01443615.2019.1621807>
- Pearson, E., Blasco-Alonso, M., Benítez, M. J., Gómez-Muñoz, C., Sabonet-Morente, L., Gómez-Castellanos, M., Ulloa, O., González-Cazorla, E., Puertas-Prieto, A., Mozas-Moreno, J., Jiménez-López, J., & Lubián-López, D. (2014). Obstetric and perinatal outcomes after very early preterm premature rupture of membranes (PPROM)-a retrospective analysis over the period 2000–2020. *Medicina (Lithuania)*, 57(5). <https://doi.org/10.3390/medicina57050469>
- Phillips, C., Velji, Z., Hanly, C., & Metcalfe, A. (2017). Risk of recurrent spontaneous preterm birth: A systematic review and meta-analysis. In *BMJ Open* (Vol. 7, Issue 6). BMJ Publishing Group. <https://doi.org/10.1136/bmjopen-2016-015402>
- Russell, C. D., Parajuli, A., Gale, H. J., Bulteel, N. S., Schuetz, P., de Jager, C. P. C., Loonen, A. J. M., Merikoulias, G. I., & Baillie, J. K. (2019).

- The utility of peripheral blood leucocyte ratios as biomarkers in infectious diseases: A systematic review and meta-analysis. *Journal of Infection*, 78(5), 339–348. <https://doi.org/10.1016/j.jinf.2019.02.006>
- RCOG. Tocolysis for women . Green-top Guidline No. 1b.Februari 2011
- Saunders, P. T. K., & Horne, A. W. (2021). Endometriosis: Etiology, pathobiology, and therapeutic prospects. In *Cell* (Vol. 184, Issue 11, pp. 2807–2824). Elsevier B.V. <https://doi.org/10.1016/j.cell.2021.04.041>
- Schmitz, T., Sentilhes, L., Lorthol, E., Gallot, D., Madar, H., Doret-Dion, M., Beucher, G., Charlier, C., Cazanave, C., Delorme, P., Garabédian, C., Azria, E., Tessier, V., Sénat, M. V., & Kayem, G. (2019). Preterm premature rupture of the membranes: Guidelines for clinical practice from the French College of Gynaecologists and Obstetricians (CNGOF). In *European Journal of Obstetrics and Gynecology and Reproductive Biology* (Vol. 236, pp. 1–6). Elsevier Ireland Ltd. <https://doi.org/10.1016/j.ejogrb.2019.02.021>
- Shi, J. W., Lai, Z. Z., Yang, H. L., Yang, S. L., Wang, C. J., Ao, D., Ruan, L. Y., Shen, H. H., Zhou, W. J., Mei, J., Fu, Q., & Li, M. Q. (2020). Collagen at the maternal-fetal interface in human pregnancy. *International Journal of Biological Sciences*, 16(12), 2220–2234. <https://doi.org/10.7150/ijbs.45586>
- Skupski, D. (2019). Preterm premature rupture of membranes (PPROM). In *Journal of Perinatal Medicine* (Vol. 47, Issue 5, pp. 491–492). De Gruyter. <https://doi.org/10.1515/jpm-2019-0163>
- Swiatkowska-Freund, M., Traczyk-Los, A., Partyka, A., Obara, K., Damdinsuren, A., & Preis, K. (2019). Perinatal outcome in preterm premature rupture of membranes before 37 weeks of gestation. *Ginekologia Polska*, 90(11), 645–650. <https://doi.org/10.5603/GP.2019.0109>
- Tchirikov, M., Schlabritz-Loutsevitch, N., Maher, J., Buchmann, J., Naberezhnev, Y., Winarno, A. S., & Seliger, G. (2018). Mid-trimester preterm premature rupture of membranes (PPROM): Etiology, diagnosis, classification, international recommendations of treatment options and outcome. In *Journal of Perinatal Medicine* (Vol. 46, Issue 5, pp. 465–488). Walter de Gruyter GmbH. <https://doi.org/10.1515/jpm-2017-0027>
- Tenório, T. R., Ricardo dos S., Farah, B. Q., Quintella, R. M., Mendes, Botero, J. P., Brito, D. C., Alado, Moura, P. M. M., Mendes F. de, & Prado, W. L. (2014). Relation between leukocyte count, adiposity, and cardiorespiratory fitness in pubertal adolescents. *Einstein (São Paulo, Brazil)*, 12(4), 420–424. <https://doi.org/10.1590/S1679-45082014AO3214>
- Thomson, A. J. (2019). Care of Women Presenting with Suspected Preterm Prelabour Rupture of Membranes from 24+0 Weeks of Gestation: Green-top Guideline No. 73. *BJOG: An International Journal of Obstetrics and Gynaecology*, 126(9), e152–e166. <https://doi.org/10.1111/1471-0528.15803>

- Thorsted, A., Nielsen, E. I., & Friberg, L. E. (2020). Pharmacodynamics of immune response biomarkers of interest for evaluation of treatment effects in bacterial infections. *International Journal of Antimicrobial Agents*, 56(3). <https://doi.org/10.1016/j.ijantimicag.2020.106059>
- Toprak, E., Bozkurt, M., Çakmak, B. D., Özçimen, E. E., Silahlı, M., Yumru, A. E., & Çalışkan, E. (2017). Platelet-to-lymphocyte ratio: A new inflammatory marker for the diagnosis of preterm premature rupture of membranes. *Journal of the Turkish German Gynecology Association*, 18(3), 122–126. <https://doi.org/10.4274/jtgga.2017.0028>
- Torloni, M. R., Betrán, A. P., Daher, S., Widmer, M., Dolan, S. M., Menon, R., Bergel, E., Allen, T., & Merialdi, M. (2009). Maternal BMI and preterm birth: A systematic review of the literature with meta-analysis. *Journal of Maternal-Fetal and Neonatal Medicine*, 22(11), 957–970. <https://doi.org/10.3109/14767050903042561>
- Tsakiridis, I., Mamopoulos, A., Chalkia-Prapa, E.-M., Athanasiadis, A., & Dagklis, T. (2018a). Number 6 OBSTETRICAL AND GYNECOLOGICAL SURVEY. In *CME REVIEW ARTICLE* (Vol. 73). www.obgynsurvey.com|368
- Vakili, S., Torabinaid, P., Tabrizi, R., Shojazadeh, A., Asadi, N., & Hessami, K. (2021). The Association of Inflammatory Biomarker of Neutrophil-to-Lymphocyte Ratio with Spontaneous Preterm Delivery: A Systematic Review and Meta-analysis. *Mediators of Inflammation*, 2021. <https://doi.org/10.1155/2021/6668381>
- van den Berg, D. F., & te Velde, A. A. (2020). Severe COVID-19: NLRP3 Inflammasome Dysregulated. In *Frontiers in Immunology* (Vol. 11). Frontiers Media S.A. <https://doi.org/10.3389/fimmu.2020.01580>
- Ville, Y., & Rozenberg, P. (2018). Predictors of preterm birth. In *Best Practice and Research: Clinical Obstetrics and Gynaecology* (Vol. 52, pp. 23–32). Bailliere Tindall Ltd. <https://doi.org/10.1016/j.bpobgyn.2018.05.002>
- Wang, R. T., Zhang, J. R., Li, Y., Liu, T., & Yu, K. J. (2015). Neutrophil-Lymphocyte ratio is associated with arterial stiffness in diabetic retinopathy in type 2 diabetes. *Journal of Diabetes and Its Complications*, 29(2), 245–249. <https://doi.org/10.1016/j.jdiacomp.2014.11.006>
- Zhan, F., Zhu, S., Liu, H., Wang, Q., & Zhao, G. (2019). Blood routine test is a good indicator for predicting premature rupture of membranes. *Journal of Clinical Laboratory Analysis*, 33(2). <https://doi.org/10.1002/jcla.22673>