

## DAFTAR PUSTAKA

Alteriet al, 2011. *Colorectal Cancer Facts & Figure 2011-2013*. Atlanta: American Cancer Society.

Atsumi Y, Kawahara S, Kakuta S, Onodera A, Hara K, Kazama K, Numata M, Aoyama T, Tamagawa A, Tamagawa H, Oshima T, Yukawa N, Rino Y. *Low Preoperative Albumin-to-Globulin Ratio Is a Marker of Poor Prognosis in Patients With Esophageal Cancer*. In Vivo. 2021; 35:3555– 61.

Beirer, A. Malnutrition and cancer, diagnosis and treatment. *Memo*. 2021;14:168-73. [https:// doi.org/10.1007/s12254-020-00672-3](https://doi.org/10.1007/s12254-020-00672-3).

Buzby, G. P., Mullen, J. L., Matthews, D. C., Hobbs, C. L., and Rosato, E. F. (1980). Prognostic nutritional index in gastrointestinal surgery. *Am. J. Surg.* 139, 160–167. doi: 10.1016/0002-9610(80)90 246-9.

Caglià, P., Tracia, A., Borzì, L., Amodeo, L., Tracia, L., Veroux, M., & Amodeo, C. (2014). *Incisional hernia in the elderly: Risk factors and clinical considerations*. *International Journal of Surgery*, 12, S164–S169.

*Cancer of the Colon and Rectum - SEER Stat Fact Sheets [Internet]* Seer.cancer.gov; [17 May 2016]. Available from: <http://seer.cancer.gov/statfacts/html/colorect.html>.

Casciato DA, 2004. *Manual of Clinical Oncology 5th ed*. Lippincott Williams & Wilkins.

Cassar K, Munro A (2002). *Surgical treatment of incisional hernia*. *Br J Surg* 89(5):534–545  
Catal O, Ozer B, Sit M. *Prediction of Lymph Node Metastasis in Colon Cancer via Platelet to Lymphocyte Ratio and Platelet Count*. *J Coll Physicians Surg Pak*. 2020; 30:250–53.

Chen, X.L., Xue, L., Wang, W., *et al*. Prognostic significance of the combination of preoperative hemoglobin, albumin, lymphocyte and platelet in patients with gastric carcinoma: A retrospective cohort study. *Oncotarget*. 2015;6(38):41370–82. doi:10.18632/oncotarget.5629.

Deerenberg EB, Harlaar JJ, Steyerberg EW, Lont HE, van Doorn HC, Heisterkamp J *et al* (2015) *Small bites versus large bites for closure of abdominal midline incisions*

(STITCH): *a doubleblind, multicentre, randomised controlled trial*. Lancet 386(10000):1254–1260.

Eckart A, Struja T, Kutz A, Baumgartner A, Baumgartner T, Zurfluh S, Neeser O, Huber A, Stanga Z, Mueller B, Schuetz P. *Relationship of Nutritional Status, Inflammation, and Serum Albumin Levels During Acute Illness: A Prospective Study*. Am J Med. 2020; 133:713–22.

Ethier JL, Desautels D, Templeton A, Shah PS, Amir E. *Prognostic role of neutrophil-to-lymphocyte ratio in breast cancer: a systematic review and meta-analysis*. Breast Cancer Res. 2017; 19:2.

Folkman J. *Tumor angiogenesis: therapeutic implications*. N Engl J Med. 1971; 285:1182–86.

Feng, J.F., Wang, L., Yang, X. The preoperative hemoglobin, albumin, lymphocyte and platelet (HALP) score is a useful predictor in patients with resectable esophageal squamous cell carcinoma. *Bosn J Basic Med Sci*.2021;21(6):773-81. doi: <https://dx.doi.org/10.17305/bjbms.2021.5666>.

Green R, Datta Mitra A. *Megaloblastic Anemias: Nutritional and Other Causes*. Med Clin North Am. 2017; 101:297–317.

Graziano V, Grassadonia A, Iezzi L, Vici P, Pizzuti L, Barba M, Quinzii A, Campese A, Di Marino P, Peri M, Veschi S, Alberti S, Gamucci T, et al. *Combination of peripheral neutrophil-to-lymphocyte ratio and platelet-to-lymphocyte ratio is predictive of pathological complete response after neoadjuvant chemotherapy in breast cancer patients*. Breast. 2019; 44:33–38.

Goitein, D. Raziel, A, Szold, A., et al. Assessment of peroperative complications following primary bariatric surgery according to the Clavien-Dindo classification: comparison of sleeve gastrectomy and Roux-Y gastric bypass. *Surgical Endoscopy*. 2015;4:1-7. doi: 10.1007/200464-015-4205.

Gorecka J, Kostiuk V, Fereydooni A, et al. The potential and limitations of induced pluripotent stem cells to achieve wound healing. *Stem Cell Res Ther* 2019;10(01):87.

Hanahan D. 2022. *Hallmarks of Cancer: New Dimensions*. *Cancer Discov* 1 January; 12 (1): 31–46.

Jiang Z, Li Y, Han G, Zhang J, Li Z, Wang D, Liu Y. *[Association of serum albumin level with clinicopathologic features and prognosis in colon cancer]*. Zhonghua Wei Chang Wai Ke Za Zhi. 2016; 19:80–83.

Joachim C, Macni J, Drame M, et al. Overall survival of colorectal cancer by stage at diagnosis: Data from the Martinique Cancer Registry. *Medicine (Baltimore)* 2019;98(35):e16941. doi:10.1097/MD.00000000000016941.

Kataoka M., Hirano Y., Ishii T., et al. Prognostic utility of geriatric nutritional risk index after curative resection of colorectal cancer: A propensity score-matched study. *Cancer Diagnosis & Prognosis*. 2021;1:479-84. doi: 10.21873/cdp.10064.

Kementrian Kesehatan Republik Indonesia. Epidemiologi dan Tatalaksana kanker rektum. In: Kementrian Kesehatan RI, editor. Keputusan Menteri Kesehatan Republik Indonesia no. 01.07 tahun 2018 tentang Pedoman Nasional Pelayanan Kedokteran Tata Laksana Kanker Kolorektal. Jakarta: Kementerian Kesehatan RI; 2018: 5-116.

Kementerian Kesehatan RI. Laporan Riskesdas 2018. Jakarta: Balitbangkes Kemenkes RI; 2018.

Kobayashi K, Goel A, Coelho MP, Medina Perez M, Klumpp M, Tewari SO, Appleton-Figueira T, Pinter DJ, Shapiro O, Jawed M. *Complications of Ileal Conduits after Radical Cystectomy: Interventional Radiologic Management*. Radiographics. 2021; 41:249–67.

Komura N, Mabuchi S, Shimura K, Kawano M, Matsumoto Y, Kimura T. *Significance of Pretreatment C-Reactive Protein, Albumin, and C-Reactive Protein to Albumin Ratio in Predicting Poor Prognosis in Epithelial Ovarian Cancer Patients*. Nutr Cancer. 2021; 73:1357–64.

Kwag SJ, Kim JG, Kang WK, Lee JK, Oh ST. Nutritional risk is an independent factor in postoperative morbidity in colorectal cancer surgery. *Ann Surg Rawat Res* . 2014; 86 ( 4 ):206–211. doi:10.4174/astr.2014.86.4.206.

Le Huu Nho R, Mege D, Ouaisi M, Sielezneff I, Sastre B (2012) *Incidence and prevention of ventral incisional hernia*. J Visc Surg 149(5 Suppl):e3–e14.

Luijendijk, R. W., Hop, W. C. J., van den Tol, M. P., de Lange, D. C. D., Braaksma, M. M. J., IJzermans, J. N. M., ... Jeekel, J. (2000). *Comparison of Suture Repair with Mesh Repair for Incisional Hernia*. *New England Journal of Medicine*, 343(6), 392–398.

Madu AJ, Ughasoro MD. *Anaemia of Chronic Disease: An In-Depth Review*. *Med Princ Pract*. 2017; 26:1–9.

Maccio A, Sanna E, Neri M, Oppi S, Madeddu C. *Cachexia as Evidence of the Mechanisms of Resistance and Tolerance during the Evolution of Cancer Disease*. *Int J Mol Sci*. 2021; 22:2890.

Manekk, R.S., Gharde, P., Gattani, R., *et al*. Surgical complication and its grading: A literature review. *Cureus*. 2022;14(5):1-7. doi: 10.7759/cureus.24963.

McCranor BJ, Kim MJ, Cruz NM, Xue QL, Berger AE, Walston JD, Civin CI, Roy CN. *Interleukin-6 directly impairs the erythroid development of human TF-1 erythroleukemic cells*. *Blood Cells Mol Dis*. 2014; 52:126– 33.

McMillan DC. The systemic inflammation-based Glasgow Prognostic Score: a decade of experience in patients with cancer. *Cancer Treat Rev*. 2013; 39:534–40.

McPhail, S., Johnson, S., Greenberg, D., *et al*. Stage at diagnosis and early mortality from cancer in England. *Br J Cancer*. 2015;3(31):108- 15. doi: 10.1038/bjc.2015.49. PMID: 25734389; PMCID: PMC4385983.

Möhle R, Green D, Moore MA, Nachman RL, Rafii S. *Constitutive production and thrombin-induced release of vascular endothelial growth factor by human megakaryocytes and platelets*. *Proc Natl Acad Sci U S A*. 1997; 94:663–68.

Muresan, B.T., Núñez-Abad, M., Artero, A., *et al*. Relation of Malnutrition and Nosocomial Infections in Cancer Patients in Hospital: An Observational Study. *Journal Nutrition and Metabolism*. 2022;8(16): 1-8. doi: 10.1155/2022/5232480.

Mohri, Y., Inoue, Y., Tanaka, K., Hiro, J., Uchida, K., and Kusunoki, M. (2013). Prognostic nutritional index predicts postoperative outcome in colorectal cancer. *World J. Surg*. 37, 2688–2692. doi: 10.1007/s00268-013-2156-9.

Naguib N, Rafique H, Dhruva Rao PK, Longworth T, Soukias JM, Masoud A (2015). *A review of the incidence of iatrogenic hernia in both laparoscopic and open colorectal*

*surgery: using CT as the gold standard of detection, cohort study.* Int J Surg 19:87–90.

Nakashima K, Hata K, Hotta T, Tanaka S, Mitarai Y, Okuno T, Tanino A, Nakao M, Amano Y, Hamaguchi M, Okimoto T, Hamaguchi S, Nagao T, et al. *Ability of the Glasgow Prognostic Score to predict the tolerability and efficacy of platinum-combination chemotherapy among elderly patients with advanced non-small cell lung cancer.* J Med Invest. 2021; 68:260–64.

Nemeth E, Valore EV, Territo M, Schiller G, Lichtenstein A, Ganz T. *Hepcidin, a putative mediator of anemia of inflammation, is a type II acute-phase protein.* Blood. 2003; 101:2461–63.

Nieswandt B, Hafner M, Echtenacher B, Männel DN. *Lysis of tumor cells by natural killer cells in mice is impeded by platelets.* Cancer Res. 1999; 59:1295–300.

Ogita M, Kawamori J, Yamashita H, Nakagawa K. *Palliative radiotherapy for gross hematuria in patients with advanced cancer.* Sci Rep. 2021; 11:9533.

Oh SY, Heo J, Noh OK, Chun M, Cho O, Oh YT. *Absolute Lymphocyte Count in Preoperative Chemoradiotherapy for Rectal Cancer: Changes Over Time and Prognostic Significance.* Technol Cancer Res Treat. 2018; 17:1533033818780065.

Onodera T, Goseki N, Kosaki G. *Prognostic nutritional index in gastrointestinal surgery of malnourished cancer patients.* Nihon Geka Gakkai Zasshi. 1984;85(9):1001–5.

Okonkwo UA, DiPietro LA. *Diabetes and wound angiogenesis.* Int J Mol Sci 2017;18(07):1419.

Ostroumov D, Fekete-Drimusz N, Saborowski M, Kühnel F, Woller N. *CD4 and CD8 T lymphocyte interplay in controlling tumor growth.* Cell Mol Life Sci. 2018; 75:689–713.

Pangribowo S. *Beban kanker di Indonesia.* Jakarta: Kemenkes RI; 2019.

Park SJ, Lee J, Kim H, Shin K, Lee M, Park JM, Choi MG, Park CH, Song KY, Lee HH, Kim IH. *Association between absolute lymphocyte count and overall mortality in patients with surgically resected gastric cancer.* Korean J Intern Med. 2021; 36:679–88.

Patel SV, Paskar DD, Nelson RL, Vedula SS, Steele SR (2017) *Closure methods for laparotomy incisions for preventing incisional hernias and other wound complications*. *Cochrane Database Syst Rev* 11: Cd005661 World J Surg (2018) 42:3528–3536 3535123.

Raj DS. *Role of interleukin-6 in the anemia of chronic disease*. *Semin Arthritis Rheum*. 2009; 38:382–88.

Sadeghi M, Keshavarz-Fathi M, Baracos V, Arends J, Mahmoudi M, Rezaei N. *Cancer cachexia: Diagnosis, assessment, and treatment*. *Crit Rev Oncol Hematol*. 2018; 127:91–104.

Schwegler I, von Holzen A, Gutzwiller JP, Schlumpf R, Mühlebach S, Stanga Z. Nutritional risk is a clinical predictor of postoperative mortality and morbidity in colorectal cancer surgery. *Br J Surgery* . 2010; 97 ( 1 ):92–97. Doi:10.1002/bjs.6805.

Sheinenzon A, Shehadeh M, Michelis R, Shaoul E, Ronen O. *Serum albumin levels and inflammation*. *Int J Biol Macromol*. 2021; 184:857–62.

Sideras K, Kwekkeboom J. Cancer inflammation and inflammatory biomarkers: can neutrophil, lymphocyte, and platelet counts represent the complexity of the immune system? *Transpl Int*. 2014;27(1):2831. 431. doi:<https://doi.org/10.1111/tri.12229>.

S. Said, N. A. Taslim, and B. Bahar, *Gizi dan Penyembuhan Luka*. Makassar: Indonesian Academic Publishing, 2013.

Silva, F.R., de Oliveira, M.G., Souza, A.S., *et al*. Factors associated with malnutrition in hospitalized cancer patients: a cross-sectional study. *Nutrition Journal*. 2015;14(123):1-8. doi: 10.1186/s12937-015-0113-1.

Sung H, Ferlay J, Siegel RL, *et al* F. Global Cancer Statistics 2020: GLOBOCAN Estimates of Incidence and Mortality Worldwide for 36 Cancers in 185 Countries. *CA Cancer J Clin*. 2021 May;71(3):209–249.

Sun, K., Chen, S., Xu, J., Li, G., and He, Y. (2014). The prognostic significance of the prognostic nutritional index in cancer: a systematic review and meta-analysis. *J. Cancer Res. Clin. Oncol*. 140, 1537–1549. doi: 10.1007/s00432-014-1714-3.

Tambunan, 1991. *Diagnosis dan Tata Laksana Sepuluh Jenis Kanker Terbanyak di Indonesia*. Jakarta: EGC. h.185-198.

Tang S., Xie H., Kuang J., Gao F., Gan J., Ou H. The value of geiatric nutritional risk index in evaluating postoperative complication risk and long-term prognosis in elderly colorectal cancer patients. *Cancer Management and Research*. 2020;12:165-75.

Thomas MR, Storey RF. *The role of platelets in inflammation*. *Thromb Haemost*. 2015; 114:449–58.

Tominaga T., Hidaka S., Nonaka T., Nagayasu T. Prognostic value of the preoperative prognostic nutritional index in oldest-old patients with colorectal cancer. *Surgery Today*. 2019; 10:1-12. doi: 10.1007/s00595-019- 01910-w.

Tomislav, 2009. *Colon cancer, adenocarcinoma*. (online), <http://emedicine.medscape.com>

Tustumi F, Takeda FR, Brandão AAG, Sallum RAA, Ribeiro Junior U, Cecconello I. *Lymphocyte count and platelet volume predicts postoperative complications in esophagectomy for cancer: a cohort study*. *Arq Gastroenterol*. 2019; 56:377–85.

Valastyan S, Weinberg RA. *Tumor metastasis: molecular insights and evolving paradigms*. *Cell*. 2011;147:275–92.

Vignot S, Spano JP, and CLub ANémie. *[Anemia and colorectal cancer]*. *Bull Cancer*. 2005; 92:432–38.

Vokurka M, Krijt J, Vávrová J, Nečas E. *Hepcidin expression in the liver of mice with implanted tumour reacts to iron 169 deficiency, inflammation and erythropoietin administration*. *Folia Biol (Praha)*. 2011; 57:248–54.

Wallace HA, Basehore BM, Zito PM. *Wound Healing Phases*. In: StatPearls. StatPearls Publishing; 2021 Accessed April 25, 2021 at: <http://www.ncbi.nlm.nih.gov/books/NBK470443>.

Yamamoto T, Kawada K, Obama K. *Inflammation-Related Biomarkers for the Prediction of Prognosis in Colorectal Cancer Patients*. *Int J Mol Sci*. 2021; 22:8002.

Yan D., Shen Z., Zhang S., *et al.* Prognostic values of geriatric nutritional risk index (GNRI) and prognostic nutritional index (PNI) in elderly patients with Diffuse Large B-Cell Lymphoma. *J cancer*. 2021; 12(23): 7010-7017. doi: 10.7150/jca.62340.

Yoon, S.H., Kye, B.H., Kim, H.J., *et al.* Risk of malnutrition after gastrointestinal cancer surgery: A propensity score matched retrospective cohort study. *Surgical Metabolism and Nutrition*. 2018;9(1):16-25. <https://doi.org/10.18858/smn.2018.9.1.16>.

Zhao Y., Ge N., Xie D., Gao L., Wang Y., Liao Y. The geriatric nutrition risk index versus the mini-nutritional assessment short form in predicting postoperative delirium and hospital length of stay among older non-cardiac surgical patients: a prospective cohort study. *BMC Geriatrics*. 2020;20:107- 15.