

## DAFTAR PUSTAKA

- Agrawal, S., & Dhawan, N. (2021). Evaluation of red mud as a polymetallic source – A review. *Minerals Engineering*, *171*(May), 107084.  
<https://doi.org/10.1016/j.mineng.2021.107084>
- Agrawal, S., Rayapudi, V., & Dhawan, N. (2018). Extraction of Iron values from Red mud. *Materials Today: Proceedings*, *5*(9), 17064–17072.  
<https://doi.org/10.1016/j.matpr.2018.04.113>
- Azharini, R., Widyasanti, A., & Nurhasanah, S. (2022). Optimasi Proses Ekstraksi Bunga Telang (*Clitoria ternatea*) Berbantu Gelombang Mikro Menggunakan Aplikasi Response Surface Methodology. *Jurnal Teknologi Dan Industri Pertanian Indonesia*, *14*(2), 97–102. <https://doi.org/10.17969/jtipi.v14i2.23462>
- Bahfie, F. (2022). PENGOLAHAN PASIR BESI UNTUK MENINGKATKAN KADAR TITANIUM (Ti) DENGAN METODE PEMISAHAN MAGNETIK SECARA BASAH. *Inovasi Pembangunan : Jurnal Kelitbangsan*, *10*(03), 237.  
<https://doi.org/10.35450/jip.v10i03.323>
- Bahrami A, & Hosseini MR. (2020). *the Shaking Table Concentrator: Influence of Table Parameters on Manganese Separation. September 2019.*
- Bezerra, M. A., Santelli, R. E., Oliveira, E. P., Villar, L. S., & Escalera, L. A. (2008). Response surface methodology (RSM) as a tool for optimization in analytical chemistry. *Talanta*, *76*(5), 965–977.
- Bilalodin, B., Irayani, Z., Sehad, S., & Sugito, S. (2015). Sintesis dan Karakterisasi Pigmen Warna Hitam, Merah dan Kuning Berbahan Dasar Pasir Besi. *Molekul*, *10*(2), 135–144.
- Burt, R. O. (1984). *The theory of heavy medium separation. Gravity Concentration Technology, Developments in Mineral Processing, vol. 5.* Elsevier, Amsterdam.
- Candeia, R. A., Souza, M. A. F., Bernardi, M. I. B., Maestrelli, S. C., Santos, I. M. G., Souza, A. G., & Longo, E. (2006). MgFe<sub>2</sub>O<sub>4</sub> pigment obtained at low temperature. *Materials Research Bulletin*, *41*(1), 183–190.
- Carneiro, J., Tobaldi, D. M., Hajjaji, W., Capela, M. N., Novais, R. M., Seabra, M. P., & Labrincha, J. A. (2018). Red mud as a substitute coloring agent for the hematite pigment. *Ceramics International*, *44*(4), 4211–4219.  
<https://doi.org/10.1016/j.ceramint.2017.11.225>
- Chatterjee, A. (1998). Role of particle size in mineral processing at Tata Steel. *International Journal of Mineral Processing*, *53*(1–2), 1–14.
- Currie, J. M. (1973). Unit operations in mineral processing. (*No Title*).
- Dehghani, F., Khosravi, R., Pazoki, A., Kebe, M., Jahanian, R., Siavoshi, H., & Ghosh, T. (2022). Application of magnetic separation and reverse anionic flotation to concentrate fine particles of iron ore with high sulfur content. *Physicochemical Problems of Mineral Processing*, *58*(3). <https://doi.org/10.37190/ppmp/145420>
- Engelen, A., Sugiyono, & Budijanto, S. (2015). Optimasi Proses dan Formula Pada Pengolahan Mi Sagu Kering (Metroxylon Sagu). *Agritech*, *35*(4), 359–367.

Emawati, R., Idrus, A., & Petrus, H. T. B. M. (2018). Study of the optimization of gold ore concentration using gravity separator (shaking table): Case study for LS epithermal gold deposit in Artisanal Small scale Gold Mining (ASGM) Paningkaban, Banyumas, Central Java. *IOP Conference Series: Earth and Environmental Science*, 212(1), 0–9. <https://doi.org/10.1088/1755-1315/212/1/012019>

Falconer, A. (2003). Gravity separation: Old technique/new methods. *Physical Separation in Science and Engineering*, 12(1), 31–48. <https://doi.org/10.1080/1478647031000104293>

Ferdana, A. D., Petrus, H. T. B. M., Bendiyasa, I. M., Prijambada, I. D., Hamada, F., & Sachiko, T. (2018). Optimization of gold ore Sumbawa separation using gravity method: Shaking table. *AIP Conference Proceedings*, 1945. <https://doi.org/10.1063/1.5030292>

Gaudin, A. M. (1939). Principles of mineral dressing. (*No Title*).

Gunter Buxbaum and Gerhard Pfaff. (2005). *Also of Interest : High Performance Pigments Paints , Coatings and Solvents Industrial Organic Pigments Automotive Paints and Coatings Color Chemistry Industrial Color Testing*.

Gürses, A., Açikyıldız, M., Güneş, K., & Gürses, M. S. (2016). *Historical Development of Colorants*. [https://doi.org/10.1007/978-3-319-33892-7\\_1](https://doi.org/10.1007/978-3-319-33892-7_1)

Kelly, E. G., & DJ, S. (1982). chapter 10:“Classification”, in “Introduction to Mineral Processing.” *John Willey & Sons, New York, NY*, 199–232.

Khairul, M. A., Zanganeh, J., & Moghtaderi, B. (2019). The composition, recycling and utilisation of Bayer red mud. *Resources, Conservation and Recycling*, 141(September 2018), 483–498. <https://doi.org/10.1016/j.resconrec.2018.11.006>

Li, Y., Wang, J., Wang, X., Wang, B., & Luan, Z. (2011). Feasibility study of iron mineral separation from red mud by high gradient superconducting magnetic separation. *Physica C: Superconductivity and Its Applications*, 471(3–4), 91–96. <https://doi.org/10.1016/j.physc.2010.12.003>

Liu, Y., & Naidu, R. (2014). Hidden values in bauxite residue (red mud): Recovery of metals. *Waste Management*, 34(12), 2662–2673. <https://doi.org/10.1016/j.wasman.2014.09.003>

Maharani, S., Arief, T., & Ningsih, Y. B. (2020). Pengaruh kemiringan shaking table terhadap kadar dan recovery cassiterite. *Jurnal Pertambangan*, 4(2), 108–113.

Myers, R. H., Montgomery, D. C., & Anderson-Cook, C. M. (2016). Building Empirical Models. *Response Surface Methodology: Process and Product Optimization Using Designed Experiments*, 13–62. [https://books.google.com/books/about/Response\\_Surface\\_Methodology.html?hl=id&id=T-BbCwAAQBAJ](https://books.google.com/books/about/Response_Surface_Methodology.html?hl=id&id=T-BbCwAAQBAJ)

Napier-Munn, T., & Wills, B. A. (2005). Wills’ Mineral Processing Technology. In *Wills’ Mineral Processing Technology* (Issue October). <https://doi.org/10.1016/B978-0-7506-4450-1.X5000-0>

Novia, F. A., Rukmananda, B. W., Juwari, J., & Anugraha, R. P. (2021). Pra Rancangan Pabrik Pigmen Merah dengan Metode Presipitasi. *Journal of Fundamentals and*

- Nurmiah, S., Syarief, R., Sukarno, S., Peranginangin, R., & Nurmata, B. (2013). Aplikasi Response Surface Methodology Pada Optimalisasi Kondisi Proses Pengolahan Alkali Treated Cottonii (ATC). *Jurnal Pascapanen Dan Bioteknologi Kelautan Dan Perikanan*, 8(1), 9. <https://doi.org/10.15578/jpbkp.v8i1.49>
- Oediyani, S., Ikhlasul Amal, M., Victoriyan, M. N., & Juniarsih, A. (2018). Beneficiation of Kulon Progo iron sand by using tabling and magnetic separation methods. *AIP Conference Proceedings*, 1945. <https://doi.org/10.1063/1.5030246>
- Patangia, J., Saravanan, T. J., Kabeer, K. I. S. A., & Bisht, K. (2023). Study on the utilization of red mud (bauxite waste) as a supplementary cementitious material: Pathway to attaining sustainable development goals. *Construction and Building Materials*, 375(March), 131005. <https://doi.org/10.1016/j.conbuildmat.2023.131005>
- Perkasa, F. V., Pulungan, L., & Sriyanti. (2022). Optimasi Variabel Meja Goyang pada Proses Konsentrasi Bijih Mangan dengan Metode Steepest Ascent di Desa Kertajaya, Kecamatan Simpenan, Kabupaten Sukabumi, Provinsi Jawa Barat. *Bandung Conference Series: Mining Engineering*, 2(2), 331–340. <https://doi.org/10.29313/bcsme.v2i2.3296>
- Pfaff, G. (2022). The world of inorganic pigments. *ChemTexts*, 8(3), 1–17. <https://doi.org/10.1007/s40828-022-00166-1>
- Prasetya, A., Ahsa, W. M., Gustiana, H. S. E. A., Astuti, W., & Petrus, H. T. B. M. (2020). Effect of Particle Size and Shaking Speed on Enhancing Concentration of Manganese using Shaking Table. *IOP Conference Series: Materials Science and Engineering*, 742(1). <https://doi.org/10.1088/1757-899X/742/1/012027>
- Putribarafike, A., Rahayuningsih, E., & Faridah, E. (2023). Penentuan Kondisi Operasi Optimum Ekstraksi Pewarna Alami Dari LimbahSerbuk Kayu Ulin (Eusideroxylon zwageri) Menggunakan Response Surface Method. *Prosiding Seminar Nasional Teknik Kimia "Kejuangan," 2017*, 1–6.
- Qaidi, S. M. A., Tayeh, B. A., Isleem, H. F., de Azevedo, A. R. G., Ahmed, H. U., & Emad, W. (2022). Sustainable utilization of red mud waste (bauxite residue) and slag for the production of geopolymer composites: A review. *Case Studies in Construction Materials*, 16(March), e00994. <https://doi.org/10.1016/j.cscm.2022.e00994>
- Rahayuningsih, E., Marfitania, T., Marfitania, T., Sapto Pamungkas, M., Pamungkas, M. S., Siti Fatimah, W., & Fatimah, W. S. (2022). Optimization of cotton fabrics dyeing process using various natural dye extracts. *Jurnal Rekayasa Proses*, 16(1), 58. <https://doi.org/10.22146/jrekpros.70397>
- Rossalina W, Zaharah T. A, & Silalahi I. H. (2021). Komposisi Unsur dan Karakterisasi Mineral Magnetik dalam Red Mud, Residu Bauksit di PT Indonesia Chemical Alumina (ICA) Kalimantan Barat. *Indonesian Journal of Pure and Applied Chemistry*, 4(3), 139–144. <https://jurnal.untan.ac.id/index.php/IJoPAC/article/view/49660/pdf>
- Sajima, Handini, T., Suyanti, & Sudaryadi. (2020). Separation the zircon mineral from

- Shen, L., Qiao, Y., Guo, Y., & Tan, J. (2013). Preparation and formation mechanism of nano-iron oxide black pigment from blast furnace flue dust. *Ceramics International*, 39(1), 737–744.
- Singh, R., Bhattacharyya, K. K., & Maulik, S. C. (1997). Gravity concentration of fines and ultrafines. *Processing of Fines: Proceedings of the National Seminar*, 40–56.
- Smallman, R. E., & Bishop, R. J. (1999). *Modern physical metallurgy and materials engineering*. Butterworth-Heinemann.
- Suprpto, Istiqomah, Z., Santoso, E., Dawam, A. A., & Prasetyoko, D. (2018). Alumina extraction from red mud by magnetic separation. *Indonesian Journal of Chemistry*, 18(2), 331–336. <https://doi.org/10.22146/ijc.25102>
- Taggart, A. F. (Arthur F. (1945). *Handbook of mineral dressing, ores and industrial minerals* (H. A. (Henry A. Behre (ed.)) [Book]. J. Wiley.
- Tarafdar, A., Shahi, N. C., & Singh, A. (2020). Color assessment of freeze-dried mushrooms using Photoshop and optimization with genetic algorithm. *Journal of Food Process Engineering*, 43(1), 1–9. <https://doi.org/10.1111/jfpe.12920>
- Vabela, L., Tono, E. P. S. B. T., & Rosita, A. (2018). PENGARUH VARIABEL SHAKING TABLE TERHADAP KADAR DAN RECOVERY Sn SISA HASIL PENCUCIAN DI UNIT METALURGI PT TIMAH TBK MUNTOK KABUPATEN BANGKA BARAT. *Jurnal Pertambangan*, 108–112.
- Widarsaputra, A. Y., Prawatya, Y. E., & Sujana, I. (2022). Response surface methodology (RSM) untuk optimasi pengolahan keripik nanas menggunakan mesin vacuum frying. *INTEGRATE: Industrial Engineering and Management System*, 6(2), 70–77. <https://jurnal.untan.ac.id/index.php/jtinUNTAN/issue/view/>
- Yuan, S., Wang, R., Zhang, H., Li, Y., Liu, L., & Fu, Y. (2022). Investigation of Mineral Phase Transformation Technology Followed by Magnetic Separation for Recovery of Iron Values from Red Mud. *Sustainability (Switzerland)*, 14(21). <https://doi.org/10.3390/su142113787>
- Zhao, Q., Kennedy, J. F., Wang, X., Yuan, X., Zhao, B., Peng, Y., & Huang, Y. (2011). Optimization of ultrasonic circulating extraction of polysaccharides from *Asparagus officinalis* using response surface methodology. *International Journal of Biological Macromolecules*, 49(2), 181–187. <https://doi.org/10.1016/j.ijbiomac.2011.04.012>
- Zhao, Y., Zhang, Y., Bao, S., Liu, T., Bian, Y., Liu, X., & Jiang, M. (2013). Separation factor of shaking table for vanadium pre-concentration from stone coal. *Separation and Purification Technology*, 115, 92–99. <https://doi.org/10.1016/j.seppur.2013.04.017>

## LAMPIRAN

### 1. Hasil Analisis XRD