

DAFTAR PUSTAKA

- [1] World Health Organization, “Non communicable diseases.” Accessed: Apr. 25, 2024. [Online]. Available: <https://www.who.int/news-room/fact-sheets/detail/noncommunicable-diseases>
- [2] The Global Cancer Observatory, “Cancer Today: Indonesia Fact Sheets.” Accessed: Apr. 25, 2024. [Online]. Available: <https://gco.iarc.who.int/media/globocan/factsheets/populations/360-indonesia-fact-sheet.pdf>
- [3] E. C. Fields, W. P. McGuire, L. Lin, and S. M. Temkin, “Radiation Treatment in Women with Ovarian Cancer: Past, Present, and Future,” *Front. Oncol.*, vol. 7, p. 177, Aug. 2017, doi: 10.3389/fonc.2017.00177.
- [4] K. Bukowski, M. Kciuk, and R. Kontek, “Mechanisms of Multidrug Resistance in Cancer Chemotherapy,” *Int. J. Mol. Sci.*, vol. 21, no. 9, p. 3233, May 2020, doi: 10.3390/ijms21093233.
- [5] H. Kikuchi, B. Yuan, X. Hu, and M. Okazaki, “Chemopreventive and anticancer activity of flavonoids and its possibility for clinical use by combining with conventional chemotherapeutic agents,” *Am. J. Cancer Res.*, vol. 9, no. 8, pp. 1517–1535, Aug. 2019.
- [6] A. N. Fader and P. G. Rose, “Role of Surgery in Ovarian Carcinoma,” *J. Clin. Oncol.*, vol. 25, no. 20, pp. 2873–2883, Jul. 2007, doi: 10.1200/JCO.2007.11.0932.
- [7] C. Mayer, D. P. Gasalberti, and A. Kumar, “Brachytherapy,” in *StatPearls*, Treasure Island (FL): StatPearls Publishing, 2024. Accessed: Aug. 12, 2024. [Online]. Available: <http://www.ncbi.nlm.nih.gov/books/NBK562190/>
- [8] R. Mohan, “A review of proton therapy – Current status and future directions,” *Precis. Radiat. Oncol.*, vol. 6, no. 2, pp. 164–176, Jun. 2022, doi: 10.1002/pro6.1149.



- [9] T.-Z. Yuan, Z.-J. Zhan, and C.-N. Qian, “New frontiers in proton therapy: applications in cancers,” *Cancer Commun.*, vol. 39, no. 1, p. 61, Dec. 2019, doi: 10.1186/s40880-019-0407-3.
- [10] E. Amato, D. Lizio, and S. Baldari, “Applications of the Monte Carlo Method in Medical Physics”.
- [11] T. Sato, Y. Iwamoto, S. Hashimoto, T. Ogawa, T. Furuta, S. Abe, T. Kai, P.-E. Tsai, N. Matsuda, H. Iwase, N. Shigyo, L. Sihver, and K. Niita, “Features of Particle and Heavy Ion Transport code System (PHITS) version 3.02,” *J. Nucl. Sci. Technol.*, vol. 55, no. 6, pp. 684–690, Jun. 2018, doi: 10.1080/00223131.2017.1419890.
- [12] G. C. Iorio, S. Martini, F. Arcadipane, U. Ricardi, and P. Franco, “The role of radiotherapy in epithelial ovarian cancer: a literature overview,” *Med. Oncol.*, vol. 36, no. 7, p. 64, Jul. 2019, doi: 10.1007/s12032-019-1287-8.
- [13] T. Kino, N. Ando, Y. Ogawara, and H. Shigeta, “Proton beam therapy for recurrent ovarian carcinoma: A case report,” *J. Obstet. Gynaecol. Res.*, vol. 45, no. 9, pp. 1952–1956, Sep. 2019, doi: 10.1111/jog.14036.
- [14] J. B. Kiely, B. M. White, and S. Both, “A beam angle optimization technique for proton pencil beam scanning treatment planning of lower pelvis targets,” in *World Congress on Medical Physics and Biomedical Engineering, June 7-12, 2015, Toronto, Canada*, D. A. Jaffray, Ed., in IFMBE Proceedings, vol. 51. Cham: Springer International Publishing, 2015, pp. 479–482. doi: 10.1007/978-3-319-19387-8_117.
- [15] M. Ilham, “Analisis Dosis dan Waktu Iradiasi Terapi Proton pada Kanker Serviks Menggunakan PHITS,” Skripsi, Universitas Gadjah Mada, Yogyakarta, 2022.
- [16] C. J. Williams and G. F. Erickson, *Morphology and Physiology of the Ovary*. MDText.com, Inc., South Dartmouth (MA), 2000. [Online]. Available: <http://europepmc.org/books/NBK278951>
- [17] B. Hu, R. Wang, D. Wu, R. Long, J. Ruan, L. Jin, D. Ma, C. Sun, and S. Liao, “Prospects for fertility preservation: the ovarian organ function reconstruction techniques for oogenesis, growth and maturation in vitro,”



- Front. Physiol.*, vol. 14, p. 1177443, May 2023, doi: 10.3389/fphys.2023.1177443.
- [18] J. S. Brown, S. R. Amend, R. H. Austin, R. A. Gatenby, E. U. Hammarlund, and K. J. Pienta, "Updating the Definition of Cancer," *Mol. Cancer Res.*, vol. 21, no. 11, pp. 1142–1147, Nov. 2023, doi: 10.1158/1541-7786.MCR-23-0411.
- [19] I. N. G. Budiana, M. Angelina, and T. G. A. Pelayun, "Ovarian cancer: Pathogenesis and current recommendations for prophylactic surgery," *J. Turk.-Ger. Gynecol. Assoc.*, vol. 20, no. 1, pp. 47–54, Mar. 2019, doi: 10.4274/jtgga.galenos.2018.2018.0119.
- [20] R. D. Rosen and A. Sapra, "TNM Classification," in *StatPearls*, Treasure Island (FL): StatPearls Publishing, 2024. Accessed: Jul. 04, 2024. [Online]. Available: <http://www.ncbi.nlm.nih.gov/books/NBK553187/>
- [21] B. Jones, S. J. McMahon, and K. M. Prise, "The Radiobiology of Proton Therapy: Challenges and Opportunities Around Relative Biological Effectiveness," *Clin. Oncol.*, vol. 30, no. 5, pp. 285–292, May 2018, doi: 10.1016/j.clon.2018.01.010.
- [22] M. J. LaRiviere, P. M. G. Santos, C. E. Hill-Kayser, and J. M. Metz, "Proton Therapy," *Contemp. Top. Radiat. Med. Part Curr. Issues Tech.*, vol. 33, no. 6, pp. 989–1009, Dec. 2019, doi: 10.1016/j.hoc.2019.08.006.
- [23] "PTCOG - Home." Accessed: Jun. 05, 2024. [Online]. Available: <https://ptcog.site/>
- [24] "1 Introduction," *J. ICRU*, vol. 7, no. 2, pp. 11–20, Dec. 2007, doi: 10.1093/jicru_ndm024.
- [25] D. S. Tsang and S. Patel, "Proton beam therapy for cancer," *Can. Med. Assoc. J.*, vol. 191, no. 24, pp. E664–E666, Jun. 2019, doi: 10.1503/cmaj.190008.
- [26] S. M. MacDonald, T. F. DeLaney, and J. S. Loeffler, "Proton Beam Radiation Therapy," *Cancer Invest.*, vol. 24, no. 2, pp. 199–208, Jan. 2006, doi: 10.1080/07357900500524751.



- [27] C. Velten and W. A. Tomé, “Simulation of spread-out bragg peaks in proton beams using Geant4/TOPAS,” *Biomed. Phys. Eng. Express*, vol. 6, no. 4, p. 047001, May 2020, doi: 10.1088/2057-1976/ab8f6d.
- [28] M. Hu, L. Jiang, X. Cui, J. Zhang, and J. Yu, “Proton beam therapy for cancer in the era of precision medicine,” *J. Hematol. Oncol.*, vol. 11, no. 1, p. 136, Dec. 2018, doi: 10.1186/s13045-018-0683-4.
- [29] Y. Matsumoto, N. Fukumitsu, H. Ishikawa, K. Nakai, and H. Sakurai, “A Critical Review of Radiation Therapy: From Particle Beam Therapy (Proton, Carbon, and BNCT) to Beyond,” *J. Pers. Med.*, vol. 11, no. 8, p. 825, Aug. 2021, doi: 10.3390/jpm11080825.
- [30] S. J. McMahon, “Proton RBE models: commonalities and differences,” *Phys. Med. Biol.*, vol. 66, no. 4, p. 04NT02, Feb. 2021, doi: 10.1088/1361-6560/abda98.
- [31] H. Paganetti, *Proton Therapy Physics*. Boston, BOS: CRC Press, 2012.
- [32] H. Paganetti, A. Niemierko, M. Ancukiewicz, L. E. Gerweck, M. Goitein, J. S. Loeffler, and H. D. Suit, “Relative biological effectiveness (RBE) values for proton beam therapy,” *Int. J. Radiat. Oncol.*, vol. 53, no. 2, pp. 407–421, Jun. 2002, doi: 10.1016/S0360-3016(02)02754-2.
- [33] R. Mohan and D. Grosshans, “Proton therapy – Present and future,” *Adv. Drug Deliv. Rev.*, vol. 109, pp. 26–44, Jan. 2017, doi: 10.1016/j.addr.2016.11.006.
- [34] H. Fahrurrozi, A. W. Harto, I. M. Triatmoko, G. S. Wijaya, and Y. Sardjono, “Dose Optimization on Liver Cancer Proton Therapy and Boron Neutron Capture Therapy Using Particle And Heavy Ions Transport Code System,” *J. Teknol. Reakt. Nukl. TRI DASA MEGA*, vol. 23, no. 1, p. 33, Feb. 2021, doi: 10.17146/tdm.2021.23.1.6183.
- [35] Z. S. Tabatabaeian, M. Sadeghi, and M. R. Ghasemi, “An Iterating Method to Calculate the Geometry of Range Modulation Wheel in Passive Proton Therapy,” *J. Pharm. Res. Int.*, pp. 1–11, Oct. 2019, doi: 10.9734/jpri/2019/v30i630283.



- [36] M. Moteabbed, T. I. Yock, N. Depauw, T. M. Madden, H. M. Kooy, and H. Paganetti, “Impact of Spot Size and Beam-Shaping Devices on the Treatment Plan Quality for Pencil Beam Scanning Proton Therapy,” *Int. J. Radiat. Oncol.*, vol. 95, no. 1, pp. 190–198, May 2016, doi: 10.1016/j.ijrobp.2015.12.368.
- [37] J. Seong, Ed., *Radiotherapy of Liver Cancer*. Singapore: Springer Singapore, 2021. doi: 10.1007/978-981-16-1815-4.
- [38] B. Gottschalk, “Physics of Proton Interactions in Matter,” in *Proton Therapy Physics, Second Edition*, 2nd ed., CRC Press, 2018.
- [39] W. D. Newhauser and R. Zhang, “The physics of proton therapy,” *Phys. Med. Biol.*, vol. 60, no. 8, pp. R155–R209, Apr. 2015, doi: 10.1088/0031-9155/60/8/R155.
- [40] F. M. Khan and J. P. Gibbons, *Khan’s the physics of radiation therapy*, 5. ed. Philadelphia, PA [u.a.] Wolters Kluwer, 2014.
- [41] H. Paganetti, H. Jiang, S. -Y. Lee, and H. M. Kooy, “Accurate Monte Carlo simulations for nozzle design, commissioning and quality assurance for a proton radiation therapy facility,” *Med. Phys.*, vol. 31, no. 7, pp. 2107–2118, Jul. 2004, doi: 10.1118/1.1762792.
- [42] ICRP, “The 2007 Recommendations of the International Commission on Radiobiological Protection. ICRP publication 103.,” *Ann. ICRP*, vol. 37, no. 2–4, pp. 9–34, Apr. 2007, doi: 10.1016/j.icrp.2007.10.003.
- [43] C. H. Kim, Y. S. Yeom, N. Petoussi-Henss, M. Zankl, W. E. Bolch, C. Lee, C. Choi, T. T. Nguyen, K. Eckerman, H. S. Kim, M. C. Han, R. Qiu, B. S. Chung, H. Han, and B. Shin, “ICRP Publication 145: Adult Mesh-Type Reference Computational Phantoms,” *Ann. ICRP*, vol. 49, no. 3, pp. 13–201, Oct. 2020, doi: 10.1177/0146645319893605.
- [44] J. M. Slater, J. D. Slater, J. I. Kang, I. C. Namihas, B. R. Jabola, K. Brown, R. Grove, C. Watt, and D. A. Bush, “Hypofractionated Proton Therapy in Early Prostate Cancer: Results of a Phase I/II Trial at Loma Linda University,” *Int. J. Part. Ther.*, vol. 6, no. 1, pp. 1–9, Jun. 2019, doi: 10.14338/IJPT-19-00057.
- [45] T. H. Kim, J.-W. Park, B. H. Kim, E. S. Oh, S. H. Youn, S. H. Moon, S. S. Kim, S. M. Woo, Y.-H. Koh, W. J. Lee, and D. Y. Kim, “Phase II Study of



- Hypofractionated Proton Beam Therapy for Hepatocellular Carcinoma,” *Front. Oncol.*, vol. 10, p. 542, Apr. 2020, doi: 10.3389/fonc.2020.00542.
- [46] E. T. Vitti and J. L. Parsons, “The Radiobiological Effects of Proton Beam Therapy: Impact on DNA Damage and Repair,” *Cancers*, vol. 11, no. 7, p. 946, Jul. 2019, doi: 10.3390/cancers11070946.
- [47] T. Sato, Y. Iwamoto, S. Hashimoto, T. Ogawa, T. Furuta, S.-I. Abe, T. Kai, Y. Matsuya, N. Matsuda, Y. Hirata, T. Sekikawa, L. Yao, P.-E. Tsai, H. N. Ratliff, H. Iwase, Y. Sakaki, K. Sugihara, N. Shigyo, L. Sihver, and K. Niita, “Recent improvements of the particle and heavy ion transport code system – PHITS version 3.33,” *J. Nucl. Sci. Technol.*, vol. 61, no. 1, pp. 127–135, Jan. 2024, doi: 10.1080/00223131.2023.2275736.
- [48] Kine Johnsen, Dieter Röhrich, and Odd Harald Odland, “Simulations of a Therapeutic Proton Beam with FLUKA Monte Carlo Code and Varian Eclipse Proton Planning Software,” *Univ. Bergen*, Nov. 2013, [Online]. Available: <https://hdl.handle.net/1956/7705>
- [49] Y. Matsuya, T. Kusumoto, Y. Yachi, Y. Hirata, M. Miwa, M. Ishikawa, H. Date, Y. Iwamoto, S. Matsuyama, and H. Fukunaga, “Features of accelerator-based neutron source for boron neutron capture therapy calculated by particle and heavy ion transport code system (PHITS),” *AIP Adv.*, vol. 12, no. 2, p. 025013, Feb. 2022, doi: 10.1063/5.0077782.
- [50] C. Fasola, D. S. Kapp, and E. A. Kidd, “Radiation for Localized Ovarian Cancer Shows Benefits of Dose Escalation and for Treating Lymph Node Regions,” *Int. J. Radiat. Oncol.*, vol. 93, no. 3, p. E290, Nov. 2015, doi: 10.1016/j.ijrobp.2015.07.1278.
- [51] S. Machida, Y. Takei, C. Yoshida, Y. Takahashi, T. Koyanagi, N. Sato, A. Taneichi, Y. Saga, H. Fujiwara, and M. Suzuki, “Radiation Therapy for Chemotherapy-Resistant Recurrent Epithelial Ovarian Cancer,” *Oncology*, vol. 86, no. 4, pp. 232–238, 2014, doi: 10.1159/000357269.
- [52] E. Y. Han, W. E. Bolch, and K. F. Eckerman, “Revisions to The ORNL Series of Adult and Pediatric Computational Phantoms for Use with The MIRD Schema,” *Health Phys.*, vol. 90, no. 4, 2006, [Online]. Available:



https://journals.lww.com/health-physics/fulltext/2006/04000/revisions_to_the_ornl_series_of_adult_and.4.aspx

x

- [53] Y. Ebara, H. Tsutsui, S. Nakajima, J. Yoshida, T. Tsurudome, T. Miyashita, and Y. Kumata, “Commissioning of the Sumitomo superconducting AVF cyclotron SC230”.
- [54] H. Tsutsui, “Current Status of Sumitomo’s Superconducting Cyclotron Development for Proton Therapy”.
- [55] J. V. de Walle, “IBA accelerators for proton and ion beam therapy,” pp. 1–19, 2016.
- [56] “Stopping-Power & Range Tables for Electrons, Protons, and Helium Ions,” *NIST*, Oct. 2009, Accessed: May 28, 2024. [Online]. Available: <https://www.nist.gov/pml/stopping-power-range-tables-electrons-protons-and-helium-ions>
- [57] D. krstic and D. Nikezic, “Input files with ORNL-mathematical phantoms of the human body for MCNP-4B,” *Comput. Phys. Commun.*, vol. 176, pp. 33–37, 2007.
- [58] C. H. Kim, Y. S. Yeom, N. Petoussi-Henss, M. Zankl, W. E. Bolch, C. Lee, C. Choi, T. T. Nguyen, K. Eckerman, H. S. Kim, M. C. Han, R. Qiu, B. S. Chung, H. Han, and B. Shin, *Adult mesh-type reference computational phantoms*. in *Annals of the ICRP*, no. volume 49, no. 3 (2020). London: SAGE, 2020.
- [59] S. B. Jia, F. Romano, G. A. P. Cirrone, G. Cuttone, M. H. Hadizadeh, A. A. Mowlavi, and L. Raffaele, “Designing a range modulator wheel to spread-out the Bragg peak for a passive proton therapy facility,” *Nucl. Instrum. Methods Phys. Res. Sect. Accel. Spectrometers Detect. Assoc. Equip.*, vol. 806, pp. 101–108, Jan. 2016, doi: 10.1016/j.nima.2015.10.006.
- [60] B. Emami, “Tolerance of Normal Tissue to Therapeutic Radiation,” *Dep. Radiat. Oncol. USA*.
- [61] A. Y. Lee, J. G. Bazan, C. A. Pelizzari, D. T. Chang, and S. L. Liauw, “Lower Pelvis Bone Marrow Dose Constraints to Reduce Hematologic Toxicity



in the Treatment of Anal Cancer,” *Int. J. Radiat. Oncol.*, vol. 90, no. 1, p. S33, Sep. 2014, doi: 10.1016/j.ijrobp.2014.05.142.

