

DAFTAR PUSTAKA

- Abushandi, E. dan Merkel, B., 2013. Modelling Rainfall Runoff Relations Using HEC-HMS and IHACRES for a Single Rain Event in an Arid Region of Jordan. *Water Resources Management*, 27 (7), 2391–2409.
- Adham, A., Riksen, M., Ouessoar, M., dan Ritsema, C.J., 2016. A methodology to assess and evaluate rainwater harvesting techniques in (semi-) arid regions. *Water (Switzerland)*, 8 (5).
- Adham, A., Sayl, K.N., Abed, R., Abdeladhim, M.A., Wesseling, J.G., Riksen, M., Fleskens, L., Karim, U., dan Ritsema, C.J., 2018. A GIS-based approach for identifying potential sites for harvesting rainwater in the Western Desert of Iraq. *International Soil and Water Conservation Research*, 6 (4), 297–304.
- Adham, A., Wesseling, J.G., Riksen, M., Ouessoar, M., dan Ritsema, C.J., 2016. A water harvesting model for optimizing rainwater harvesting in the wadi Oum Zessar watershed, Tunisia. *Agricultural Water Management*, 176, 191–202.
- Agrawal, K.K., Jha, S.K., Mittal, R.K., dan Vashishtha, S., 2022. Assessment of floating solar PV (FSPV) potential and water conservation: Case study on Rajghat Dam in Uttar Pradesh, India. *Energy for Sustainable Development*, 66, 287–295.
- Ahmed, S., Jesson, M., dan Sharifi, S., 2023. Selection Frameworks for Potential Rainwater Harvesting Sites in Arid and Semi-Arid Regions: A Systematic Literature Review. *Water*, 15 (15), 2782.
- Al-Adamat, R., 2008. GIS as a decision support system for siting water harvesting ponds in the basalt aquifer/NE Jordan. *Journal of Environmental Assessment Policy and Management*, 10 (2), 189–206.
- Al-Adamat, R., AlAyyash, S., Al-Amoush, H., Al-Meshan, O., Rawajfih, Z., Shdeifat, A., Al-Harahsheh, A., dan Al-Farajat, M., 2012. The Combination of Indigenous Knowledge and Geo-Informatics for Water Harvesting Siting in the Jordanian Badia. *Journal of Geographic Information System*, 04 (04), 366–376.
- Al-Adamat, R., Diabat, A., dan Shatnawi, G., 2010. Combining GIS with multicriteria decision making for siting water harvesting ponds in Northern Jordan. *Journal of Arid Environments*, 74 (11), 1471–1477.
- Al-Ghobari, H. dan Dewidar, A.Z., 2021. Integrating GIS-based MCDA techniques and the SCS-CN method for identifying potential zones for rainwater harvesting in a semi-arid area. *Water (Switzerland)*, 13 (5).
- Ali, S., Cheema, M.J.M., Bakhsh, A., dan Khaliq, T., 2020. Near real time flood forecasting in the transboundary Chenab river using Global Satellite Mapping of Precipitation. *Pak. J. Agric. Sci*, 57, 1327–1335.
- Alijanian, M., Rakhshanroo, G.R., Mishra, A.K., dan Dehghani, M., 2017. Evaluation of satellite rainfall climatology using CMORPH, PERSIANN-CDR, PERSIANN, TRMM, MSWEP over Iran. *International Journal of Climatology*, 37 (14), 4896–

4914.

- Alwan, I.A., Aziz, N.A., dan Hamoodi, M.N., 2020. Potential water harvesting sites identification using spatial multi-criteria evaluation in Maysan Province, Iraq. *ISPRS International Journal of Geo-Information*, 9 (4).
- Ambar, S. dan Sjafruddin, A., 1979. *Pemetaan erosi das jatiluhur*. Universitas Padjadjaran.
- Ammar, A., Abed, R., dan Ritsema, C., 2021. A Reliability Analysis of Rainwater Catchment System. *Water Resources*, 48 (3), 361–367.
- Ammar, A., Rijsen, M., Oucessar, M., dan Ritsema, C., 2016. Identification of suitable sites for rainwater harvesting structures in arid and semi-arid regions: A review. *International Soil and Water Conservation Research*, 4 (2), 108–120.
- Anderson, J., 1976. *A land use and land cover classification system for use with remote sensor data*. US Government Printing Office.
- Asdak, C., 2022. *Hidrologi dan Pengelolaan Daerah Aliran Sungai*. 8 ed. Yogyakarta, Indonesia: Gadjah Mada University Press.
- Ashouri, H., Hsu, K.L., Sorooshian, S., Braithwaite, D.K., Knapp, K.R., Cecil, L.D., Nelson, B.R., dan Prat, O.P., 2015. PERSIANN-CDR: Daily precipitation climate data record from multisatellite observations for hydrological and climate studies. *Bulletin of the American Meteorological Society*, 96 (1), 69–83.
- Badan Informasi Geospasial RI, 2019. Peta Rupabumi Digital Indonesia [online]. *Badan Informasi Geospasial Republik Indonesia*. Available from: <https://tanahair.indonesia.go.id/portal-web/>.
- Bailey, H.P., 1979. Semi-Arid Climates: Their Definition and Distribution, 73–97.
- Baun, P.J., 2022. Konflik Pemerintah Daerah dan Masyarakat Adat Helong dalam Kebijakan Pembangunan Bendungan Kolhua 2010-2022. *Jurnal Pendidikan dan Konseling (JPDK)*, 4 (6), 9211–9222.
- Bennett, T.H. dan Peters, J.C., 2000. Continuous Soil Moisture Accounting in the Hydrologic Engineering Center Hydrologic Modeling System (HEC-HMS). In: *Building Partnerships*. Reston, VA: American Society of Civil Engineers, 1–10.
- BIG, 2024. Geoportal Badan Informasi Geospasial [online]. *Badan Informasi Geospasial Republik Indonesia*. Available from: <https://geoportal.big.go.id/#/>.
- BMKG, 2022. Data Online Pusat Database BMKG [online]. Available from: <https://dataonline.bmkg.go.id/home>.
- Boers, T.M. dan Ben-Asher, J., 1982. A review of rainwater harvesting. *Agricultural Water Management*, 5 (2), 145–158.
- Bohnam-Carter, G., 1994. *Geographic Information Systems for Geoscientists: Modelling with GIS*. 1 ed. Ontario, Canada: Love Printing Service Ltd.

- Bols, P., 1979. Contribution to the study on runoff and erosion in Java.
- BPS-Kota Kupang, 2021. *Kota Kupang Dalam Angka*. Kupang: Badan Pusat Statistik Kota Kupang.
- BPS Kab Kupang, 2021. *Kecamatan Taebenu Dalam Angka 2021*. Badan Pusat Statistik Kabupaten Kupang.
- BPS Kab Kupang, 2022. *Kecamatan Nekameuse Dalam Angka 2022*. Badan Pusat Statistik Kabupaten Kupang.
- BWS NT 2, 2024. *Tinggi Muka Air W1 Manikin-Noelmina*.
- Calianno, M., Fallot, J.-M., Fraj, T.B., Ouezdou, H.B., Reynard, E., Milano, M., Abbassi, M., Messedi, A.G., dan Adatte, T., 2020. Benefits of water-harvesting systems (jessour) on soil water retention in southeast tunisia. *Water (Switzerland)*, 12 (1).
- Carney, M.C. dan Woldezion, M., 2012. An Analysis of Strategies for Managing Sediment Inflows to an Off-Stream Reservoir from a Diversion Supply Canal under Conditions of Water Scarcity. *World Environmental and Water Resources Congress*.
- Chang, K.-T., 2016. Geographic Information System. In: *International Encyclopedia of Geography: People, The Earth, Environment and Technology*. 1–9.
- Chen, F. dan Li, X., 2016. Evaluation of IMERG and TRMM 3B43 Monthly Precipitation Products over Mainland China, 1–18.
- Chow, V. Te, Maidment, D.R., dan Mays, L.W., 1988. *Applied Hydrology*. McGraw-Hill Book Co.
- Craig, I.P., 2005. *Loss of storage water due to evaporation - a literature review*. National Centre for Engineering in Agriculture, Toowoomba: NCEA publication.
- Dai, J., Rad, S., Xu, J., Wan, Z., Li, Z., Pan, L., dan Shahab, A., 2022. Influence of Karst Reservoir Capacity on Flood in Lijiang Basin Based on Modified HEC-HMS through Soil Moisture Accounting Loss. *Atmosphere*.
- Dethan, M.N. dan Pelokilla, M.R., 2014. Volume Sedimen Dan Valuasi Ekonomi Sumberdaya Air Embung Di Kota Kupang. *Jurnal Ilmu Lingkungan*, 12 (2), 118.
- DeVantier, B.A. dan Feldman, A.D., 1993. Review of GIS Application in Hydrologic Modeling. *Journal of Water Resources Planning and Management*, 119 (2), 246–261.
- DIBI-BNPB, 2021. Statistik Bencana Kota Kupang [online]. *Bidang Pengelolaan Data dan Sistem Informasi (PDSI), Pusat Data Informasi dan Komunikasi Kebencanaan (Pusdatinkom), Badan Nasional Penanggulangan Bencana (BNPB)*. Available from: <https://dibi.bnrb.go.id/kwaktu/index>.
- Dougherty, M., Bayne, D., Curtis, L., Reutelbuch, E., dan Seesock, W., 2007. Water quality in a non-traditional off-stream polyethylene-lined reservoir. *Journal of Environmental Management*, 85 (4), 1015–1023.



- Elewa, H., Zelenakova, M., dan Nosair, A., 2021. Integration of the Analytical Hierarchy Process and GIS Spatial Distribution Model to Determine the Possibility of Runoff Water Harvesting in Dry Regions: Wadi Watir in Sinai as a Case Study. *Water*, 13 (6), 804.
- Escobar, F., Hunter, G., Bishop, I., dan Zerger, A., 2008. *Introduction to GIS*. Introduction to GIS. Department of Geomatics, University of Melbourne.
- FAO, 1987. *Committee on Agriculture (Ninth session). Improving Productivity of Dryland Area*. Rome, Italy: FAO.
- FAO, 2003. *The Digital Soil Map of The World*. 3.6. Rome, Italy: Land and Water Development Division.
- FAO, 2024. CROPWAT 8.0.
- Feldman, A.D., 2000. *Hydrologic Modeling System HEC-HMS: Technical Reference Manual*. US Army Corps of Engineers, Hydrologic Engineering Center.
- Fox, J.J., 2006. Perspektif Pembangunan di NTT. *SMERU*, 20.
- Gallego-Elvira, B., Baille, A., Martin-Gorriz, B., Maestre-Valero, J.F., dan Martínez-Alvarez, V., 2011. Energy balance and evaporation loss of an irrigation reservoir equipped with a suspended cover in a semiarid climate (south-eastern Spain). *Hydrological Processes*, 25 (11), 1694–1703.
- Ghani, M.W., Arshad, M., Shabbir, A., Mehmood, N., dan Ahmad, I., 2013. Investigation of potential water harvesting sites at Potohar using modeling approach. *Pakistan Journal of Agricultural Sciences*, 50 (4).
- Ginting, J.M., Sujono, J., dan Jayadi, R., 2019. Analisis Hubungan Data Hujan Satelit dengan Hujan Terukur ARR Kalibawang. *Prosiding Konferensi Pascasarjana Teknik Sipil (KNPTS)*, (November), 89–102.
- Golden Gate Weather Services, 2021. El Niño and La Niña Years and Intensities [online]. Available from: <https://ggweather.com/enso/oni.htm>.
- GSMaP, 2022. Global Satellite Mapping of Precipitation (GSMaP) [online]. *JAXA Global Rainfall Watch*. Available from: <https://sharaku.eorc.jaxa.jp/GSMaP/>.
- Gupta, A.K., Tyagi, P., dan Sehgal, V.K., 2011. Drought disaster challenges and mitigation in India: strategic appraisal. *Current science*, 1795–1806.
- Gupta, K.K., Deelstra, J., dan Sharma, K.D., 1997. Estimation of water harvesting potential for a semiarid area using GIS and remote sensing. *IAHS-AISH Publication*, 242 (January 1997), 53–62.
- Halwatura, D. dan Najim, M.M.M., 2013. Application of the HEC-HMS model for runoff simulation in a tropical catchment. *Environmental Modelling & Software*, 46, 155–162.
- Hameed, H., 2013. Water harvesting in Erbil Governorate, Kurdistan region, Iraq: detection

of suitable sites using geographic information system and remote sensing. *Student thesis series INES.*

Harrel, R.C. dan Dorris, T.C., 1968. Stream Order, Morphometry, Physico-Chemical Conditions, and Community Structure of Benthic Macroinvertebrates in an Intermittent Stream System. *American Midland Naturalist*, 80 (1), 220.

Harto, S., 2000. Hidrologi: Teori, masalah, penyelesaian. *Yogyakarta: Nafiri Offset.*

Hashemi, H., Berndtsson, R., dan Persson, M., 2015. Recharge artificielle par épandage des eaux de crue estimée par les bilans hydriques et la modélisation des eaux souterraines. *Hydrological Sciences Journal*, 60 (2), 336–350.

Hashim, H.Q. dan Sayl, K.N., 2020. The application of radial basis network model, GIS, and spectral reflectance band recognition for runoff calculation. *International Journal of Design and Nature and Ecodynamics*, 15 (3), 441–447.

Hashim, H.Q. dan Sayl, K.N., 2021. Detection of suitable sites for rainwater harvesting planning in an arid region using geographic information system. *Applied Geomatics*, 13 (2), 235–248.

Hopkins, L.D., 1977. Methods for generating land suitability maps: A comparative evaluation. *Journal of the American Planning Association*, 43 (4), 386–400.

Hudson, N. dan FAO, 1993. *Field Measurement of Soil Erosion and Runoff*. Food and Agriculture Organization of the United Nations.

Ibrahim, G.R.F., Rasul, A., Hamid, A.A., Ali, Z.F., dan Dewana, A.A., 2019. Suitable site selection for rainwater harvesting and storage case study using Dohuk governorate. *Water (Switzerland)*, 11 (4).

Indarto, I., 2012. Hidrologi–Dasar Teori dan Contoh Aplikasi Model Hidrologi. *Bumi Aksara*.

Joodavi, A., Izady, A., Karbasi Maroof, M.T., Majidi, M., dan Rossetto, R., 2020. Deriving optimal operational policies for off-stream man-made reservoir considering conjunctive use of surface- and groundwater at the Bar dam reservoir (Iran). *Journal of Hydrology: Regional Studies*, 31 (August), 100725.

Kaho, L.M.R. dan Seran, W., 2021. Premise Evaluation Ecological, Socio-Economic And Cultural Agroforestry Systems Against In Ikanfoti Hutan Produksi Terbatas Area, Kupang District of Nusa Tenggara Timur (NTT) Province. *Agrikan Jurnal Agribisnis Perikanan*, 14 (2), 658–672.

Kasiro, I., Adidharma, W., Rusli, B.S., Nugroho, C.L., dan Sunarto, 1994. *Pedoman Membuat Desain Embung Kecil untuk Daerah Semi Kering di Indonesia*. I. Jakarta: PT. Mediatama Saptakarya.

Khudhair, M.A., Sayl, K.N., dan Darama, Y., 2020. Locating Site Selection for Rainwater Harvesting Structure using Remote Sensing and GIS. In: *IOP Conference Series: Materials Science and Engineering*.

- KP02, 2013. *Standar Perencanaan Irigasi-Kriteria Perencanaan Bagian Bangunan Utama (KP 02)*. Kementerian Pekerjaan Umum, Direktorat Jenderal Sumber Daya Air, Direktorat Irigasi dan Rawa.
- KPPIP, 2019. Bendungan Kolhua [online]. Available from: <https://kppip.go.id/proyek-strategis-nasional/bendungan-dan-irigasi/bendungan-kolhua/>.
- Krois, J. dan Schulte, A., 2014. GIS-based multi-criteria evaluation to identify potential sites for soil and water conservation techniques in the Ronquillo watershed, northern Peru. *Applied Geography*, 51, 131–142.
- Kumar, S., Ramilan, T., Ramarao, C.A., Rao, C.S., dan Whitbread, A., 2016. Farm level rainwater harvesting across different agro climatic regions of India: Assessing performance and its determinants. *Agricultural Water Management*, 176, 55–66.
- Lasage, R. dan Verburg, P.H., 2015. Evaluation of small scale water harvesting techniques for semi-arid environments. *Journal of Arid Environments*, 118, 48–57.
- Liu, C.Y., Aryastana, P., Liu, G.R., dan Huang, W.R., 2020. Assessment of satellite precipitation product estimates over Bali Island. *Atmospheric Research*, 244 (January), 105032.
- López-Felices, B., Aznar-Sánchez, J.A., Velasco-Muñoz, J.F., dan Piquer-Rodríguez, M., 2020. Contribution of irrigation ponds to the sustainability of agriculture. A review of worldwide research. *Sustainability (Switzerland)*, 12 (13).
- Ma, Y., Chang, J., Guo, A., Wu, L., Yang, J., dan Chen, L., 2020. Optimizing Inter-basin water transfers from multiple sources among interconnected River basins. *Journal of Hydrology*, 590 (August), 125461.
- Maguire, D.J., 1991. An Overview and Definition of GIS. In: *Geographical Information Systems: Principles and Applications*. 9–20.
- Maidment, D.R., 1992. *Handbook of Hydrology*. New York, USA: McGraw-Hill.
- Malczewski, J., 2000. On the use of weighted linear combination method in GIS: Common and best practice approaches. *Transactions in GIS*, 4 (1), 5–22.
- Malczewski, J., 2006. GIS-based multicriteria decision analysis: A survey of the literature. *International Journal of Geographical Information Science*, 20 (7), 703–726.
- March, J.G., Benstead, J.P., Pringle, C.M., dan Scatena, F.N., 2003. Damming Tropical Island Streams: Problems, Solutions, and Alternatives. *BioScience*, 53 (11), 1069–1078.
- Mateo Lázaro, J., Castillo Mateo, J., García Gil, A., Sánchez Navarro, J.Á., Santamaría, J.C., dan Fuertes Rodríguez, V., 2022. Impact of emergency drawdown in off-stream brackish reservoirs – The case of La Loteta dam in Spain. *Journal of Hydrology*, 611 (February).
- Mati, B., De Bock, T., Malesu, M., Khaka, E., Oduor, A., Meshack, M., dan Oduor, V.,

2006. Mapping the potential of rainwater harvesting technologies in Africa. *A GIS overview on development domains for the continent and ten selected countries. Technical Manual*, 6, 126.

Mbilinyi, B.P., Tumbo, S.D., Mahoo, H.F., dan Mkiramwinyi, F.O., 2007. GIS-based decision support system for identifying potential sites for rainwater harvesting. *Physics and Chemistry of the Earth, Parts A/B/C*, 32 (15–18), 1074–1081.

Mei, X., Van Gelder, P.H.A.J.M., Dai, Z., dan Tang, Z., 2017. Impact of dams on flood occurrence of selected rivers in the United States. *Frontiers of Earth Science*, 11 (2), 268–282.

Mekdaschi, R. dan Liniger, H.P., 2013. *Water harvesting: guidelines to good practice*. Centre for Development and Environment.

Moazami, S., Golian, S., Kavianpour, M.R., dan Hong, Y., 2013. Comparison of PERSIANN and V7 TRMM multi-satellite precipitation analysis (TMPA) products with rain gauge data over Iran. *International Journal of Remote Sensing*, 34 (22), 8156–8171.

Moges, G., 2009. Identification of potential rain water harvesting areas in the Central Rift Valley of Ethiopia using a GIS based approach. *Wageningen University. Netherlands*.

Moriasi, D.N., Arnold, J.G., Liew, M., Bingner, R.L., Harmel, R.D., dan Veith, T.L., 2007. Model Evaluation Guidelines for Systematic Quantification of Accuracy in Watershed Simulations. *Transactions of the ASABE*, 50, 885–900.

Nash, J.E. dan Sutcliffe, J. V, 1970. River flow forecasting through conceptual models part I—A discussion of principles. *Journal of hydrology*, 10 (3), 282–290.

Nashwan, M.S., Shahid, S., dan Wang, X., 2019. Assessment of satellite-based precipitation measurement products over the hot desert climate of Egypt. *Remote Sensing*, 11 (5).

Nasjono, J.K., Amin, D., Khaerudin, D.N., dan Krisnayanti, D.S., 2024. The impact of watershed characteristics on flood behaviour in the Noelmina River region. *IOP Conference Series: Earth and Environmental Science*, 1311 (1), 012012.

Navarathinam, K., Gusyev, M.A., Hasegawa, A., Magome, J., dan Takeuchi, K., 2015. Agricultural flood and drought risk reduction by a proposed multi-purpose dam: A case study of the Malwathoya River Basin, Sri Lanka. *Proceedings - 21st International Congress on Modelling and Simulation, MODSIM 2015*, 1600–1606.

Ndeketeya, A. dan Dundu, M., 2021. Application of HEC-HMS Model for Evaluation of Rainwater Harvesting Potential in a Semi-arid City. *Water Resources Management*.

Olu, O.S., 2020. The Volume of a Rectangular Frustum: An Alternative Method. *Abacus (Mathematics Science Series)*, 47 (1).

Oweis, T.Y., Prinz, D., dan Hachum, A.Y., 2012. *Rainwater harvesting for agriculture in the dry areas*. CRC press.



- Pan, C.C., Chen, Y.W., Chang, L.C., dan Huang, C.W., 2016. Developing a conjunctive use optimization model for allocating surface and subsurface water in an off-stream artificial lake system. *Water (Switzerland)*, 8 (8).
- Pechlivanidis, I.G., Jackson, B.M., McIntyre, N.R., dan Wheater, H.S., 2011. Catchment scale hydrological modelling: A review of model types, calibration approaches and uncertainty analysis methods in the context of recent developments in technology and applications. *Global NEST journal*, 13 (3), 193–214.
- Pradhan, D., Ancev, T., Drynan, R., dan Harris, M., 2011. Management of Water Reservoirs (Embungs) in West Timor, Indonesia. *Water Resources Management*, 25 (1), 339–356.
- Pratama, A., Muhammad, H., dan Ayu, A., 2022. Evaluasi Satellite Precipitation Product (GSMap , CHIRPS , dan IMERG) di Kabupaten Lampung Selatan, 6 (September 2021), 32–40.
- PUPR Sabu Raijua, 2020. *Perhitungan Penurunan Tampungan Air Tahun 2020*.
- Puslitbang PUPR, 1995. *Besarnya Aliran Berdasarkan Metode Hymos Manning Data Pengukuran Aliran 1981-1992*. 1 ed. Bandung, Jawa Barat: Balai Hidrologi dan Tata Air, Pusat Penelitian dan Pengembangan.
- Rao, C.S. dan Gopinath, K.A., 2016. Resilient rainfed technologies for drought mitigation and sustainable food security. *Mausam*, 67 (1), 169–182.
- Rohmat, F.I.W., Sa'adi, Z., Stamatakis, I., Kuntoro, A.A., Farid, M., dan Suwarman, R., 2022. Flood modeling and baseline study in urban and high population environment: A case study of Majalaya, Indonesia. *Urban Climate*, 46, 101332.
- Saaty, T.L., 2008. Decision making with the analytic hierarchy process. *International journal of services sciences*, 1 (1), 83–98.
- Sayl, K.N., Muhammad, N.S., dan El-Shafie, A., 2019. Identification of potential sites for runoff water harvesting. *Proceedings of the Institution of Civil Engineers - Water Management*, 172 (3), 135–148.
- Sayl, K.N., Sulaiman, S.O., Kamel, A.H., Muhammad, N.S., Abdullah, J., dan Al-Ansari, N., 2021. Minimizing the Impacts of Desertification in an Arid Region: A Case Study of the West Desert of Iraq. *Advances in Civil Engineering*, 2021 (June 2009).
- SE PUPR 07/SE/M, 2018. Pedoman Pembangunan Embung Kecil dan Bangunan Penampung Air Lainnya di Desa. *Pedoman Pembangunan Embung Kecil dan Bangunan Penampung Air Lainnya di Desa*.
- Sepehri, M., Malekinezhad, H., Ilderomi, A.R., Talebi, A., dan Hosseini, S.Z., 2018. Studying the effect of rain water harvesting from roof surfaces on runoff and household consumption reduction. *Sustainable Cities and Society*, 43 (May), 317–324.
- Singh, W.R. dan Jain, M.K., 2015. Continuous Hydrological Modeling using Soil Moisture Accounting Algorithm in Vamsadhara River Basin, India. *Journal of Water Resource*

- and *Hydraulic Engineering*, 4 (4), 398–408.
- Soedibyo, 2003. *Teknik Bendungan*. Jakarta: Pradnya Paramita.
- Song, X., Zhang, J., Zhan, C., Xuan, Y., Ye, M., dan Xu, C., 2015. Global sensitivity analysis in hydrological modeling: Review of concepts, methods, theoretical framework, and applications. *Journal of Hydrology*, 523, 739–757.
- Stuebe, M.M. dan Johnston, D.M., 1990. Runoff volume estimation using GIS techniques 1. *JAWRA Journal of the American Water Resources Association*, 26 (4), 611–620.
- Subramanya, K., 2009. *Engineering Hydrology*. Internatio. Singapore: McGraw-Hill.
- Sugiyono, 2011. *Metode Penelitian Kuantitatif, Kualitatif dan R & D*. 13 ed. Bandung: Penerbit Alfabeta.
- Sujono, J., 2023. *Hidrologi Terapan: Transformasi Hujan-Aliran HEC-HMS*. Gadjah Mada University Press.
- Suni, Y.P.. K., Karlina, dan Sujono, J., 2022. Analisis Kekeringan Menggunakan Metode SPI dan PDSI pada Daerah Aliran Sungai Liliba. *Jurnal Teknik Sipil*, 11 (1), 91–104.
- Suni, Y.P.K., 2021. Evaluasi hubungan data hujan satelit persiann-cdr dan data hujan pengukuran das liliba. In: *Prosiding Seminar Nasional Riset Dan Teknologi Terapan (RITEKTRA)*. B2–B2.
- Suni, Y.P.K., 2023. Mengenal Berbagai Model Hidrologi di Indonesia. *Eternitas: Jurnal Teknik Sipil*, 2 (2), 11–20.
- Suni, Y.P.K., Sujono, J., dan Istiarto, 2023. Identifying potential sites for rainwater harvesting ponds (embung) in Indonesia's semi-arid region using GIS-based MCA techniques and satellite rainfall data. *PLoS ONE*, 18 (6 June).
- Suni, Y.P.K., Sujono, J., dan Istiarto, 2024. Modelling Off-stream Reservoir Inflow using HEC-HMS's Soil Moisture Accounting Algorithm and GSMap in Indonesia's Semi-arid Region. *Kuwait Journal of Science*, Upcoming.
- Syaifullah, M.D., 2014. Validasi data TRMM terhadap data curah hujan aktual di tiga DAS di Indonesia. *Jurnal Meteorologi dan Geofisika*, 15 (2).
- Tamagnone, P., Comino, E., dan Rosso, M., 2020. Rainwater harvesting techniques as an adaptation strategy for flood mitigation. *Journal of Hydrology*, 586.
- Tauer, W. dan Humborg, G., 1992. *Runoff irrigation in the Sahel zone: remote sensing and geographical information systems for determining potential sites*. Verlag Josef Margraf.
- Temesgen, A., 2019. Rainfall - Runoff Modeling: A Comparative Analyses: Semi Distributed HBV Light and SWAT Models in Geba Catchment, Upper Tekeze Basin, Ethiopia. *Civil and Environmental Research*, 4 (2), 34.
- Thill, J.-C., 2019. *Spatial multicriteria decision making and analysis: a geographic*

information sciences approach. Routledge.

- Tibangayuka, N., Mulungu, D.M.M., dan Izdori, F., 2022. Assessing the potential impacts of climate change on streamflow in the data-scarce Upper Ruvu River watershed, Tanzania. *Journal of Water and Climate Change*, 13 (9), 3496–3513.
- Triatmodjo, B., 2016. *Hidrologi Terapan*. 6 ed. Yogyakarta, Indonesia: Beta Offset Yogyakarta.
- Umer, M., Gabriel, H.F., Haider, S., Nusrat, A., Shahid, M., dan Umer, M., 2021. Application of precipitation products for flood modeling of transboundary river basin: a case study of Jhelum Basin. *Theoretical and Applied Climatology*, 143 (3–4), 989–1004.
- USACE, 2024. *HEC-HMS User 's Manual*. Davis, CA: Hydrologic Engineering Center.
- Wang, X., Li, B., Chen, Y., Guo, H., Wang, Y., dan Lian, L., 2020. Applicability Evaluation of Multisource Satellite Precipitation Data for Hydrological Research in Arid Mountainous Areas.
- Wang, Z., Li, Z., Xu, M., dan Yu, G., 2016. *River morphodynamics and stream ecology of the Qinghai-Tibet Plateau*. CRC Press.
- White, D., 1988. Grid-Based Application of Runoff Curve Numbers. *Journal of Water Resources Planning and Management*, 114 (6), 601–612.
- White, G.F., 1974. Natural hazards, local, national, global.
- Wibisono, Y., 2009. *Metode Statistik*. 2 ed. Yogyakarta, Indonesia: Gadjah Mada University Press.
- Widiyono, W., 2008. Konservasi Flora, Tanah dan Sumberdaya Air Embung-Embung di Timor Barat Provinsi Nusa Tenggara Timur (Studi Kasus 'Embung' Oemasi-Kupang dan 'Embung' Leosama-Belu). *Jurnal Teknologi Lingkungan*, 9 (2).
- Widiyono, W., 2018. PENDUGAAN EROSI DAN NERACA AIR EMBUNG DI WILAYAH PERBATASAN KABUPATEN BELU NUSA TENGGARA TIMUR. *Jurnal Rekayasa Lingkungan*, 4 (1), 1–10.
- Wilhite, D.A., 1992. Drought In Nierenberg WA (ed.) Encyclopedia of earth system science.
- Wischmeier, W.H., Johnson, C.B., dan Cross, B. V, 1971. A soil erodibility nomograph for farmland and construction sites.
- Wischmeier, W.H. dan Smith, D.D., 1978. *Predicting rainfall erosion losses: a guide to conservation planning*. Department of Agriculture, Science and Education Administration.
- Zhou, Z., Guo, B., Xing, W., Zhou, J., Xu, F., dan Xu, Y., 2020. Comprehensive evaluation of latest GPM era IMERG and GSMP precipitation products over mainland China. *Atmospheric Research*, 246, 105132.