

## DAFTAR PUSTAKA

- Abdul, W., Ali, A., Abdul, W., Farid, A., Muttalib, A., & Al-Eed, A. (2013). Hydrocarbons Distribution in Shatt Al-Arab River Bacteria And Fungi. *International Journal of Science and Modern Engineering (IJISME)*, 1(1), 2319–6386.
- Abdulsalam, M., Man, H. C., Abidin, Z. Z., Yunos, K. F., & Idris, A. I. (2020). Decolorization of Palm Oil Mill Effluent by Klebsiella Pneumonia ABZ11: Remediation Efficacy and Statistical Optimization of Treatment Conditions. *Frontiers in Microbiology*, 11. <https://doi.org/10.3389/fmicb.2020.00675>
- Ahmad, A. L., Ismail, S., & Bhatia, S. (2003). Water recycling from palm oil mill effluent (POME) using membrane technology. *Desalination*, 157(1–3), 87–95. [https://doi.org/10.1016/S0011-9164\(03\)00387-4](https://doi.org/10.1016/S0011-9164(03)00387-4)
- Anderson M.J., & T.J., W. (2003). Canonical analysis of principal coordinates: A useful method of constrained ordination for ecology. *Ecology*, 84(4), 858–868.
- Ani, K. A., Agu, C. M., & Menkiti, M. C. (2021). Preliminary investigation and neural network modeling of palm oil mill effluent as a potential bio-stimulating organic co-substrate in hydrocarbon degradation. *Environmental Challenges*, 5. <https://doi.org/10.1016/j.envc.2021.100216>
- Anonim. (2024a). *PubChem Compound Summary for CID 31256, Diacetone Alcohol*. <https://pubchem.ncbi.nlm.nih.gov/compound/Diacetone-Alcohol> [diakses tanggal 14 Juni 2024]
- Anonim. (2024b). *PubChem Compound Summary for CID 7870, Hexylene Glycol*. <https://pubchem.ncbi.nlm.nih.gov/compound/Hexylene-Glycol> [diakses tanggal 14 Juni 2024]
- Anonim. (2013). *Database Bidang Penataan dan Penataan Lingkungan*. <https://mediacenter.riau.go.id/>. [diakses tanggal 16 Juni 2024]
- Bagheri Bodaghabadi, M., Salehi, M. H., Martínez-Casasnovas, J. A., Mohammadi, J., Toomanian, N., & Esfandiarpour Borujeni, I. (2011). Using Canonical Correspondence Analysis (CCA) to identify the most important DEM attributes for digital soil mapping applications. *Catena*, 86(1), 66–74. <https://doi.org/10.1016/j.catena.2011.02.009>
- Baharuddin, A. S., Wakisaka, M., Shirai, Y., Abd-Aziz, S., Abdul Rahman, N. A., & Hassan, M. A. (2009). Co-composting of empty fruit bunches and partially treated palm oil mill effluents in pilot scale. *International Journal of Agricultural Research*, 4(2), 69–78. <https://doi.org/10.3923/ijar.2009.69.78>
- Bala, J. D., Lalung, J., Al-Gheethi, A. A. S., Hossain, K., & Ismail, N. (2018). Microbiota of palm oil mill wastewater in Malaysia. *Tropical Life Sciences Research*, 29(2), 131–163. <https://doi.org/10.21315/tlsr2018.29.2.10>
- Braga, R. M., Dourado, M. N., & Araújo, W. L. (2016). Microbial interactions: ecology in a molecular perspective. *Brazilian Journal of Microbiology*, 47, 86–98. <https://doi.org/10.1016/j.bjm.2016.10.005>
- Cao, Z., Yan, W., Ding, M., & Yuan, Y. (2022). Construction of microbial consortia for microbial degradation of complex compounds. *Frontiers in*

- Bioengineering and Biotechnology*, 10.  
<https://doi.org/10.3389/fbioe.2022.1051233>
- Chebbi, A., Hentati, D., Zaghden, H., Baccar, N., Rezgui, F., Chalbi, M., Sayadi, S., & Chamkha, M. (2017). Polycyclic aromatic hydrocarbon degradation and biosurfactant production by a newly isolated *Pseudomonas* sp. strain from used motor oil-contaminated soil. *International Biodeterioration and Biodegradation*, 122, 128–140. <https://doi.org/10.1016/j.ibiod.2017.05.006>
- Chernov, T. I., Tkhakakhova, A. K., & Kutovaya, O. V. (2015). Assessment of diversity indices for the characterization of the soil prokaryotic community by metagenomic analysis. *Eurasian Soil Science*, 48(4), 410–415. <https://doi.org/10.1134/S1064229315040031>
- Cibis, K. G., Gneipel, A., & König, H. (2016). Isolation of acetic, propionic and butyric acid-forming bacteria from biogas plants. *Journal of Biotechnology*, 220, 51–63. <https://doi.org/10.1016/j.jbiotec.2016.01.008>
- Cormack, R. M., Legendre, L., & Legendre, P. (1984). Numerical Ecology. *Biometrics*, 40(1), 280. <https://doi.org/10.2307/2530779>
- Czarny, J., Staninska-Pięta, J., Piotrowska-Cyplik, A., Juzwa, W., Wolniewicz, A., Marecik, R., Ławniczak, & Chrzanowski. (2020). *Acinetobacter* sp. as the key player in diesel oil degrading community exposed to PAHs and heavy metals. *Journal of Hazardous Materials*, 383. <https://doi.org/10.1016/j.jhazmat.2019.121168>
- Deng, P., Yan, X., Liu, R., Ding, T., Chen, J., & Wu, Z. (2024). Effect of cow dung on anaerobic digestion characteristics of poplar fuel ethanol wastewater. *Biomass Conversion and Biorefinery*, 14(2), 2033–2043. <https://doi.org/10.1007/s13399-022-02549-3>
- Devatha, C. P., Vishnu Vishal, A., & Purna Chandra Rao, J. (2019). Investigation of physical and chemical characteristics on soil due to crude oil contamination and its remediation. *Applied Water Science*, 9(4). <https://doi.org/10.1007/s13201-019-0970-4>
- Elufisan, T. O., Rodríguez-Luna, I. C., Oyedara, O. O., Sánchez-Varela, A., Hernández-Mendoza, A., Gonzalez, E. D., Paz-González, A. D., Muhammad, K., Rivera, G., Villalobos-Lopez, M. A., & Guo, X. (2020). The Polycyclic Aromatic Hydrocarbon (PAH) degradation activities and genome analysis of a novel strain *Stenotrophomonas* sp. Pemsol isolated from Mexico. *PeerJ*, 2020(1). <https://doi.org/10.7717/peerj.8102>
- Essaid, H. I., Bekins, B. A., Herkelrath, W. N., & Delin, G. N. (2011). Crude oil at the Bemidji site: 25 years of monitoring, modeling, and understanding. *Ground Water*, 49(5), 706–726. <https://doi.org/10.1111/j.1745-6584.2009.00654.x>
- Eugene Rosenberg, Edward F. DeLong, Stephen Lory, Erko Stackebrandt, F. T. (2014). The Prokaryotes. In E. Rosenberg, E. F. DeLong, S. Lory, E. Stackebrandt, & F. Thompson (Eds.), *The Prokaryotes*. Springer Berlin Heidelberg. <https://doi.org/10.1007/978-3-642-30197-1>
- Eze, M. O. (2021). Metagenome analysis of a hydrocarbon-degrading bacterial consortium reveals the specific roles of btex biodegraders. *Genes*, 12(1), 1–14. <https://doi.org/10.3390/genes12010098>

- Fandi, P., Nufriadi, T., Amelia, R., & Dewita, I. U. (2022). *Teknologi Pengolahan Limbah POME (Palm Oil Mill Effluent) dengan Sistem Anaerobik di Industri Kelapa Sawit*.  
[https://bspjipekanbaru.kemenperin.go.id/2022/05/31/teknologi%02pengolahan-limbah-pome-palm-oil-mill-effluent-dengan-sistem-anaerobik%02di-industri-kelapa-sawit/\[diakses pada 5 Mei 2024\]](https://bspjipekanbaru.kemenperin.go.id/2022/05/31/teknologi%02pengolahan-limbah-pome-palm-oil-mill-effluent-dengan-sistem-anaerobik%02di-industri-kelapa-sawit/[diakses pada 5 Mei 2024])
- Fernando, E. S. (1998). *Forest Formations and Flora of the Philippines, FBS 21, Collega Laguna, College of Forestry and Natural Resources, University of the Philippines, Los Banos*.
- Ghosal, D., Ghosh, S., Dutta, T. K., & Ahn, Y. (2016). Current state of knowledge in microbial degradation of polycyclic aromatic hydrocarbons (PAHs): A review. *Frontiers in Microbiology*, 7(AUG).  
<https://doi.org/10.3389/fmicb.2016.01369>
- Gough, H. L., Kargol, A., Beck, D. A. C., Therrien, B. G., Dahal, B. M., & Marsolek, M. D. (2023). Microbial Community Structures in Family Anaerobic Digesters Reveal Potentially Differing Waste Conversion Pathways. *Environmental Engineering Science*, 40(11), 535–549.  
<https://doi.org/10.1089/ees.2023.0038>
- Gupta, G., Kumar, V., & Pal, A. K. (2019). Microbial Degradation of High Molecular Weight Polycyclic Aromatic Hydrocarbons with Emphasis on Pyrene. *Polycyclic Aromatic Compounds*, 39(2), 124–138.  
<https://doi.org/10.1080/10406638.2017.1293696>
- Halim, L., Mellyanawaty, M., Cahyono, R. B., Sudibyoy, H., & Budhijanto, W. (2017). Anaerobic digestion of palm oil mill effluent with lampung natural zeolite as microbe immobilization medium and digested cow manure as starter. *AIP Conference Proceedings*, 1840.  
<https://doi.org/10.1063/1.4982333>
- Hamamura, N., Olson, S. H., Ward, D. M., & Inskeep, W. P. (2006). Microbial population dynamics associated with crude-oil biodegradation in diverse soils. *Applied and Environmental Microbiology*, 72(9), 6316–6324.  
<https://doi.org/10.1128/AEM.01015-06>
- Hamberger, A., Horn, M. A., Dumont, M. G., Murreil, J. C., & Drake, H. L. (2008). Anaerobic consumers of monosaccharides in a moderately acidic fen. *Applied and Environmental Microbiology*, 74(10), 3112–3120.  
<https://doi.org/10.1128/AEM.00193-08>
- Han, C., Kotsyurbenko, O., Chertkov, O., Held, B., Lapidus, A., Nolan, M., Lucas, S., Hammon, N., Deshpande, S., Cheng, J. F., Tapia, R., Goodwin, L., Pitluck, S., Liolios, K., Pagani, I., Ivanova, N., Mavromatis, K., Mikhailova, N., Pati, A., ... Detter, J. C. (2012). Complete genome sequence of the sulfur compounds oxidizing chemolithoautotroph *Sulfuricurvum kujiense* type strain (YK-1 T). *Standards in Genomic Sciences*, 6(1), 94–103.  
<https://doi.org/10.4056/sigs.2456004>
- Hassanshahian, M., Abarian, M., & Cappello, S. (2015). Biodegradation of Aromatic Compounds. *Biodegradation and Bioremediation of Polluted Systems - New Advances and Technologies*. <https://doi.org/10.5772/60894>
- Hausmann, B., Knorr, K. H., Schreck, K., Tringe, S. G., Glavina Del Rio, T., Loy,

- A., & Pester, M. (2016). Consortia of low-abundance bacteria drive sulfate reduction-dependent degradation of fermentation products in peat soil microcosms. *ISME Journal*, *10*(10), 2365–2375. <https://doi.org/10.1038/ismej.2016.42>
- Jensen, M. B., de Jonge, N., Dolriis, M. D., Kragelund, C., Fischer, C. H., Eskesen, M. R., Noer, K., Møller, H. B., Ottosen, L. D. M., Nielsen, J. L., & Kofoed, M. V. W. (2021). Cellulolytic and Xylanolytic Microbial Communities Associated With Lignocellulose-Rich Wheat Straw Degradation in Anaerobic Digestion. *Frontiers in Microbiology*, *12*. <https://doi.org/10.3389/fmicb.2021.645174>
- Karno, R., Arisoelaningsih, E., Mustafa, I., & Siswanto, D. (2024). The diversity of indigenous and potential bacteria as bioremediator of palm oil mill secondary effluent (POMSE) by metagenomics assessment. *Biodiversitas*, *25*(3), 1194–1200. <https://doi.org/10.13057/biodiv/d250335>
- Kato, H., Mori, H., Maruyama, F., Toyoda, A., Oshima, K., Endo, R., Fuchu, G., Miyakoshi, M., Dozono, A., Ohtsubo, Y., Nagata, Y., Hattori, M., Fujiyama, A., Kurokawa, K., & Tsuda, M. (2015). Time-series metagenomic analysis reveals robustness of soil microbiome against chemical disturbance. *DNA Research*, *22*(6), 413–424. <https://doi.org/10.1093/dnares/dsv023>
- Kodama, Y., & Watanabe, K. (2004). *Sulfuricurvum kujiense* gen. nov., sp. nov., a facultatively anaerobic, chemolithoautotrophic, sulfur-oxidizing bacterium isolated from an underground crude-oil storage cavity. *International Journal of Systematic and Evolutionary Microbiology*, *54*(6), 2297–2300. <https://doi.org/10.1099/ijs.0.63243-0>
- Kuppusamy, S., Maddela, N. R., Megharaj, M., & Venkateswarlu, K. (2019). Total Petroleum Hydrocarbons: Environmental Fate, Toxicity, and Remediation. In *Total Petroleum Hydrocarbons: Environmental Fate, Toxicity, and Remediation*. <https://doi.org/10.1007/978-3-030-24035-6>
- Lázaro-Mass, S., Gómez-Cornelio, S., Castillo-Vidal, M., Alvarez-Villagomez, C. S., Quintana, P., & De la Rosa-García, S. (2023). Biodegradation of hydrocarbons from contaminated soils by microbial consortia: A laboratory microcosm study. *Electronic Journal of Biotechnology*, *61*, 24–32. <https://doi.org/10.1016/j.ejbt.2022.10.002>
- Lee, J., Koo, T., Yulisa, A., & Hwang, S. (2019). Magnetite as an enhancer in methanogenic degradation of volatile fatty acids under ammonia-stressed condition. *Journal of Environmental Management*, *241*, 418–426. <https://doi.org/10.1016/j.jenvman.2019.04.038>
- Leela, D., Nur, S. M., Yandri, E., & Ariati, R. (2018). Performance of Palm Oil Mill Effluent (POME) as Biodiesel Source Based on Different Ponds. *E3S Web of Conferences*, *67*. <https://doi.org/10.1051/e3sconf/20186702038>
- Li, J., Wang, Y., Zhou, W., Chen, W., Deng, M., & Zhou, S. (2020). Characterization of a new biosurfactant produced by an effective pyrene-degrading *Achromobacter* species strain AC15. *International Biodeterioration and Biodegradation*, *152*. <https://doi.org/10.1016/j.ibiod.2020.104959>
- Li, L., Liu, X., Yang, W., Xu, F., Wang, W., Feng, L., Bartlam, M., Wang, L., &

- Rao, Z. (2008). Crystal Structure of Long-Chain Alkane Monooxygenase (LadA) in Complex with Coenzyme FMN: Unveiling the Long-Chain Alkane Hydroxylase. *Journal of Molecular Biology*, 376(2), 453–465. <https://doi.org/10.1016/j.jmb.2007.11.069>
- Logeshwaran, P., Megharaj, M., Chadalavada, S., Bowman, M., & Naidu, R. (2018). Petroleum hydrocarbons (PH) in groundwater aquifers: An overview of environmental fate, toxicity, microbial degradation and risk-based remediation approaches. *Environmental Technology and Innovation*, 10, 175–193. <https://doi.org/10.1016/j.eti.2018.02.001>
- Lundegard, P. D., & Sweeney, R. E. (2004). Total petroleum hydrocarbons in groundwater - Evaluation of nondissolved and nonhydrocarbon fractions. *Environmental Forensics*, 5(2), 85–95. <https://doi.org/10.1080/15275920490454346>
- Luz Calle, M. (2019). Statistical analysis of metagenomics data. *Genomics and Informatics*, 17(1). <https://doi.org/10.5808/GI.2019.17.1.e6>
- Macaya, C. C., Durán, R. E., Hernández, L., Rodríguez-Castro, L., Barra-Sanhueza, B., Dorochesi, F., & Seeger, M. (2019). Bioremediation of Petroleum. *Reference Module in Life Sciences*. <https://doi.org/10.1016/b978-0-12-809633-8.20810-8>
- Madigan, M. T., Martinko, J. M., Stahl, D. A., & Clark, D. P. (2012). *Brock Biologia dei Microrganismi 2 Microbiologia ambientale e industriale*. Italia Pearson: Milano/Torino.
- Medić, A., Lješević, M., Inui, H., Beškoski, V., Kojić, I., Stojanović, K., & Karadžić, I. (2020). Efficient biodegradation of petroleum: N -alkanes and polycyclic aromatic hydrocarbons by polyextremophilic *Pseudomonas aeruginosa* strain with multidegradative capacity. *RSC Advances*, 10(24), 14060–14070. <https://doi.org/10.1039/c9ra10371f>
- Mei, R., Nobu, M. K., Narihiro, T., & Liu, W. T. (2020). Metagenomic and Metatranscriptomic Analyses Revealed Uncultured Bacteroidales Populations as the Dominant Proteolytic Amino Acid Degradors in Anaerobic Digesters. *Frontiers in Microbiology*, 11. <https://doi.org/10.3389/fmicb.2020.593006>
- Melekhina, E. N., Belykh, E. S., Markarova, M. Y., Taskaeva, A. A., Rasova, E. E., Baturina, O. A., Kabilov, M. R., & Velegzhaninov, I. O. (2021). Soil microbiota and microarthropod communities in oil contaminated sites in the European Subarctic. *Scientific Reports*, 11(1). <https://doi.org/10.1038/s41598-021-98680-8>
- Mohan, H., Lim, J. M., Cho, M., Park, Y. J., Seralathan, K. K., & Oh, B. T. (2020). Remediation of BTEX and Cr(VI) contamination in soil using bioelectrochemical system—an eco-friendly approach. *Environmental Science and Pollution Research*, 27(1), 837–845. <https://doi.org/10.1007/s11356-019-07029-2>
- Mohapatra, B., & Phale, P. S. (2021). Microbial Degradation of Naphthalene and Substituted Naphthalenes: Metabolic Diversity and Genomic Insight for Bioremediation. *Frontiers in Bioengineering and Biotechnology*, 9(8), 1–5. <https://doi.org/10.3389/fbioe.2021.602445>

- Mohd-Nor, D., Ramli, N., Sharuddin, S. S., Hassan, M. A., Mustapha, N. A., Ariffin, H., Sakai, K., Tashiro, Y., Shirai, Y., & Maeda, T. (2019). Dynamics of microbial populations responsible for biodegradation during the full-scale treatment of palm oil mill effluent. *Microbes and Environments*, *34*(2), 121–128. <https://doi.org/10.1264/jsme2.ME18104>
- Mohd Udaiyappan, A. F., Hasan, H. A., Takriff, M. S., Abdullah, S. R. S., Maeda, T., Mustapha, N. A., Mohd Yasin, N. H., & Nazashida Mohd Hakimi, N. I. (2020). Microalgae-bacteria interaction in palm oil mill effluent treatment. *Journal of Water Process Engineering*, *35*. <https://doi.org/10.1016/j.jwpe.2020.101203>
- Muanruksa, P., Winterburn, J., & Kaewkannetra, P. (2021). Biojet fuel production from waste of palm oil mill effluent through enzymatic hydrolysis and decarboxylation. *Catalysts*, *11*(1), 1–10. <https://doi.org/10.3390/catal11010078>
- Mumtaz, T., Abd-Aziz, S., Rahman, N. A., Phang, L. Y., Shirai, Y., & Hassan, M. A. (2008). Pilot-scale recovery of low molecular weight organic acids from anaerobically treated palm oil mill effluent (POME) with energy integrated system. *African Journal of Biotechnology*, *7*(21), 3900–3905.
- Mustapha, N. A., Hu, A., Yu, C. P., Sharuddin, S. S., Ramli, N., Shirai, Y., & Maeda, T. (2018). Seeking key microorganisms for enhancing methane production in anaerobic digestion of waste sewage sludge. *Applied Microbiology and Biotechnology*, *102*(12), 5323–5334. <https://doi.org/10.1007/s00253-018-9003-8>
- Nagendra, H. (2002). Opposite trends in response for the Shannon and Simpson indices of landscape diversity. *Applied Geography*, *22*(2), 175–186. [https://doi.org/10.1016/S0143-6228\(02\)00002-4](https://doi.org/10.1016/S0143-6228(02)00002-4)
- Natalia, I., & de Oliveir, V. M. (2013). Microbial Hydrocarbon Degradation: Efforts to Understand Biodegradation in Petroleum Reservoirs. *Biodegradation - Engineering and Technology*. <https://doi.org/10.5772/55920>
- Niepceron, M., Portet-Kotalo, F., Merlin, C., Motelay-Massei, A., Barray, S., & Bodilis, J. (2010). Both *Cycloclasticus* spp. and *Pseudomonas* spp. as PAH-degrading bacteria in the Seine estuary (France). *FEMS Microbiology Ecology*, *71*(1), 137–147. <https://doi.org/10.1111/j.1574-6941.2009.00788.x>
- Nwuche, C. O., Aoyagi, H., & Ogbonna, J. C. (2014). Treatment of Palm Oil Mill Effluent by a Microbial Consortium Developed from Compost Soils. *International Scholarly Research Notices*, *2014*, 1–8. <https://doi.org/10.1155/2014/762070>
- O'Reilly, K. T., Mohler, R. E., Zemo, D. A., Ahn, S., Tiwary, A. K., Magaw, R. I., Espino Devine, C., & Synowiec, K. A. (2015). Identification of ester metabolites from petroleum hydrocarbon biodegradation in groundwater using GC×GC-TOFMS. *Environmental Toxicology and Chemistry*, *34*(9), 1959–1961. <https://doi.org/10.1002/etc.3022>
- Odum. (1971). Fundamental of ecology. In *Journal of animal ecology* (Vol. 3, Issue 2). Oxford University Press).
- Omayio, D.O and Mzungu, E. (2019). Modification of Shannon-Wiener Diversity

- Index towards Quantitative Estimation of Environmental Wellness and Biodiversity Levels under a Non-comparative Scenario. *Journal of Environment and Earth Science*. <https://doi.org/10.7176/jees/9-9-06>
- Paliy, O., & Shankar, V. (2016). Application of multivariate statistical techniques in microbial ecology. *Molecular Ecology*, 25(5), 1032–1057. <https://doi.org/10.1111/mec.13536>
- Pandolfo, E., Barra Caracciolo, A., & Rolando, L. (2023). Recent Advances in Bacterial Degradation of Hydrocarbons. *Water (Switzerland)*, 15(2). <https://doi.org/10.3390/w15020375>
- Park, J. G., Lee, B., Heo, T. Y., Cheon, A. I., & Jun, H. B. (2021). Metagenomics approach and canonical correspondence analysis of novel nitrifiers and ammonia-oxidizing archaea in full scale anaerobic-anoxic-oxic (A2/O) and oxidation ditch processes. *Bioresour Technol*, 319. <https://doi.org/10.1016/j.biortech.2020.124205>
- Patel, V., Sharma, A., Lal, R., Al-Dhabi, N. A., & Madamwar, D. (2016). Response and resilience of soil microbial communities inhabiting in edible oil stress/contamination from industrial estates. *BMC Microbiology*, 16(1). <https://doi.org/10.1186/s12866-016-0669-8>
- Pester, M., Bittner, N., Deevong, P., Wagner, M., & Loy, A. (2010). A “rare biosphere” microorganism contributes to sulfate reduction in a peatland. *ISME Journal*, 4(12), 1–12. <https://doi.org/10.1038/ismej.2010.75>
- Ponnusamy, S., Sandhiya, L., & Senthilkumar, K. (2017). The atmospheric oxidation mechanism and kinetics of 1,3,5-trimethylbenzene initiated by OH radicals-a theoretical study. *New Journal of Chemistry*, 41(18), 10259–10271. <https://doi.org/10.1039/c7nj01285c>
- Porter, A. W., & Young, L. Y. (2013). The bamA gene for anaerobic ring fission is widely distributed in the environment. *Frontiers in Microbiology*, 4(OCT). <https://doi.org/10.3389/fmicb.2013.00302>
- Posada-Baquero, R., Jiménez-Volkerink, S. N., García, J. L., Vila, J., Cantos, M., Grifoll, M., & Ortega-Calvo, J. J. (2020). Rhizosphere-enhanced biosurfactant action on slowly desorbing PAHs in contaminated soil. *Science of the Total Environment*, 720. <https://doi.org/10.1016/j.scitotenv.2020.137608>
- Providenti, M. A., Lee, H., & Trevors, J. T. (1993). Selected factors limiting the microbial degradation of recalcitrant compounds. *Journal of Industrial Microbiology*, 12(6), 379–395. <https://doi.org/10.1007/BF01569669>
- Rachbauer, L., Beyer, R., Bochmann, G., & Fuchs, W. (2017). Characteristics of adapted hydrogenotrophic community during biomethanation. *Science of the Total Environment*, 595, 912–919. <https://doi.org/10.1016/j.scitotenv.2017.03.074>
- Rahmeh, R., Akbar, A., Kumar, V., Al-Mansour, H., Kishk, M., Ahmed, N., Al-Shamali, M., Boota, A., Al-Ballam, Z., Shajan, A., & Al-Okla, N. (2021). Insights into Bacterial Community Involved in Bioremediation of Aged Oil-Contaminated Soil in Arid Environment. *Evolutionary Bioinformatics*, 17. <https://doi.org/10.1177/11769343211016887>
- Rajani, A., Kusnadi, Santosa, A., Saepudin, A., Gobikrishnan, S., & Andriani, D.

- (2019). Review on biogas from palm oil mill effluent (POME): Challenges and opportunities in Indonesia. *IOP Conference Series: Earth and Environmental Science*, 293(1). <https://doi.org/10.1088/1755-1315/293/1/012004>
- Ramette, A. (2007). Multivariate analyses in microbial ecology. *FEMS Microbiology Ecology*, 62(2), 142–160. <https://doi.org/10.1111/j.1574-6941.2007.00375.x>
- Rolando, L., Vila, J., Baquero, R. P., Castilla-Alcantara, J. C., Barra Caracciolo, A., & Ortega-Calvo, J. J. (2020). Impact of bacterial motility on biosorption and cometabolism of pyrene in a porous medium. *Science of the Total Environment*, 717. <https://doi.org/10.1016/j.scitotenv.2020.137210>
- Röling, W. F. M., Ortega-Lucach, S., Larter, S. R., & Head, I. M. (2006). Acidophilic microbial communities associated with a natural, biodegraded hydrocarbon seepage. *Journal of Applied Microbiology*, 101(2), 290–299. <https://doi.org/10.1111/j.1365-2672.2006.02926.x>
- Sait, M., Davis, K. E. R., & Janssen, P. H. (2006). Effect of pH on isolation and distribution of members of subdivision 1 of the phylum Acidobacteria occurring in soil. *Applied and Environmental Microbiology*, 72(3), 1852–1857. <https://doi.org/10.1128/AEM.72.3.1852-1857.2006>
- Salleh, A. B., Ghazali, F. M., Abd Rahman, R. N. Z., & Basri, M. (2003). Bioremediation of Petroleum Hydrocarbon Pollution. *Indian Journal of Biotechnology*, 2(3), 411–425.
- Sambanthamurthi, R., Sundram, K., & Tan, Y. A. (2000). Chemistry and biochemistry of palm oil. *Progress in Lipid Research*, 39(6), 507–558. [https://doi.org/10.1016/S0163-7827\(00\)00015-1](https://doi.org/10.1016/S0163-7827(00)00015-1)
- Sampaio, D. S., Almeida, J. R. B., de Jesus, H. E., Rosado, A. S., Seldin, L., & Jurelevicius, D. (2017). Distribution of Anaerobic Hydrocarbon-Degrading Bacteria in Soils from King George Island, Maritime Antarctica. *Microbial Ecology*, 74(4), 810–820. <https://doi.org/10.1007/s00248-017-0973-3>
- Sayed, K., Baloo, L., Kutty, S. R. B. M., Al Madhoun, W., Kankia, M. U., Jagaba, A. H., & Singa, P. K. (2022). Optimization of palm oil mill effluent final discharge as biostimulant for biodegradation of tapis light crude petroleum oil in seawater. *Journal of Sea Research*, 188. <https://doi.org/10.1016/j.seares.2022.102268>
- Schmidt, O., Hink, L., Horn, M. A., & Drake, H. L. (2016). Peat: Home to novel syntrophic species that feed acetate- and hydrogen-scavenging methanogens. *ISME Journal*, 10(8), 1954–1966. <https://doi.org/10.1038/ismej.2015.256>
- Schwab, A. P., Su, J., Wetzell, S., Pekarek, S., & Banks, M. K. (1999). Extraction of petroleum hydrocarbons from soil by mechanical shaking. *Environmental Science and Technology*, 33(11), 1940–1945. <https://doi.org/10.1021/es9809758>
- Seo, J. S., Keum, Y. S., & Li, Q. X. (2009). Bacterial degradation of aromatic compounds. *International Journal of Environmental Research and Public Health*, 6(1), 278–309. <https://doi.org/10.3390/ijerph6010278>
- Sibarani, F. (2021). *SKK Migas Diduga Penyebab 7 Jutaan Metrik Ton Limbah B3 PT Chevron Menjadi Ancaman.*

[https://www.aktualdetik.com/berita/4534/skk-migas-diduga-penyebab-7-jutaan-metrik-ton-limbah-b3-pt-chevron-menjadi-ancaman.html#google\\_vignette](https://www.aktualdetik.com/berita/4534/skk-migas-diduga-penyebab-7-jutaan-metrik-ton-limbah-b3-pt-chevron-menjadi-ancaman.html#google_vignette)

- Sirait, M., Rahmatia, F., & Pattullo, P. (2018). KOMPARASI INDEKS KEANEKARAGAMAN DAN INDEKS DOMINANSI FITOPLANKTON DI SUNGAI CILIWUNG JAKARTA (Comparison Of Diversity Index And Dominant Index of Phytoplankton At Ciliwung River Jakarta). *Jurnal Kelautan: Indonesian Journal of Marine Science and Technology*, 11(1), 75. <https://doi.org/10.21107/jk.v11i1.3338>
- Sizova, M. V., Panikov, N. S., Spiridonova, E. M., Slobodova, N. V., & Tourova, T. P. (2007). Novel facultative anaerobic acidotolerant *Telmatospirillum siberiense* gen. nov. sp. nov. isolated from mesotrophic fen. *Systematic and Applied Microbiology*, 30(3), 213–220. <https://doi.org/10.1016/j.syapm.2006.06.003>
- Soman, C., Li, D., Wander, M. M., & Kent, A. D. (2017). Long-term fertilizer and crop-rotation treatments differentially affect soil bacterial community structure. *Plant and Soil*, 413(1–2), 145–159. <https://doi.org/10.1007/s11104-016-3083-y>
- Somee, M. R., Amoozegar, M. A., Dastgheib, S. M. M., Shavandi, M., Maman, L. G., Bertilsson, S., & Mehrshad, M. (2022). Genome-resolved analyses show an extensive diversification in key aerobic hydrocarbon-degrading enzymes across bacteria and archaea. *BMC Genomics*, 23(1). <https://doi.org/10.1186/s12864-022-08906-w>
- Song, X., Xu, Y., Li, G., Zhang, Y., Huang, T., & Hu, Z. (2011). Isolation, characterization of *Rhodococcus* sp. P14 capable of degrading high-molecular-weight polycyclic aromatic hydrocarbons and aliphatic hydrocarbons. *Marine Pollution Bulletin*, 62(10), 2122–2128. <https://doi.org/10.1016/j.marpolbul.2011.07.013>
- Stroud, J. L., Paton, G. I., & Semple, K. T. (2007). Microbe-aliphatic hydrocarbon interactions in soil: Implications for biodegradation and bioremediation. *Journal of Applied Microbiology*, 102(5), 1239–1253. <https://doi.org/10.1111/j.1365-2672.2007.03401.x>
- Sudiana, I. M., Idris, I., Napitupulu, T. P., Ikhwan, A. Z. N., Sumerta, I. N., Sugiharto, A., Sulistiyani, T. R., Masrukhin, Meliah, S., Kanti, A., Purbani, D. C., Noerdjito, D. R., & Suyadi. (2022). Diversity of hydrocarbon-degrading bacteria in Pulau Pari and their potential roles for bioremediation. *IOP Conference Series: Earth and Environmental Science*, 950(1). <https://doi.org/10.1088/1755-1315/950/1/012013>
- Tikariha, H., & Purohit, H. J. (2019). Assembling a genome for novel nitrogen-fixing bacteria with capabilities for utilization of aromatic hydrocarbons. *Genomics*, 111(6), 1824–1830. <https://doi.org/10.1016/j.ygeno.2018.12.005>
- Truskewycz, A., Gundry, T. D., Khudur, L. S., Kolobaric, A., Taha, M., Aburto-Medina, A., Ball, A. S., & Shahsavari, E. (2019). Petroleum hydrocarbon contamination in terrestrial ecosystems—fate and microbial responses. *Molecules*, 24(18). <https://doi.org/10.3390/molecules24183400>
- Vaishnav, H. B., & Singh, A. (2022). *New and Future Development in Microbial*

*Biotechnologies and Engineering*. Elsevier.

- Van Hamme, J. D., Singh, A., & Ward, O. P. (2003). Recent Advances in Petroleum Microbiology. *Microbiology and Molecular Biology Reviews*, 67(4), 503–549. <https://doi.org/10.1128/mmbr.67.4.503-549.2003>
- Van Metre, P. C., Majewski, M. S., Mahler, B. J., Foreman, W. T., Braun, C. L., Wilson, J. T., & Burbank, T. L. (2012). Volatilization of polycyclic aromatic hydrocarbons from coal-tar-sealed pavement. *Chemosphere*, 88(1), 1–7. <https://doi.org/10.1016/j.chemosphere.2011.12.072>
- Varjani, S., Upasani, V. N., & Pandey, A. (2020). Bioremediation of oily sludge polluted soil employing a novel strain of *Pseudomonas aeruginosa* and phytotoxicity of petroleum hydrocarbons for seed germination. *Science of the Total Environment*, 737. <https://doi.org/10.1016/j.scitotenv.2020.139766>
- Wang, M., Garrido-Sanz, D., Sansegundo-Lobato, P., Redondo-Nieto, M., Conlon, R., Martin, M., Mali, R., Liu, X., Dowling, D. N., Rivilla, R., & Germaine, K. J. (2021). Soil Microbiome Structure and Function in Ecopiles Used to Remediate Petroleum-Contaminated Soil. *Frontiers in Environmental Science*, 9. <https://doi.org/10.3389/fenvs.2021.624070>
- Widana, I. (2017). *Sudah Bertahun-tahun Limbah Minyak PT Chevron Cemari Kebun Sawit Warga di Duri*. <https://www.goriau.com/berita/baca/sudah-bertahun-tahun-limbah-minyak-pt-chevron-cemari-kebun-sawit-warga-di-duri.html>
- Widiastuti, L., Y, S., Adi, J., & Yetrie, L. (2020). Identification of Nutrients Content from Palm Oil Wastewater. *TEST ENGINEERING AND MANAGEMENT*, 83(May-June 2020), 23819 – 23831.
- Xu, R., Yang, Z. H., Zheng, Y., Liu, J. B., Xiong, W. P., Zhang, Y. R., Lu, Y., Xue, W. J., & Fan, C. Z. (2018). Organic loading rate and hydraulic retention time shape distinct ecological networks of anaerobic digestion related microbiome. *Bioresource Technology*, 262, 184–193. <https://doi.org/10.1016/j.biortech.2018.04.083>
- Xu, X., Liu, W., Tian, S., Wang, W., Qi, Q., Jiang, P., Gao, X., Li, F., Li, H., & Yu, H. (2018). Petroleum Hydrocarbon-Degrading Bacteria for the Remediation of Oil Pollution Under Aerobic Conditions: A Perspective Analysis. *Frontiers in Microbiology*, 9. <https://doi.org/10.3389/fmicb.2018.02885>
- Yang, Y., Li, G., Min, K., Liu, T., Li, C., Xu, J., Hu, F., & Li, H. (2022). The potential role of fertilizer-derived exogenous bacteria on soil bacterial community assemblage and network formation. *Chemosphere*, 287. <https://doi.org/10.1016/j.chemosphere.2021.132338>
- Yoochatchaval, W., Kumakura, S., Tanikawa, D., Yamaguchi, T., Yunus, M. F. M., Chen, S. S., Kubota, K., Harada, H., & Syutsubo, K. (2011). Anaerobic degradation of palm oil mill effluent (POME). *Water Science and Technology*, 64(10), 2001–2008. <https://doi.org/10.2166/wst.2011.782>
- Zhao, H., Wang, S., chenggang, L., Tang, Y., & Pan, Y. (2024). Theoretical study on degradation of polymethyl substituted benzenes by OH radicals in the atmosphere. *Chemosphere*, 352. <https://doi.org/10.1016/j.chemosphere.2024.141243>