

DAFTAR PUSTAKA

- 138354-ID-none.pdf. (n.d.).
- Abbasi, M. K., Hina, M., & Tahir, M. M. (2011). Effect of *Azadirachta indica* (neem), sodium thiosulphate and calcium chloride on changes in nitrogen transformations and inhibition of nitrification in soil incubated under laboratory conditions. *Chemosphere*, 82(11), 1629–1635. <https://doi.org/10.1016/j.chemosphere.2010.11.044>
- Abeka, H., Lawson, I. Y. D., Nartey, E., Adjadeh, T., Asuming-Brempong, S., Bindraban, P., & Atakora, W. K. (2022). Effectiveness of neem materials and biochar as nitrification inhibitors in reducing nitrate leaching in a compost-amended Ferric Luvisol. *Frontiers in Soil Science*, 2(November), 1–13. <https://doi.org/10.3389/fsoil.2022.1023743>
- Adviany, I., & Maulana, D. D. (2019). Pengaruh Pupuk Organik dan Jarak Tanam terhadap C-Organik, Populasi Jamur Tanah dan Bobot Kering Akar serta Hasil Padi Sawah pada Inceptisols Jatinangor, Sumedang. *Agrotechnology Research Journal*, 3(1), 28. <https://doi.org/10.20961/agrotechresj.v3i1.30382>
- Agegnehu, G., Bass, A. M., Nelson, P. N., & Bird, M. I. (2016). Benefits of biochar, compost and biochar-compost for soil quality, maize yield and greenhouse gas emissions in a tropical agricultural soil. *Science of the Total Environment*, 543, 295–306. <https://doi.org/10.1016/j.scitotenv.2015.11.054>
- Agroekoteknologi, P. S., Pertanian, F., & Udayana, U. (2019). *Dinamika Amonium dan Nitrat Lahan Sawah Latosol pada Budidaya Konvensional Padi Lokal dan Hibrida di Subak Jatiluwih Ammonium Dynamics and Latosol Wetland Nitrates in Conventional*. 9(2), 135–145.
- Alim, N., Simarmata, Marulaman, M., Gunawan, B., Purba, T., Herawati, Jajuk, J., Firgiyanto, R., & Inayah, Nur, A. (2022). Pengelolaan Lahan Kering. In *Pengelolaan Lahan Kering*. <https://books.google.com/books?hl=en&lr=&id=66JvEAAAQBAJ&oi=fnd&pg=PA1&dq=produktivitas+tebu+tanah+inceptisol+dan+entisol&ots=mr2pEXnWza&sig=BA0pGRaW2xIrTJhUHELdcCX-zqk>
- Aprile, F., & Lorandi, R. (2012). Evaluation of Cation Exchange Capacity (CEC) in Tropical Soils Using Four Different Analytical Methods. *Journal of Agricultural Science*, 4(6). <https://doi.org/10.5539/jas.v4n6p278>
- Babalola, T. E., Adabembe, B. A., & Faloye, O. T. (2022). Water use - yield relationship of maize as influenced by biochar and inorganic fertilizer applications in a tropical sandy clay loam soil. *Agricultural Water Management*, 271(June), 107801. <https://doi.org/10.1016/j.agwat.2022.107801>
- Bandosz, T. J. (2006). Chapter 5 Desulfurization on activated carbons. *Interface Science and Technology*, 7(C), 231–292. [https://doi.org/10.1016/S1573-4285\(06\)80014-1](https://doi.org/10.1016/S1573-4285(06)80014-1)
- Beeckman, F., Motte, H., & Beeckman, T. (2018). Nitrification in agricultural soils: impact, actors and mitigation. *Current Opinion in Biotechnology*, 50, 166–173. <https://doi.org/10.1016/j.copbio.2018.01.014>

- Biederman, L. A., & Stanley Harpole, W. (2013). Biochar and its effects on plant productivity and nutrient cycling: A meta-analysis. *GCB Bioenergy*, 5(2), 202–214. <https://doi.org/10.1111/gcbb.12037>
- Book Review. (2002). *Transactions of the American Fisheries Society*, 131(3), 589–589. [https://doi.org/10.1577/1548-8659\(2002\)131<0589:>2.0.co;2](https://doi.org/10.1577/1548-8659(2002)131<0589:>2.0.co;2)
- BORZOUEI, A., MANDER, U., TEEMUSK, A., SANZ-COBENA, A., ZAMAN, M., KIM, D. G., MULLER, C., KELESTANIE, A. A., AMIN, P. S., MOGHISEH, E., DAWAR, K., & PÉREZ-CASTILLO, A. G. (2021). Effects of the nitrification inhibitor nitrapyrin and tillage practices on yield-scaled nitrous oxide emission from a maize field in Iran. *Pedosphere*, 31(2), 314–322. [https://doi.org/10.1016/S1002-0160\(20\)60067-4](https://doi.org/10.1016/S1002-0160(20)60067-4)
- BPSI Tanah dan Pupuk. (2023). Analisis Kimia Tanah, Tanaman, Air, Dan Pupuk. In *Petunjuk Teknis Edisi*. <https://tanahpupuk.bsip.pertanian.go.id>
- BPT. (2009). *Analisa Tanah, Tanaman, Air dan Pupuk*. Balai Penelitian Tanah. http://www.ghbook.ir/index.php?name=فرهنگ و رسانه های نوین&option=com_dbook&task=readonline&book_id=13650&page=73&chckhashk=ED9C9491B4&Itemid=218&lang=fa&tmpl=component
- Brown, P. D., & Morra, M. J. (2009). BRassicaceae Tissues as Inhibitors of Nitrification in Soil. *Journal of Agricultural and Food Chemistry*, 57(17), 7706–7711. <https://doi.org/10.1021/jf901516h>
- Byrne, M. P., Tobin, J. T., Forrestal, P. J., Danaher, M., Nkwonta, C. G., Richards, K., Cummins, E., Hogan, S. A., & O’Callaghan, T. F. (2020). Urease and nitrification inhibitors-As mitigation tools for greenhouse gas emissions in sustainable dairy systems: A review. *Sustainability (Switzerland)*, 12(15), 1–35. <https://doi.org/10.3390/su12156018>
- Cooper, A. B. (1986). *Suppression of nitrate formation within an exotic conifer plantation Introduction The supply of available nitrogen can limit the primary productivity of both terrestrial and aquatic ecosystems . Minimizing transfer of the mobile nitrate form of nitrogen f. 4*, 383–394.
- Cui, L., Li, D., Wu, Z., Xue, Y., Xiao, F., Gong, P., Zhang, L., Song, Y., Yu, C., Du, Y., Li, Y., & Zheng, Y. (2022). Effects of combined nitrification inhibitors on soil nitrification, maize yield and nitrogen use efficiency in three agricultural soils. *PLoS ONE*, 17(8 August), 1–16. <https://doi.org/10.1371/journal.pone.0272935>
- Dianti, Y. (2017). 濟無No Title No Title No Title. *Angewandte Chemie International Edition*, 6(11), 951–952., 6(2), 5–24. [http://repo.iain-tulungagung.ac.id/5510/5/BAB 2.pdf](http://repo.iain-tulungagung.ac.id/5510/5/BAB%202.pdf)
- Domingues, R. R., Sánchez-Monedero, M. A., Spokas, K. A., Melo, L. C. A., Trugilho, P. F., Valenciano, M. N., & Silva, C. A. (2020). Enhancing cation exchange capacity of weathered soils using biochar: Feedstock, pyrolysis conditions and addition rate. *Agronomy*, 10(6), 1–17. <https://doi.org/10.3390/agronomy10060824>
- Duaja, W. (2012). Pengaruh Pupuk Urea, Pupuk Organik Padat dan Cair Kotoran Ayam Terhadap Sifat Tanah, Pertumbuhan dan Hasil Selada Keriting di Tanah Inceptisol. *Bioplantae*, 1(4), 236–246. <https://journal.unpak.ac.id/index.php/ekologia/article/view/1627/1337>

- Edwards, J. D., Pittelkow, C. M., Kent, A. D., & Yang, W. H. (2018). Dynamic biochar effects on soil nitrous oxide emissions and underlying microbial processes during the maize growing season. *Soil Biology and Biochemistry*, 122(March), 81–90. <https://doi.org/10.1016/j.soilbio.2018.04.008>
- Egenolf, K., Conrad, J., Schöne, J., Braunberger, C., Beifuß, U., Walker, F., Nuñez, J., Arango, J., Karwat, H., Cadisch, G., Neumann, G., & Rasche, F. (2020). Brachialactone isomers and derivatives of *Brachiaria humidicola* reveal contrasting nitrification inhibiting activity. *Plant Physiology and Biochemistry*, 154(June), 491–497. <https://doi.org/10.1016/j.plaphy.2020.06.004>
- Enders, A., Hanley, K., Whitman, T., Joseph, S., & Lehmann, J. (2012). Characterization of biochars to evaluate recalcitrance and agronomic performance. *Bioresource Technology*, 114, 644–653. <https://doi.org/10.1016/j.biortech.2012.03.022>
- Evans, B., Joas, M., Sundback, S., & Theobald, K. (2005). *Contact author : 244(123)*, 1–19.
- Farhangi-Abriz, S., Torabian, S., Qin, R., Noulas, C., Lu, Y., & Gao, S. (2021). Biochar effects on yield of cereal and legume crops using meta-analysis. *Science of the Total Environment*, 775, 145869. <https://doi.org/10.1016/j.scitotenv.2021.145869>
- FITRIATIN, B. N. (2021). Serapan nitrogen dan fosfor serta hasil jagung yang dipengaruhi oleh teknik aplikasi pupuk hayati pada Inceptisols. *Kultivasi*, 20(3). <https://doi.org/10.24198/kultivasi.v20i3.34107>
- Follett, R. F., & Hatfield, J. L. (2001). Nitrogen in the environment: sources, problems, and management. *TheScientificWorldJournal*, 1 Suppl 2, 920–926. <https://doi.org/10.1100/tsw.2001.269>
- Food and Agriculture Organization of the United Nations. (2014). World Reference Base for Soil Resources 2014. In *World Soil Resources Reports No. 106*.
- Freeman, D., Wiltshire, J., Jenkins, B., & Energy, R. (2020). *Evidence review of the efficacy of nitrification and urease inhibitors*. 1–40.
- Gentry, T. J., Fuhrmann, J. J., & Zuberer, D. A. (2021). Principles and Applications of Soil Microbiology, Third Edition. *Principles and Applications of Soil Microbiology, Third Edition, January*, 1–723. <https://doi.org/10.1016/C2018-0-05260-3>
- Glaser, B., Wiedner, K., Seelig, S., Schmidt, H. P., & Gerber, H. (2015). Biochar organic fertilizers from natural resources as substitute for mineral fertilizers. *Agronomy for Sustainable Development*, 35(2), 667–678. <https://doi.org/10.1007/s13593-014-0251-4>
- Gong, X., Huang, D., Liu, Y., Zeng, G., Wang, R., Wei, J., Huang, C., Xu, P., Wan, J., & Zhang, C. (2018). Pyrolysis and reutilization of plant residues after phytoremediation of heavy metals contaminated sediments: For heavy metals stabilization and dye adsorption. *Bioresource Technology*, 253(November 2017), 64–71. <https://doi.org/10.1016/j.biortech.2018.01.018>
- González, B., & Manyà, J. J. (2020). Activated olive mill waste-based hydrochars as selective adsorbents for CO₂ capture under postcombustion conditions.

- Chemical Engineering and Processing - Process Intensification*, 149(September 2019), 107830. <https://doi.org/10.1016/j.cep.2020.107830>
- Hadisudarmo, P., & Supriyadi, S. (2014). *Biologi Tanah*. Pohon Cahaya.
- Hanafiah, K. A. (2012). *Dasar-Dasar Ilmu Tanah* (5th ed.). RajaGrafindo Persada.
- Haris, M., Hamid, Y., Usman, M., Wang, L., Saleem, A., Su, F., Guo, J. K., & Li, Y. (2021). Crop-residues derived biochar: Synthesis, properties, characterization and application for the removal of trace elements in soils. *Journal of Hazardous Materials*, 416(May), 126212. <https://doi.org/10.1016/j.jhazmat.2021.126212>
- Hayati, N. (2006). J. Agroland 13 (3) : 256 - 259, September 2006 ISSN : 0854 – 641X PERTUMBUHAN DAN HASIL JAGUNG MANIS PADA BERBAGAI WAKTU APLIKASI BOKASHI LIMBAH KULIT BUAH KAKAO DAN PUPUK ANORGANIK. *Journal of Agroland*, 13(3). [https://doi.org/10.1175/1520-0450\(1993\)032<1521:PBLMOT>2.0.CO;2](https://doi.org/10.1175/1520-0450(1993)032<1521:PBLMOT>2.0.CO;2)
- He, T., Yuan, J., Luo, J., Lindsey, S., Xiang, J., Lin, Y., Liu, D., Chen, Z., & Ding, W. (2020). Combined application of biochar with urease and nitrification inhibitors have synergistic effects on mitigating CH₄ emissions in rice field: A three-year study. *Science of the Total Environment*, 743, 140500. <https://doi.org/10.1016/j.scitotenv.2020.140500>
- Herlambang Susila, B. A. P. Y. G. M. W. A. W. (2020). Penggunaan bahan organik dan biochar menuju good agricultural practices. *Prosiding Seminar Nasional*, 400–409.
- Hua, L., Wu, W., Liu, Y., McBride, M. B., & Chen, Y. (2009). Reduction of nitrogen loss and Cu and Zn mobility during sludge composting with bamboo charcoal amendment. *Environmental Science and Pollution Research*, 16(1), 1–9. <https://doi.org/10.1007/s11356-008-0041-0>
- Integrated Taxonomic Information System. (2023). *Zea mays*. https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=42269#null
- Jamil, A., Abdulrachman, S., & Syam, M. (2014). Dinamika Anjuran Dosis Pemupukan N, P, dan K pada Padi Sawah. *IPTEK Tanaman Pangan*, 9(2), 63–77.
- Jeffery, S., Verheijen, F. G. A., van der Velde, M., & Bastos, A. C. (2011). A quantitative review of the effects of biochar application to soils on crop productivity using meta-analysis. *Agriculture, Ecosystems and Environment*, 144(1), 175–187. <https://doi.org/10.1016/j.agee.2011.08.015>
- Keshavarz Afshar, R., Lin, R., Mohammed, Y. A., & Chen, C. (2018). Agronomic effects of urease and nitrification inhibitors on ammonia volatilization and nitrogen utilization in a dryland farming system: Field and laboratory investigation. *Journal of Cleaner Production*, 172, 4130–4139. <https://doi.org/10.1016/j.jclepro.2017.01.105>
- Khadem, A., & Raiesi, F. (2017). Responses of microbial performance and community to corn biochar in calcareous sandy and clayey soils. *Applied Soil Ecology*, 114, 16–27. <https://doi.org/10.1016/j.apsoil.2017.02.018>
- Khadem, A., & Raiesi, F. (2019). Response of soil alkaline phosphatase to biochar

- amendments: Changes in kinetic and thermodynamic characteristics. *Geoderma*, 337(March 2018), 44–54.
<https://doi.org/10.1016/j.geoderma.2018.09.001>
- Killa, Y. M., Maranda, A. P., & Hana, M. R. (2023). Efektivitas Pestisida Nabati Ekstrak Daun Mimba (*Azadirachta Indica*) Dan Srikaya (*Annona Squamosa* Linn) Untuk Mengendalikan Hama Belalang Kembara (*Locusta Migratoria Minilensis* Mayen). *Agro Wiralodra*, 6(1), 9–13.
<https://doi.org/10.31943/agrowiralodra.v6i1.83>
- Kohli, R., Singh, H. P., & Batish, D. R. (2008). Allelopathic potential in rice germplasm against ducksalad, redstem and barnyard grass. *Journal of Crop Protection*, 4(2), 287–301. <https://doi.org/10.1300/J144v04n02>
- Kolton, M., Harel, Y. M., Pasternak, Z., Graber, E. R., Elad, Y., & Cytryn, E. (2011). Impact of biochar application to soil on the root-associated bacterial community structure of fully developed greenhouse pepper plants. *Applied and Environmental Microbiology*, 77(14), 4924–4930.
<https://doi.org/10.1128/AEM.00148-11>
- Krishnapillai, S. (1979). Inhibition of nitrification by waste tea ('Tea Fluff'). *Plant and Soil*, 51(4), 563–569. <https://doi.org/10.1007/BF02277576>
- Kunci Taksonomi Tanah Kunci Taksonomi Tanah*. (2016).
- Lahan, A., Tenggara, S., Frutescens, C., Kelompok, R. A., & Kunci, K. (2022). *p-ISSN 2089-9858 e-ISSN 2502-3314*. 10(April), 85–95.
- Lan, T., Li, M., Han, Y., Deng, O., Tang, X., Luo, L., Zeng, J., Chen, G., Yuan, S., Wang, C., & Gao, X. (2020). How are annual CH₄, N₂O, and NO emissions from rice–wheat system affected by nitrogen fertilizer rate and type? *Applied Soil Ecology*, 150(August 2019), 103469.
<https://doi.org/10.1016/j.apsoil.2019.103469>
- Lehmann, J., & Joseph, S. (2024). Biochar for environmental management. In *Biochar for Environmental Management*.
<https://doi.org/10.4324/9781003297673-1>
- Lehninger, A. L. (1982). *Dasar-Dasar Biokimia Jilid 2* (M. (alih bahasa) Thenawijaya (Ed.)). Erlangga.
- Li, C., Zhao, C., Zhao, X., Wang, Y., Lv, X., Zhu, X., & Song, X. (2023). Beneficial Effects of Biochar Application with Nitrogen Fertilizer on Soil Nitrogen Retention, Absorption and Utilization in Maize Production. *Agronomy*, 13(1). <https://doi.org/10.3390/agronomy13010113>
- Li, J., Michalkiewicz, B., Min, J., Ma, C., Chen, X., Gong, J., Mijowska, E., & Tang, T. (2019). Selective preparation of biomass-derived porous carbon with controllable pore sizes toward highly efficient CO₂ capture. *Chemical Engineering Journal*, 360(November 2018), 250–259.
<https://doi.org/10.1016/j.cej.2018.11.204>
- Lian, F., & Xing, B. (2017). Black Carbon (Biochar) in Water/Soil Environments: Molecular Structure, Sorption, Stability, and Potential Risk. In *Environmental Science and Technology* (Vol. 51, Issue 23).
<https://doi.org/10.1021/acs.est.7b02528>
- Liu, J., Jiang, B., Shen, J., Zhu, X., Yi, W., Li, Y., & Wu, J. (2021). Contrasting effects of straw and straw-derived biochar applications on soil carbon

- accumulation and nitrogen use efficiency in double-rice cropping systems. *Agriculture, Ecosystems and Environment*, 311(644), 107286. <https://doi.org/10.1016/j.agee.2020.107286>
- Lu, Y., Zhang, X., Ma, M., Zu, W., Kronzucker, H. J., & Shi, W. (2022). Syringic acid from rice as a biological nitrification and urease inhibitor and its synergism with 1,9-decanediol. *Biology and Fertility of Soils*, 58(3), 277–289. <https://doi.org/10.1007/s00374-021-01584-y>
- Lugo, A. E. (1990). Tropical secondary forests. *Journal of Tropical Ecology*, 6(1), 1–32. <https://doi.org/10.1017/S0266467400003989>
- Marvelia, A., Darmanti, S., & Parman, S. (2006). Produksi Tanaman Jagung Manis (*Zea Mays* L. Saccharata) yang Diperlakukan dengan Kompos Kascing dengan Dosis yang Berbeda. *Buletin Anatomi Dan Fisiologi*, 14(2), 7–18.
- Meena, H. M., Sachdev, M. S., Manjaiah, K. M., & Dotaniya, M. L. (2014). Nitrification inhibition potential of *Brachiaria humidicola*. *National Academy Science Letters*, 37(2), 113–116. <https://doi.org/10.1007/s40009-013-0216-1>
- Mehmood, I., Qiao, L., Chen, H., Tang, Q., Woolf, D., & Fan, M. (2020). Biochar addition leads to more soil organic carbon sequestration under a maize-rice cropping system than continuous flooded rice. *Agriculture, Ecosystems and Environment*, 298(September 2019), 106965. <https://doi.org/10.1016/j.agee.2020.106965>
- Meister, R., Rajani, M. S., Ruzicka, D., & Schachtman, D. P. (2014). Challenges of modifying root traits in crops for agriculture. *Trends in Plant Science*, 19(12), 779–788. <https://doi.org/10.1016/j.tplants.2014.08.005>
- Méndez-Bautista, J., Fernández-Luqueño, F., López-Valdez, F., Mendoza-Cristino, R., Montes-Molina, J. A., Gutierrez-Miceli, F. A., & Dendooven, L. (2010). Effect of pest controlling neem and mata-raton leaf extracts on greenhouse gas emissions from urea-amended soil cultivated with beans: A greenhouse experiment. *Science of the Total Environment*, 408(21), 4961–4968. <https://doi.org/10.1016/j.scitotenv.2010.07.024>
- Mensah, A. K., & Frimpong, K. A. (2018). Biochar and/or Compost Applications Improve Soil Properties, Growth, and Yield of Maize Grown in Acidic Rainforest and Coastal Savannah Soils in Ghana. *International Journal of Agronomy*, 2018. <https://doi.org/10.1155/2018/6837404>
- Mohanty, S., Nayak, A. K., Bhaduri, D., Swain, C. K., Kumar, A., Tripathi, R., Shahid, M., Behera, K. K., & Pathak, H. (2021). Real-time application of neem-coated urea for enhancing N-use efficiency and minimizing the yield gap between aerobic direct-seeded and puddled transplanted rice. *Field Crops Research*, 264(February 2020), 108072. <https://doi.org/10.1016/j.fcr.2021.108072>
- Mohanty, S., Patra, A. K., & Chhonkar, P. K. (2008). Neem (*Azadirachta indica*) seed kernel powder retards urease and nitrification activities in different soils at contrasting moisture and temperature regimes. *Bioresource Technology*, 99(4), 894–899. <https://doi.org/10.1016/j.biortech.2007.01.006>
- Muhtar, D. F., Sinyo, Y., & Ahmad, H. (2017). Pemanfaatan tumbuhan bambu oleh masyarakat di Kecamatan Oba Utara Kota Tidore Kepulauan. *Jurnal*

- Sintifik MIPA*, 1(1), 38–44.
<https://ejournal.unkhair.ac.id/index.php/Saintifik/article/view/335/255>
- Nafziger, E. D. (2016). Maize Agronomy. In *Reference Module in Food Science* (2nd ed.). Elsevier Ltd. <https://doi.org/10.1016/b978-0-08-100596-5.00241-9>
- Nair, A., & Lawson, V. (2013). Effect of Biochar on Sweet Corn Production. *Agricultural Science Commons*, August, 1–10.
- Nguyen, B. T., Lehmann, J., Hockaday, W. C., Joseph, S., & Masiello, C. A. (2010). Temperature sensitivity of black carbon decomposition and oxidation. *Environmental Science and Technology*, 44(9), 3324–3331. <https://doi.org/10.1021/es903016y>
- Nguyen, B. T., Trinh, N. N., Le, C. M. T., Nguyen, T. T., Tran, T. Van, Thai, B. V., & Le, T. Van. (2018). The interactive effects of biochar and cow manure on rice growth and selected properties of salt-affected soil. *Archives of Agronomy and Soil Science*, 64(12), 1744–1758. <https://doi.org/10.1080/03650340.2018.1455186>
- Nio Song, A. (2012). Evolusi Fotosintesis pada Tumbuhan. *Jurnal Ilmiah Sains*, 12(1), 28. <https://doi.org/10.35799/jis.12.1.2012.398>
- Noriko, N. (2013). Potensi Daun Teh (*Camellia sinensis*) dan Daun Anting-anting *Acalypha indica* L. dalam Menghambat Pertumbuhan *Salmonella typhi*. *JURNAL AL-AZHAR INDONESIA SERI SAINS DAN TEKNOLOGI*, 2(2), 104. <https://doi.org/10.36722/sst.v2i2.131>
- Nurkholis, N., Herlina, N., & Nurlaila, A. (2021). Identifikasi Jenis Dan Pemanfaatan Bambu Di Hutan Gunung Tilu Blok Banjaran Kabupaten Kuningan. *Wanaraksa*, 11(2). <https://doi.org/10.25134/wanaraksa.v11i2.4411>
- Oades, J.M., G.. Gillman, g. Uehara, N.V. Hue, M. Van Noordwijk, G.P. Robertson, and K. W. (1989). Oades, J.M., G.. Gillman, g. Uehara, N.V. Hue, M. Van Noordwijk, G.P. Robertson, and K. Wada. 1989. Pages 69-95. *Dynamics of Soil Organic Matter in Tropical Ecosystems*, 69–95.
- Of, M., Status, P., Lowland, O., Soil, P., Balinggi, I., District, S., Regency, P. M., & Province, C. S. (2016). *Pemetaan Status Hara Kalium Pada Tanah Sawah Di*. 4(1), 43–49.
- Oguntunde, P. G., Abiodun, B. J., Ajayi, A. E., & Van De Giesen, N. (2008). Effects of charcoal production on soil physical properties in Ghana. *Journal of Plant Nutrition and Soil Science*, 171(4), 591–596. <https://doi.org/10.1002/jpln.200625185>
- Oorts, K., Vanlauwe, B., & Merckx, R. (2003). Cation exchange capacities of soil organic matter fractions in a Ferric Lixisol with different organic matter inputs. *Agriculture, Ecosystems and Environment*, 100(2–3), 161–171. [https://doi.org/10.1016/S0167-8809\(03\)00190-7](https://doi.org/10.1016/S0167-8809(03)00190-7)
- Pan, S. Y., Dong, C. Di, Su, J. F., Wang, P. Y., Chen, C. W., Chang, J. S., Kim, H., Huang, C. P., & Hung, C. M. (2021). The role of biochar in regulating the carbon, phosphorus, and nitrogen cycles exemplified by soil systems. *Sustainability (Switzerland)*, 13(10), 1–34. <https://doi.org/10.3390/su13105612>
- Pascoli, M., Jacques, M. T., Agarrayua, D. A., Avila, D. S., Lima, R., & Fraceto,

- L. F. (2019). Neem oil based nanopesticide as an environmentally-friendly formulation for applications in sustainable agriculture: An ecotoxicological perspective. *Science of the Total Environment*, 677, 57–67. <https://doi.org/10.1016/j.scitotenv.2019.04.345>
- Poerwowidodo. (1992). *Metode Selidik Tanah*. Usaha Nasional.
- Pramono, J., Prajitno, D., Tohari, & Shiddieq, D. (2012). Mitigation of Nitrate Leaching in Inceptisol Soil Through the Use of Natural Nitrate Inhibitor. *Agritech*, 32(2), 136–143.
- Pratiwi, D., Syakur, S., & Darusman, D. (2021). Karakteristik Biochar Pada Beberapa Metode Pembuatan dan Bahan Baku. *Jurnal Ilmiah Mahasiswa Pertanian*, 6(3), 210–216. <https://doi.org/10.17969/jimfp.v6i3.16967>
- Pratiwi, E. P. A., & Shinogi, Y. (2016). Rice husk biochar application to paddy soil and its effects on soil physical properties, plant growth, and methane emission. *Paddy and Water Environment*, 14(4), 521–532. <https://doi.org/10.1007/s10333-015-0521-z>
- Puettmann, M., Sahoo, K., Wilson, K., & Oneil, E. (2020). Life cycle assessment of biochar produced from forest residues using portable systems. *Journal of Cleaner Production*, 250, 119564. <https://doi.org/10.1016/j.jclepro.2019.119564>
- Qi, D., Hu, T., Song, X., & Zhang, M. (2019). Effect of nitrogen supply method on root growth and grain yield of maize under alternate partial root-zone irrigation. *Scientific Reports*, 9(1), 1–10. <https://doi.org/10.1038/s41598-019-44759-2>
- Rahmah, S., Yusran, & Umar, H. (2014). Sifat Kimia Tanah Pada Berbagai Tipe Penggunaan Lahan Di Desa Bobo Kecamatan Palolo Kabupaten Sigi. *Warta Rimba*, 2(1), 88–95.
- Raun, W. R., Solie, J. B., Johnson, G. V., Stone, M. L., Mullen, R. W., Freeman, K. W., Thomason, W. E., & Lukina, E. V. (2002). Improving Nitrogen Use Efficiency in Cereal Grain Production with Optical Sensing and Variable Rate Application. *Agronomy Journal*, 94(4), 815. <https://doi.org/10.2134/agronj2002.0815>
- Report, W. M., Health, M., Understanding, N., Hope, N., & Day, W. H. (2013). 原著 1 2 2,*. 32(2), 140–154.
- Robert, B., & Brown, E. B. (2004). *No 主観的健康感を中心とした在宅高齢者における健康関連指標に関する共分散構造分析* Title (Issue 1).
- Rojas, J. J., Ochoa, V. J., Ocampo, S. A., & Muñoz, J. F. (2006). Screening for antimicrobial activity of ten medicinal plants used in Colombian folkloric medicine: A possible alternative in the treatment of non-nosocomial infections. *BMC Complementary and Alternative Medicine*, 6, 1–6. <https://doi.org/10.1186/1472-6882-6-2>
- Rosmarkam, A., & Yuwono, N. W. (2002). Ilmu Kesuburan Tanah. In *Kanisius*. Kanisius.
- Safria, Wahyudi, I., & Ramlan, A. (2017). Pengaruh Pemberian Bokashi Daun Gamal Terhadap Serapan Nitrogen dan Hasil Tanaman Jagung Manis (*Zea mays saccharata*) pada Entisol Sidera. *J. Agroland*, 24(3), 190–198.

- Sanchez, P. A., Palm, C. A., & Buol, S. W. (2003). Fertility capability soil classification: A tool to help assess soil quality in the tropics. *Geoderma*, 114(3–4), 157–185. [https://doi.org/10.1016/S0016-7061\(03\)00040-5](https://doi.org/10.1016/S0016-7061(03)00040-5)
- Schröder, E., Thomauske, K., Weber, C., Hornung, A., & Tumiatti, V. (2007). Experiments on the generation of activated carbon from biomass. *Journal of Analytical and Applied Pyrolysis*, 79(1-2 SPEC. ISS.), 106–111. <https://doi.org/10.1016/j.jaap.2006.10.015>
- Serta, S., & Jagung, S. N. (2014). 2) (1). 11(1), 29–38.
- Shen, F., Liu, J., Wu, D., Dong, Y., & Zhang, Z. (2019). Development of O₂ and NO Co-Doped Porous Carbon as a High-Capacity Mercury Sorbent [Research-article]. *Environmental Science and Technology*, 53(3), 1725–1731. <https://doi.org/10.1021/acs.est.8b05777>
- Shen, J., Tang, H., Liu, J., Wang, C., Li, Y., Ge, T., Jones, D. L., & Wu, J. (2014). Contrasting effects of straw and straw-derived biochar amendments on greenhouse gas emissions within double rice cropping systems. *Agriculture, Ecosystems and Environment*, 188, 264–274. <https://doi.org/10.1016/j.agee.2014.03.002>
- Simon, P. L., Dieckow, J., Zanatta, J. A., Ramalho, B., Ribeiro, R. H., van der Weerden, T., & de Klein, C. A. M. (2020). Does *Brachiaria humidicola* and dicyandiamide reduce nitrous oxide and ammonia emissions from cattle urine patches in the subtropics? *Science of the Total Environment*, 720, 137692. <https://doi.org/10.1016/j.scitotenv.2020.137692>
- Snyder, A. J., Johnson-Maynard, J. L., & Morra, M. J. (2010). Nitrogen mineralization in soil incubated with ¹⁵N-labeled Brassicaceae seed meals. *Applied Soil Ecology*, 46(1), 73–80. <https://doi.org/10.1016/j.apsoil.2010.06.011>
- Society, B. E. (2017). *Population Dynamics of the Nitrifying Bacterium Nitrosolobus in Soil Author (s): R. M. Macdonald Source: Journal of Applied Ecology, Vol. 16, No. 2 (Aug., 1979), pp. 529-535 Published by: British Ecological Society Stable URL: http://www.js. 16(2), 529–535.*
- Stevens, C. J. (2019). Nitrogen in the environment. *Science*, 363(6427), 578–580. <https://doi.org/10.1126/science.aav8215>
- Subbarao, G. V., Yoshihashi, T., Worthington, M., Nakahara, K., Ando, Y., Sahrawat, K. L., Rao, I. M., Lata, J. C., Kishii, M., & Braun, H. J. (2015). Suppression of soil nitrification by plants. *Plant Science*, 233, 155–164. <https://doi.org/10.1016/j.plantsci.2015.01.012>
- Subbarao, G. V., Ishikawa, T., Ito, O., Nakahara, K., Wang, H. Y., & Berry, W. L. (2006). A bioluminescence assay to detect nitrification inhibitors released from plant roots: A case study with *Brachiaria humidicola*. *Plant and Soil*, 288(1–2), 101–112. <https://doi.org/10.1007/s11104-006-9094-3>
- Subbarao, G. V., Rao, I. M., Nakahara, K., Sahrawat, K. L., Ando, Y., & Kawashima, T. (2013). Potential for biological nitrification inhibition to reduce nitrification and N₂O emissions in pasture crop-livestock systems. *Animal: An International Journal of Animal Bioscience*, 7 Suppl 2(2), 322–332. <https://doi.org/10.1017/s1751731113000761>
- Subbarao, G. V., Rondon, M., Ito, O., Ishikawa, T., Rao, I. M., Nakahara, K.,

- Lascano, C., & Berry, W. L. (2007). Biological nitrification inhibition (BNI) - Is it a widespread phenomenon? *Plant and Soil*, 294(1–2), 5–18.
<https://doi.org/10.1007/s11104-006-9159-3>
- Subbarao, G. V., Sahrawat, K. L., Nakahara, K., Rao, I. M., Ishitani, M., Hash, C. T., Kishii, M., Bonnett, D. G., Berry, W. L., & Lata, J. C. (2013). A paradigm shift towards low-nitrifying production systems: The role of biological nitrification inhibition (BNI). *Annals of Botany*, 112(2), 297–316.
<https://doi.org/10.1093/aob/mcs230>
- Sun, L., Lu, Y., Yu, F., Kronzucker, H. J., & Shi, W. (2016). Biological nitrification inhibition by rice root exudates and its relationship with nitrogen-use efficiency. *New Phytologist*, 212(3), 646–656.
<https://doi.org/10.1111/nph.14057>
- Sun, Y., Xiong, X., He, M., Xu, Z., Hou, D., Zhang, W., Ok, Y. S., Rinklebe, J., Wang, L., & Tsang, D. C. W. (2021). Roles of biochar-derived dissolved organic matter in soil amendment and environmental remediation: A critical review. *Chemical Engineering Journal*, 424(May).
<https://doi.org/10.1016/j.cej.2021.130387>
- Susilawati, H. L., Wihardjaka, A., Nurhasan, N., & Setyanto, P. (2021). Potensi Bahan Alami dalam Menekan Produksi CH₄ dan N₂O dari Tanah Sawah. *Jurnal Ilmu Pertanian Indonesia*, 26(4), 499–510.
<https://doi.org/10.18343/jipi.26.4.499>
- Syachroni, S. H. (2020). Kajian Beberapa Sifat Kimia Tanah Pada Tanah Sawah Di Berbagai Lokasi Di Kota Palembang. *Sylva: Jurnal Ilmu-Ilmu Kehutanan*, 8(2), 60. <https://doi.org/10.32502/sylva.v8i2.2697>
- Tambunan, S., Siswanto, B., & Handayanto, E. (2014). Pengaruh Aplikasi Bahan Organik Segar Dan Biochar Terhadap Ketersediaan P Dalam Tanah Di Lahan Kering Malang Selatan. *Jurnal Tanah Dan Sumberdaya Lahan*, 1(1), 85–92. <http://jtsl.ub.ac.id>
- Tanaman, P., Manis, J., Hr, J., Km, S., Widya, K. B., & Baru, S. (2015). 1, 2 2. 2(2), 1–12.
- Tang, S., Ma, Q., Luo, J., Xie, Y., Hashmi, M. L. ur R., Pan, W., Zheng, N., Liu, M., & Wu, L. (2021). The inhibition effect of tea polyphenols on soil nitrification is greater than denitrification in tea garden soil. *Science of the Total Environment*, 778. <https://doi.org/10.1016/j.scitotenv.2021.146328>
- Taroreh, F. L., Karwur, F., & Mangimbulude, J. (2016). Transformasi Nitrogen secara Biologis di Air Panas Sarongsong Kota Tomohon. *Prosiding Seminar Nasional Teknik Kimia Pengembangan Teknologi Kimia Untuk Pengolahan Sumber Daya Alam Indonesia*, 6(3), 1–6.
<http://jurnal.upnyk.ac.id/index.php/kejuangan/article/view/1545/1418>
- Thapa, R., & Chatterjee, A. (2017). Wheat production, nitrogen transformation, and nitrogen losses as affected by nitrification and double inhibitors. *Agronomy Journal*, 109(5), 1825–1835.
<https://doi.org/10.2134/agronj2016.07.0415>
- Triyono, A., Purwanto, & Budiyo. (2013). Efisiensi Penggunaan Pupuk – N untuk Pengurangan Kehilangan Nitrat pada Lahan Pertanian. *Prosiding Seminar Nasional Pengelolaan Sumber Daya Alam Dan Lingkungan*, 1,

526–531.

- Wang, S., Nam, H., & Nam, H. (2020). Preparation of activated carbon from peanut shell with KOH activation and its application for H₂S adsorption in confined space. *Journal of Environmental Chemical Engineering*, 8(2), 103683. <https://doi.org/10.1016/j.jece.2020.103683>
- Wang, S., Zhang, H., Huang, H., Xiao, R., Li, R., & Zhang, Z. (2020). Influence of temperature and residence time on characteristics of biochars derived from agricultural residues: A comprehensive evaluation. *Process Safety and Environmental Protection*, 139, 218–229. <https://doi.org/10.1016/j.psep.2020.03.028>
- Wang, Z. R., Rui, Y. K., Shen, J. B., & Zhang, F. S. (2008). Effects of N fertilizer on root growth in *Zea mays* L. seedlings. *Spanish Journal of Agricultural Research*, 6(4), 677–682. <https://doi.org/10.5424/sjar/2008064-360>
- Weber, K., & Quicker, P. (2018). Properties of biochar. *Fuel*, 217(September 2017), 240–261. <https://doi.org/10.1016/j.fuel.2017.12.054>
- Weiske, A., Benckiser, G., & Ottow, J. C. G. (2001). Effect of the new nitrification inhibitor DMPP in comparison to DCD on nitrous oxide (N₂O) emissions and methane (CH₄) oxidation during 3 years of repeated applications in field experiments. *Nutrient Cycling in Agroecosystems*, 60(1–3), 57–64. <https://doi.org/10.1023/A:1012669500547>
- Widjaja, E. A., & Astuti, I. P. (2005). *Identikit Bambu di Bali. January 2005*, 2005.
- Wihardjaka, A. (2016). *Aspek Lingkungan Pemupukan Nitrogen Pada Tanaman Padi Sawah* (1st ed.). PT. Kanisius.
- Wihardjaka, A., & Setyanto, P. (2007). pengelolaan lingkungan pertanian menuju mekanisme pembangunan bersih. In *emisi dan mitigasi gas rumah kaca dari lahan sawah irigasi dan tadah hujan* (pp. 55–87). Balingtan.
- Xiang, Y., Deng, Q., Duan, H., & Guo, Y. (2017). Effects of biochar application on root traits: a meta-analysis. *GCB Bioenergy*, 9(10), 1563–1572. <https://doi.org/10.1111/gcbb.12449>
- Xie, R., Zhu, Y., Zhang, H., Zhang, P., & Han, L. (2021). Effects and mechanism of pyrolysis temperature on physicochemical properties of corn stalk pellet biochar based on combined characterization approach of microcomputed tomography and chemical analysis. *Bioresource Technology*, 329(February), 124907. <https://doi.org/10.1016/j.biortech.2021.124907>
- Yan, B., Zhang, Y., Wang, Y., Rong, X., Peng, J., Fei, J., & Luo, G. (2023). Biochar amendments combined with organic fertilizer improve maize productivity and mitigate nutrient loss by regulating the C–N–P stoichiometry of soil, microbiome, and enzymes. *Chemosphere*, 324(March), 138293. <https://doi.org/10.1016/j.chemosphere.2023.138293>
- Yang, W., Liu, Z., Xu, W., & Liu, Y. (2018). Removal of elemental mercury from flue gas using sargassum chars modified by NH₄Br reagent. *Fuel*, 214(August 2017), 196–206. <https://doi.org/10.1016/j.fuel.2017.11.004>
- Yao, Y., Gao, B., Zhang, M., Inyang, M., & Zimmerman, A. R. (2012). Effect of biochar amendment on sorption and leaching of nitrate, ammonium, and phosphate in a sandy soil. *Chemosphere*, 89(11), 1467–1471.

<https://doi.org/10.1016/j.chemosphere.2012.06.002>

Zhang, L. M., Hu, H. W., Shen, J. P., & He, J. Z. (2012). Ammonia-oxidizing archaea have more important role than ammonia-oxidizing bacteria in ammonia oxidation of strongly acidic soils. *ISME Journal*, 6(5), 1032–1045.

<https://doi.org/10.1038/ismej.2011.168>

Zhang, X., Zhang, P., Yuan, X., Li, Y., & Han, L. (2020). Effect of pyrolysis temperature and correlation analysis on the yield and physicochemical properties of crop residue biochar. *Bioresource Technology*, 296(September 2019), 122318. <https://doi.org/10.1016/j.biortech.2019.122318>

Zhu, Q., Peng, X., & Huang, T. (2015). Contrasted effects of biochar on maize growth and N use efficiency depending on soil conditions. *International Agrophysics*, 29(2), 257–266. <https://doi.org/10.1515/intag-2015-0023>