



## DAFTAR PUSTAKA

- AKKOC, I., YUCETAS, E., ISITEMIZ, I., TOPTAS, M., TAS, A., SEN, O., OZGUR, F., & ERGUVEN, H. (2017). Mortality Rate In Intensive Care Units of Tertiary Health Institutions and Identifying Risk Factors: Analysis of 3945 Patients. *Bezmialem Science*, 5(3), 116–120. <https://doi.org/10.14235/bs.2017.1102>
- Antonio e Silva, L. G., Dantas de Maio Carrilho, C. M., Talizin, T. B., Cardoso, L. T. Q., Lavado, E. L., & Grion, C. M. C. (2023). Risk factors for hospital mortality in intensive care unit survivors: a retrospective cohort study. *Acute and Critical Care*, 38(1), 68–75. <https://doi.org/10.4266/acc.2022.01375>
- Augustin, P., Tran-Dinh, A., Desmard, M., Tanaka, S., Grall, N., Ben-Rehouma, M., Arapis, K., Ribeiro-Parenti, L., & Montravers, P. (2020). Usefulness of Gram stain examination of peritoneal fluid in postoperative peritonitis to guide empirical antibiotherapy. *European Journal of Trauma and Emergency Surgery*, 46(6), 1335–1340. <https://doi.org/10.1007/s00068-019-01161-x>
- Bailey, A. M., Stephan, M., Weant, K. A., & Justice, S. B. (2015). Clinical Investigation Dosing of Appropriate Antibiotics and Time to Administration of First Doses in the Pediatric Emergency Department. In *J Pediatr Pharmacol Ther* (Vol. 20, Issue 4). [www.jppt.org](http://www.jppt.org)
- Balouiri, M., Sadiki, M., & Ibsouda, S. K. (2016). Methods for in vitro evaluating antimicrobial activity: A review. In *Journal of Pharmaceutical Analysis* (Vol. 6, Issue 2, pp. 71–79). Xi'an Jiaotong University. <https://doi.org/10.1016/j.jpha.2015.11.005>
- Barmanray, R. D., Cheuk, N., Fourlanos, S., Greenberg, P. B., Colman, P. G., & Worth, L. J. (2022). In-hospital hyperglycemia but not diabetes mellitus alone is associated with increased in-hospital mortality in community-acquired pneumonia (CAP): a systematic review and meta-analysis of observational studies prior to COVID-19. *BMJ Open Diabetes Research & Care*, 10(4). <https://doi.org/10.1136/bmjdrc-2022-002880>
- Beveridge, T. J. (2001). Use of the Gram stain in microbiology. *Department of Microbiology, College of Biological Science, University of Guelph, Guelph, Ontario, Canada*, 1111–1118. <https://doi.org/10.1080/bih.76.3.111.118>.
- Blot, S., Antonelli, M., Arvaniti, K., Blot, K., Creagh-Brown, B., de Lange, D., De Waele, J., Deschepper, M., Dikmen, Y., Dimopoulos, G., Eckmann, C., Francois, G., Girardis, M., Koulenti, D., Labeau, S., Lipman, J., Lipovestky, F., Maseda, E., Montravers, P., ... Davis, N. (2019). Epidemiology of intra-abdominal infection and sepsis in critically ill patients: “AbSeS”, a multinational observational cohort study and ESICM Trials Group Project. *Intensive Care Medicine*, 45(12), 1703–1717. <https://doi.org/10.1007/s00134-019-05819-3>
- Blot, S., & De Waele, J. J. (2005). Critical Issues in the Clinical Management of Complicated Intra-Abdominal Infections. In *Drugs* (Vol. 65, Issue 12).
- Brinkmann, V., Reichard, U., Goosmann, C., Fauler, B., Uhlemann, Y., Weiss, D. S., Weinrauch, Y., & Zychlinsky, A. (2004). *Neutrophil Extracellular Traps Kill Bacteria*. [www.sciencemag.org](http://www.sciencemag.org)
- Chinnock, B., Fox, C., & Hendey, G. W. (2009). Gram's Stain of Peritoneal Fluid Is Rarely Helpful in the Evaluation of the Ascites Patient. *Annals of Emergency Medicine*, 54(1), 78–82. <https://doi.org/10.1016/j.annemergmed.2008.12.020>
- Crandall, M., & West, M. A. (2006). Evaluation of the abdomen in the critically ill patient: opening the black box. *Current Opinion in Critical Care*, 333–336.
- Cutuli, S. L., Carelli, S., De Pascale, G., & Antonelli, M. (2018). Improving the care for elective surgical patients: Post-operative ICU admission and outcome. In *Journal of Thoracic Disease* (Vol. 10, pp. S1047–S1049). AME Publishing Company. <https://doi.org/10.21037/jtd.2018.04.64>
- Edelsberg, J., Berger, A., Schell, S., Mallick, R., Kuznik, A., & Oster, G. (2008). Economic



## Perbandingan Pemberian Antibiotik Berdasarkan Pengecatan Gram dengan Pemberian Antibiotik tanpa

### Pengecatan Gram Terhadap Luaran Pasca Operasi Laparotomi di ICU (Studi Retrospektif)

Taufik Eko Nugroho, dr. Calcarina Fitriani R. W, Sp.An-TI, Subsp. TI (K); Dr. dr. Sudadi, Sp.An-TI, Subsp.N An.(K), S

UNIVERSITAS  
GADJAH MADA

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

consequences of failure of initial antibiotic therapy in hospitalized adults with complicated intra-abdominal infections. *Surgical Infections*, 9(3), 335–347.  
<https://doi.org/10.1089/sur.2006.100>

Gerber, J. S., Ross, R. K., Bryan, M., Localio, A. R., Szymczak, J. E., Wasserman, R., Barkman, D., Odeniyi, F., Conaboy, K., Bell, L., Zaoutis, T. E., & Fiks, A. G. (2017). Association of broad- vs narrow-spectrum antibiotics with treatment failure, adverse events, and quality of life in children with acute respiratory tract infections. *JAMA - Journal of the American Medical Association*, 318(23), 2325–2336.  
<https://doi.org/10.1001/jama.2017.18715>

Giuliano, C., Patel, C. R., & Kale-Pradhan, P. B. (2019). A Guide to Bacterial Culture Identification And Results Interpretation. *P&T*, 44(4), 192–200.

Gottesman, T., Yossepowitch, O., Lerner, E., Schwartz-Harari, O., Soroksky, A., Yekutieli, D., & Dan, M. (2014). The accuracy of Gram stain of respiratory specimens in excluding *Staphylococcus aureus* in ventilator-associated pneumonia. *Journal of Critical Care*, 29(5), 739–742. <https://doi.org/10.1016/j.jcrc.2014.05.011>

Hansted, A. K., Møller, M. H., Møller, A. M., & Vester-Andersen, M. (2020). APACHE II score validation in emergency abdominal surgery. A post hoc analysis of the InCare trial. *Acta Anaesthesiologica Scandinavica*, 64(2), 180–187.  
<https://doi.org/10.1111/aas.13476>

Jiang, L., & Cheng, M. (2022). Impact of diabetes mellitus on outcomes of patients with sepsis: an updated systematic review and meta-analysis. In *Diabetology and Metabolic Syndrome* (Vol. 14, Issue 1). BioMed Central Ltd. <https://doi.org/10.1186/s13098-022-00803-2>

Joo, Y. M., Chae, M. K., Hwang, S. Y., Jin, S.-C., Lee, T. R., Cha, W. C., Jo, I. J., Sim, M. S., Song, K. J., Jeong, Y. K., & Shin, T. G. (2014). Impact of timely antibiotic administration on outcomes in patients with severe sepsis and septic shock in the emergency department. *Clinical and Experimental Emergency Medicine*, 1(1), 35–40.  
<https://doi.org/10.15441/ceem.14.012>

Kahlmeter, G. (2017). EUCAST proposes to change the definition and usefulness of the susceptibility category ‘Intermediate.’ In *Clinical Microbiology and Infection* (Vol. 23, Issue 12, pp. 894–895). Elsevier B.V. <https://doi.org/10.1016/j.cmi.2017.08.015>

Khilnani, G. C., Zirpe, K., Hadda, V., Mehta, Y., Madan, K., Kulkarni, A., Mohan, A., Dixit, S., Guleria, R., & Bhattacharya, P. (2019). Guidelines for antibiotic prescription in intensive care unit. *Indian Journal of Critical Care Medicine*, 23, 1–63.  
<https://doi.org/10.5005/jp-journals-10071-23101>

Laxminarayan, R., Duse, A., Wattal, C., Zaidi, A. K. M., Wertheim, H. F. L., Sumpradit, N., Vlieghe, E., Hara, G. L., Gould, I. M., Goossens, H., Greko, C., So, A. D., Bigdeli, M., Tomson, G., Woodhouse, W., Ombaka, E., Peralta, A. Q., Qamar, F. N., Mir, F., ... Cars, O. (2013). Antibiotic resistance-the need for global solutions. In *The Lancet Infectious Diseases* (Vol. 13, Issue 12, pp. 1057–1098). [https://doi.org/10.1016/S1473-3099\(13\)70318-9](https://doi.org/10.1016/S1473-3099(13)70318-9)

Lopez, N., Kobayashi, L., & Coimbra, R. (2011). A Comprehensive review of abdominal infections. In *World Journal of Emergency Surgery* (Vol. 6, Issue 1).  
<https://doi.org/10.1186/1749-7922-6-7>

Lydia, A., Rebecca, R. V, Sedono, R., & Mansjoer, A. (2019). Factors Associated with Mortality of Intensive Care Unit Patients with Acute Kidney Injury at Cipto Mangunkusumo National Central General Hospital. In *Acta Med Indones-Indones J Intern Med* • (Vol. 51).

Marshall, J. C., & Innes, M. (2003). Intensive care unit management of intra-abdominal infection. In *Critical Care Medicine* (Vol. 31, Issue 8, pp. 2228–2237).  
<https://doi.org/10.1097/01.CCM.0000087326.59341.51>

Mumtaz, H., Ejaz, M. K., Tayyab, M., Vohra, L. I., Sapkota, S., Hasan, M., & Saqib, M. (2023). APACHE scoring as an indicator of mortality rate in ICU patients: a cohort study. *Annals of Medicine and Surgery*, 85(3), 416–421.  
<https://doi.org/10.1097/MS9.0000000000000264>



## Perbandingan Pemberian Antibiotik Berdasarkan Pengecatan Gram dengan Pemberian Antibiotik tanpa

### Pengecatan Gram Terhadap Luaran Pasca Operasi Laparotomi di ICU (Studi Retrospektif)

Taufik Eko Nugroho, dr. Calcarina Fitriani R. W, Sp.An-TI, Subsp. TI (K); Dr. dr. Sudadi, Sp.An-TI, Subsp.N An.(K), S

UNIVERSITAS  
GADJAH MADA

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Murtha-Lemekhova, A., Fuchs, J., Teroerde, M., Chiriac, U., Klotz, R., Hornuss, D.,

Larmann, J., Weigand, M. A., & Hoffmann, K. (2022). Routine Postoperative Antibiotic Prophylaxis Offers No Benefit after Hepatectomy—A Systematic Review and Meta-Analysis. In *Antibiotics* (Vol. 11, Issue 5). MDPI.  
<https://doi.org/10.3390/antibiotics11050649>

Obayashi, J., Furuta, S., Kawaguchi, T., Kawaguchi, K., Ohyama, K., Nagae, H., Wakisaka, M., & Kitagawa, H. (2018). The effect of the broad-spectrum antibiotics for prevention of postoperative intra-abdominal abscess in pediatric acute appendicitis. *Pediatric Surgery International*, 34(10), 1121–1125. <https://doi.org/10.1007/s00383-018-4327-0>

Oliver, C. M., Walker, E., Giannaris, S., Grocott, M. P. W., & Moonesinghe, S. R. (2015). Risk assessment tools validated for patients undergoing emergency laparotomy: A systematic review. In *British Journal of Anaesthesia* (Vol. 115, Issue 6, pp. 849–860). Oxford University Press. <https://doi.org/10.1093/bja/aev350>

Puspitadewi, E. S., Farhanah, N., Mughni, A., & Farhanah2, N. (2018). ANALISIS FAKTOR-FAKTOR RISIKO YANG MEMPENGARUHI MORTALITAS PADA PASIEN COMPLICATED INTRA ABDOMINAL INFECTIONS. 7(2), 1554–1567.

Rahmatjati, P., Adiyanto, B., & Widodo, U. (2023). Kesesuaian Pemberian Antibiotik dengan Pengecatan Gram terhadap Hasil Kultur Cairan Abdomen pada Pasien Infeksi Intraabdomen di ICU. Gadjah Mada University.

Rodloff, A., Bauer, T., Ewig, S., Kujath, P., & Müller, E. (2008). Übersichtsarbeit: Sensibel, intermediär und resistent - Wirkintensität von antibiotika. In *Deutsches Arzteblatt* (Vol. 105, Issue 39, pp. 657–662). <https://doi.org/10.3238/arztebl.2008.0657>

Sartelli, M., Catena, F., Ansaldi, L., Coccolini, F., Corbella, D., Moore, E. E., Malangoni, M., Velmahos, G., Coimbra, R., Koike, K., Leppaniemi, A., Biffl, W., Balogh, Z., Bendinelli, C., Gupta, S., Kluger, Y., Agresta, F., Saverio, S. D., Tognoli, G., ... Barnabé, R. (2014). Complicated intra-abdominal infections worldwide: The definitive data of the CIAOW Study. *World Journal of Emergency Surgery*, 9(1).

<https://doi.org/10.1186/1749-7922-9-37>

Sartelli, M., Coccolini, F., Kluger, Y., Agastra, E., Abu-Zidan, F. M., Abbas, A. E. S., Ansaldi, L., Adesunkanmi, A. K., Atanasov, B., Augustin, G., Bala, M., Baraket, O., Baral, S., Biffl, W. L., Boermeester, M. A., Ceresoli, M., Cerutti, E., Chiara, O., Cicuttin, E., ... Catena, F. (2021). WSES/GAIS/SIS-E/WSIS/AAST global clinical pathways for patients with intra-abdominal infections. In *World Journal of Emergency Surgery* (Vol. 16, Issue 1). BioMed Central Ltd. <https://doi.org/10.1186/s13017-021-00387-8>

Scerbo, M. H., Kaplan, H. B., Dua, A., Litwin, D. B., Ambrose, C. G., Moore, L. J., Murray, C. C. K., Wade, C. E., & Holcomb, J. B. (2016). Beyond Blood Culture and Gram Stain Analysis: A Review of Molecular Techniques for the Early Detection of Bacteremia in Surgical Patients. In *Surgical Infections* (Vol. 17, Issue 3, pp. 294–302). Mary Ann Liebert Inc. <https://doi.org/10.1089/sur.2015.099>

Scheer, C. S., Fuchs, C., Gründling, M., Vollmer, M., Bast, J., Bohnert, J. A., Zimmermann, K., Hahnenkamp, K., Rehberg, S., & Kuhn, S. O. (2019). Impact of antibiotic administration on blood culture positivity at the beginning of sepsis: a prospective clinical cohort study. *Clinical Microbiology and Infection*, 25(3), 326–331.

<https://doi.org/10.1016/j.cmi.2018.05.016>

Solomkin, J. S., Mazuski, J. E., Baron, E. J., Sawyer, R. G., Nathens, A. B., Dipiro, J. T., Buchman, T., Patchen Dellinger, E., Jernigan, J., Gorbach, S., Chow, A. W., & Bartlett, J. (2003). Guidelines for the Selection of Anti-infective Agents for Complicated Intra-abdominal Infections Downloaded from (Vol. 37). <http://cid.oxfordjournals.org/>

Song, X., Liu, X. Y., Wang, H. R., Guo, X. Y., Kashani, K. B., & Ma, P. L. (2021). Association between anemia and ICU outcomes. In *Chinese Medical Journal* (Vol. 134, Issue 14, pp. 1744–1746). Lippincott Williams and Wilkins.

<https://doi.org/10.1097/CM9.0000000000001669>

Taniguchi, T., Tsuha, S., Shiiki, S., & Narita, M. (2015). Gram-stain-based antimicrobial selection reduces cost and overuse compared with Japanese guidelines. *BMC Infectious*



- Tanio, P. N., Lalenoh, D. C., & Laihad, M. L. (2018). Profil Pasien Pasca Laparotomi di ICU RSUP Prof Kandou Manado Periode Januari 2015 sampai Desember 2017. *Jurnal Ilmiah Kedokteran Klinik*, 6(2), 80–83.
- Tellado, J. M., Sen, S. S., Caloto, M. T., Kumar, R. N., & Nocea, G. (2007). Consequences of inappropriate initial empiric parenteral antibiotic therapy among patients with community-acquired intra-abdominal infections in Spain. *Scandinavian Journal of Infectious Diseases*, 39(11–12), 947–955. <https://doi.org/10.1080/00365540701449377>
- Tong, Y., Li, Q., Liu, S., Liu, T., Qu, K., Liu, C., & Zhang, J. (2022). Antimicrobial and Microbiological Characteristics of Critically Ill Patients with Complicated Intra-Abdominal Infection: Observational Data from Beth Israel Deaconess Medical Center. *International Journal of General Medicine*, 15, 2127–2136. <https://doi.org/10.2147/IJGM.S354258>
- Verma, J., Saxena, S., & Babu, S. G. (2013). *ELISA-Based Identification and Detection of Microbes* (pp. 169–186). [https://doi.org/10.1007/978-3-642-34410-7\\_13](https://doi.org/10.1007/978-3-642-34410-7_13)
- Vincent, J.-L., Rello, J., Marshall, J., Silva, E., Anzueto, A., Martin, C. D., Moreno, R., Lipman, J., Gomersall, C., Sakr, Y., & Reinhart, K. (2009). *International Study of the Prevalence and Outcomes of Infection in Intensive Care Units*. [www.jama.com](http://www.jama.com)
- Weigelt, J. A. (2007). Empiric treatment options in the management of complicated intra-abdominal infections. In *CLEVELAND CLINIC JOURNAL OF MEDICINE* (Vol. 74). [www.ccjm.org](http://www.ccjm.org)
- Winstanley, T., & Courvalin, P. (2011). Expert systems in clinical microbiology. *Clinical Microbiology Reviews*, 24(3), 515–556. <https://doi.org/10.1128/CMR.00061-10>
- Yoshimura, J., Yamakawa, K., Kinoshita, T., Ohta, Y., & Morimoto, T. (2018). GRam stain-guided Antibiotics ChoicE for Ventilator-Associated Pneumonia (GRACE-VAP) trial: Rationale and study protocol for a randomised controlled trial. *Trials*, 19(1). <https://doi.org/10.1186/s13063-018-2971-2>
- Yoshimura, J., Yamakawa, K., Ohta, Y., Nakamura, K., Hashimoto, H., Kawada, M., Takahashi, H., Yamagawa, T., Kodate, A., Miyamoto, K., Fujimi, S., & Morimoto, T. (2022). Effect of Gram Stain-Guided Initial Antibiotic Therapy on Clinical Response in Patients with Ventilator-Associated Pneumonia: The GRACE-VAP Randomized Clinical Trial. *JAMA Network Open*, 5(4), E226136. <https://doi.org/10.1001/jamanetworkopen.2022.6136>
- Zhang, Y., Zhang, J., Du, Z., Ren, Y., Nie, J., Wu, Z., Lv, Y., Bi, J., & Wu, R. (2021). Risk factors for 28-day mortality in a surgical ICU: A retrospective analysis of 347 cases. *Risk Management and Healthcare Policy*, 14, 1555–1562. <https://doi.org/10.2147/RMHP.S303514>